

Apple Computer Inc., 20525 Mariani Avenue, Cupertino, California 95014

For the authorized Apple dealer nearest you, call 800-538-9696 (800-662-9238 in California.)

Fruitful Connections.

There are more people in more places making more accessories and peripherals for Apples than for any other personal computer in the world.

Thanks to those people in hundreds of independent companies - you can make the humblest 1978 Apple II turn tricks that are still on IBM's Wish List for 1984.

But now we're coming out with our very own line of peripherals and accessories for Apple® Personal Computers.

For two very good reasons. First, compatibility. We've created a totally kluge-free family of products designed to take full advantage of all the advantages built into every Apple.

Second, service and support.



Now the same kindly dealer who keeps your Apple PC in the pink can do the same competent job for your Apple hard-disk and your Apple daisywheel printer.

So if you're looking to expand the capabilities of your Apple II or III. remember:

Now you can add Apples to Apples.

A joy to behold.

The new Apple Joystick II is the ultimate hand control device for the Apple II.

Why is it such a joy to use? With two firing buttons, it's the first ambidextrous joystick just as comfortable for lefties

as righties.

Of course, it gives you 360° cursor control (not just 8-way like some game-oriented devices) and full X/Y coordinate control.

And the Joystick II contains high-quality components and switches tested to over 1,000,000 life cycles.

Which makes it a thing of beauty. And a joystick forever.

Gutenberg would be proud.

Old Faithful Silentype® has now been joined by New Faithfuls, the Apple Dot Matrix Printer and the Apple Letter Quality Printer.


> So now, whatever your budget and your needs, you can hook your Apple to a printer that's specifically designed to take advantage of all the features built into your Apple. With no compromises.

The 7x9 Apple Dot Matrix Printer is redefining "correspondence quality" with exceptional legibility.

With 144x 160 dots per square inch, it can also create high resolution graphics.

The Apple Letter Quality Printer, which gets the words out about 33% faster than other daisywheel printers in its price range, also offers graphics capabilities. See your authorized

Apple dealer for more information and demonstrations. Because, unfortunately, all the news fit to print simply doesn't fit.





Or lost in space? Or down in the dungeons?


Whatever your games, you'll be happy to know that someone has findly come out with game paddle built to hold up under blistering fire. Without giving you blisters


Apple Hand Controller II game preddles were designed with one recent discovery in mind:

People playing games get excited and can squeeze very, very hard.

So we made the cases extra rugged. We used switches tested to 3,000,000 life cycles. We shaped them for holding hands and placed the firing batton on the right rear side for makimum comfort.

So you'll never miss a shot.





Launching pad for numeric data.

Good tidings for crunchers of numerous numbers:

Apple now offers a numeric keypad that's electronically and aesthetically compatible with the Apple II Personal Computer. So you can enter numeric data

ever before. The Apple Numeric Keypad II has a standard calculatorstyle layout. Appropriate.

faster than

because unlike some other keypads, it can actually function as a calculator.

The four function keys to the left of the numeric pad should be of special interest

to people who use VisiCalc® Because they let you zip around vour work sheet more easily than ever, adding and deleting entries.

With one hand tied behind your back.



How to buy a computer by the numbers.

Introducing the Cromemco C-10 Personal Computer. Only \$1785, including software, and you get more professional features and performance for the price than with any other personal computer on the market. We've got the numbers to prove it.

The C-10 starts with a high-resolution 12" CRT that displays 25 lines with a full 80 characters on each line. Inside is a high-speed Z-80A microprocessor and 64K bytes of on-board memory. Then there's a detached, easy-to-use keyboard and a 5\%" disk drive with an exceptionally large 390K capacity. That's the C-10, and you won't find another ready-to-use personal computer that offers you more.

But hardware can't work alone.
That's why every C-10 includes software
—word processing, financial spread
sheet, investment planning and BASIC.
Hard-working, CP/M^R-based software
that meets your everyday needs. Software that could cost over \$1000 some-

where else. FREE with the C-10. There's really nothing else to buy.

But the C-10's numbers tell only part of the story. What they don't say is that Cromemco is already known for some of the most reliable business and scientific computers in the industry. And now for the first time, this technology is available in a personal computer.


One last number.
Call 800 538-8157 x929
for the name of your
nearest Cromemco
dealer, or to request
literature. In California
call 800 672-3470 x929. Or write
Cromemco, Inc., 280 Bernardo
Avenue, P.O. Box 7400, Mountain
View, CA 94039. In Europe, write
Cromemco A/S, Vesterbrogade 1C,
1620 Copenhagen, Denmark.

 $\mathsf{CP/M}^R$ is a registered trademark of Digital Research, Inc. All Cromemoo products are serviced by TRW.



Cromemco
Tomorrow's computers today

Circle 142 on inquiry card.



Features

- 38 The Osborne Executive and the Executive II by Jerry Pournelle I Adam Osborne's second and third machines come with more standard equipment, offer more oppons, and have a slightly larger video screen than the Osborne II
- **49** Build an RS-232C Code-Activated Switch by Steve Ciarcia I This device will let you switch between several peripherals connected to one serial port.
- 59 The Electronic Office by Pamela A. Clark / A short introduction
- **60** Local Area Networks by Harry Saal / The proliferation of office communication systems makes standardization all the more imperative.
- 104 The Movable Conference by Irving A. Lerch I Computer-moderated conferencing is not bound by time and geographic restrictions and is sure to change the structure of the executive business meeting
- **124** Electronic Publishing: The New Newsletter by Arthur S. Bechhoefer I How a newsletter evolved from its traditional format to a computer-accessed, interactive investment advisory service.
- **154** Achieving Greater White-Collar Productivity in the New Office by Randy J. Goldfield / The conversion to automated tools in an office must address many issues, especially human factors.
- **203** Full Use of the Epson MX-80 Under Wordstar by Neil G. Wallace I How to upgrade Version 3.2 of Wordstar to use more of the capabilities of the Epson MX-80 equipped with Graftrax-Plus.
- **232** Stalking the East-Asian Microcomputer by Phil Lemmons / The author chronicles his five-nation tour and reports on the state of microcomputing in East Asia as revealed by attending six electronics trade shows.
- 236 The Japanese Microcomputer Marketplace by Kurt Veggeberg / A short report on the current state of microcomputing in Japan
- **242** An Inexpensive Letter-Quality Printer by Stuart Brown I if low cost and letter quality are two of your priorities for a printer, consider this interface between a personal computer and the Olivetti Praxis 30
- **266** BYTE West Coast: Ferment in Silicon Valley by Phil Lemmons I Profiles of four start-up companies suggest the dynamism of the region and illustrate several ways in which firms get started.
- **272** NAPLPS: A New Standard for Text and Graphics, Part 4: More Advanced Features and Conclusions by Jim Fleming ! A standard way to encode color mapping and animation, closing with some predictions on how NAPLPS will be used by personal computers.
- **286** Better Software Manuals by Dana Sohr I The quality of a product's companion documentation could make or break a sale. Tips on what constitutes a good manual.
- **298** User's Column: Ulterior Motives, Lobo, Buying Your First Computer, JRT Update by Jerry Pournelle I Our resident critic takes his first look at Modula 2
- **331** The Enhanced VIC-20, Part 4: Connecting Serial RS-232C Peripherals to the VIC's TTL Port by Joel Swank / The last in this VIC series discusses port connections
- **342** Design Philosophy Behind Motorola's MC68000, Part 2: Data-movement, Arithmetic, and Logic Instructions by Thomas W. Starnes I A look at the capabilities of the MC68000's instruction set
- **368** Building a Hard-Disk Interface for an S-100 System, Part 3: Software by Andrew C. Cruce and Scott A. Alexander I How to alter the CPIM operating system so that it will accommodate a Winchester disk drive and controller

- **402** Using IBM's Marvelous Keyboard by David B. Glasco and Murray Sargent III I ht's a fairly simple procedure to change IBM's keyboard to the Dvorak layout, or even use the keyboard with other computers and software.
- **418** Strongly Typed Languages by Earl E. McCoy / Ada. Pascal, and other new languages let you define your own data types.
- **438** The Ins and Outs of the TRS-80 Color Computer by Colin J. Stearman I Find out how the Color Computer interfaces with the outside world.
- **452** A Conceptual Approach to Real-Time Programming by Craig R. Wyss / You can use various real-time programming techniques to turn a lazy computer into a real worker.
- **474** Regression Fitting to Economic Indexes by Dr. John R. Merrill I An Apple II program can help determine base rates of inflation through analysis of the Consumer Price Index
- **482** Sorting Algorithms for Microcomputers by Terry Barron and George Diehr I Programmer ingenuity and search of the existing literature can significantly improve sort performance

Reviews

- 14 Little Big Computer, The TRS-80 Model 100 Portable Computer by Rich Malloy
- 82 The Fortune 32:16 Business Computer by Steven H Barry
- 134 What a Concept! A View of the Corvus Computer by Curtis Feigel
- 176 Word Tools for the IBM Personal Computer by Richard S. Shuford
- 220 A Comparison of Five Database Management Programs by Jack L. Abbott
- 263 Painter Power by Chris Pappas and William H. Murray
- 426 Solarsoft by Winslow H Fuller

Nucleus

- 6 Editorial: Disenchantment with Detroit
- 8 Letters
- 326 Book Review: Microprocessor Systems, Interfacing and
 - Applications
- 494 BYTELINES 499 Event Queue
- 509 Software Received
- 513 Books Received
- 515 Ask BYTE
- 521 Clubs and Newsletters
- 524 What's New?
- 589 Unclassified Ads
- 590 BOMB, BOMB Results
- 591 Reader Service









Page 38 Page 49 Page 232 Page 263

Editor in Chief

Lawrence J. Curran

Managing Editor





Gregg Williams

Technical Editors

Richard S Shuford, Curtis P Feigel, Stanley Wszola, Arthur A. Little, Richard Malloy, Bruce Roberts, Philip Lemmons, West Coast Editor: Steve Ciarcia, Mark Dahmke, Consulting Editors, Jon Swanson, Drafting Editor

Copy Editors

Beverly Cronin, Chief; Faith Hanson, Warren Williamson, Anthony J. Lockwood, Hilary Selby Polk, Elizabeth Kepner. Nancy Hayes,; Margaret Cook, Junior Copy Eddor

Assistants

Faith Kluntz, Beverly Jackson, Lisa Jo Steiner

David R Anderson, Assoc Director; Jan Muller, Virginia Reardon, Michael J. Lonsky, Sherry McCarthy, Chief Typographer; Debi Fredericks, Donna Sweeney, Valerie Horn

Advertising

Deborah Porter, Supervisor; Marion Carlson, Rob Hannings, Vicki Reynolds, Cathy A. R. Drew, Lisa Wozmak, Patricia Akerley, Reader Service Coordinator; Wai Chiu Li, Advertising/Production Coordinator: Linda J. Sweeney

Circulation

Gregory Spitzfaden, Manager, Andrew Jackson, Asst. Manager; Agnes E. Perry, Barbara Varnum, Louise Menegus, Jennifer Price, Sheila A. Bamford, James Bingham, Dealer Sales, Deborah J. Cadwell, Asst, Linda Ryan

Marketing Communications

Horace T. Howland, Director, Wilbur S Watson, Coordinator; Timothy W Taussig, Graphic Arts Manager, Michele P. Verville, Research Manager

Business Manager

Daniel Rodrigues

Controller's Office

Kenneth A. King, Asst. Controller, Mary E. Fluhr, Acct. & DIP Mgr., Karen Burgess, Jeanne Cilley, Linda Fluhr, Vicki Bennett, L. Bradley Browne, Vern Rockwell

Traffic

N Scott Gagnon, Manager; Scott Jackson

Receptionist

Jeanann Waters

Personnel/Office Manager

Cheryl A Hurd

Publisher

Gene W Simpson, John E. Hayes,

Associate Publisher/Production Director. Don's R. Gamble, Publisher's Assistant

Officers of McGraw-Hill Publications Com-pany: John G Wrede, President; Executive Vice President: Paul F. McPherson; Semior Vice President-Editorial: Ralph R. Schulz; Vice Presidents: Kemp Anderson, Business Systems Development; Shel F. Asen, Manufacturing; Harry L. Brown, Special Markets; James E. Hackett, Controller; Enc B. Herr, Planning and Development: H. John Sweger, Jr., Marketing.

Officers of the Corporation: Harold W. McGraw Jr., Chairman and Chief Executive Officer; Joseph L. Dionne, President and Chief Operating Officer, Robert N. Landes, Senior Vice President and Secretary: Ralph J. Webb, Treasurer



In This Issue

The complete and integrated electronic office is still a few years away. Yet with each new product that computerizes an individual task or an entire procedure, we move one step closer to the day when paper shuffling is just a memory. Someday, as Robert Tinney suggests in his cover painting, workers at all levels will electronically communicate with the aid of the mighty microprocessor. In "Local Area Networks" Harry Saal discusses the need for standardizing communication protocols for physically separated equipment, such as personal computers, mainframes, printers, and disk drives. Steven Barry describes "The Fortune 32:16 Business Computer," a multiuser, multitasking system that runs enhanced Unix. In "The Movable Conference" Irving A. Lerch reports on computer-moderated conferencing, and in a companion piece, "Electronic Publishing: The New Newsletter," Arthur S. Bechhoefer talks about how a traditional newsletter became a computer-accessed Interactive investment advisory service. We have reviews of Radio Shack's new Model 100 portable computer and of two versions of a new computer from Osborne, the Executive and the Executive II. In "Stalking the East-Asian Microcomputer," Phil Lemmons chronicles his five-nation tour of the Far East. Steve Ciarcia's project is to "Build an RS-232C Code-Activated Switch." Plus our regular features and more reviews.

BYTE is published monthly by McGraw-Hill, Inc., with offices at 70 Main St, Peterborough NH 03458, phone (603) 924-9281 Office hours. Mon-Thur 8.30 AM - 4:30 PM, Friday 8:30 AM - Noon, Eastern Time Address subscriptions, change of address, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, POB 590. Martinsville NJ 08836. Second class postage paid at Peterborough, N.H. 03458 and additional mailing offices USPS Publication No. 528890 [ISSN 0360-5280]. Postage Paid at Winnipeg, Manitoba. Registration number 9321. Subscriptions are \$21 for one year, \$38 for two years, and \$55 for three years in the USA and its possessions in Canada and Mexico, \$23 for one year, \$42 for two years, \$61 for three years, \$53 for one year air delivery to Europe, 17,100 yen for one year surface delivery to Japan, \$37 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$2.95 in the USA and its possessions, \$3.50 in Canada and Mexico, \$4.50 in Europe, and \$5.00 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in United States of America.


Address all editorial correspondence to the editor at BYTE, POB 372, Hancock NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Entire contents copyright © 1983 by BYTE Publications Inc. All rights reserved. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the base fee of \$1,00 per copy of the article or item plus 25 cents per page. Payment should be sent directly to the CCC, 21 Congress St, Salem MA 01970. Copying done for other than personal or internal reference use without the permission of McGraw-Hill is prohibited. Requests for special permission or bulk orders should be addressed to

BYTE® is available in microform from University Microfilms International, 300 N Zeeb Rd, Dept PR, Ann Arbor MI 48106 USA or 18 Bedford Row, Dept PR, London WC1R 4EJ England.

Subscription questions or problems should be addressed to:

BYTE Subscriber Service P.O. Box 328 Hancock, NH 03449





The system builder's best choice for color graphics is a CS5000 color system from SCION. Its basic component is MicroAngelo*, the single board graphics display computer that has revolutionized monochrome display capability with low cost 512x480 pixel graphics resolution and 40 line by 85 character text capacity.

When MicroAngelo boards are combined, they create high resolution color graphics that have a unique advantage. The displayed image is a combination of transparencies. So you can add, modify or delete images by transparency rather than as an entire image.

SCION's Series CS5000 builds an image with up to 8 bit planes, each generated by a MicroAngelo board. You select the assignment of those bit planes to transparencies. Each transparency can display 2^n -1 colors where n is the number of bit planes it uses... 2 bit planes would make a three color transparency, 8 bit planes would make a 255 color transparency. Once each transparency has been defined, your host can work with it independently, generating and modifying its graphics and text without interacting with the others. The independent transparencies are combined by the Color Mixer board which also assigns one of 16.8 million possible colors to each color of each transparency.

Your computer talks to the SCION Color System in SCREENWARE™, SCION's high level display firmware language. SCREENWARE commands are used by the computer in each MicroAngelo bit plane to generate graphics and text primitives. User interface is made simple with prompted system set-up using SCION's ColorPak.

MicroAngelo based color graphics systems are easy to use. Just plug the boards into your Multibus or S-100 host. Or use the freestanding work station configuration with its RS-232 interface. In each case, you get high resolution color graphics for such a low price you can't afford to design your own.

Think SCION for your graphics display needs. Think MicroAngelo. Call us at (703) 476-6100.

System shown is a Model CS5050S *A trademark of Intel Corp.



if the image is important.

12310 Pinecrest Rd./Reston, VA 22091 (703) 476-6100 TWX: 710-833-0684

DATEBOOK IS FOR YOU



Datebook™ is an appointment scheduling program for doctors, dentists, attorneys and other professionals.

Using DATEBOOK to maintain appointments will increase office productivity by saving you or your secretary time and frustration.

DATEBOOK can schedule appointments for up to 27 different doctors, lawyers or rooms. It will search for openings that fit time of day, day of week and/or day of year constraints. Three appointment schedules are displayed on the screen at a time. Appointments are made, modified or cancelled easily. Copies of day's appointments can be printed quickly.

If you are a busy professional with time at a premium, let DATE-BOOK start working for you.

DATEBOOK is \$295 and requires 56K RAM and CP/M®. Also available for CP/M-86. Apple Pascal and UCSD Pascal. DATEBOOK is available in many popular microcomputer formats.



Datebook is a trademark of Organic Software. CP/M is a registered trademark of Digital Research, Inc. CP/M-86 is a trademark of Digital Research, Inc. UCSD Pascal is a trademark of Regents of University

Editorial

Disenchantment with Detroit

Lawrence J. Curran, Editor in Chief

Signs abound that a long recession—the first to seriously affect computer manufacturers—is just about over. Anticipating upturns in demand, steel and auto makers have been recalling some employees laid off months ago. Declining oil prices cheer economists even as OPEC members gnash their teeth. Consumer prices have stabilized generally, and some economic forecasters don't expect them to rise again until the second half of the year. Amid these upbeat indicators, however, there is clear evidence that the U.S. economy may never again be able to rely on such former bellwether industries as steel and autos. Millions of American consumers are disenchanted with Detroit because they believe U.S. auto makers no longer produce the type of product they want.

A recent editorial in the Wall Street Journal cited studies that quantify the disenchantment. In that editorial, John Schnapp, vice-president of Harbridge House, a Boston consulting firm, reported that of the buyers of U.S. subcompact cars surveyed recently only 22 percent were completely satisfied with their autos; 41 percent of the buyers of comparable import vehicles expressed complete satisfaction. Schnapp said further that U.S. auto buyers believe that Detroit has failed to deliver on three of their foremost needs—acceptable purchase prices, fuel consumption, and maintenance costs. The editorial concludes, among other things, that "the unlikelihood of a reconciliation between Detroit and the consumer will, unfortunately, dampen the prospects for a strong and broad-based recovery" from the recession.

We agree with Schnapp, but what does all this have to do with computers? We think that the U.S. computer industry can supplant the auto industry as an economic bulwark, especially if the management of computer companies heeds the lessons of Detroit. Simply stated, Detroit fell out of favor with part of the American-car-buying public because Americans no longer believe that U.S. auto manufacturers can satisfy their need for reliable, economical transportation.

As this nation shifts from a smokestack-based economy to a high-technology-based economy, computer manufacturers will face a similar consumer challenge. Both domestic and foreign suppliers have the opportunity now to discern what buyers need and follow through on delivery. Those suppliers who don't consider consumer wants and needs in terms of economy and reliability will see that opportunity slip away.



E · IBM-PC · APPLE II · TRS-80 · R

Percom Data Corporation has one hard disk drive system for just about ALL personal computers ... including of course ... IBM*-PC, APPLE* II, and TRS-80*. Percom Data's innovations with 5¼" Winchester technology mean that for most personal computers ... having a reliable hard disk system is as easy as hooking up a cable.

A Percom Data PHD" will interface with your present system . . . and your future system . . . so if you do change computers, you can still keep your most important investment . . . your Percom Data Hard Disk Drive.

Because Percom Data helped create the industry standards of today . . . new designs in software and hardware will make your selection of a Percom Data Hard Disk Drive pay off tomorrow through system compatibility.

A Percom Data PHD works to capacity because we take the time to correctly develop interface software to your computer which leaves no performance holes for you to fall into. Percom Data knows software functionality is the key to hardware performance.

Today, Percom Data PHD supports a variety of software to match your computer:

IBM*-PC, PC DOS™ 1.1 OR 1.0

CP/M-86", CONCURRENT CP/M-86"

APPLE*, DOS 3.3, CP/M"

TRS-80° MODELS III & I, DOPLUS, LDOS

IMAGINE . . . Percom Data Winchester 51/4" technology . . . for today's computers . . .

and tomorrow's.

To receive an informational booklet describing Percom Hard Disk Systems, or to determine if we have a system for your computer call our Hard-Line Hot-Line at 1-800-527-1222.

We will also give you the name of a nearby authorized Percom Data Dealer.

Dealer inquiries are welcome.



Expanding Your Peripheral Vision

DRIVES • NETWORKS • SOFTWARE

(214) 340-7081 • 1-800-527-1222 • TELEX: 73-0401 (PERCOM)

Letters

Spreadsheet Programs Help to Simulate Digital Logic

I enjoyed Robert McDermott's "Simulation of Simple Digital Logic through a Computer-Aided Design System" (January 1983 BYTE, page 396). However, exactly the same results can be achieved with considerably less effort using the built-in Boolean functions of one of the popular electronic spreadsheet programs. I have not seen this application of these versatile programs described elsewhere in print.

As in McDermott's article, complex digital structures such as D or JK flip-flops can be built up out of gates, simulated by Boolean expressions. Once a library of these structures is built up, the spreadsheet program can store them, and they can be moved about and replicated to form more elaborate structures. Used this way, spreadsheet programs have the same limitations as McDermott's program: modest size and no way to handle hardware considerations such as gate propagation delay. In addition, care must be taken with feedback loops. However, for the casual user, simulating digital logic with one of these popular programs is far easier than adapting and validating McDermott's program.

Stephen R. Troy 717 Cottonwood Dr. Severna Park, MD 21146

Better Software Through Engineering

Allow me to congratulate Daniel Ross on his excellent (succinct) letter (February 1983 BYTE, page 26). I agree with him completely when he contests Jerry Pournelle's defense of software hacking.

Having spent many years hacking away at my own codes and those of my fellow hackers and watching in embarrassment the inevitable and untimely crashes of those programs, I learned painfully that hacking creates programs that are at best unreadable and at worst unreliable. The (mal)practice is so prevalent and its results so uniformly bad that software maintenance costs are astronomical, and most people have come to assume that all programs have bugs. In fact, widespread hacking undermines the technical and

ethical advancement of the software industry.

It is my contention that there will never be a credible software-engineering profession until we can guarantee the performance of our programs the same way a structural engineer guarantees that his bridge will stand. A hallmark of a professional is his legal responsibility for his product. Just as we can sue the physician for malpractice, we can sue the professional engineer if his bridge falls down. Has anyone ever tried to sue a programmer whose program did not work?

It has been my repeated experience that the only programmers who can guarantee that their codes will work are those who are skilled and disciplined enough to engineer their software. Using rigorous and systematic techniques to complement their creativity, these programmers work hard to produce a professional-quality program, a correct program, a program that can be reviewed by other professionals as well as coded in a reliable and maintainable fashion. When the profession climbs out of the mud, these people are the ones who will be able to take full. legal responsibility for the work they do. The hackers will have to find another way to make a living.

Robert B. Dial Comsis Corporation Wheaton, MD 20902

Benchmark Surprise

In the November 1982 BYTELINES column (see "Latest 32-Bit Microprocessor News," page 542), it was reported that someone at Berkeley had run benchmarks on several 16- and/or 32-bit microprocessors and then rated them, with a DEC VAX (what model?) being a 1.00.

Surely Intel Corporation's iAPX-432 can do better than 0.05, when the 8-MHz Motorola 68000 got a 0.6, even if the 432 was running at half the speed of the 68000. Even the 8086 at 5 MHz got into the tenths.

Thanks for the great magazine; I'll keep my subscription going forever at this rate. Tell Steve Ciarcia not to forget his MPX-16 after these first three articles; we'll be wanting more. How about a special graphics terminal, based on one of the new high-resolution chips, that could

be plugged into the MPX-16's (or IBM Personal Computer's) peripheral slots?

Rex E. Felsman PSC #2 Box 13508 APO San Francisco, CA 96367

The Sieve Revisited

We read with great interest the January 1983 BYTE article by Jim Gilbreath and Gary Gilbreath, "Eratosthenes Revisited: Once More Through the Sieve" (page 283). Of particular interest to us was the inclusion of an APL solution. We recognized that this APL was of a nonstandard syntax. Typically (per the APL of STSC, I. P. Sharp and Associates, and the ANSI APL Standards Committee), within a statement, interpretation occurs from right to left; but when there are multiple statements per line (statements are separated by the 'o' symbol), these statements are considered for interpretation from left to right. The published APL solution required right-toleft line execution.

We transposed the published APL as follows:

```
▼ THEIRAPRIME N

[1] 8+1+1 € PTR+Np0

[2] L1:PR+(~PTR)/\N

[3] →(N(8×8+PR[1+1+1])/END

[4] ST:PTR+PTR~(Bp0),B+Np,B+Np1ΦB+1

[5] →L1

[6] END:PR
```

We were then able to give it a try on The Upjohn Company's IBM 3081 running I. P. Sharp and Associates' Spring 1982 release of APL under the IBM MVS operating system. A couple of full runs yielded processor times of around 256 milliseconds for an N of the first 8191 integers. After looking at the resulting list of primes we noticed a few nonprimes; obviously 8190 is not prime, nor are the more subtle 8133 (79 × 103), 8159 (41 × 199), and 8189 (19 × 431).

The above results put us into a debug mode, but as is often the case, debugging turns into a rewrite. We would thus like to submit an alternate APL solution that we believe rivals (beats) the best of the compiled or interpretive languages for speed of execution and memory requirement:

Smart. Buy.

For outstanding performance and unsurpassed value in a microprocessor-based CRT, the smart money is on the TTX-3000.

The TTX-3000 is a wizard when it comes to performance. Built-in editing permits fast,

simple manipulation of text and data input. Ten dedicated function keys speed terminal operation. The 24-line, 80-characterwide display also features a 25th status line for rapid verification of communication mode.

The TTX-3000 offers a remarkable selection

of visual attributes, including blink, blank, underscore, reverse video on a per-character basis, and much more. And, with its 128 ASCII character set—including 32 displayable control codes—the TTX-3000 is compatible

with many micro, mini,

and large mainframe computers.
The price? Only \$599, suggested list.
To find out more about the impressive TTX-3000 smart terminal, write or call us right now.
It's the smartest move



TTX

Teletex Communication Corporation 3420 East Third Avenue Foster City, California 94404 415/341-1300 TX: 349420

```
▼ OURAPRIME N

[1] P+NpB+1 ‡ NS+[0.5+N#0.5

[2] L1-4(NS(B+B+(B+P)(1)+L2

[3] P+PA(Bp1),B+Np+(-B)+1 ‡ 1L1

[4] L2 pP+P/(N
```

When we set our function loose on the first 8191 integers it required around 57 milliseconds to find all primes (approximating the time required for the first 10 iterations would thus be $57 \times 10 + 57 = 22$ milliseconds). Artificially stopping our solution at 10 iterations (rather than letting it stop at the square root of N, the largest integer) produced processor times around 30 milliseconds.

Our solution reduces the execution time by:

- working primarily with a bit string, N bits long, rather than the entire list of N integers. This reduces both the execution time and the memory requirement (note: we were able to search the list of primes up to 792353 in only 300,000 bytes of work space, including space taken up by the program).
- working with more efficient and fewer bit-string generators and primitives, and
- taking the square root of the ending integer (used to test end of iteration) only once before the loop rather than taking the square of each newly found integer.

We hope that we have saved the name of APL by showing that although it is an interpretive language (and our processor time represents both interpretation and execution time), it can produce a fast, memory-efficient, and succinct solution. One additional benefit is the flexibility of this solution—without modification (or recompiling, linking, or loading) it may be used to locate primes in variable lists of integers from 1 to N where N ≤ 792353.

Michael C. Rowe, Ph.D. Donald F. Stoneburner, Ph.D. The Upjohn Company 7000 Portage Rd. Kalamazoo, MI 49001

You might like to add the following data to your prime-number benchmark database (see the September 1981 BYTE, page 180, and the January 1983 BYTE, page 283). I ran the Sieve of Eratosthenes program on the Apple II in Micromotion

FORTH (200 seconds) and Manx C tailored for Apple DOS (400 seconds). On a Data General MV/8000, using FORTRAN 77. I got a benchmark time of 2.2 seconds.

The Manx version of C that I used employs a p-code interpreter.

John Figueras 65 Steele Rd. Victor, NY 14564

BCD Conversion Better by a Bit

I am a programmer specializing (for the moment) in Apples and working mostly in assembly language, and I find the machine-code program examples in your magazine a fascinating source of entertainment. I always look forward to the chance to analyze them. However, I found a few irregularities in listing 1 of Pat Coghlan and George White's "Another Binary to BCD Conversion Routine" (January 1983 BYTE, page 387). Unless the user has some code located at hexadecimal 1003, line 1440 (JMP \$1003) should be changed.

The use of indirect indexed addressing would have eliminated the need for the use of location hexadecimal 56 in lines 1740 and 1750. Line 1750 could have been replaced with ADC (BCD), Y and line 1740 could have been eliminated. This would also save two clock cycles per iteration. Also, the comments in lines 2040 and 2050 state that the incoming carry will be added to the entire BCD (binary-coded decimal) field,

The incoming carry is the most significant bit from the last state of the binary field. However, the PBCD routine (lines 2070 through 2140) deals with only the least significant byte of the BCD field. Furthermore, on the first call to this subroutine, the BCD field is cleared to zeros, and for all other calls the BCD field has just been added to itself. This means that the BCD field will be either zero or an even number, and in either case the least significant bit will be zero.

Because the maximum value added to the BCD field by this routine is one and the least significant bit is always zero, no carry is ever possible. The BCC (branch on carry clear) following the add will always be taken. This causes the BPL (branch on sign flag equals zero) in line 2130 to be always bypassed. I have implemented this routine with the indirect

indexed addressing in line 1750 and with lines 2120 and 2130 deleted, and the routine still seems to work accurately.

Carl Haddick Rte. 1, Box 215 Mexia, Texas 76667

Apples and Fords

In the letters column of the February 1983 BYTE (see page 24), Fred K. Fox draws an analogy between the Model T Ford and the microprocessors of today. I found an automotive approach relevant to the Apple Ile and Lisa computers reviewed in that issue.

Apple's Jobs and Wozniak (like Henry Ford) detected a huge, untapped market and produced a general-purpose machine. With little competition, it swept the field. As the public got used to the new machine, however, people began to develop more focused ideas about what they wanted from it. Other makers brought out models designed to deliver specific packages of features to specific market segments, at prices tailored to the market.

But Ford and Apple misread the resulting erosion of their markets as a need to incorporate the specific features of their competitors into their "universal" machines. Hence Ford tinkered with the Tin Lizzie, and Apple came up with the Apple II Plus and now the Apple IIe. But still, when most people look at the market, there always seems to be a specialized machine that delivers features a little better suited to their specific needs, and/or at a little better price. The machine that sets out to be a jack-of-all-trades winds up being the master of none.

Lisa, on the other hand, seems analogous to the DeLorean. Both were designed as "machines of the future," embodying all sorts of bells and whistles that technophiles had been daydreaming about for some time. Most people agree that they're mighty fine machines, with features that it would sure be nice to have. Then they look at the price. After picking their jaws up off the showroom floor, they decide that they can somehow live another few years without those features, and go buy some other model.

Erwin S. Strauss 9850 Fairfax Square #232 Fairfax, VA 22031■



TOUGH TO OUTGROW

It's no surprise so many businesses today are using our CompuStar' multi-user microcomputer. All sorts of businesses, those at the top and those on the way, know that only CompuStar can give them the big system performance they'll need as they grow. And they know that only CompuStar can deliver that performance at a fraction of the cost of most other systems.

CompuStar' solves the small business computer dilemma. It's ideal for those first time business users who need only single-user capability. But it's also perfect when those small businesses grow into large corporations. That's because CompuStar is *truly* expandable... all the way up to 255 workstations, each with its own processor and internal computer memory. And that means fast, fast response, even when many users are on-line at the same time.

Whether you're a small business with big plans or a big business with an eye for economy, CompuStar' has the performance and versatility that's tough to outgrow...the price/performance ratio that's impossible to beat!

STANDARD FEATURES

- 350K/750K/1.5 MB workstation disk capacities
- 64K RAM and twin processors in each workstation
- An easy-to-read 12-inch non-glare screen
- Operator convenience features—numeric keypad and visual text highlighting
- Microsoft* Basic
- CP/M+ operating software
- Truly multi-user and multi-processor

STORAGE OPTIONS

- 10 MB-compact, low-cost and tabletop
- 96 MB 80 fixed and 16 removable megabytes
- 144 MB reliable, rugged Winchester storage

CompuStar' is built and backed by the company that's been in the microcomputer business as long as microcomputers have been in business. Would you trust your business to anything less? CompuStar.' Tough to beat. Tough to outgrow!

"Microsoft is a trademark of Microsoft Corp (Registered trademark of Digital Research



MICROHOUSE NEWPRICES!

We made business computing affordable.

WORDBOCESSING	FINANCIAL / BUSINESS SUPERCALC	DATABASE/GRAPHICS
WORDPROCESSING	SORCIM	DATABASE/GRAPHICS 1-2-3 CALLI MICROPRO INFOSTAR S279
WODDSTAR \$279	SUPERCALC	1-2-3CALL
MAILMERGE	VISICORP	INFOSTAR
CINAL MODE	VISICALC\$179	UMIMOI ME
FORCEII	VISICALC VISICARD VISICALC APPLE IIE 179 VISICALC BUSINESS FORECASTING 89	REPORTSTAR
### FORCE 11 \$38 MATH* \$38 SORCIM SUPERWRITER \$249 SPELLGUARD \$129 VISICORP	VISICALE ADVANCEDCALLI	SUPERSORT 149 SUPERSORT ASHTON TATE GBASE II/ZIP 5489 OUICKCODE FOX & GELLER 219
SUPERWRITER5249	VISISCHEDULE	GBASE II/ZIP
SPELLGUARDVISICORP	DESKTOP PLAN	QUICKCODE 5219
	DESKTOP PLAN	DUTIL
VISIWORD	DESKTOP PLAN	D GRAPH
PERFECT WRITER5199	CONTINENTAL	TIM III
PERFECT SPELLER	HOME ACCOUNTANT PLUS 109	NORTH AMERICAN
WORD HANDLER	FILING, CATALOGING AND MAILING APPLE 69	THE ANSWER
LIST HANDLER	TAX ADVANTAGE	PERFECT FILER
VOLKSWRITER \$155	ACCOUNTS RECEIVABLE169	MATHEMAGICS69
VOLKSWRITER	ACCOUNTS PAYABLE	GRAPHMAGIC 69
I FINALES III GARRANGE OF THE CONTRACTOR OF THE	PAYROLL 169 PROPERTY MANAGEMENT 459	MATHEMAGIC
	PROPERTY MANAGEMENT	THE CREATOR FOR IBM
LANGUAGES	PERFECT SOFTWARE	THE CREATOR FOR APPLE149
APPLESOFT COMPILER	SUPERSOFT 5199	VISICORP VISIDEX\$179
APPLESOFT COMPILER	SCRATCHPAD	VISIFILE
ALDS 99 BASIC COMPILER 289 BASIC INTERPRETER 259	MONEY DECISIONS599	VISIPLOT
BASIC INTERPRETER259	MONEY DECISIONS. ACCOUNTING SERIES. EAGLE S99 ACCOUNTING SERIES. CALLI	VISILINK
EDIT 80	HOUSEHING SERVICE	
FORTRAN 80 COMPILER		COMMUNICATIONS
COBOL COMPILER		COMMUNICATIONS CROSSTALK S119 VISICORP VISICORP VISICORP VISICORP VISICORP S79 MAYES SMARTMODEM 214 SMARTMODEM 1200. 549 MICROMODEM II 279 MICROMODEM II W/TERMINAL 349 SMARTMODEM/CROSSTALK 329 SMARTMODEM 1200/CROSSTALK 659 NOVATION J-CAT NOVATION J-CAT 1200 489
MACRO ASSEMBLER	DRINTERS FTS	CROSSTALK
muLiSP/muSTAR 189 muLiSP/muSTAR 189	PRINTERS, ETC. PROWRITER (P). \$399 PROWRITER (S). 579	VISITERM\$79
muMATH/muSIMP,189	PROWRITER (P)\$399	CMARTMOREM
ADA	PROWRITER (S)	SMARTMODEM 1200549
C COMPILER	PROWRITER II (P)	MICROMODEM II
FORTRAN	F-10 (P) 1379	SMARTMODEM II W/TERMINAL
FORTH	F-10 (S) 1379 F-10 TRACTOR OPT 229 GX-100P 250	SMARTMODEM 1200/CROSSTALK
RATFOR69	GX-100P	J-CAT NOVATION
	6 MONTHS WARRANTY. MICROHOUSE IS AN AUTHORIZED C. ITOH REPAIR CENTER.	SMARTCAT 300199
APPLEHARDWARE		SMAKTCAT 1200489
APPLE HARDWARE MICROSOFT PREMIUM PACK	MICROPRISM	
MICKOSOFT PREMIUM PACK	PRISM 132/Sprint1279	
ZBO CARD 249 MICROSOFT ZBO CARD/VIDEX VIDEOTERM 499 MICROSOFT 16K RAM 74		
MICROSOFT 16K RAM	SHEET FEEDER	MONITORS
MOUNTAIN MULTI 1/0178	CCMINI 10 EXGO	COLOR IS329
MULTI 1/0	GEMINI 15	COLOR II
RANA	QUADRAM	COLOR II
ELITE I	32K P-P	VIDEO 300
ELITE I PLUS	GEMINI 15 529 GEMINI 15 529 MICROFAZER 16K P-P 5159 64K P-P 259	VIDEO 300
ELITE II	128K P-P	VIDEO 310
ELITE III PLUS 539 ELITE III 599	94K P-P 189 94K P-P 189 128K P-P 349 256K P-P 699 MANY OTHERS AVAILABLE—CALL FOR PRICES	COLOR IV1099
VIDEX ENHANCER II	MANY OTHERS AVAILABLE CALL FOR PRICES	12" GREEN
SOFTSWITCH	77-10 SRO	12" COLOR
VIDEOTEDM 769	77-30 PRO	12" GREEN HI RES
FUNCTION STRIP	35-10 RO 2099 35-50 RO 2099 35-50 SHEET FEEDER 989	12" RGB COLOR859
VIDEOTERM/SOFTSWITCH/INVERSECHIP 299	35-50 SHEET FEEDER	
COMPUTERS	MICROLINE 80	IBM HARDWARE
IMS CALIFORNIA COMPUTER SYSTEMCALL	MICROLINE 83A	QUADROARD 64K \$459
MORROW MICRODICISION	MICROLINE 84P 1159	QUADBOARD 64K
	MICROLINE 92	OUADBOARD 192L
MEDIA	MICROLINE 93. 989 TRACTOR FOR 80 & 82	SERIAL ADAPTER94
MAXELL	TP-1 SMITH-CORONA	SERIAL ADAPTER
5" SINGLE SIDED	TRACTOR FOR TP-1	MICROSOFT
8"SINGLE SIDED	PKASSO S135	64K RAMCARD
8" DOUBLE SIDE	TP-1 SMITH-CORONA TP-1 \$599 TRACTOR FOR TP-1 INTERACTIVE STRUCTURES PKASSO \$135 PKASSO PRISM COLOR	192K RAMCARD519
DENISITY AND COME WITH A HEETIME WAPPANTY	PRACTICAL PERIPHERALS MICROBUFFER II (P) 32K	256V PAMCAPO 659
ELEPHANT 5"SSSD	ADALICE ALICA	SINGLE SIDED
5" DSDD	GRAPPLER PLUS\$123	DOUBLE SIDED249

BUSINESS SOFTWARE FOR LESS.

PEACHTEXT 5000

PEACHTREE SOFTWARE

THE NEW GENERATION WORDPROCESSOR FEATURING PROOFREADER (SPELLING). RANDOM HOUSE THESAURUS, PEACHCALC, DATA LIST MANAGER, ALL IN ONE & ALL

FOR A GREAT PRICE, CALL FOR ADDITIONAL FEATURES.

LIST PRICE: \$395.00 MICROHOUSE PRICE: \$249.00

INFOSTAR

Micropro's Database Management System not only combines the already renowned features of Datastar and Supersort but also features a report generator. This means you can enter, sort, retrieve, organize, and print data quickly and easily...and with no need to program! But that's not all...you can edit your reports with Wordstar.

LIST PRICE: \$495.00

MICROHOUSE PRICE: \$279.00

dbase II/ZIP

ASHTON-TATE A powerful, yet easy-to-use data management system. In constructing and manipulating numeric and character information files, you CREATE databases, APPEND new data, UPDATE, MODIFY and REPLACE fields, records and entire data bases. Its special feature allows you to SORT, EDIT, or DISPLAY a database directly from the keyboard, or program menus and programs to support your specific

applications LIST PRICE: \$700.00

MICROHOUSE PRICE: \$529.00

ACCOUNTING PLUS

SYSTEMS PLUS, INC.

A field proven, fully-integrated accounting system offering eight modules, all operating on both CP/M and MP/M. Available modules include General Ledger, Accounts Receivable, Sales Order Entry, Accounts Payable, Purchase Order Entry, Inventory, Payroll, and Point of Sale. Accounting Plus II for Apple II. **CALL FOR CONFIGURATION AND PRICING!**

MEDICAL MANAGER

The MEDICAL MANAGER is a powerful office management tool for running all the accounting functions of today's medical office. This menu driven program can maintain multiple doctor practices, generate all financial reports, allow automatic third party insurance billing and has password protection for data security. Every medical practice should have this valuable program. LIST PRICE: \$3500.00 MICROHOUSE PRICE: CALLI

MEMORY SHIFT

NORTH AMERICAN BUSINESS SYSTEMS, INC.

With MEMORY SHIFT you assign specific amounts of memory to 9 partitions or screens all of which can contain a different program. Say you're typing a document in a wordprocessor and you'd like to include some calculations. Simply push a key and call up screen 6 which contains your spreadsheet. Do your calculations and automatically incorporate them into your document. It's Like HAVING 9 IBM'S IN ONE, CALL MICROHOUSE FOR MORE INFORMATION!

MICROHOUSE PRICE: \$95.00

CP/M is a registered trademark of Digital Research Inc., IBM is a registred trademark of international Business Machines, Apple is a registered trademark of Apple Computers.

Prices may vary with different formats. Not all programs are available for all formats. All prices and specifications are subject to change without notice. Please call or write for specifics.

DEALERS INQUIRIES WELCOME

FOR TECHNICAL SUPPORT CALL 215-868-4133.

===SPECIAL PACKAGES\$\$

WORDSTAR/MAILMERGE/SPELLSTAR WORDSTAR/MAILMERGE WORDSTAR/MAILMERGE/INFOSTAR dbase II/Dutil dbase II/Dutil/Quickcode	COMBINED LIST PRICE \$945.00 695.00 1190.00 799.00 1094.00	MICROHOUSE PRICE \$444.00 349.00 589.00 555.00 679.00
dBASE II/DUTIL/QUICKCODE		
dBASE II/QUICKCODE	995.00	599.00
GRAPHMAGIC/VISICALC WORDHANDLER/LISTHANDLER	339.00 289.00	249.00 199.00
FASTGRAPH/VISICALC	545.00	345.00



System Review

Little Big Computer The TRS-80 Model 100 Portable Computer

Rich Malloy, Technical Editor

Way back in 1977, Radio Shack introduced the TRS-80 Microcomputer System, a computer we now know as the Model I. It was not the first microcomputer to become available, but it was one of the first complete computer systems to be offered to the general public. The Model I subsequently spawned a whole line of microcomputers. The familiar gray-and-black motif became a standard feature of small businesses all over the country, and Radio Shack became one of the country's leading computer manufacturers. Now, six years after the Model I, Radio Shack releases the TRS-80 Model 100 (see photo 1), which by its small size, its off-white color, and its easy-to-use features seems to signal a new direction for the Texas company, a direction that may prove to be as significant as that of the original Model I.

In brief, the Model 100 is a big computer in a little package. It features a large (8-line by 40-character) LCD (liquid-crystal display), a standard-size keyboard, a lowpower version of the 8085 microprocessor, 32K bytes of ROM (read-only memory), 8 to 32K bytes of RAM (random-access read/write memory), and a cassette interface. It also includes a built-in direct-connect modem with auto-dial and auto-log-on capabilities, an RS-232C serial port, a parallel printer port, a real-time clock/calendar, and even an interface for a bar-code reader. And that's just the hardware. The built-in software includes an easyto-use text editor, a Microsoft BASIC interpreter, a communications program for the modem, and an addressbook and appointment-schedule program. This all comes in a box that weighs less than 4 pounds and is smaller

> than the manual for the Model I. The price ranges from \$799 to \$1134, depending on the amount of memory you need. Overall, this is a well-designed, integrated machine that should prove to be very useful to a large number of people.

The Model 100 is not perfect for everyone, however, Serious hardware hackers will be frustrated by the inability to swap boards. Software enthusiasts will want more RAM and some disk storage. And professional writers will need a larger display and a lot more memory. Taken in its own context, however, the Model 100 is an extremely successful design. It should be quite useful for three groups: businesspeople who need a portable workstation, advanced computer users who need a portable terminal for their main system, and



Photo 1: The TRS-80 Model 100 Portable Computer.

Test drive our mouse.

It's no secret. This is certainly "The Year of the Mouse."

And the uproar is justified.

This "see and point" interface is the most natural, powerful and efficient way to interact with your computer.

And Mouse Systems' optical PC Mouse, now available with software support for the IBM PC, is easily the best of its breed; easily the best at

making your computer userfriendly.

Grasp The Future of PC Technology

Slide our PC Mouse across its deskpad. It's optical. There are no moving parts. Your cursor instantly moves across your CRT in response.

No other device gives you such total, accurate control over cursor positioning.

The ergonomically designed PC Mouse is so smooth and natural in its movements, you'll soon be using it almost subconciously.

Your attention can thus remain on the screen and not on the keyboard, and your concentration

will be increased dramatically.

PC Mouse lets you use this new freedom to take full advantage of today's "visual" software products.

(For a truly enlightening experience, ask your dealer to demo PC Mouse with IBM's Personal Editor.)

PC Mouse vs. The Keyboard

Named Mini/Micro's most significant new product of 1982, PC Mouse lets you bypass your keyboard



Slim, compact size allows brisk moves in any direction.

for instant menu selection and function activation.

And PC Mouse requires no changes in your existing software. All cursor-related functions in Wordstar, VisiCalc, and other popular programs are replaced by the mouse.

In one darting stroke, you eliminate the pondering and second-guessing of typing complicated command codes.

For systems designers and OEM's PC Mouse's potential is staggering.

Simplicity, Itself

Just attach the PC Mouse to your PC's RS-232 port. Each of the three buttons is user-programmable, giving you nine different

functions at your fingertips.

And our software compatability assures instant system integration and simple start up.

Get It Now

PC Mouse is immediately available for \$332.00 including control software and all necessary hardware for your IBM PC.

PC Mouse keeps your attention on your data, not on your keyboard.

For ambitious software developers, the optional \$40.00 MouseWindow™ software package

includes routines to do high resolution graphics and "pop-up" windows.

An OEM version of PC Mouse can also be supplied in quantity now, configured to your custom specifications.

For more details see your dealer, or contact Mouse Systems at 2336H Walsh Avenue, Santa Clara, CA 95051. Telephone (408) 988-0211 or Telex 467848.



Mouse Systems

Making Computers User Friendly.

Circle 317 on inquiry card.

VisiCalc is a trademark of VisiCorp.
Wordstar is a trademark of Micro-Pro, Intl.
IBM and PC are registered trademarks of International Business Machines.




Photo 2: A close-up of the liquid-crystal display of the Model 100. The display size is 8 lines by 40 characters (64 by 240 pixels).




Photo 3: The complete character set of the Model 100.



Photo 4: The Model 100's keyboard.

novices who want to experiment with a useful, powerful computer for a fairly modest cost.

Physical Dimensions

Because desk space tends to get crowded and briefcases rapidly fill, the size of a portable computer is a key factor. As for the Model 100, if you can make space for a standard 3-ring binder, you have more than enough room for this machine. The dimensions are 11% by 8% by 2 inches, similar to the Epson HX-20. The weight is 3 pounds, 14 ounces.

The computer's case is off-white, a color that is becoming popular with Radio Shack. The top of the unit shows the display, a low-battery indicator, and the keyboard. On the right side are an on/off switch, a dial for adjusting the LCD's brightness, and an AC adapter connector. On the left side are the bar-code-reader connector and two switches for the modem (direct/acoustic and originate/

answer). The rear panel contains the phone connector, the cassette connector, a printer connector, an RS-232C connector, and a well-protected Reset button. The bottom of the unit features the battery compartment, a compartment for an expansion ROM module and an external bus connector, and a RAM power switch (to be turned off only when the machine will not be used for an extended period).

The Display

The first thing you notice about the Model 100, besides its size, is the LCD shown in photo 2. The Model 100 can display 8 lines of 40 characters each. That's a little less than half of the typical home computer screen. It also can display graphics with a resolution of 240 by 64 pixels. Each character is composed of a 5- by 7-pixel area. Lowercase descenders on letters such as p and q make use of the row of pixels below the character area that is normally used to separate lines. The bottom line of charac-



EXTRA

S-100 World News

MACROTECH International Corporation

22133 Cohasset Street, Canoga Park, California 91303 · 213-887-5737



lmage achieved by DGS CAT 1600 Series color video graphic workstation. Picture courtesy of Digital Graphic Systems, Inc. See story below.

GRAPHICS: NOW <u>MAX</u>-IMIZED

CANOGA PARK—March 30, 1983—The decreasing costs and increasing density of memory made possible the present boom in digital graphics. Graphic systems designers are now able to take another major step with the introduction of MAX-M, a one megabyte memory board for \$1983. As large size system memory and multi-megabyte Virtual Disk, MAX-M opens up major new low cost implementations.



Wayne Maw, Director of R&D for RGB Dynamics, Salt Lake City, Utah, reports, "My application is dependent on speed. With the Macrotech dynamic board, I have the needed speed." The RGB system is a Z80-based,

high resolution color directory system for shopping malls, due for April release.

Empirical Research Group of Kent, Washington, creates a state-of-the-art high resolution color video graphics system by integrating their fast 68000 computer, Macrotech system memory, and the color video image processor from Digital Graphic Systems, Inc., Palo Alto, California. Radeliffe Goddard of Digital Graphics states, "High speed image processing requires large system memory to provide instantaneous display frame paging."

The demand for MAX-M by the graphics industry was nearly instantaneous following the initial Macrotech announcement. M

MAX-256K to 1M S-100 Memory

CANOGA PARK—March 30, 1983—Mike Pelkey, Macrotech International president, to-day released details of the revolutionary MAX line of S-100 memory boards. Pelkey stated: "IEEE-696 now has a new standard for dynamic memory. The MAX product line offers 256K to 1M, at a price that ranges down to less than \$0.00023 per bit." Pelkey continued, "The MI product line now includes our ultra fast (70 ns) 128K static memory, with battery backup capability, plus the 150 ns dynamic memories—in every 128K step from 256K through 1M (1024K) bytes, and add-on kits to permit field upgrade of sizes."

The extreme density of the MAX family is made possible through the use of proprietary PALs (programmable array logic). Also stated as available for add-on to any size MAX is

PRICE INDEX SIZE P/N PRICE Static Memory 128-ST \$1232 128K **Dynamic Memory** 256K MAX-256 \$1108 384K 1292 512K MAX-512 1647 Addressing

896K MAX-896 1899 1M MAX-M 1983 With 16-bit M³ Addressing option, add \$91

768K

MAX-768

1815

\$ 25

\$ 15

	FROM/TO	P/N	PRICE
Upgrade Kits	256K/384K	MKT-2/3	\$ 192
	256K/512K	MKT-2/5	692
	256K/768K	MKT-2/7	876
	256K/896K	MKT-2/8	967
	258K/1M	MKT-2/M	1060
	384K/512K	MKT-3/5	600
	384K/768K	MKT-3/7	784
	384K/896K	MKT-3/8	876
	384K/1M	MKT-3/M	968
	512K/768K	MKT-5/7	284
	512K/896K	MKT-5/8	376
	512K/1M	MKT-5/M	468
	768K/896K	MKT-7/8	192
	768K/1M	MKT-7/M	284
	896K/1M	MKT-8/M	192
M ³ option		MKT-M3	121

Software (provided on 8" disk)
Virtual Disk for MP/M II* and CP/M 2.2,
CP/M 3.0* Bios modules,

CP/M memory tests
Manuals (sold separately)

128/ST MAX Technical Manual architecture. M³ permits the 16-bit address space of an 8-bit processor to be dynamically mapped in 4K pages into as much as 16 megabytes of physical memory.

Parity error detection and 8/16 bit data

Macrotech's popular M3 memory mapping

Parity error detection and 8/16 bit data transfer capabilities are provided as standard on the MAX series memory board. M

Software for M³ Available

BURBANK—March 30, 1983—"M³ bank switching for 8-bit processors is much more useful with the new creative systems programs," states Dan West of Westcom Systems Inc. MP/M II* disk intensive applications



are greatly improved with the new Virtual Disk routines now available through Macrotech OEM's and dealers for their M³ memory boards.

Westcom Systems, as the software consulting firm for Macrotech, has also provided subroutine listings to easily incorporate M³ mapping into the new CP/M 3.0* (CP/M Plus*) Bios module. The advantages of CP/M 3.0* with disk buffering, hashed directories, and user program expansion go hand in hand with Macrotech's flexible "bank switched" memory capabilities.

All Macrotech software and manuals are available through Dan West's Compuserve account #70250,102. Leave comments/questions as E-Mail.

These new techniques can combine the above features with custom needs of the future, such as printer buffering, multi-page display and memory-intensive graphics displays.

The software listings are included in the Macrotech memory board manuals and are optionally available on 8" diskettes.

At a Glance

TRS-80 Model 100 Portable Computer

Manufacturer

Radio Shack One Tandy Center Forth Worth, TX 76102

Portable word processing, programming, and telecommunications

Dimensions

11% by 814 by 2 inches (3 pounds, 14 ounces)

Features

8-line by 40-character liquidcrystal display, full-size, fulltravel keyboard, 8085 microprocessor, 32K bytes of ROM, 8K to 32K bytes of RAM, cassette interface, builtin direct-connect modern, RS-232C interface, parallel printer interface, real-time clock/calendar, bar-codereader interface, and piezoelectric tone generator

Software

Text editor, BASIC interpreter, communications program. address-book program, and appointment-calendar program

Documentation

Reference manual 200 pages, spiral-bound Pocket manual: 40 pages

8K bytes RAM: \$799 24K bytes RAM: 5999 32K bytes RAM: \$1134

Options

Phone connector (\$ 19.95), printer cable (\$14.95). cassette cable (\$5.95), and acoustic adapter for modern (approximately \$50, to be available 3rd quarter 1983[

ters can be used either as part of the display or as a line of labels for eight function keys.

The full 96-character ASCII (American National Standard Code for Information Interchange) set can be displayed along with 128 extra foreign and graphics symbols (see photo 3). Some of these graphics symbols are nonstandard and cannot be printed on Radio Shack printers. Reverse video characters are available, but apparently not through BASIC.

The screen contrast is fairly good, but decreases quickly as you move away from an optimum viewing angle of about 60 degrees from the horizontal. Contrast can be adjusted with a dial on the right side of the machine. I had no problem reading the display whether it was on a desk or on my lap. The LCD does tend to reflect ceiling lights, however, and this could be a problem in certain offices. Placing the unit on your lap should solve this problem somewhat.

As in most displays, scrolling is done line by line, rather than pixel by pixel (smooth scrolled). The display seems a little slower than most video displays, but not objectionably so. Although the display is smaller than the typical home display-and a great deal smaller than the typical 80 by 24 office display-I grew accustomed to it fairly easily. It is a very good size for menus. The main problem occurs with tabular material wider than 40 columns. But tables tend to be a problem on all

machines, and fortunately such tables do not occur frequently in general correspondence.

The large size of the characters and the nonflickering quality of the LCD caused me much less eyestrain than the usual cathode-ray tube display.

The Keyboard

The second most obvious thing about the Model 100 is its full-size keyboard (see photo 4). While the display is obviously limited by the small size of the unit, the keyboard exhibits few signs of compromise. In fact, it is one

While the Model 100's display was obviously limited by the small size of the unit, the keyboard exhibits few signs of compromise.

of the nicest keyboards I've used on any machine, large or small.

Most of the keys are in the standard Selectric-style arrangement. The Backspace, Control, and Return keys are in their usual places. The cursor control keys are located just above the Backspace key and are arranged in a horizontal row (L-R-U-D). This cursor key arrangement is fairly common, but I much prefer a diamond arrangement for these keys.

The keyboard is controlled by its own microprocessor, and it has a good type-ahead buffer. No matter how fast I typed, no characters were dropped. Key repeat is also provided.

Special shift keys marked Code and Graph allow you to key in all 256 of the Model 100's characters directly from the keyboard.

Twelve function keys are located above the main keyboard. Four of these are permanently marked and have constant functions in all the application programs that come with the machine, "Paste" works as a Block Insert key; "Label" turns the line of function key labels on and off; "Print" is used to print either the contents of the display or an entire file; and "Break/Pause" either terminates or temporarily halts execution of a process, depending on whether the key is cap shifted or not.

The other eight function keys are programmable and are not permanently labeled although they tend to have the same function in each application program. This is a good design feature. As mentioned previously, the bottom line of the display can be used as a label for these keys. Unfortunately, the labels do not line up exactly with the keys, These keys also have interrupt capabilities that could be put to use by advanced computer users.

A "Num" key converts some of the keys into a slanted numeric keypad. Because I'm not a numeric touch-typist, I couldn't test how easy this strange configuration would be to work with. If a numeric keypad is important to you, I suggest you test this keypad in the store to see if you can work with it.



IBC MIDDI CADET™

Maximum Users Disk Storage Memory **CPU Speed** Benchmark (Elapsed time) List Price

20 MB 256 KB * 6 MHz 1:44 Minutes* \$7495.00

ALTOS M ACS 8000-10

Maximum Users Disk Storage 10 MB Memory 208 KB **CPU Speed** 4 MHz 5:03 Minutes* Benchmark (Elapsed lime) List Price \$7995.00

The IBC MIDDI Cadet is better, faster and less expensive than the ALTOS ACS-8000-10 and others. That's why we call it the heavyweight performer.

Because the MIDDI is completely software compatible with ALTOS, ONYX^{IM}, Dynabyte^{IM} and others using CP/M™ 2.2, MP/M™ II or OASIS™, you can transport your applications software to the MIDDI without modification. So why not take the benchmark test yourself.

If you are an OEM, system integrator, multiple end user, or dealer for any of our competitors, send a copy of your application program to IBC. We will run your software on the MIDDI without modification and give you the elapsed time in minutes. You be the judge, If it really is faster than your current hardware and it is, then you owe it to yourself and your customers to switch to

So remember! When you want a heavyweight performer at a low price, contact:

OUTSIDE THE USA

21592 Marilla Street Chaisworth, CA 91311 (213) 882-9007 TELEX NO. 215349

WITHIN THE USA

IBC DISTR BUTION

4185 Harrison Blvd., Suite 301 Ogden, UTAH 84403 (801) 621-2294



ALTOS is a trademark of ALTOS Computer Sytems. ONYX is a trademark of Onyx Systems. Inc., DYNABYTE is a trade Computers. CP/M & MP/M are trademarks of Digital Research, and OASIS is a trademark of Phase One Systems.



Photo 5: Inside the Model 100. On the right side are the undersides of the liquid-crystal display (top) and keyboard (bottom). The left side shows the main circuitry. The modem circuitry is in the upper left-hand corner. The random-access memory is in the lower left-hand corner. The 80C85 microprocessor is in the central part of the left side.

One slight problem with the keyboard is the sound each key makes. It's not a click exactly; it's more like a pop—a quite audible pop. In fact, a plane full of business executives typing on these machines might drown out the engine noise. That, of course, is an exaggeration, but the key-popping may cause a slight problem in quiet places such as libraries. Admittedly this is a small complaint, but if I were Radio Shack I would investigate putting some type of sound-dampener under the keys.

Systems Strategies/Communications Division Specialists in Data Communications Software

225 West 34th Street New York, New York 10001 (212) 279-8400

- Custom software to allow your product to interface networks and emulate other vendors equipment
- Software that is installed and currently being utilized by computer and terminal manufacturers on Zliog Z-80, Z8000, Intel 8086, etc.
- Product oriented communications software compatible with SNA, X.25, BSC for product developers to insure timely, cost effective marketplace entry
- Close contact with your engineers to adapt our software to your hardware
- · Software in 'C', Pascal and Assembler
- · Microcomputer systems development

Processor

The Model 100 uses the 80C85 microprocessor chip, a low-power CMOS (complementary metal-oxide semiconductor) version of the 8085, which is a well-respected member of the 8080 family. The clock speed for the microprocessor is 2.4 MHz. One of the advantages of the 8085 is its extensive interrupt capabilities, which, as we will see later, are well exploited by the Model 100's BASIC interpreter.

Memory

Each Model 100 contains 32K bytes of ROM. This is used to store a small menu-based operating system and five application programs. As for RAM, you have a choice of 8, 16, 24, or 32K bytes. The 8K-byte RAM machine sells for \$799. Each additional 8K bytes of RAM costs \$120 plus a \$15 installation charge. Thus, a 24K-byte machine should cost \$799 plus \$240 plus \$15, or \$1054. Radio Shack, however, is offering a special price for the 24K-byte machine of \$999—a savings of \$55. A full 32K-byte machine should then cost \$135 more, or \$1134.

The RAM is of the low-power CMOS type, and it is protected by its own power supply. This memory is powered at all times, whether the machine is on or off. Even after main battery failure, memory power continues for 8 to 32 days. There are apparently only three ways to wipe out the contents of memory: letting the batteries run down and not replacing them for a long time, initiating a cold start or Reset, or turning off the memory power switch on the bottom of the machine (which should be done only when the machine will not be used for an extended period of time).

As on most 8-bit processor machines, the maximum addressable memory space is 64K bytes. The memory appears to be allocated as follows: the bottom 32K bytes of memory (addresses 0 through 31999) are taken up by the ROM. The first 8K bytes of RAM fills the top 8K bytes of memory. Each additional 8K bytes of RAM is installed in the next highest 8K bytes of memory. The topmost part of the first 8K bytes of RAM is used by the computer's operating system for display memory and to store pointers for the BASIC programs and document files. These files are stored in the lowest part of RAM. The part of RAM between the pointers at the top and the files at the bottom can then be used for new files or for arrays for the BASIC programs. With a 32K-byte RAM machine, you have 29.6K bytes of RAM free; with the 8K-byte RAM machine, you have only 5.1K bytes of RAM free.

Future ROM modules for the ROM expansion socket will occupy the same address space as the built-in 32K-byte ROM. You will then be able to switch between the two banks of ROM available.

Some advanced users may feel limited with only 32K bytes of RAM. But programs such as the text editor reside outside of the precious RAM area. Also, the display eats up very little RAM. The result is that you can use almost the entire RAM area for document storage.

OPEN YOUR APPLE TO A WORLD OF COMMUNICATION

Videx' new PSIO Dual Function Interface Card gives you a whole new world of communication... with a whole new ease of operation.

The PSIO allows you to use a printer (parallel output) and a modem (serial I/O port) simultaneously, through use of just one card! But best of all, the PSIO makes communicating through either method worlds easier than it's ever been before.

The PSIO lets you choose from among an unmatched range of software-selectable options, including variable baud rate selection, form width, form length, auto linefeed, linefeed mask, Xon/Xoff protocol, lowercase masking, shift wire mod support, duplex mode, parity, data format, video echo mode and a slot echo mode.


PSIO can also open up new worlds for graphics, since it can reproduce your picture on any graphics printer.*Rotate your picture, enlarge it, change it as you wish.

Once you've chosen your options, the PSIO's highly sophisticated NOVRAM (non-volatile RAM) will remember and permanently save them. That means you won't have to give the same configurations over and over again ... your PSIO will do it for you. And if you want to change those configurations, you can do it through software instead of through the confusing array of switches that other cards use.

The PSIO will work with any printer/modem you now happen to own...and it will work with any inter/modem you happen to purchase in the future. Adaptable? Definitely!

The PSIO is completely compatible with BASIC, Pascal and CP/M® systems.

The PSIO from Videx...how in the world can you do without it?!



The machine I used had 32K bytes of RAM, and after about 25 hours of typing notes and running BASIC programs, I still had about 16K bytes of RAM left. Even with the 24K-byte machine, I think I would probably run out of batteries or things to write about before I ran out of memory.

I enjoyed using this type of protected RAM. It was a pleasure knowing that I did not immediately have to save everything and that whatever I put into memory would stay there until I deleted it. Still, on this or any other machine, irreplaceable files should be backed up.

Power Supply

For a portable computer that depends on RAM for data storage, the power supply is a crucial issue. On the Model 100, power is supplied by four AA batteries or by the optional AC adapter. Operating life of the batteries is about 20 hours. This time can be shortened if excessive use is made of the various interfaces (modem, cassette, printer, RS-232C). Because these interfaces will probably be used primarily within reach of an AC socket, this power drain should not be a big problem. The low-battery indicator lights when 20 minutes of battery power are left. I used the machine for about 15 hours, making extensive use of the printer and cassette interfaces, before the low-battery indicator went on. And then the machine continued for another hour and a half before it finally died. That seems to be ample warning to get more batteries.

We carry all lines of software and hardware for APPLE, IBM, CP/IM

Vista, CA 92083 Suite 1, 977 S. Santa Fe Ave.

orders subtract \$2.00 on orders over \$200.00)). VISA, MASTER CHARGE. SHOWROOM PRICES DIFFE prices and availability subject to change. HOURS 9AM - 8PM PST Telephone no.), VISA, I Cash,check (please include Drivers Licen UPS shipping charge, ALL PRICES ARE, CA residents add 6% sales tax. 1-619-726-7784 (Technical Ourside CA

us for

20

The Model 100's volatile memory is protected by its own power supply, a separate nicad (nickel-cadmium) battery that is continually recharged by the main batteries or by the AC adapter. When the main batteries fail, the nicad battery will continue to power the memory for an extended period of time, depending on the amount of RAM you have. With 8K bytes of RAM, you have 32 days before the memory is lost. Even with 32K bytes, you still have 8 days to get new batteries.

Modem

In keeping with its portable nature, the Model 100 was given extensive communications capability. A key element in this design is its built-in direct-connect modem. All you need is the optional phone connector (\$19.95) and you can plug into any standard modular phone jack. If a modular phone jack is not available, you can use an optional acoustic adapter with any regular phone.

The modem is a standard Bell 103-compatible version with a transmission rate of 300 bps (bits per second). Auto-dialing capability is also included. However, it can dial only in the pulse mode, like a standard rotary-dial telephone. Radio Shack says it would have liked to add tone-dialing capability, but it was not available on lowpower CMOS chips. If you have a private telephone system that can handle only tone-dialing, you will have to dial manually. The pulse dialing rate, by the way, can be set at either 10 or 20 pulses per second.

You have the option of using several serial communications parameters: the word length can be either 6, 7, or 8 bits. Parity can be handled in one of four ways: Ignore, Even, Odd, or No parity. The number of stop bits can be either 1 or 2. And the pause/continue protocol frequently indicated as XON/XOFF or <Ctl S>/<Ctl Q> can be enabled or disabled.

The Model 100's modem in combination with its ROMbased communications program presents a quite powerful package. The only thing I might want to have added is auto-answer capability, but this might not be a costeffective option. After all, a portable machine like this will probably not be in one place long enough to receive phone calls.

RS-232C Interface

The Model 100 also has an RS-232C serial connector for connecting to serial printers, other computers, or high-speed (1200-bps) modems. This interface uses the same circuitry as the modem, and all communications parameters for the modem will likewise affect the RS-232C connector. Unlike the modem, however, the RS-232C port has a wide range of transmission rates: from 75 to 19,200 bps.

Parallel Printer Interface

For connections to most printers, the Model 100 has a parallel printer port. This takes the form of a 26-pin. dual-row connector on the rear panel of the machine. An optional connector cable converts this to a standard



The trouble with many of today's better known small business computers is they box you into a *single user system*. So after your big initial investment, you still have a single user system. You always will.

Now there's the Zeµs 4 from OSM Computers. The Zeµs 4 is the first multi-user, multi-processor micro at single user prices. The Zeµs 4 is less than one cubic foot

and weighs 24.6 pounds.

Yet, it's like four separate, powerful small business computers in one. It allows up to four users to share a common data base or work independently. Each has his own CPU, 64K of RAM and I/O ports. That means greater operator independence, more processor power and greater reliability.

You needn't worry about running out of storage capacity either. The Zeµs 4 comes with a built-in hard disk, so users share up to 19MB of storage, about twice as

much as most other multi-user systems.

You'll enjoy maximum flexibility in software applications too, because Zeµs 4's MUSE operating system runs programs compatible with CP/M. Plus MUSE provides extensive file management functions typically found only on mini computers.

Here's another big advantage: The Zeus 4 is

designed for low maintenance, low down-time. Its four modules snap in and out with a few minutes work. So if repairs are ever needed, modules are simply replaced through OSM's limited warranty program.

Maybe the best thing is that you can buy the powerful and expandable Zeµs 4 for \$4,595 (\$6,595 fully configured for four users).

The Ze μ s 4 from OSM, the latest in a family of powerful, multi-user small business computers. It's the little box that lets you grow without boxing you in.

To find out more, call (800) 538-5120 or (415) 961-8680 in California or write to OSM Computer Corporation, 665 Clyde Avenue, Mountain View, CA 94043.



osm

Computers. Your power to expand.

CPIM is a registered trademark of Digital Research, Inc. Zeps 4 and MUSE are trademarks of OSM Computer Corporation. © 1983 OSM Computers.

Circle 345 on inquiry card.

Centronics-type plug. I was surprised they didn't put a standard Centronics jack on the machine itself.

The Print key prints out through this interface. I connected the Model 100 to a Radio Shack Lineprinter VIII and it worked without any problem, except for a few of the Model 100's nonstandard graphics symbols that could not be printed.

Cassette Interface

Besides uploading and downloading files over the telephone lines, you can also store files on a cassette. The Model 100's cassette interface stores information at the rate of 1500 bps. This translates to about 20 seconds for a 150-word letter. When you load files from the cassette. the Model 100 lets you hear the bit stream. Because this is not the most pleasant of sounds, you can turn this feature off with a BASIC command.

Other Features

The Model 100 has several other features worth mention. A real-time clock/calendar indicates the time of day, the date, and even the day of the week. A piezoelectric sound generator functions as a speaker and allows you to generate musical notes without using too much power. An automatic power-off feature is also included. After 10 minutes of not being used, the machine turns itself off to save battery power. This time interval can be lengthened or shortened or it can be disabled.

DEVELOPMENT HARDWARE/SOFTWARE **GTEK MODEL 7128 EPROM PROGRAMMER**



- Microprocessor based intelligence for ease of use and interface. You send the data, the use and interface. You to 7128 takes care of the rest.
- RS-232 interface and ASCII data formati make the 7128 compatible with virtually any computer with an RS-232 serial inter-face port.
- Auto-select baud rate.
- Use with or without handshaking. Bidirectional Xon/Xoff supported. CTS/DTR supported.
- CTS/DTR supported.
 Devices supported as of DEC 82,
 NMOS NMOS CMOS EEPROM
 2768 2508 27C16 5213
 2718 2515 27C32 X2816
 2732 2532 C6716 48016
 27124 2584 27C64
 27128 8755 MPU'S 8748 8749 8741 8742
- Reed pin competible ROMS also. Automatic use of proper program voltage based on type infected.
- based on type selection, no per-sonality modules required.

 [40 pin devices required.

 INTEL Motorola and MCS-80, Men formals.
 Spill tacility for 16 bit data-paths. Read, pro-gram, and formatted list commands also.
- Interupt driven type sheed, program and verify real time white sending data. Program single byte, block, or whole eprom. Intelligent diagnostics discern between aprom which is bad and one which merely

May 1983 @ BYTE Publications Inc

- Verify erasure and compare commands. Vally ensure and compare commands. Bury light indicates when power is being applies to program socket. Complete with TEXTOOL zero insertion force socket and integral 120 VAC power supply. (240 VAC/SOMZ available also)
- - High Performance/Cost ratio.

MODEL 7128 SOCKET ADAPTERS MODEL 481 allows programming of 8748, 8749, 8741, 8742 single chip processors. Price \$88.00

MODEL 511 allows programming the 8751, intel's high powered single chip processor. Price \$174.00

MODEL 755 allows programming the 8755 EPROM/IO chip

Price \$135.00

MODEL 7128/24 - budget version of the 7128, Supports 24 pin parts thru 32K only. Upgradable to full 7128 capacity. Price \$289.00

respendable, very low cost models avail-Non-expension, very seek seek for specific devices. MODEL, 7128-L1 for 2716 only \$149.00 MODEL, 7128-L2 for 2732 only \$179.00

Alto available from stock:
Eprom Erssers UVP model DE-4 . \$78.00
Avacet Systems Cross Assemblers \$200.00
RS-232 Ceble Assemblies . \$28.00
cell

Post Office Box 289 Waveland, Mississippi 39576 (601) 467-8048

Options

Perhaps the most valuable option is the phone connector cable. This cable, which sells for \$19.95, allows you to insert the Model 100 between a standard modular phone and its phone jack. The cable package also includes automatic log-on sequences for Compuserve and the Dow Iones News/Retrieval services, plus membership in these services and one hour's free time on each. That's quite a bit for \$20.

The cassette cable comes free with the optional Radio Shack cassette recorder or can be purchased separately for \$5.95. The printer cable for connecting a printer to the Model 100's parallel port costs \$14.95.

For people who may not have access to a modular phone jack (as in certain hotel rooms or in phone booths), Radio Shack will be offering an acoustic adapter that consists of two cups that fit onto a regular telephone handset. This should be available some time this summer for about \$50.

The bar-code reader is designed to work with a Hewlett-Packard bar-code wand. Software for this option will probably be available at some future time.

The Model 100 also allows for options that have not yet been announced. On the bottom of the machine is a compartment for a 32K-byte ROM module. We can only speculate about what type of software Radio Shack will put on such a chip (a mini-spreadsheet program?). Also in this compartment is a 40-pin external bus connector. Radio Shack is not telling, but this would seem to be perfect for adding storage devices or a larger display.

Software


It has frequently been said that you should buy a machine not for its hardware but for its software, Microsoft, the designer of the Model 100's software, really took that maxim to heart. On top of the impressive collection of hardware that makes up the Model 100 is an equally impressive collection of software. This is one computer you can start using immediately; you won't have to wait six months to a year for the software to be developed.

Not only are the various software packages extensive. easy to use, and of fairly good quality, but they also work well with each other and are all crammed into just 32K bytes of ROM, Of course, judging software is a subjective task, but if you keep in mind the design goal of the machine—an easy-to-use portable workstation—I'm sure you'll agree that this goal has been reached and then some.

When the machine is turned on, a simple operating system is engaged and the system's main menu appears. This shows the time, the date, the amount of free memory available, and a list of all the files in memory. The five built-in application programs are listed with no filename extension. Document files all have the extension ".DO"; BASIC programs have the extension ".BA".

Choosing a particular file to work with is easy. You simply move the cursor over that file name and press Return. If a document or BASIC program is chosen, the

ERGONOMICALLY DESIGNED SECURELY TOGETHER







Model #002 in Walnut with DEC Rainbow 100.



Model #001 in English Oak with Texas Instruments Professional Computer.



Model #002 in Almond with IBM Displaywriter and Printer.

SECURITY: The Computant is the first computer workstation to provide security for both the hardware and software. Simply return the keyboard to the closed position, close the doors and roll down the double walled tambour door and one key locks it all up.

ERGONOMICS: The keyboard and the focal distance to the display are adjustable to suit the individual needs of each user. The user simply places the work directly behind the keyboard and in front of the display in the normal line of sight virtually eliminating unnecessary reach and head/neck movement. Even the pitch of the work is adjustable. With the Compucart you need not compromise your comfort.

MOBILITY: Since the Computant is on four twin wheel casters, you may move the computer/terminal from place to place to take advantage of the multi-tasking abilities of the hardware. With its compact size (requires 4 sq. ft. floorspace) the Computant fits into any existing environment, allowing you to use the computer in places that you thought just didn't have the room.

MORE INFORMATION: Give us à call toll free at 800/237-9024 or ask your computer or office furniture dealer to call for you. We have the only computer workstation that will keep it all securely together for you.

COMPU-CMI

text editor or BASIC interpreter, respectively, is automatically invoked. Typical operating-system functions such as file deleting are handled in BASIC.

When you finish with a particular file or program, you press one of the function keys marked Menu. This closes your file and returns you to the main menu again. Having the complete list of files appear on each warm boot, as it were, is a particularly good idea. It makes the system extremely easy to use and would save time on any operating system.

The five application programs included as standard equipment are the following: a text editor (TEXT), a BASIC interpreter (BASIC), a communications program (TELCOM), an address-book program (ADDRSS), and an appointment-calendar program (SCHEDL). These programs work well with each other. TEXT can be used to edit BASIC programs or the data files used by TELCOM, ADDRSS, and SCHEDL. Also, TELCOM and ADDRSS share the same data file.

The Text Editor

TEXT will probably be the most used program on the Model 100. It is a full-fledged character-oriented editor (i.e., not a line editor) with word-wrapping, so that words are not broken mercilessly at the end of those 40-character lines. Owing to its compactness, it lacks many of the features found on large packages such as Wordstar or Perfect Writer, but it is well designed, simple to learn, and fairly powerful.

TEXT contains only the most needed functions of a word processor, but makes up for this shortage of functions by making those it has as easy to use as possible. These functions are Insert, Delete, Search (Find), Copy a block, Delete a block (Cut), Insert a block (Paste), Save on cassette, Load from cassette, Print, and Cancel any operation (Break). Note the use of familiar names such as Cut and Paste.


Using TEXT is simple. To create a file, you merely choose TEXT in the main menu. Because it's already in memory, TEXT "loads" in an instant and asks for a filename for your new file. After that everything you enter becomes part of that file. All controls are handled by function keys. You don't have to remember any control key combinations. For those who prefer them, however, each function key has a corresponding control key combination. Of course, if your text will later be used by another word processor, you can embed the necessary commands into your text.

An interesting thing about TEXT is that it is always in the Insert mode. In other words, you can't "write over" anything you've already written. You must insert the new material and delete the old or vice versa. This took a little while to get used to, but it actually makes a lot of sense and saves time. Most of the editing I do is either inserting or deleting, and this makes the first of the two a bit easier.

As I said earlier, some functions had to be left out, but some of these are quite useful. Perhaps they can be handled by small BASIC utilities. For example, a Search and Replace function could probably be handled by a short BASIC routine. Also, an indication of the file length (which is quite important on a machine with a small display) might be provided by a short BASIC word-counter.

Lastly, the Print function allows you to print either the whole document file or just the contents of the display. It will print in whatever line length you want, and the lines will be word-wrapped. The only problem is you can't set the left margin. Again, a short BASIC routine could probably handle this also.

To test the performance of TEXT, I tried a little textediting benchmark. I timed how long it would take to retrieve a 150-word letter, change the date, the addressee, the address, and the salutation, and then store the new



Worldwide Computer Solutions
We sell SemiDisk
for S-100 IBM PC,
TRS-80 Mod. 2, Kaypro II,
Osborne, Xerox 820 & Heath H-89



Computing has entered a new era: The SemiDisk era! No longer are you field down by the speed of floppies or winchesters. Your computer can operate many times faster with a SemiDisk. And with our self installing software it couldn't be easier. Just plug in and hold on! No kidding! Special pricing: From \$995 to \$1595 for 512K Byte and \$2195 for 1 meg Byte.

Specifications:

TYPE: Semiconductor Disk Emulator—for Z80, 8080 (optional 8586)

CAPACITY: 512K or 1Mb


POWER REQUIREMENTS: 0.6A (512K) 0.9A (1Mb) BATTERY BACKUP: 10-12V Unreg. (optional)

RAM available (500 piece min.) Call

Dealers Wanted


For information contact: Computer Solutions Worldwide Robert Pinkham P.O. Box 931 Hillsboro, OR 97123 (503) 640-5665

With Chart-Master, creating quality graphics is as easy as apple pie.



No matter how you slice them, pie charts, bar charts and scatter diagrams are a lot easier to read and understand than rows and columns of numbers.

Now you can create colorful business graphics anytime you need them, with an easy-to-use Chart-Master graphics software program. A program that works with Hewlett-Packard plotters and your IBM® or Apple® personal computer.



Values printed at data points; both left and right Y-axis scales; floating legends & bars; both horizontal & vertical formats; exploded pie sections.

Just enter your data, choose a chart format, preview the chart on your screen, and Chart-Master will automatically create a beautiful, presentation-quality chart. In seconds.

There's more to Chart-Master than simplicity. Incredible power and sophistication. You can enter

matically from Visicalc® and other programs. Print on either paper or acetate transparencies. Make your charts any size, anywhere on the page.

Have your text appear in attractive print-quality type. Choose from sophisticated formats that include percentage bars, stock price (High/Low/Close) and area charts.

Power and ease-of-use. That's why Chart-Master is in daily use at major corporations like GE, Eastman Kodak, Exxon, Union Carbide, GM, AT&T, DuPont, 3M, Citibank, Motorola, Proctor & Gamble and GTE.

The retail price of Chart-Master is \$375. For a complete information kit and name of your nearest dealer, contact Decision Resources, Inc., 21 Bridge Square, Westport, CT 06880. (203) 222-1974.

DecisionResources Software Designed for Decision Makers

Visucaic in a trademark of Visicory. Apple is a trademark of Apple Computer inc.

Visicalc ta a trademark of Visicorp. Apple to a trademark of Apple Computer Inc. IBM is a trademark of Impernational Business Machines Corporation

Circle 159 on Inquiry card.

CLOAD?	Varillos o occurrous connecto land
CLOADM	Verilles a previous cassette load Loads a machine-language program
COM ON/OFF/STOP	from cassette Enables/disables communications
CSAVEM	interrupt Sayes a machine-language program on
CONTLIN	cassette
CSRLIN	Returns vertical cursor position
DATE\$	Represents the current date (MM/DD/YY)
DAY\$	Represents the day of the week (e.g., Fri)
EDIT	Invokes text editor
ERL	Gets line number of error
ERR	Returns error-code number
FIX	Truncates real numbers
HIMEM	Returns high-memory address
INP	Inputs data from a port
INPUTS(N)	Inputs N characters from keyboard
INPUTS(N.F)	inputs string of length N from file numbered F
INSTR	Searches for a given string
IPL	Defines program to run on power-up
KEY	Defines function key as string
KEY LIST	Lists current functions of function keys
KEY ON/OFFISTOP	Enables/disables function-key interrupts
LCOPY	Copies screen to printer
LINE INPUT	Inputs string from keyboard
LPOS	Returns the current position of printer
MAXFILES	Represents the maximum number of open files
MARKAM	Returns the maximum amount of RAM available
MDM ON/OFF/STOP	Enables/disables modern interrupt
MENU	Closes files and returns to main menu
ON COM GOSUB	Delines routine to handle RS-232C interrupt
ON KEY GOSUB	Defines rouline to handle function-key
ON MON COOLID	Interrupt Defines routine to handle modem
ON MDM GOSUB	interrupt
ON TIME\$ GOSUB	Defines routine to handle clock interrupt
OPEN	Opens file and sets logical file number
OUT	Outputs a byte to processor port
POS	Returns horizontal screen position
POWER	Sets automatic power-down period
POWER CONT	Disables auto power-down leature
POWER OFF	Turns of machine
PRESET	Turns off pixel in display
PSET	Turns on pixel in display
RESUME	Resumes execution after error
SCREEN	Turns on/olf function-key label line
SOUND	Generates a lone
SOUND ON/OFF	Enables/disables beep when carrier
COLOTE	signal comes on telephone line
SPACES	Defines a string of spaces
STRING\$	Defines a repelitive string of a given
THACE	Character
TIMES	Represents the time of day (HH:MM:SS)
TIMES ON/OFF/STOP VARPTR	Enables/disables time interrupt Returns memory address of a given

Table 1: Some selected commands found on the Model 100's version of Microsoft BASIC.

variable

letter. My average time on TEXT was about twice as long as it is when I use Magic Wand, the word processor on my 4-MHz, Z80-based office machine, with which I am quite familiar. Undoubtedly, some of this time difference is due to my inexperience with the portable unit; and some of it is due to the fact that TEXT is always in Insert

mode, and thus simple write-over corrections require twice as many keystrokes; but a large portion of the difference is due to the slowness of the Model 100's LCD versus the 9600-bps display on my office machine. Subjectively, however, the Model 100 "seemed" faster than my office machine because it did not need extra time to load the text editor and the document file from the disk and later store the document on disk and reload CP/M (do a warm boot).

This illustrates a nice feature of the Model 100. You don't have to wait for the disk drives or for the display tube to warm up. You can take the machine out of your desk drawer, turn it on, and be writing a memo in about 2 seconds.

Overall, I found TEXT to be a good product. It seems perfectly designed for the Model 100, almost like a hand in a glove. Even the novice user should be able to write a short letter on it in about an hour, and there aren't many word processors you can say that about.

BASIC

For the Model 100's BASIC interpreter, Radio Shack has again gone to its traditional source—Microsoft BASIC. Of course, a few commands are missing on the Model 100 version of MBASIC, but several more have been added to take advantage of the interrupt capabilities of the 8085 processor, and it is well integrated with the Model 100's other application programs.

Table 1 describes some selected commands. Of particular note are the interrupt-handling commands, which can work with the modem, the clock, the RS-232C port, and the function keys. For example, in a long program you can insert a routine to handle an interrupt from one of the function keys. Then, whenever that function key is pressed, control is automatically transferred to that routine. The program does not have to continually check the function keys to see if they have been pressed.

As mentioned before, some commands such as WHILE. . . WEND are missing, but these can be replaced with combinations of other commands.

As for performance, I timed the BASIC interpreter with the Eratosthenes Sieve benchmark described in the January issue of BYTE on page 283. The Model 100 took 2820 seconds for 10 iterations of the routine. Compare this with 2880 seconds for BASIC on the TRS-80 Model III, 2806 seconds for Applesoft BASIC on the Apple II, and 1950 seconds for BASIC on the IBM PC.

Like the other application programs, the BASIC interpreter is integrated with the text editor. The result is that you can edit your BASIC programs in two ways: either by using the common line-oriented approach or by using TEXT. To use the latter method, you merely type TEXT while in BASIC and your program will be translated into ASCII and TEXT will be invoked. When you leave TEXT, your program will be translated back into its normal tokenized form. Long programs can require a few seconds for these translations to occur.

The Model 100's BASIC is also well integrated with the machine itself. Every hardware port and interface seems

If you stick with timesharing after reading this ad, you haven't read this ad.

Typically, financial planning on a timesharing service runs \$2,000 a month and more. Month after month after month.

And it doesn't take a spreadsheet to figure that as a \$24,000a-year-after-year expense.

The incredibly cheap alternative.

The Financial Planner™ from Ashton-Tate can stop this cash drain once and for all.

You pay \$700 — one time — for the Planner. And handle your financial planning quickly, easily and completely on your microcomputer.

Without having to share your time or your money with anyone.

A forecaster's dream come true.

The Financial Planner has enough depth to solve the most complex business problems you can foresee, yet can be used almost intuitively.


The Planner automatically performs calculations on individual items, rows, columns and entire models. Understands conditional logic. Solves simultaneous equations. Computes Present Value and Internal Rate of Return. Reads and writes dBASE II™ files. And much, much more.

But you use abbreviated names, not mysterious formulas. And you communicate with the computer in the English-like vocabulary of FPL™ (Financial Planning Language), so you can easily set up your budgeting and evaluation models.

Editing and report-writing are an integral part of the package, and you can preview results on the screen, then produce presentation-quality financial reports directly.

And when you have your models and reports just right, you can automate them so even your President can run them.

With the Planner, you produce P & L forecasts and financial consolidations in minutes. Explore



It's one of the most comprehensive business tools available on any computer. All for a fraction of what you've been spending on timesharing services to do the same things.

For the ardent skeptics.

It may sound too good to be true, but you can check out the Financial Planner with no financial risk.

Run through a hands-on demo at your nearest computer or software store. Then take a package home and use it for 30 days on your IBM PC or CP/M microcomputer. If it's not everything we said it was, just return it and you'll get your money back.

For the name of your nearest dealer, contact Ashton-Tate at 10150 West Jefferson Boulevard, Culver City, CA
90230. Or better yet, call (213)
204-5570 today.

Financial

Time's a-wasting.

ASHTON TATE

CP/M is a trademark of Digital Research

O Ashton-Tate 1983

Circle 47 on inquiry card.

BYTE May 1983



to be accessible from BASIC. Overall, this version of BASIC is fairly comprehensive and pretty fast for a portable machine.

TELCOM

In order to take advantage of the built-in modem, Radio Shack has provided the Model 100 with a built-in communications program, and a fairly powerful one at that.

With this program, you can automatically dial a database and execute the required log-on procedures. Once online, you simply press a function key to upload any of your document files onto the database or download a file onto your Model 100. Other function keys let you "echo" your communications to a printer or change from the full-duplex mode to half-duplex.

In the event a database sends you more than eight lines of text at once, Radio Shack has even supplied a function key that lets you refer back to the previous eight lines.

The upload routine includes a very important feature that, surprisingly, is frequently missing from communications software packages. When you upload a document, TELCOM will automatically format it to any line length that your database requires. This is important because some systems cannot handle lines that are longer than a certain length.

The TELCOM program can even be used as an autodialer for voice communication.

I found TELCOM a bit harder to use than TEXT or BASIC. The auto-dial and auto-log-on routines use special notation, which is a little hard to remember. Of course, auto-log-on procedures tend to be difficult to encode on any system. Fortunately, Radio Shack will help things by including auto-log-on procedures for both Compuserve and Dow Jones with its optional phone connector. Once these procedures are properly encoded on the Model 100, data communications become easy. In fact, some Radio Shack executives have their log-on procedures for Dow Jones set up so that all they have to do is turn the machine on, press a few keys, and a few seconds later the latest price of Tandy stock appears on their display.

ADDRSS and SCHEDL

Two simple programs are provided that can turn the Model 100 into an electronic address book and appointment calendar. ADDRSS can be used to store names, phone numbers, and addresses in a special file called "ADRS.DO", which is also used by TELCOM. Once the data has been stored in this file, you can use a function key marked Find to locate, for example, all records containing the string "Bill" or "Fort Worth." Uppercase/lowercase distinctions are disregarded.

SCHEDL works similarly to ADDRSS except that it uses dates and times rather than names and addresses, it stores this data in a file named "NOTE.DO". Using the Find key, you can quickly locate all records you've entered for a given date or time or all appointments you've made with a certain person.

Don't let price get in the way of owning a quality printer.

Adding a printer to your computer makes sense. But deciding which printer to add can be tricky. Do you settle for a printer with limited functions and an inexpensive price tag or buy a more versatile printer that costs more than your computer? Neither choice makes sense.

Here's a refreshing option — the new, compact STX-80 printer from Star Micronics. It's the under \$200 printer that's whisper-quiet, prints 60 cps and is ready to run with most popular personal computers.

The STX-80 has deluxe features you would

expect in higher priced models. It prints a full 80 columns of crisp, attractive characters with true descenders, foreign language characters and special symbols. It offers both finely detailed dotaddressable graphics and block graphics.

And, of course, the STX-80 comes with Star Micronics' 180 day warranty (90 days on the print element).


The STX-80 thermal printer from Star Micronics. It combines high performance with a very low price. So now, there is nothing in the way of owning a quality printer.

fanufacturer's suggested retail price.



THE POWER BEHIND THE PRINTED WORD.

Computer Peripherals Division. 1120 Empire Central Place,
Suite 216, Dallas, TX 75247 (214) 631-8560



The new STX-80 printer

for only \$199.*

STOLL

ADDRSS is pretty handy because it shares its data file with TELCOM. SCHEDL seems somewhat limited by contrast. It would have been nice if Radio Shack had incorporated the clock/calendar into it, but I imagine ROM space must have gotten pretty scarce by the time SCHEDL was added. Again, you could probably write a simple BASIC program to do this. For example, it could check the clock/calendar, then check each record of the NOTE.DO file, and sound some type of alarm when the two coincide. Such a program could automatically tell you when you have an appointment and with whom.

Possible Applications

With all this hardware and software, the Model 100 is well suited for a large number of applications. It should be a great tool for writers, programmers, businesspeople, and students. With the bar-code reader, it could even be used at the local supermarket. The Model 100 looks very flexible. It should be interesting to watch applications for it develop.

Limitations

As good as the Model 100 is, it does have certain limitations.

One is the lack of convenient mass storage. There will be times when you wish you could quickly load and store large documents or programs. Looking at the external bus connector on the bottom of the machine, I wouldn't be surprised if Radio Shack already has a mass-storage device in the works. My guess is either a thin-line 5¼-inch floppy disk or a large disk-simulating CMOS RAM module. Of course, 3½-inch floppies and bubble memory are also possibilities.

Another limitation is the display. Although it is of a useful size, it could be a hindrance, for example, in spreadsheet programs. Again, looking at that bus connector, I've got a feeling some type of video display is on someone's drawing board. Also, as LCDs get larger and larger, I wonder if 16-line by 80-character displays are that far down the road.


A small dot-matrix printer would be a useful accessory for the Model 100. Something on the order of the new briefcase-size typewriter from Brother would be handy.

We're completely in the dark as to what that extra ROM socket might be used for. The best bet is a mini-spreadsheet program. But I wouldn't be surprised if some type of disk operating system were in the works, or even some games. I'm sure Radio Shack will think of something.

Speaking of games, the bit-mapped graphics of the LCD and the interrupt capabilities of the machine might lend themselves nicely to possible game applications.

Documentation

The Model 100 comes with two manuals: a large 200-page spiral-bound manual and a small pocket-size



S-100 AND IBM PC


COMPATIBLE PRODUCTS BY

ZOBEX




















DD DMA FLOPPY DISK CONTROLLER

For the past five years, ZOBEX has brought you the most reliable S-100 products available. In answer to the overwhelming demands of the rapidly growing market for microprocessors and their peripherals, we have enlarged our inventory. You can now get expansion products for your IBM PC from ZOBEX. Our 12 or 20 MByte Hard Disk Subsystem, 256K RAM, and Serial I/O boards reflect the same excellent quality and efficiency which our S-100 products demonstrate. Our confidence in

our designs and craftsmanship allow us to back up these products with warranties of six months

up to one year.
Today's technology has enabled microprocessors to attain the same level of speed and sophistication already achieved by the larger computers and ZOBEX has the experience to provide you with the most advanced micros and add-on products the industry has to offer. Top quality and low pricing make all ZOBEX products a valuable investment, so when you buy a ZOBEX expandable 8 or 16 bit

microcomputer, you are assured of getting the most for your money.

Call or write to:

7343-J Ronson Rd. San Diego, CA. 92111 (619) 571-6971

* For DEC additional Concurrent CP/M Hard Disk version available for IBM PC

ZOBEX IS A TRADEMARK OF ZOBEX CORPORATION IBM IS A TRADEMARK OF INTERNATIONAL BUSINESS MACHINES CORP.

CONCURRENT CP/M IS A TRADEMARK OF DIGITAL RES. INC

The Best In Price, **Selection and Delivery**

rofessional Quality

AMPEX-INTERTEC-TEXAS INSTRUMENTS-GENERAL DATA COMM. • ANDERSON JACOBSON • C. ITOH • QUME • BEEHIVE • DATASOUTH • DIABLO • CENTRONICS • NEC • PRENTICE

BATTAGO GITT	
MICROS	COLOR OF S
INTERTEC SUPE	ABRAIN II
64K DD*	- ONLY \$1895
64K QD* (96TPI)	ONLY \$2295
*(includes M/Soft B/ DDS-10 Meg	Acres 1970
(Hard Disk)	ONLY SHIPS
PRINTERS	.,
High Speed Line P	rintersCALL
NEC	
7710 Ser	\$2089
7715	\$2009
7730 Par	\$2099
7720	\$2449
7725	\$2496
Std. Tractor 77xx	1 \$ 199
3610	11-1-\$1390
3530	\$1390
3550 (IBM)	\$1869
3515	\$1395
DATASOUTH	Call
DIABLO	-
620-SPI	\$ 949
630-R102/147	*** ** \$1949
630 ECS	\$2389
630-R155	\$1745
"(for IBM P.C., Apple 630-K104 (KSR)	# III, THS-80]
ONWE.	
Sprint 9/45 FP .	81704
Sprint 9/55 FP	\$211Q
Sprint 9/55 FP/XM	
Sprint 9/55 LP/XM	
Sprint 11/40-PLUS	
Bi-Dir. Forms Trac	
CENTRONICS:12	1/P\ \$ 690
	that the son
TERMINALS	
AMPEX D80	.\$ 699
BEEHIVE (SMAR)	
DMS (SMAR	Call
DM5A	Call
DM310 (3101 Emul	
DM 3270 (3270 Er	
Protocol Converte	
QUME	
QVT-102	_ \$ 594
OVT-103	\$ 739
C. ITOH	****
	\$1350
CIT 161 (64 Colors	
TEXAS INSTRUM	
745 Standard	
in addition, we can n	RAKO EJA FIS 242 OF

745 Std. (Reconditioned) Call
765 Bbl M'rny Call
765 Elbi M'rny Call 785/787 Call
610 Basic \$1249
840 RO Basic \$ 795
840 RO Tractor Feed Pkg \$1059
MODEMS
PRENTICE STAR 300 Bd. \$ 124
U.S. Rob Auto Dial 212A . \$ 489
U.S. Rob Autolink 212A 8 439
1200-9600 Baud Call
Stal Muxes Call
DISC DRIVES
QUME
Data Trak 5 \$ 289 or 2 for \$549
Data Trak 8 \$519 or 2 for \$999
Data Trak 8 \$519 or 2 for \$989 SOFTWARE
BISYNC-3780 769
Wordstar (IBM P.C.). \$ 279
Data Star \$ 218
Mail Merge \$ 99
Spell Star
Spell Guard
Plan 80
d Base II , \$ 529 CelcStar . \$ 191
CalcStar
SuperSort \$ 158 Super Calc . \$ 249
Super Calc
InfoStar \$ 279
CIS Cobol \$ 689
Forms 11 \$ 159
MACRO 80 \$ 183
"C" Compiler \$ 177
Term II
MICROLOG (IBM EXP.)
256K RAM Bd \$ 256
SECULORIES DATE OF SECULORIES SECULORIES
256K RAM Bd./Full Parity \$ 305 CP/M-Z80 CO-PROC. \$ 495
Baby Blue
Baby TEX \$ 600
Baby TALK 3270 BISYNC\$ 895
B" Disk Controller 395
Single 8" Disk Drive (1.2
M/Byte) System w/P.S.
& Cab \$ 995
Dual 8" Disk Drive (2.4
M/Byte) System w/P.S.
& Cab
6 449 cables to your order, and supply

with ribbons, printer stand And many, many more Items. CALL NOW.

All items shipped freight collect either motor freight or UPS unless otherwise specified. All prices already include 3% cash discount. Purchase with credit card does not include discount. Virginia residents, add 4% Sales Tax. For tastest delivery send certified check, money order or bank-wire transfer. Sorry, no C.O.D. orders. All equipnt is in factory cartons with manufacturers warranty (honored at our depos). Pri subject to change without notice. Most items in stock

Terminals Terrific, Inc., P.O. Box 216, Merrifield, VA 22116 Phone: 800-368-3404 (In VA, Call Collect 703-237-8695)

40-page booklet. The first chapter of the large manual explains how to get the system up and running in as short a time as possible. Later chapters describe each application program in great detail. Several appendixes contain various technical information.

The pocket manual is meant to be the one you take along on trips. It contains much the same information as in the first chapter, plus most of the technical information from the appendixes, in the large manual. I would have liked a reference card with all the application program commands on it, but most of these commands are fairly intuitive anyway. The pocket manual seems like a good compromise between a large, comprehensive manual and a short, incomplete reference card.

The manuals are well written. A novice user should be able to get the text editor working without too much trouble. BASIC and TELCOM may present some problems. Novices might find an introductory book on BASIC helpful, Although the TELCOM section may not be as easy as that for TEXT, it does not seem to be any harder than the databases you will be connecting to.

In addition to the ROM-based application programs, Radio Shack also includes some useful BASIC programs in its manual. For example, one of these will alphabetically sort all the records in your ADRS.DO file.

Summary

The TRS-80 Model 100 is an amazing machine. In one fell swoop, Radio Shack seems to have bypassed the "electronic cottage" and brought us the "electronic shopping bag."

Just out of curiosity I added up what it would roughly cost to buy the separate elements that make up the Model 100, that is, if you could buy them separately. There's the display, the keyboard, the processor, the memory, the modem, the RS-232C interface, the parallel printer interface, the clock/calendar, the cassette interface, the barcode-reader interface, the text editor, the BASIC interpreter, the communications program, and the addressbook and appointment-calendar programs. My rough estimate comes to about \$1500, and that doesn't include the tremendous amount of time you would have to spend getting all these things to work together. No matter what your feelings are about the software or the size of the memory or display, I think you'll agree that, at \$999 for a 24K-byte RAM machine, the Model 100 is a pretty good bargain.

A few weeks ago a short note on the Model 100 was leaked by the Wall Street Journal. Rumor has it that at least one person saw this note, promptly ran down to the local Radio Shack store, and placed an \$800 deposit in a very surprised salesperson's hands.

Radio Shack could probably make money issuing just a mediocre portable computer. Instead, it produced an exceptional machine. The designers of this machine-including Bill Walters of Radio Shack, Bill Gates of Microsoft, and several others at both companies—should be congratulated. And I have a feeling they will be-all the way to the bank.



Don't be caught on the outside looking in!

XCOMP has 8MB and 16MB Hard Disk Subsystems available at incredible savings! Do what thousands of purchasers have done over the past 7 years with us . . . improve your computer's perfor-mance with a Hard Disk Subsystem from XCOMP at Corporate Prices!

If you have ever even thought of purchasing a Hard Disk Subsystem for your company's computer in order to drastically improve it's performance, then think XCOMP. Not only will you look like a hero, but take a look at the reason's why:

•The savings in time alone will more than pay for your purchase within weeks! •There is absolutely no maintenance required with XCOMP's Hard Disk Subsystem! • The system can be used on many types of computers by simply changing adapters! (IBM, Apple, KAY-PRO, OSBORNE, NEC and others.) . You'll continuously receive professional advice from XCOMP! You'll receive direct XCOMP service! ·Buy without risk, because you'll receive a full One Year Warranty!

To find out more how you can become the company hero, call or write XCOMP for more information. We'll answer all of your questions before you decide to buy!


At XCOMP, we'll help you increase your company's potential by keeping your nose into new business technology.

This way, we also prevent your boss from getting his nose bent out of shape.

(BMB Hard Disk Subsystem Quantity 2, \$1895. Quantity 1)

(16MB Hard Disk Subsystem, Quantity 2, S2195, Quantity 1)





YOU WILL NEVER AGAIN HAVE TO WASTE TIME WAITING FOR YOUR PRINTER.


MICROBUFFER ALLOWS YOU TO PRINT AND PROCESS SIMULTANEOUSLY.

Microbuffer will instantly increase your efficiency — and eliminate the frustration of waiting for your slowpoke printer.

Now you can simply dump your printing data directly to Microbuffer and continue processing. Microbuffer accepts the data as fast as your computer can send. It stores the data in its own memory buffer, then takes control of your printer.


THERE IS A MICROBUFFER FOR ANY COMPUTER/PRINTER COMBINATION.

Whatever your system, there is a specific Microbuffer designed to accommodate it.



FOR APPLE II COMPUTERS, Mircobuffer II features on-board firmware for text formatting and advanced graphics dump routines. Both serial and parallel versions

have a power-efficient lowconsumption design. Special functions include Basic listing formatter, self-test, buffer zap, and transparent and maintain modes. The 16K model is priced at \$259 and the 32K, at \$299.



FOR EPSON PRINTERS, Microbuffer/E inside the existing auxiliary slot comes in two serial versions -8K or 16K (upgradable to 32K) and two parallel versions - 16K or 32K (upgradable to 64K). The serial buffer supports both hardware handshaking and XON-XOFF software handshaking at baud rates up to 19,200. Both interfaces are compatible with standard Epson commands, including GRAFTRAX-80 and GRAFTRAX-80+. Prices range from \$159 to \$279.



ALL OTHER COMPUTER/PRINTER COMBINATIONS are served by the stand-alone Microbuffer In-line.

The serial stand-alone will support different input and output baud rates and different handshake protocol. Both serial and parallel versions are available in a 32K model at \$299 or 64K for \$349. Either can be user-upgraded to a total of 256K with 64K add-ons just \$179 each.

SIMPLE TO INSTALL.

Microbuffer II is slot-independent. It slips directly inside the Apple II in any slot except zero.

Microbuffer/E mounts easily directly inside the Epson printer.

The stand-alone Microbuffer is installed in-line between virtually any computer and any printer.

MICROBUFFER FROM PRACTICAL PERIPHERALS.

So what are you waiting for? Write to us for more information or ask your dealer for a demonstration.

When you see how much freedom Microbuffer will allow, you'll understand why it's so silly to be without one.

PRACTICAL PERIPHERALS, INC.™ 31245 LA BAYA DRIVE WESTLAKE VILLAGE, CA 91362 (213) 991-8200

Circle 365 on inquiry card.

Product Description

The Osborne Executive and Executive II

Adam Osborne's Improved Portable Computers

Jerry Pournelle c/o BYTE Publications POB 372 Hancock, NH 03449

When the Osborne 1 burst on the scene there was plenty of speculation. Would it survive? Would people buy it despite the small screen and generally unaesthetic appearance?

It didn't take long for those questions to be answered. The Osborne 1 is now one of the top-selling personal computers and is identified with the idea of a "portable

computer." Osborne Computer Corporation also pioneered the concept of including software worth more than the cost of the machine.

Osborne's second and third computers have been the subject of even more speculation, but this time people at Osborne feel that they've done it right. The Osborne Executive features a larger, 7-inch screen with 24 lines of 80 characters each, two thin doubledensity disk drives, 128K bytes of memory, both CP/M Plus and the UCSD p-System operating systems, and all the previous-

ly available software plus a new database management system, Personal Pearl. The Executive II has all of the above features and an 8088 coprocessor board with 128K bytes of its own memory, high-resolution monochrome graphics, both the MSDOS and CP/M-86 operating systems, and the ability to run IBM Personal Computer programs. If that isn't enough, there are still more options.

Adam Osborne and the Osborne 1

I saw my first Osborne 1 computer when it was introduced at the West Coast Computer Faire two years ago. It's hard to remember just how radical an innovation the Osborne 1 was: a full Z80-based computer with the CP/M operating system, 64K bytes of memory, two 51/4-inch disk drives, a 5-inch screen with 24 lines of 52

characters each, a detachable keyboard, an RS-232C serial port and a parallel port, and plenty of software, all in one package for \$1795. The programs given away with the machine were some of the microcomputer industry's best: Wordstar, the topselling word-processing program; Supercalc, a Visicalc-like electronic spreadsheet; Microsoft BASIC, the standard BASIC; and CBASIC, a better business BASIC.

It looked like a natural-if Adam Osborne could produce the machines, and if the public



Photo 1: The Osborne Executive with a 7-inch amber screen. two half-height disk drives, and the input/output connectors across the bottom front of the computer.

would buy them.

Those issues weren't in doubt for long. The public had been waiting for an affordable, easy-to-use, businessquality computer. As the Osborne advertisements said, it was inevitable. The Osborne 1 soon had a major chunk of the market all to itself.

There followed a number of product improvements. An external video monitor was optional, for those who



Reach out and byte someone!

Your desk-top computer system is only a beginning — plug a low-cost UDS modem into the RS-232 port and a whole new world of communications opens up!

UDS modems add a new dimension to personal computers. For professional use, a modem permits two-way, hard-copy communication between home office and branches or among the branches themselves. Electronic mail becomes

a reality. Sales, cost and inventory updates can be sent over ordinary telephone lines at economical, after-hours

When you use your computer for personal applications, the modem allows you to access up-to-date market information, receive news and weather summaries, check airline schedules or even electronically scan out-of-town newspapers. Long-distance game playing and computerage personal correspondence become instant realities.

The wide range of UDS modems includes one that fits your requirement perfectly. Top of the line is the microprocessor-based 212 A/D which communicates at 0-300 or 1200 bps, stores and automatically dials up to five 30-digit numbers and includes a complete prompting menu and full

automatic test capabilities. Yet, with all these features, it costs only \$745. At the other extreme is the \$145 103 LP, offering simultaneous two-way communications at 0-300 bps without an AC power cord. This unit siphons operating energy directly from the telephone line!

In between is a large variety of units - many of them in the LP no-power-supply design and all fully FCC certified

for direct connection to the telephone system.

Don't be a computer hermit - treat your system to a UDS modem; then you can reach out and byte someone! For details, contact your favorite computer dealer or Universal Data Systems, 5000 Bradford Drive, Huntsville, AL 35805. Telephone 205/837-8100.

週 Universal Data Systems



Circle 470 on Inquiry card.

At a Glance

Product Name

The Osborne Executive

Manufacturer

Osborne Computer Corporation 26538 Danti Court Hayward, CA 94545

Price

\$2495

Components

Size: width 201/2 inches, depth 13 inches, height 9 inches

Weight: 28 pounds

Electrical needs: 120 or 230 volts AC, 50 or 60 Hz

Processor: 4-MHz ZBOA

Memory: 128K bytes of user RAM

Display: 7-inch amber monitor; 24-line by 80-character memorymapped screen, two sets of 12B characters; 8- by 10-dot character grid; writable character font: 12-bit display memory allows blinking, dim. underlined, reversed characters and/or alternate character set for each character

Keyboard: 69 keys for text and data entry, 12-key numeric keypad. 10 programmable function keys, 4 cursor control keys, redefinable keyboard layout, automatic repeat on all keys,

detachable keyboard with coiled cable

Disk Drives: two half-height double-density 514-inch floppy-disk drives with 204K-byte storage capacity each, can read Osborne I, IBM PC, DEC VT-180, Xerox 821, UCSD p-System. and Cromemoo disk formats

Input/Output: two RS-232C serial ports for a modern and a printer, one parallel port configurable for IEEE 488 or Centronics-style accessories

Software Included

CP/M Plus (Digital Research) and UCSD p-System run-time (Softech Microsystems) operating systems, Wordstar (Micropro). Supercalc (Sorcim), MBASIC interpreter (Microsoft), CBASIC semi-compiler (Digital Research), and Personal Pearl (a database management program)

Options

300-bps direct-connect modem, battery pack

Alternate Configuration

Executive II with the standard features above plus the following: Coprocessor board with 4-MHz Intel 8088 microprocessor and 128K bytes of RAM expandable to 256K bytes, 640- by 200-dor high-resolution monochrome graphics, MSDOS (Microsoft) and CP/M-86 (Digital Research) operating systems, IBM Personal Computer compatibility, connector to external expansion bus Price: 53195

didn't care for the tiny screen. A stylish redesigned case switched ugly-duckling brown for corporate blue and gray. Optional double-density disks offered 204K bytes instead of 102K bytes per disk, and the capability to read a wide variety of 51/4-inch disk formats was featured. An 80-column or 104-column screen format could be added. A modem and external battery pack were available. More software was bundled in; a copy of the popular database management program dBASE II was given away if you bought an Osborne 1 during the Christmas sales season. One particularly interesting accessory was the Start-Pack, a combination of flip charts, documents, and audio-cassette tapes that enable a rank beginner to turn on the Osborne 1 and learn to use it in hours. (I know that one works, because we tested it on my Boy Scout Computer Merit Badge class.)

Even with the improvements, the increased competition in the small computer field indicated that enhancements to the Osborne 1 wouldn't be enough; a more powerful computer was needed. Osborne had two logical choices: keep the size constant and add capabilities, or keep the capabilities constant and make the machine smaller.

Osborne chose the first route, and the Osborne Executive is the result.

The Executive

The Executive shares the same case and colors as the newer Osborne 1. It weighs 28 pounds, making it more transportable than portable; that is, it's too heavy for most people to carry around with them wherever they go. The first noticeable difference from the Osborne 1 is the screen, which is 7 inches across and amber in color.

The character set is excellent, and with the larger screen each 8- by 10-dot character cell is very readable. An external video screen is provided for, but most users won't need one.

The designers gave the display system a lot of thought. Each character on the 24 by 80 memory-mapped screen has 12 bits of display memory to select blinking, dim. underlining, reverse video, and/or the alternate character set for each 7-bit ASCII (American National Standard Code for Information Interchange) character, Also, the entire display can be reversed to black on amber instead of amber on black. There are two sets of 128 characters, so an alternate character set could easily be defined to be italic, boldface, or even graphics characters. This feature is called a "writable character font" and has many visual possibilities. It's possible to have up to 256 different characters on the display, and you can define each character if you like. Default character sets are loaded from the disk into screen memory when the system is turned on or reset.

The 128 characters in the first character set are the same as the Osborne 1's with its 31 simple graphics characters. The alternate character set with an additional 128 characters will probably be TRS-80-style block graphics and possibly some Greek characters. A fonteditor utility is supplied with the system to create your own characters.

The flexible terminal emulation program allows the Executive's keyboard and screen to imitate nearly any standard terminal. Although the Executive uses the same screen and cursor control codes as the Televideo 912 terminal, it can be made to act like the 10 to 15 other terminals in this program's menu.

The improved keyboard with its 69 keys and 12-key

The MultiMode Printer with The Magnificent Fonts

MultiMode Printer Offers Flexibility

The "Beautiful" Font



. . At a Sensible Price

"Flexibility" means instantaneous call up of any of this trendsetting machine's many features whether for word processing, data processing, graphics or forms generation. Using either of the two built in interfaces, an external keyboard or downloading from your computer, you can program the Qantex Model 7030 to do more.

Compare the "Beauty" of our printed letters for the word processing fonts which include Cubic, Trend, Spokesman, Courier, Italics, Script, OCR-A, APL, Scientific plus downloaded fonts from your computer. Draft copy modes include 8 resident fonts — U.S., U.K., German, French, Spanish, Swedish, Finnish, Norwegian and Danish.

Other features include high resolution graphics — 144 x 144, single pass and double pass word processing, and 180 cps data processing modes and user defined formats.

Operator initiated, the MultiMode printer provides a complete printed status report of operating parameters and diagnostics.

For more information, or a demo, call us about the new Qantex Model 7030 MultiMode Printer.



Qantex

60 Plant Avenue, Hauppauge, NY 11788 (516) 582-6060 (800) 645-5292

See us at Comdex W6240 numeric keypad still doesn't have keys for the entire set of ASCII characters, but as with the present Osborne 1, combinations of keys will produce characters such as the curly braces ({}) and the tilde(~). However, the entire keyboard is software programmable to let you devise and install any keyboard layout you want. There are also 10 user-programmable function keys (control-0 through control-9) and four fixed-function keys (the cursor keys).

The slim-line disk drives to the left of the video screen are another striking feature of the new Osborne Executive. These half-height 5¼-inch disk drives are double-density but only single-sided. The company has been unable to find portable double-sided drives that meet its requirements of reliability and price. Storing information in the Osborne double-density format allows for 204K bytes on a disk.

Meanwhile, the Executive reads a wide variety of disk formats including, naturally, single- and double-density disks from the Osborne 1, but also formats as diverse as the IBM Personal Computer, DEC VT-180, Xerox 821, UCSD p-System, and Cromemco mini-disk.

The standard Executive uses a Z80A microprocessor running at 4 MHz and comes with 128K bytes of RAM (random-access read/write memory) plus 10K bytes of internally-used memory for power-on diagnostics, I/O drivers, and a scratch-pad area. A Zilog SIO chip provides two serial ports where the Osborne 1 had only one. The input/output is now sent to ports instead of being memory-mapped. The standard operating system will be

CP/M Version 3.0, also known as CP/M Plus, but the UCSD p-System run-time operating system will be provided as well. (The UCSD Pascal language is extra.) The additional memory beyond the 64K bytes addressable by the Z80 microprocessor is managed by CP/M Plus to allow, for example, larger disk-buffer areas for significantly faster operation. A clock keeps track of the time and date, but only while the power is turned on. A small fan cools the computer.

The connectors and controls on the front of the machine are the two RS-232C serial ports (typically for a modem and printer), a parallel port that can be configured for either IEEE-488 or Centronics-style use, video brightness and contrast, external video, the reset button, an RCA jack for composite video output (so you don't need an adapter), and the blue power switch. The grill on the right front hides the power supply.

You won't see a battery-power connector on the front of the machine because Osborne plans to offer an optional battery pack with a 12-volt DC to 220-volt DC converter that the Executive's power cord can plug directly into. The connector for the converter plugs into the battery pack or your car's cigarette lighter. (Running the car while the computer is plugged in is not recommended due to voltage spikes.) Jumpers on the back of the Executive allow overseas use of the machine with international voltages.

Another available option is a small 300-bps (bits per second) direct-connect modern that slides into the slot,





C COMPILERS - COMMON FEATURES:

UNIX VER 7 compatibility - standard float, double, and long support - run time library with full)/O
and source - fast compilation and execution - full language - cross compilers available

AZTEC C II CP/M (MP/M) \$199

produces relocatable 8080 source code = assembler and linker supplied = M80 interface = SID / ZSiD debugger interface = library utility = APPLE requires 280 and 16K card

AZTEC C][APPLE DOS \$199

produces fast relocatable 6502 source code o relocating assembler supplied o APPLE SHELL + VED editor
 library and other utilities o requires 16k card

- morely and determination of requires posterior

- AZTEC CB6 (BM PC MSDOS CP/M-86 \$249

 produces relocatable 8086 / 8086 source code assembler and linker supplied
- ORDER BY PHONE OR BY MAIL Specify products and disk format Manuals only \$30




software systems Box 55, Shrewsbury, N.J. 07701 (201) 780-4004




CP/M FORMATS: 8" STD, HEATH, APPLE, OSBORNE, NORTHSTAR DUTSIDE USA — Add \$10 in N.J. add \$14 sales tax

Now Our Family Tree Is Complete




SBC-1 (Above) A multiprocessing slave board computer with Z-80 CPU (4 or 6 MHz), 2 serial ports, 2 parallel ports, and up to 128K RAM. Provides unique 2K FIFO buffering for system block data transfers. When used with TurboDOS or MDZ/OS the results are phenomenal!



HD/CTC (Left) A hard disk and cartridge tape controller combined together on one board! A Z-80 CPU (4 or 6 MHz); 16K ROM, and up to 8K RAM provide intelligence required to relieve disk I/O burden from host system CPU. Round out your multiprocessing system with an integrated mass storage/backup controller.

Systemaster® (Right) The ultimate one board computer; use it as a complete single-user system or as the "master" in a multi-processing network environment. Complete with Z-80A CPU, 2 serial and 2 parallel ports, floppy controller, DMA, real time clock, and Teletek's advanced CP/M BIOS. Also supports MP/M-II, MDZ/OS, and TurboDOS.



TELETEK

9767F Business Park Drive Sacramento, CA 95827 (916) 361-1777 Telex #4991834 Answer back-Teletek

Circle 445 on inquiry card.

Your Single Source Family of S-100 Products.

normally used for storing disks, below the disk drives. A short cable leads to the DB-25 connector directly below (labeled "Modem"). The power for the modem comes from one of the connector's pins. The modem option is intended to help make the Executive a full computer, capable of communications and nearly any job a microcomputer can do.

The software package with the Executive includes the standard items Osborne offers (Wordstar, Supercalc, MBASIC, and CBASIC), the two operating systems (CP/M Plus and UCSD p-System), and some other goodies like Personal Pearl, a database management package.

Osborne is focusing on office productivity tools and will be offering three synchronous communications packages to make communications with the company mainframe or minicomputer easier. The first package is for IBM 3270 terminal emulation; the second has IBM 3780, 2780, and 3741 protocols; the third is for the X.25 protocol. Site licenses for each package will cost about \$1000 but will allow you to use the programs on a number of Executives at one location.

The Executive II

Interestingly, the designers made provisions for the Executive to become an IBM Personal Computer workalike. The Executive II is an upgraded Executive with a piggyback coprocessor board inside that contains a 16-bit Intel 8088 microprocessor and 128K bytes of memory for its use and provides 640- by 200-dot monochrome graphics. With this board, the machine should be able to run most IBM PC applications programs.

The MSDOS and CP/M-86 operating systems come with the Executive II, so IBM compatibility is assured at the operating-system, disk-format, and monochromegraphics levels. As long as programs for the IBM PC don't use special knowledge of the IBM hardware, they should run fine on the Executive II. However, the Ex-

ecutive II does not copy the IBM PC input/output structure exactly.


The IBM Personal Computer disk format is directly supported by MSDOS on the Executive II, so you can just slip in a disk for the PC and run the programs or read the data. Osborne does not offer any 16-bit programs for the Executive II other than the operating systems. You can buy programs in the IBM PC disk format from existing software distributors and computer stores.

One incompatibility in the system is that you can't share memory between the different processors; they each have their own 128K bytes of RAM. However, the Z80 does handle input/output when the 8088 is in control.

You can expand the memory for the 8088 up to 256K bytes simply by filling the rest of the sockets on the coprocessor board with 64K-bit RAM chips. For real memory expandability, just wait until 256K-bit RAM chips become economical. The coprocessor board has a jumper for operation with these chips to give you 1 megabyte of memory in your portable Executive II. If you want color or other IBM accessories, the coprocessor board has a connector for an IBM-compatible expansion bus like the Tecmar PC-Mate.

"When we announce the Executive," Adam Osborne says, "we'll have several thousand in distributors' warehouses. Customers will be able to buy our machines as soon as they've heard about them." You will have to wait a month after the Executive's introduction for the Executive II to be available. A few months later, you will be able to upgrade an Executive into the Executive II when production settles down. Also, the price on the upgrade has not been set.

I didn't get to play with the machines very long, but I liked everything I saw. At \$2495 and \$3195, the Osborne Executive and Executive II are going to be major contenders in the microcomputer market, and not just among the portables, either.



IBM° + GENIE = Solution

5.25" Fixed/Removable Winchester Cartridge Drives For The IBM Personal Computer



\$3995.00

\$2695.00



10 MEGABYTES OF ON-LINE STORAGE

FILE SIZES TO 5 MEGABYTES

5 MEGABYTES BACK-UP IN TWO MINUTES

CARTRIDGE INTERCHANGEABILITY

THE GENIE CARTRIDGE DRIVE

A revolutionary new 10 Megabyte Hard Disk Drive that includes a 5 Megabyte removable hard disk cartridge. The cartridge drive system simply plugs into your computer, and includes all necessary software and hardware. Genie Drives are compatible with most popular software, and each cartridge replaces over 30 double-density floppy disks.

5.25" REMOVABLE CARTRIDGE

(Proposed ANSI Standard). Imagine, 5 Megabytes in (Proposed ANSI Standard). Imagine, 5 Megabytes in the palm of your hand. These small Winchester carridges are only .75 Inches thick and 5.50 Inches square. The disk litself is completely sealed from the outside and all its hazards by a sliding door that opens only once the cartridge is firmly seated inside the drive. Long term availability of this cartridge is assured by its adoption by several well known manufacturers including Dysan, and Memorex, the world leader in computer mass storage media.



 5 MEGABYTES OF ON-LINE STORAGE

FILE SIZES TO 5 MEGABYTES





SIMPLY **PLUGS INTO** YOUR I.B.M.

\$2295,00



Manufacturer's suggested retail price. Includes all required components. CPIM-86 and Concurrent CPIM-86 is a registered trademark of Digital Research. IBM is a registered trademark of IBM Corporation. Dysan is a registered trademark of Dysan Copporation. UCSO P System is a registered trademark of University of California San Diego. QUNIX is a registered trademark of Quantum Software System, Inc. Etherlink is a registered trademark of 30cm Corporation. Ethernet is a registered trademark of Xerox Corporation. Memorex is a registered trademark of Memorex Corporation.

TALK ABOUT USER FRIENDLY

- Automatic Install (Genie Custom BIOS)
 Comprehensive menu driven utility package
 Intermix different operating systems on
- disk or cartridge
 Assign to any drive codes from A thru H;
 Choice of volume sizes
 Give your virtual volumes 16 character
- names

 Assign command allows you to assign 8 virtual drives on line at any one time

 Show command allows instantaneous

- viewing of all virtual drives on line
 Help command displays syntax for all
 new commands
 User can back up to or from any model

- Genie Drive File sizes 5-20 megabytes, dependent

Cellie -

- Automatic recovery system
 Easy back in all numbers
 Cartridges in have 16 character names
- Cartridgesies have 16 character names
 System status screen messages
 Allows you to run with up to four floppy
 disk drives
 System expandable to eight drives
 using only one slot in your IBM PC
 Built-in error detection and correction
 No preventative maintenance required
 Power-on self test
 Create Auriches

- Power-on sell test
 Create turnkey systems
 Ultra hi-speed DMA data transfers
 Comes complete with all necessary
 software and hardware
 Operating systems supported; IBM DOS
 CP/M-86® CONCURRENT CP/M-86®;
 UCSD® P System; QUNIXTM

AVAILABLE AT YOUR LOCAL COMPUTER DEALER

GENIE COMPUTER CORPORATION

31131 Via Colinas #607 • Westlake Village, CA 91362 • (213) 991-6210 • TLX 658233 (GENIE USA)

Give us a call and it's on its way.

Our inventory is so huge, we've probably got just what you want in stock. We'll ship it out right now. At the right price.

16K RAM KITS13.95	PRINTERS	SUPERFAN (I W/ZENER84.50	HAYES SMART MODEM (1200 Baud)540.00
Set of 8 NEC 4116 200 ns. Guaranteed one year.	STAR MICRONICS GEMINI 10	RANA CONTROLLER104.00	HAYES CHRONOGRAPH199.00
OR IBM-PC, set of President and 15.75	STAR MICRONICS GEMINI 15	RANA DRIVE ELITE 1,,	SIGNALMAN MODEM W /RS-232C85.00
OR ISM-PG, Set Of Street and Administration 10.75	RIBBONS FOR MX-80	SNAPSHOT	TEDMINIALC
DICKETTEC	RIBBONS FOR MX-100	7710A ASYNCHRON. SER INTERFACE 149.00	TERMINALS
DISKETTES	C-ITOH F-10 40 CPS PARALLEL1390.00	7712A SYNCHRON SER, INTERFACE., 159.00	HAZELTINE ESPRIT510.00
ALPHA DISKS21.95	C-ITOH F-1D 40 CPS SERIAL 1390.00	7742A CALENDAR CLOCK	VISUAL-50 GREEN
Single sided, certified Double Density 40 Tracks,	C-ITOH F-10 55 CPS PARALLEL1639.00	7728A CENTRONICS INTERFACE 105.00	TELEVIDEO 910
with Hub-ring. Box of 1D. Guaranteed one year.	C-ITOH F-10 55 CPS SERIAL1639.00	VISTA VISION 80-80 COL CARD,259.00	
	C-ITOH PROWRITER PARALLEL,410.00	VISTA 8" DISK DRIVE CONTROLLER., 549.00	TRS-80 MOD I
SCOTCH 3M	C-ITOH PROWRITER SERIAL		HARDWARE
S.S.D.DEN 40 TRK23.50	C-ITOH PROWRITER I) PARALLEL	MONITORS	HARDWARE
D.S.O.DEN 40 TRK	C-ITOH PROWRITER II SERIAL	MONTONS	PERCOM DATA SEPARATOR27 00
VERBATIM DATALIFE	EPSON MX-80 W/GRAFTRAX PLUS\$CALL NEW! EPSON FX-80	USI AMBER 9" 145.00	PERCOM DOUBLER II W /DOS 3.4159.00
MD 525-01, 10, 16	EPSON MX-100 W/GRAFTRAX PLUSSCALL	US! AMBER 12"160.00	4 DRIVE CONTROLLER P/S259 DO
MD 550-01, 10, 16	EPSON GRAFTRAX PLUS	NEC 12" GREEN MONITOR 169.00	TANDON 40 TRK DISK DRIVE W/P.S289.00
MD 557-01, 10, 16	COMREX CR-1 PARALLEL	NEC 12" COLOR MONITOR399.00	LNW DOUBLER W/DOSPLUS 3.3138.00
MD 577-01, 10, 16	COMREX CR-1 SERIAL 829.00	BMC GREEN MONITOR89.00	LNW 5/8 DOUBLER W/DOSPLUS 3.4181.00
FD 32 or 34-9000	COMREX TRACTOR FEED	AMDEK COLOR 1	LNW EXPANSION INTERFACE350.00
FD 32 or 34-800045.60	NEC 8023A	ANDEK RGB COLOR II 774.00	THE STREET STREET
FD 34-400148.60	NEC SPINWRITER 3530 P. RO., 1995.00	AMDEK RGB INTERFACE	IBM HARDWARE
	NEC SPINWRITER 7710 S. RO2545.00	TAXAN 12" AMBER	SEATTLE 64K RAM +
DISKETTE STORAGE	NEC SPINWRITER 7730 P. RO2545.00	TANK IE AMBERIANISMAN TENJO	GUADBOARD 64K
	NEC SPINWRITER 7700 D SELLUM2795.00		64K MEMORY UPGRADE
51/4" PLASTIC LIBRARY CASE2.50	NEC SPINWRITER 3500 SELLUM2295.00	MOUNTAIN	APPARAT COMBO BUARD
8" PLASTIC LIBRARY CASE	OKIDATA MICROLINE 82A460.00		
PROTECTOR 514" (50 Disk Capacity)21.95	OKIDATA MICROLINE 83A700.00	HARDWARE	ALPHA BYTE IBM MEMORY
PROTECTOR 8" (50 Disk Capacity)24.95	OKIDATA MICROLINE 84	CPS MULTIFUNCTION BOARD154.00	EXPANSION BOARDS
DISK BANK 5%"	OKIGRAPH 82	ROMPLUS W/ KEYBOARD FILTER 165.00	256K W /RS-232C
DISK BANK 8"	MICROBUFFER IN-LINE 32K 299.00	ROMPLUS W/D KEYBOARD FILTER125.00	256K W /RS-232C & SUPERCALC,529.00
mim, m. dente m. landersonifelbred abendunbarentenbereiten	MICROBUFFER IN-LINE 64K	KEYBOARD FILTER ROM49.00	512K W /RS-232C579.00
NEC PERSONAL	MICROBUFFER 64K EXPANSION MOD. 179.00	COPYROM49.00	512K W /RS-232C & SUPERCALC 749.00
COMPUTERS	INIONODOTTEN DAN CRITATION MICE. TTOTAG	MUSIC SYSTEM369.00	
COMPUTERS		ROMWRITER149.00	IBM DISK DRIVES
Call Alpha Byte for our low NEC prices.	BOOKS	EXPANSION CHASSIS	Alpha Byte's add-on drive kits for the IBM-PC
	THE CUSTOM APPLE24.95	PRINTLUS SERVICIONIS ENGUERARION OF THE PRINT TO BE AND THE PRINTE	each kit includes installation instructions.
ALTOS COMPUTER	BASIC BETTER & FASTER DEMO DISK18.00		
	THE CUSTOM TAS-8024.95	S-100 HARDWARE	Tandon TM100-1 Single head 40 trk195.00 Tandon TM100-2 Double head 40 trk262.50
SYSTEMS			
SYSTEMS	MICROSOFT BASIC FASTER & BETTER. 24.95		
		CALIFORNIA	
Call Alpha Byte for our low Altos prices.	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE	CALIFORNIA COMPUTER SYSTEMS	ISOLATORS
	MICROSOFT BASIC FASTER & BETTER24.95 CUSTOM 1/O MACHINE LANGUAGE24.95	COMPUTER SYSTEMS	ISOLATORS
Call Alpha Byle for our low Altos prices. ATARI	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE		ISOLATORS
Call Alpha Byle for our low Altos prices. ATARI See Apple & Atari Software	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS
Call Alpha Byte for our low Akos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Altos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Akos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Altos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER24.95 CUSTOM I/O MACHINE LANGUAGE24.95 TRS-80 DISK & MYSTERIES	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Allos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER & SLIMLINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE. 24.95 TRS-80 DISK & MYSTERIES. 16.95 MICROSOFT BASIC & DECODED. 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller. 375. DD OUENTIN APPLEMATE DRIVE. 258.00 SUPER CLOCK W. 129.00 VERSA WRITER DIGITIZER. 259.00 ABT APPLE KEYPAD. 119.00 SOFTCARD PREMIUM SYSTEM. 517.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
ATARI 800 (19K)	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES. 16.95 MICROSOFT BASIC & DECODED. 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE. 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT 2-80 SOFTCARD. 249.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller: 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE. 24.95 TRS-80 DISK & MYSTERIES. 16.95 MICROSOFT BASIC & DECODED. 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE. 258.00 SUPER CLOCK II, 129.00 VERSA WRITER DIGITIZER. 259.00 ABT APPLE KEYPAD. 119.00 SOFTCARD PREMIUM SYSTEM. 517.00 MICROSOFT Z-80 SOFTCARD. 249.00 MICROSOFT RAMCARD. 79.00 VIDEX 80224 VIOED CARD. 260.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Arios prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller.375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 79.00 VIDEX 80X24 VIDEO CARD 260.00 VIDEX 80X24 VIDEO CARD 260.00 VIDEX 80X24 VIDEO CARD 260.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED. 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller: 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT RAMCARD 79.00 VIDEX 80:24 VIOED CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX KEYBOARD STRIP. 74.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Artos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER S SLIMILINE DRIVE W / Controller. 375.00 OUENTIN APPLEMATE DRIVE . 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD . 129.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT RAMCARD . 75.00 MICROSOFT RAMCARD . 76.00 VIDEX BOLZE VIOLED CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX FUNCTION STRIP . 74.00 M & R SUPERTERM 80.224 VIOLEO BD. 315.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Altos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT RAMCARD 79.00 VIDEX 60x24 VIDEO CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX FUNCTION STRIP. 74.00 M & R SUPERTERM 80x24 VIDEO BD. 315.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Arios prices. ATARI SEE Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER S SLIMILINE DRIVE W / Controller. 375.00 OUENTIN APPLEMATE DRIVE . 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD . 129.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT RAMCARD . 75.00 MICROSOFT RAMCARD . 76.00 VIDEX BOLZE VIOLED CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX FUNCTION STRIP . 74.00 M & R SUPERTERM 80.224 VIOLEO BD. 315.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Arios prices. ATARI SER Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED. 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller: 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 79.00 VIDEX KEYPOAD BENHANCER II. 129.00 VIDEX KEYPOAD BENHANCER II. 129.00 VIDEX FUNCTION STRIP 74.00 M & R SUPERTERM 80:24 VIDEO BD. 315.00 M & R COOLING FAN. 44.95 M & R UNIVERSAL MOD. 54.35	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Artos prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER S SLIMILINE DRIVE W / Controller. 375.00 OUENTIN APPLEMATE DRIVE . 258.00 SUPER CLOCK II. 129.00 VERSA WRITER DIGITZER 259.00 ABT APPLE KEYPAD . 1517.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT RAMCARD . 79.00 VIDEX BOLZE VIOLED CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX FUNCTION STRIP . 74.00 M & R CODLING FAN . 44.95 M & R CODLING FAN . 44.95 M & R UNIVERSAL MOD 54.95 M & R R UNIVERSAL MOD 54.95 M & R R UNIVERSAL MOD 54.95 M & R UNIVERSAL MOD 54.95 M & R UNIVERSAL MOD 54.95	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS
Call Alpha Byte for our low Altos prices. ATARI SER Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER S SLIMILINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 1517.00 MICROSOFT 7-80 SOFTCARD 249.00 MICROSOFT RAMCARD 79.00 VIDEX 80:224 VIOED CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX FUNCTION STRIP. 74.00 M & R COOLING FAN 44.95 M & R UNIVERSAL MOD 54.95 T/G PADOLE 29.95 T/G SELECT-A-PORT 54.95 T/G SELECT-A-PORT 54.95 T/G TRACKBALL 47.50	COMPUTER SYSTEMS 2000	ISOLATORS
ATARI SEE Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller.375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER 0 CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT 2-80 SOFTCARD 249.00 VIDEX 80x24 VIDEO CARD 260.00 VIDEX 80x24 VIDEO CARD 260.00 VIDEX KEYBOARD ENHANCER II. 129.00 VIDEX FUNCTION STRIP 74.00 M & R SUPERTERM 80x24 VIDEO BD. 315.00 M & R COOLING FAN 40.85 M & R UNIVERSAL MOD 54.95 T/G SELECT-A-PORT 54.95 T/G SELECT-A-PORT 54.95 T/G TRACKBALL 47.50 KRAFT JOYSTICK 48.00	COMPUTER SYSTEMS 2200A MAINFRAME	ISOLATORS ISO-1 3-SOCKET
Call Alpha Byte for our low Arios prices. ATARI SER Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER. 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED. 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller. 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK III	COMPUTER SYSTEMS	ISOLATORS
Call Alpha Byte for our low Arios prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMILINE DRIVE W/ Controller, 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 19.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 249.00 VIDEX BOOLEV VIOLED CARD 260.00 VIDEX KEYBOAD ENHANCER II 129.00 VIDEX FUNCTION STRIP 74.00 M & R COOLING FAN 44.95 M & R UNIVERSAL MOD 54.95 T/G PADOLE 29.95 T/G SELECT-A-PORT 54.95 T/G PADOLE 29.95 T/G SELECT-A-PORT 54.95 T/G TRACKBALL 47.50 KRAFT JOYSTICK 48.00 VERSA EZ PORT 21.95 THE MILL-PASCAL SPEED UP 270.00	COMPUTER SYSTEMS	ISOLATORS
ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMLINE DRIVE W/ Controller.375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER 0 CLOCK II. 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 119.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT 2-80 SOFTCARD 249.00 MICROSOFT RAMCARD 79.00 VIDEX 80x24 VIDEO CARD 260.00 VIDEX FUNCTION STRIP 74.00 M & R SUPERTERM 80x24 VIDEO BD.315.00 M & R SUPERTERM 80x24 VIDEO BD.315.00 M & R UNIVERSAL MOD 54.95 T/G JOYSTICK 44.95 T/G SELECT-A-PORT 54.96 T/G TRACKBALL 47.50 T/G TRACKBALL 47.50 T/E MILL-PASCAL SPEED UP 270.00 VERSA E-Z PORT 24.95 THE MILL-PASCAL SPEED UP 270.00 PROMETHEUS VERSACARD 165.00	COMPUTER SYSTEMS	ISOLATORS
Call Alpha Byte for our low Arios prices. ATARI See Apple & Atari Software SIGNALMAN MODEM	MICROSOFT BASIC FASTER & BETTER, 24.95 CUSTOM I/O MACHINE LANGUAGE 24.95 TRS-80 DISK & MYSTERIES 16.95 MICROSOFT BASIC & DECODED 24.95 APPLE HARDWARE SUPER 5 SLIMILINE DRIVE W/ Controller, 375.00 OUENTIN APPLEMATE DRIVE 258.00 SUPER CLOCK II 129.00 VERSA WRITER DIGITIZER 259.00 ABT APPLE KEYPAD 19.00 SOFTCARD PREMIUM SYSTEM 517.00 MICROSOFT Z-80 SOFTCARD 249.00 MICROSOFT Z-80 SOFTCARD 249.00 VIDEX BOOLEV VIOLED CARD 260.00 VIDEX KEYBOAD ENHANCER II 129.00 VIDEX FUNCTION STRIP 74.00 M & R COOLING FAN 44.95 M & R UNIVERSAL MOD 54.95 T/G PADOLE 29.95 T/G SELECT-A-PORT 54.95 T/G PADOLE 29.95 T/G SELECT-A-PORT 54.95 T/G TRACKBALL 47.50 KRAFT JOYSTICK 48.00 VERSA EZ PORT 21.95 THE MILL-PASCAL SPEED UP 270.00	COMPUTER SYSTEMS	ISOLATORS

MICRO PRO
APPLE CP/M®
WORDSTAR*
CHDCDCDDT++

WORDSTAR*†	- months is an	279.00
SUPERSORT*1		179.00
MAILMERGE"		174.00
DATASTAR'S		207.00
SPELLSTAR"+	Pa- Par I 10 11 11 11 11 11 11	174 00
CALCSTAR"1.		. 109.00

TRS-80 GAMES

Specify MOD) or III	
DEADLINE 38.0	O
STARCROSS	6
FROGGER 16.4	5
FLITE SIMULATOR28.3	b
Call Inc more TRS-80 cames	

TRS-80 SOFTWARE

NEWDOS/80 2.0 MOD 1,111139.00
LAZY WRITER MOD 1,11
PROSOFT NEWSCRIPT MOD 1,III w/labels109.00
SPECIAL DELIVERY MOD 1, III
X-TRA SPECIAL DELIVERY MOD 1,111199.00
TRACKCESS MDD 1,
OMNITERM SMART TERM.MOD 1,11189.95
MICROSOFT BASIC COMP. FOR MOD 1., 165.00
LDOS 5.1 MOD I,III

IBM SOFTWARE

MULTIPLAN	.209.00
INFOSTAR	279.00
HOWARD SOFT TAX PREP	.209.00
VOLKSWRITER V 1.2.	145,00
WRITE ON.	90.00
EASYWRITER W.	
EASY SPELLER.	.149,00
EASY FILE	285.00
HOME ACCOUNTANT +	105.00
FIRST CLASS MAIL	85.00
SUPERCALC	179.00
WORDSTAR	.279.00
MAILMERGE	.174,00
DATASTAR	.207.00
SPELLSTAR	.174.00
SUPERSORT	179.00
d BASE IL.	.429.00
THE WORD PLUS	.,117.00
Tel. Massissiano ser	.379.00
JFORMAT	39.00
MOVE IT.	,109.00
THE TAX MANAGER	188.00
VISICALC / 256K	
VISITREND / VISIPLOT	.235.00
VISIDEX	,192,00
VISIFILE	.249.00
VISISCHEDULE	.229.00
VERSA WRITER GRAPHICS TABLETS	
CONCURRENT CP/M® 86	.315.00
GRAPHICS HARD COPY SYSTEM	19.50
Cult for additional IRM software prime	

IBM GAME SOFTWARE

ZORK I, II, III	28.00
WIZARDRY	46.75
STARCROSS	28.00
DEADLINE.	35,00
GALAXY	
MIDWAY CAMPAIGN	
THE WARP FACTOR	31,16
LOST COLONY	
CONQUEST	23.36
GALACTIC ATTACK	
APPLE PANIC	
TEMPLE OF ASPHAL	
CROSSFIRE	
FROGGER	27.26
M'SOFT FLIGHT SIMULATOR	
If you don't see the software you want,	
software stock is constantly expanding.	

APPLE SOFTWARE

PFS (NEW) PERSONAL FILING SYSTEM	A 85.0
PFS: REPORT.	
Z-TERM*	89.9
Z-TERM PRO"	129.9
ASCII EXPRESS PRO	98.0
EASY WRITER-PRO	136.0
EASY MAILER-PRO.	117.0
BEAGLE BROTHERS UTILITY CITY	23.0
APPLE MECHANIC	23.4
TIP DESK #1	15.9
BEAGLE BAG	23.0
SUPER TEXT 40/56/77	
USA 2.5	
STATE STATES AND STATES	

SPELLSTAR	
CALCSTAR	109
MICROSOFT	
MULTIPLAN	209
BASIC BD.	
BASIC COMPILER	
FORTRAN 80	
COBOL 80	
MACRO 60	
mu MATH/mu SIMP	
mu LISP/mu STAR	,, 165

1983 Word Processor Special

DATASTAR

FRANKLIN ACE 10001395.00
FRANKLIN ACE SYSTEM DISK DRIVE WI CONT539.00
ACE WRITER WORD PROCESSOR129.00

EPSON MX-80	345.00
B.M.C. GREEN1	29.00
SCOTCH 3M DISKETTES	44.00
APPLE TO EPSON	
INTERFACE & CABLE 1	29.00
\$	3010

Now \$1983

* * FRANKLIN 1200.......CALL * *

This system may be modified to your needs. Call for special price quote.

TRANSCEND II	99.00
CONTINENTAL SOFTW	
G/L	
A/R.	
A/Publication of the control of the	
PAYROLL	
PROPERTY MGMT	
THE HOME ACCOUNTANT	
F C.M. w/form letter	
TAX ADVANTAGE.	
teo parentingary	
VISICORP	
DESKTOP PLAN II	189.00
VISIPLOT.	
VISITREND/VISIPLOT	
VISIDEX.	
VISITERM	
VISICALC	
VISIFILES	
VISISCHEDULE	
**************************************	· · · · · · · · · · · · · · · · · · ·

CP/M® SOFTWARE

CPINIS SUFTWAR	E .
We carry CP/M® software in all pop formats — Northstar, Televideo, and Hea formatted programs in stock! Call for a and price. Most software also available	ih/Zenit variabilij
THE WORD PLUS	117.0
d BASE Il	429.0
QUICKCODE	230.0
DUTIL	91 0
SUPERCALC	189.0
SPELLGUARD	230.0
P&T CP/M® MOD 2 & 16 TRS-80	175.0
PASCAL Z	349.0
PASCAL/M Z-80 OR 8080	295.0
DIGITAL RESEARCH	
MAC	82.0
ZSID	
PASCAL MT+ W/ SSP	429.0
PL/ 1-80	.439.0
C BASIC 2	109.0
SUPERSOFT	
DIAGNOSTIC II.	89.0
'C'COMPILER	

DISK DOCTOR 239.00

MICROPRO WORDSTAR. SUPERSORT.

MAILMERGE ..

APPLE & ATARI GAMES	
ZAXXQN31.16	
PRODERRIND	

MIDNIGHT MAGIC	27.26
CHOPLIFTER	27.20
AUTOMATED SIMULAT	IONS
INVASION DRION	20.95
STAR WARRIOR	31.35
CRUSH, CRUMBLE AND CHOMP	24.95
TEMPLE OF APSHAL	31.35
HELLFIRE WARRIOR	31,35
RESCUE AT RIGEL	23.36

ON-LINE SYSTEMS	
WIZARD AND PRINCESS	.27.26
SOFT PORN ADVENTURE	.,23.36
THRESHOLD	.,31.16
JAW BREAKER.	,23.36
CROSSFIRE	24,95
ULYSSES & GOLDEN FLEECE	
FROGGER	.24.50
INFOCOM	

STARCROSS	
DEADLINE	35.00
EDU-WARE	
COMPU-READ	24.95
COMPIL-MATH FRACTIONS	34 95

COMPU-MATH DECIMALS......34.95

MORE GREAT APPLE

CAMILO	
DARK CRYSTAL	.31.61
TUBEWAY	.27.26
ARCADE MACHINE	44.38
TUES. MORNING QUARTERBACK	,25,95
THE SPACE VIKINGS	,38,50
COMPUTER QUARTERBACK	.31.16
SEA FOX	.24.00
THE SHATTERED ALLIANCE	
POOL 1.5	.27.26
ULTIMA and and and transferred properties	.31.16
RASTER BLASTER	.23.36
FLIGHT SIMULATOR	.26.61
INTERNATIONAL GRAND PRIX	.25.95
SARGON II	.28.95
MASK OF THE SUN	.31.16
A.E. Consideration of the Contract of the Cont	.23,72
PINBALL SUBLOGIC	.24.50
SNACK ATTACK	.23.36
BUDGECO PINBALL CONST SET	.31 61

THE WARP FACTOR

COSMO MISSION	23.36
WIZARDRY	
NIGHT OF DIAMONDS	27.26
STARSLAZER	
CRISIS MOUNTAIN.	,26,32
EVOLUTION	33.80
SIRIUS SOFTWARE	
SPACE EGGS	23.36
GORGON.	31 16
SNEAKERS	23.36
PHANTOMS FIVE	.22,00
BANDITS	25.00
EDU-WARE	
PERCEPTION PKG	
COMPU-MATH: ARITHMETIC	
COMPU-SPELL (REG. DATA DISK)	
COMPU-SPELL DATA DISKS 4-8, ea	
HENDEZVUUS	20.30
ON-LINE SYSTEMS	
ULTIMA II	42.00
MISSILE DEFENSE	27,26
LUNAR LEEPER	23.36
TIME ZONE	
CRANSTON MANOR	25.95
CANNON BALL BLITZ	25.95
MUSE SOFTWARE	

To order or for information call

ROBOT WARS......32.95
THREE MILE ISLAND............31.61

In Chicago: (312) 454-1236 In New York:

(212) 509-1923

In Los Angeles: (213)706-0333

<u>In Dallas:</u> (214)744-4251

By Modem: (213) 991-1604

CALL OUR MODEM LINE FOR WEEKLY SPECIALS.

Alpha Byten COMPUTER PRODUCTS

31245 LA BAYA DRIVE WESTLAKE VILLAGE, CA 91362

Satisfaction Assumance — Your satisfaction is assured by our 30 day moneyback guarantee on all hardware products we sell. No retunds after 30 days. All manufacturers' warranties are supported. Delective software will be implaced free during the first 30 days, however, no retunds or texchanges on software. Proof of purchase required. All returns must be authorized in advance. How To Order — All orders must be paid prior to shipment. Order by phone or to by mail. Use Visa, M/C, check or COD, COD Invnt 3300. Shipping charges: Visa, All chauls shipping costs. Prepaid orders and address and address and address. The proof of the satisfaction orders and address and

owerful CP/M Softwar

For Apple, Osborne, Xerox, Kaypro, North Star, SuperBrain, Heath/Zenith, and others.

Now only \$29.95 each!

NEVADA

was \$199.95 now only \$29.95.

When we introduced Nevada COBOL in 1979, it was loaded with innovations. Today's Edition 2 is even better!

- ☐ Extremely Compact. You can compile and execute up to 2500 statements in 32K RAM, 4000 statements in 48K, etc.
- ☐ It's based upon the ANSI-74 standards with level 2 features such as compound conditionals and full CALL CANCEL.
- You can distribute your object programs royalty FREE!
- ☐ You get a diskette, 153-page manual with lots of examples and 16 complete COBOL source code programs.

Also available: COBOL Application Packages, Book 1 \$9.95

NEVADA

was \$149.95 now only \$29.95.

- Perfect for industrial training, office training, drill and testing, virtually all programmed instruction, word puzzle games, and data entry facilitated by prompts.
- John Starkweather, Ph.D., the inventor of the PILOT language, has added many new features to Nevada PILOT. There are commands to drive optional equipment such as Video Tape Recorders.
- There's a built-in full-screen text editor, and much more.
- versions ☐ You get a diskette, 114-page manual and ten useful sample programs.
- See Review in Microcomputing, January 1983, page 158.

NEVADA

was \$199.95 now only \$29.95.

- ☐ Based on ANSI-66 standards with some 1977 level features.
- ☐ IF.. THEN .. ELSE constructs.
- □ A very nice TRACE style debugging.
- □ 150 English language error messages.
- ☐ You get a diskette, 174 pages of Documentation and five sample programs. Requires 48K RAM.

NEVADA

was \$119.95 now only \$29.95.

☐ High quality text editing for micros!

City/St/Zip Country

- A character-oriented full-screen video display text editor designed specifically to create COBOL, BASIC and FORTRAN programs.
- ☐ Completely customizable tab stops, default file type, keyboard control key layout and CRT by menu selection.
- □ The diskette comes with an easy to read manual.


To make our software available to even more micro users, we've slashed our prices What's more, we're offering a money back guarantee. If for any reason you're not completely satisfied, just return the package—in good condition with the sealed diskette unopened—within 30 days and we'll refund your money completely.

This is a limited time offer, so order yours today

Shipping/handling fees. Add \$4.00 for first package and \$2.00 each additional package. OVERSEAS Add \$15.00 for first package and \$5.00 each additional package. Checks must be in U.S. funds and drawn on a U.S. bank!

Trademarks: CP/M, Digital Research; TRS-80, Tandy Corp.; TeleVideo, TeleVideo Systems, Inc.; Apple II, Apple Computer Inc.; Osborne 1, Osborne Computer Corp.; Xerox 820, Xerox Corp.; Kaypro, Non-Linear Sys., Heath/Zenith, Heath Co.; IBM, International Business Machine, Corp. © 1983 Ellis Computing

MAIL TODAY! To: Ellis Computing 3917 Noriega St San Francisco, CA 94122 (415) 753-0186



The CP/M-80 Operating Systems	s and 32K RAM are required.
Indicate diskette format:	
B" SSSD (Standard IBM 3	740 format)
5¼" ☐ Apple CP/M	□ Osborne
□ North Star DD	□ North Star SD
☐ TRS-80 Mod I (4200 he:	x) TRS-80 Mod I/Mapper
 Heath, Hard Sector 	☐ Heath, Soft Sector
☐ Micropolis Mod II	□ Superbrain DD DOS 3.X (512 byte sectors)
☐ Xerox 820 (Kaypro)	☐ TeleVideo
Indicate software packages:	☐ COBOL ☐ PILOT ☐ FORTRAN ☐ EDIT
Send my order for pack COBOL Applications Pa	ages @ \$29.95 each Total ackage @ \$9.95 each Total
☐ Check enclosed	In CA add sales tax
	Shipping/handling
	TOTAL
#	Exp. Date
Signature	
Ship to:	
Name	
Street	

Ciarcia's Circuit Cellar

Build an RS-232C Code-Activated Switch

This device will let you switch between several peripherals connected to one serial port.

> Steve Ciarcia POR 582 Glastonbury, CT 06033

Do you ever find yourself probing through a mass of tangled cables behind your computer? If your computer is like mine, you probably have only one serial port, to which you have to connect both a printer and modem. Of course, whenever you want to use a different peripheral, you have to unplug one and plug in

The variety of peripheral devices necessary to gain full use of a personal computer can create a connection iam at the serial port. Many small computer systems have two 1/O (input/output) ports intended to support a printer and modem. Usually the port intended for connection to the printer is a parallel port (although many printers require a serial port), while a serial port (perhaps called a "communications port") is provided for connection to a modem. For the typical user, this may be adequate.

Copyright © 1983 Steven A. Ciarcia. All rights reserved.

Z8 is a trademark of Zilog Inc. Special thanks to Bill Curlew for his Z8-programming expertise.

Some of us, however, aren't typical users; we have more than one printer and one modem attached to our computer, or our printer uses a serial interface, not a parallel one. I have three serial printers and two modems, all of which I must connect to my workhorse computer system through a single RS-232C serial port. (It's not that my computer is a small configuration: it has eight parallel ports in addition to the one serial port. It's just that every new peripheral device I buy seems to be serially interfaced, and I can't fit any more serial ports inside the already crowded enclosure.

Recently, while juggling three cables and leaning over the computer. I began to wish for an easier way to switch between devices. I wondered if I could just put together a little box containing a multiple-pole rotary switch wired to a few DB-25 connectors as a workable compromise. But then I thought of a possible better solution as I remembered something I had seen in a catalog of datacommunication products: a device called a code-activated switch.

Functional Analysis

The function we need here is the ability to multiplex-switch between as needed-several peripheral devices connected to a single I/O channel, A communications multiplexer performs this function. In essence, this device forms a bridge in the communication link between the master device (usually the host computer's I/O port) and one of several slave devices; transfer of data can proceed in either direction over this bridge. The physical linking of the input and output can be accomplished either mechanically or electronically.

Two Approaches to Switching

The simplest possible device for the purpose is a four-position mechanical switch box. Available commercially for about \$150, a DB-25 switch box allows you to select one of four peripherals for output by turning a four-position multipole rotary switch. This manually activated switch is most frequently used where the peripherals, computer, and operator are in close proximity. Its major advantage is its relative low cost.

Unfortunately, mechanical switches are subject to deterioration from the elements and, of course, require a human operator to function. Harsh environments call for fully electronic switches. In situations where the communicating devices are at great distances from the computer, some




Photo 1: Prototype of the Micromux four-channel code-activated switch, built around a Zilog Z8 single-chip microcomputer.

form of remote-controlled switch must be used. An ordinary electrical relay can provide remote control, but the greatest flexibility and reliability are obtained from a fully electronic, software-controlled, code-activated peripheral-device switch. Let's look at some of the possibilities.

Electronic Switches

Figure 1a is a simple block diagram of a four-channel electronic RS-232C multiplexer switch. The master input on the left side is intended to be connected to a computer's I/O port and the four channels on the right side are intended to be connected to four peripheral devices. (In the following discussion, the assumption will be that data is being transmitted by the master device to one of the slave devices, although data can also move in the other direction.)

On the left side of the electronic multiplexer, the input serial data from the master device (the computer) is converted from RS-232C




Figure 1a: Block diagram of a four-channel peripheral switch for RS-232C serial communication, which may be controlled via wired remote activation or code activation.

voltage levels (±15 V) to TTL (transistor-transistor logic) voltage levels (0 to +5 V) and directed to the inputs of four three-state signal buffers (also known as three-state switches) wired in parallel.

Each three-state signal buffer has an active-low enable input. An input voltage of 0 V on this enable input line allows a signal to pass through the buffer. When any one of the four buffers is enabled, the master device's input signal is allowed to pass through it. This signal is then reconverted to RS-232C levels and sent on to the peripheral. Changing the active-low enable signal from the first three-state signal buffer to another diverts the output to a different peripheral device. (In this particular configuration, only one of the four buffers should be activated at one time. Other setups could allow output to be sent to two, three, or all four of the output buffers.)

The method by which the enable lines of the three-state signal buffers are activated determines the complexity of the electronic switch. Two particularly important types of control methods are used by devices called remote-activated switches and codeactivated switches.

Both remote- and code-activated switches are designed for hands-off operation. The difference between them is this: selection of an output channel is done in the former by decoding separately conveyed logicsignal inputs and in the latter by decoding signals conveyed as part of the data being transmitted through the multiplexer switch.

In the case of the remote-activated switch, wires for the remote-control signals must be provided in addition to the serial data connection. Furthermore, if the switch is located some distance from the computer, it may be necessary to add line drivers and receivers to these control lines. In the example control circuit shown in figure 1b, only three wires (plus ground) and a single type-74LS155 integrated circuit (a two- to four-line demultiplexer) are required to provide the enable signals to the four buffers. Two of the wires select one of the four control outputs; the third

(1b) REMOTE-ACTIVATED SWITCH I/O ENABLE ENABLE I 2 BIT I/O CHANNEL ENABLE 2 ENABLE 3 172 41.5165

Figure 1b: Functional diagram of a 74LS155 two- to four-line demultiplexer as it would be connected in a peripheral switch using wired remote activation.

wire serves as a switch-enable line. selecting output from one buffer or

In principle, remote-activated switches are not much more complicated than their mechanical equivalents. They are generally costeffective where high speed is essential or where there are tens of channels with various selection configurations. On the negative side, remoteactivated switches require hardware and software control interfacing and are not easily adapted to different computers.

The Code-Activated Switch

The code-activated switch uses a microprocessor to analyze the characters in the data flowing through the switch. When a particular character or series of characters is received, the microprocessor turns output channels on or off. The only connection between the host computer and the multiplexer is the master input serial line.

Code-activated switches are available with various levels of complexity. The simplest ones merely switch channels upon recognizing a certain code sequence. More sophisticated units can accept incoming data at one data rate, collect it in a memory buffer, and send it to an output channel at another data rate. The most sophisticated units function more as message switchers and data concentrators than multiplexers, allowing party-line conversations and priority-interrupted communications.

Rather than confuse the issue by explaining all the various hardware categories. I've chosen as this month's project an "intelligent" (at least microprocessor-controlled) but rather simple code-activated switch that I call the Micromux. I hope you'll take the opportunity to build it and experiment with it. While useful as a printer or modem switch, this code-activated switch may perhaps find more demanding applications such as message channeling and data acquisition.

Build the Micromux

The intelligence of the Micromux, which is used to decode characters from the serial data, could have been provided by virtually any microprocessor. The only requirement is that the system contain a program-storage area and both a parallel and serial I/O port (the former to send enable signals to the three-state signal buffers, the latter to read and transmit serial data). While I could have chosen a generalpurpose microprocessor such as the 6502 or Z80 and then used PIO (parallel input/output) and SIO (serial input/output) adapters, I chose to use the Z8671 variant of the Zilog Z8 single-chip microcomputer to reduce the complexity of the project. The Z8671 was the basis for my Z8-BASIC Microcomputer project (see reference 1) and the new Z8-BASIC System-Controller board available from The Micromint. The connections needed




Figure 1c: Functional diagram of a Z8671 microcomputer chip (variant of a Zilog Z8) as it would be used to control a four-channel code-activated peripheral switch.

by the Z8671 to control the fourchannel switch are shown in figure 1c.

Much of the hardware and many of the software subroutines required for the task are built into the Z8671 already. This Zilog product contains 256 bytes of RAM (random-access read/write memory), a serial port, two counter/timers, two parallel ports, and a 2K-byte tiny-BASIC (BASIC/Debug) interpreter within a single integrated-circuit package. Combined with a type-2716 EPROM (erasable programmable read-only memory) and a data-rate-selection switch, the five-chip Z8-BASIC Microcomputer system can be easily programmed to monitor RS-232C serial communications and switch channels on cue. The control program can be written in either BASIC or assembled machine language, as you will see.

Figure 2 on page 53 is the schematic diagram of the Micromux, IC1 is the Z8671. Its serial input line (SI) is tied directly to the data input of the master input channel (RD). Four of the Z8671's port-2 output lines serve as the enable inputs to the three-state signal buffers. The program that controls the computer and analyzes the data transmissions has been written into the 2716 EPROM, IC2, IC3 is an 8-bit latch which holds the 8 loworder address bits (from the Z8's multiplexed outputs) during memory and I/O operations. IC5 is configured as a memory-mapped address decoder that enables IC4 when any address over hexadecimal C000 is ac-

The data rate is selected by the switch settings on the input of IC4. When the system is powered up, these

data-rate switches are read (as memory location hexadecimal FFFE) and used to set a counter/timer that divides the signal from the 7.3728-MHz crystal. The data rates that may be thus selected include 110, 150, 300, 1200, 2400, 4800, and 9600 bps (bits per second).

The integrated circuits IC6 through IC9 are type-74LS244 three-state signal buffers. Nothing flows through them unless their active-low enable lines, pins 1 and 19, are at logic 0. IC18 is a type-7407 buffer/driver, which lights one of four LEDs (lightemitting diodes) to show the enabled channel.

RS-232C drivers and receivers are provided, appearing in the schematic as IC10 through IC17. I chose to use only the six most frequently used RS-232C communication signals in this circuit. If you need additional signals, then you'll have to include more three-state signal buffers and driver/ receivers. Conversely, if you need only Received Data and Transmitted Data (pins 2 and 3), then you'll need fewer chips in your code-activated switch. (Six signals-Received Data, Transmitted Data, Clear to Send, Ready to Send, Data Set Ready, and Data Terminal Ready—were as many as I was willing to wire by hand.)

Programming the Micromux

The Z8671 can be programmed in either tiny BASIC or assembly language. The primary difference is speed. With the Z8671 set to receive data at 9600 bps, only a machine-language program would execute fast enough to digest the data and make control decisions at that rate. But for slower data rates where there is more

Number	Турв	+5V	GND	-12V	+121
IC1	Z8871	1	11		
IC2	2716/32	24	12		
IC3	74LS373	20	10		
IC4	74LS367	16	8		
IC5	74LS10	14	7		
IC6	74LS244	50	10		
IC7	MC1489	14	7		
IC8	MC1488		7	1	14
IC9	7407	14	7		

Table 1: Power connections for the integrated circuits of figure 2.

time for the processor to react, using BASIC makes the programming task easier.

For a multiplexer to switch quickly between four different output channels, four distinct character codes are required. These codes can be single ASCII (American National Standard Code for Information Interchange) characters such as the letters A, B, C, and D or sequences of characters such as "\$%&1", "\$%&2", "\$%&3", and "\$ % &4". However, because the codeactivated switch relies upon the data stream to contain its control codes, it's important that the channel-activation codes be different from any character sequences appearing in the data transmissions, or false channel selection may occur. Obviously, we would not choose the letter A as a practical selection code in most applications, so we choose some multicharacter sequence that would be unlikely to appear. For instance, you would probably never need to print the sequence "\$%&1", and it could be used to designate a switch to a printer connected to output channel 1. Similarly, "5%&4" would enable channel 4.

Because the sequence-recognition time is dependent on the code length, an alternative is to use single non-printing characters such as Control-A or Control-D. A single-character switch-control code is recognized faster than a three- or four-character code. When using a machine-language program running at 8 MHz the difference is hardly significant, but in BASIC the difference could be considerable.

Micromux Control in BASIC

At this point, let's look at how the




Figure 2: Schematic diagram of the Micromux prototype four-channel code-activated switch. This design uses a Z8671 as a controller to monitor codes embedded in the transmitted data and activate the appropriate signal buffer for the channel. Only the six

most used RS-232C signals are wired here; the addition of more buffer chips would allow switching of more RS-232C signals. Power connections are shown in table 1 on page 52.

Micromux might function with the Z8671 programmed in BASIC.

First, assuming that the switch is to be used only with printers and modems that use printable ASCII characters and commonly used control codes (Return, Backspace, Delete, etc.), I chose the four non-printing characters Control-A, Control-B, Control-C, and Control-D to select the four output channels. For example, when the program sees a Control-C, it activates the enable line to the three-state signal buffer for

channel 3.

Figure 3 is a flowchart of a control program written for the Z8-BASIC/Debug interpreter that obeys this convention. The program is seven lines long, as follows:

```
10 @246=0: @2=255

20 X=@240: IF X>4 THEN 20

30 IF X=1 THEN @2=254: GOTO 20

40 IF X=2 THEN @2=253: GOTO 20

50 IF X=3 THEN @2=251: GOTO 20

60 IF X=4 THEN @2=247: GOTO 20

70 GOTO 10
```




Figure 3: Flowchart of a Z8-BASIC/Debug program to control the four-channel codeactivated switch at low data rates.

Line 10 configures port 2 for output and sets all enable lines to a logic 1 (not activated). Line 20 examines the serial input register of the Z8 and checks to see if its value is greater than 4. The only ASCII characters with values of 4 or less are the select codes mentioned above plus Control-@. Lines 30 through 60 set the output of the Z8's port 2 according to the control convention or, if a Control-@ is read, to disable all output channels. If the character coming in over the serial input line is not one of these control characters (that is, if its value is greater than 4), the character is sent on to the current output channel (if any), and the port is read again.

Because the read-and-analyze routine is a single program line which returns to itself, it operates fairly fast. The Z8 can be set for any of the 7 common data rates between 110 and 9600 bps. If the multiplexer channel is set before the transmission starts, or if the control code is the very last character in a particular message, then the data rate is irrelevant to the proper functioning of the program. It is only when the control code is embedded in a significant character stream that speed of execution is a consideration.

Regardless of the data rate, about 40 ms (milliseconds) are required to analyze a serial character using this program. As long as a delay of 40 ms is allotted after any of the 5 control codes is sent, the code-activated switch will respond properly. Another possibility is to put several of the same control codes in series so that the program will catch at least one of them.

Machine-Language Control

For the hasty folk who like to send and switch data at 9600 bps, we have to use a machine-language program. A flowchart of such a program is shown in figure 4 on page 55. The increased processing speed using machine language allows us to use more characters in the switch-control code sequence and lessens the likelihood of confusion with data passing through the switch.




Figure 4: Flowchart of a Z8 machine-language program that can control the code-activated switch at data rates up to 9600 bps.



SENTINEL

Guaranteed when properly used to Read, Write Error-Free as long as you say you say you will be computed Products. Division of Packaging Industries 6 your them.

performance. In addition, a

superior, high quality lubricant

assuring extra long life and a

quality control program which

Sentinel Diskette are reasons

includes certifying every

OLIALITY

QUALITY YOU MAY NEVER NEED. But it costs no more!

The expert technicians who produce and monitor the quality of our diskettes have developed new state-of-the-art technology using equipment we design and build ourselves, unlike any other diskette maker. That's why our burnishing method uses a unique, dual-sided technique which provides an advanced degree of surface smoothness, the key to consistent high quality



we can offer you the industry's most exacting guarantee. For unsurpassed information security, choose Sentinel brand, and ask your dealer about the new 2-PACK in a resealable storage case.

The Professional's Diskette - Ideal for Personal Use.

The Professional's Diskette — Ideal for Fersonal use

have have l

The final program, shown as assembly code in listing 1, uses many subroutines already available in the Z8671's ROM and requires only 88 bytes. It is designed to use a twocharacter control-sequence-recognition code, followed by a channel number. (I decided not to use unprintable control codes in this example, but any ASCII characters can be used.) The complete sequence is "@!x", where x is a value from 1 to 4. The code sequence "@13", for example, would direct the output of the Micromux to channel 3, while the sequence "@!1" would send the output to channel 1. One handy feature of the read-and-analyze routine is that only the 4 low-order bits of the third character in the sequence are used. This allows us to use one of the Control-A, -B, -C, or -D outputselection characters (as used in the BASIC program) as the third character in the sequence in place of the

Because the program of listing 1 runs entirely in machine language, channel changes may occur at any point in the transmission, at any of the available transmission speeds. If you plan on using this program with a printer attached to one of the output channels, you may want to change the "@1" part of the sequence to two nonprinting characters. Simply substitute two ASCII codes of your choice in the program.

In Conclusion

digit.

The primary purpose of this article is to present something the average computer hobbyist can successfully build and use. However, if you are an industrious programmer with a lot of experience, you might want to add some additional features, such as storing input in a memory buffer, trapping control-code sequences (which would filter the switching codes out of the data flowing to the output channels), and party-line communication (where data is sent to more than one output channel). Of course, all of these additions would have involved more complex hardware and software.

In my own case, the Micromux

Circle 411 on inquiry card.

QUADRAM INAUGURATES THE MERGER OF APPLE AND IBM

Use Apple software in your IBM PC and XT

Who said you can't mix Apples and IBMs? Innovation by Quadram makes it possible with Quadlink.". A simulated Apple computer on a revolutionary new enhancement board. With Quadlink use Apple software in IBM Personal Computers and XTs.

That means most programs designed for the Apple II. Apple II Plus or Apple IIe—including all the educational software and games—are now compatible with the IBM PC. IBM's sophisticated business capabilities and Apple's educational and entertainment options both in one computer with Quadlink by Quadram.

Easy to use

Quadlink is a board that plugs inside the IBM PC. After it's installed, you're in business. It's like having an Apple 64K computer inside your IBM.

Don't convert or re-format any diskettes. Load the Apple software into the IBM PC and key in one command. That puts you in the Apple mode. And you're ready to go. When ready to switch back, just press a different key. It's that simple.

Keep the extras

Of course, Quadlink allows use of all IBM enhancements while running Apple software. That means printers, buffers, monitors and more.

When using a monitor with Quadlink there's no plugging and unplugging cables. And Apple programs will appear on an IBM Monochrome or color monitor just as clearly as on Apple's own screen. Even while working with Apple's high resolution color graphics, quality won't be diminished.

Explore your options

Quadlink, essentially a simulated Apple computer, comes standard with 64K memory. Requiring only one expansion slot, it offers a parallel port designed to operate most printers and parallel devices. A serial port for connecting moderns, printers and other serial accessories. And a game port for a variety of entertainment options. And

it's both IBM and Apple compatible. There's nothing like Quadlink. And nothing like reliable Quadram Quality to stand behind it.

Beyond the limits

Quadlink by Quadram opens a whole new world of possibilities for IBM PC owners. There's no reason for software limitations any longer. If you like what IBM has to offer but hesitate to give up Apple's educational programs or games, explore Quadlink. And get the best of both worlds.

Quadram Corporation is a division of Intelligent Systems, for over a decade an innovator in personal computer enhancements and color graphics computer peripherals. Quadram products are available only at authorized dealers worldwide.

Visit one and ask for a demonstration of Quadlink by Quadram. Check on our other enhancements too, including Quadboard, the original multifunction board for the IBM PC. We think you'll like what we've discovered.



didn't end up attached to a printer. I'm using the prototype, consisting mostly of a modified Z8-BASIC Microcomputer, to communicate with four other Z8 boards that per-

form specific control and security assignments, none of which I had previously deemed important enough to merit tying up four separate serial ports.

Listing 1: Machine-language program for the Z8671 to control the code-activated switch at data rates up to 9600 bps.

switch at data rates t	ıp to 9600	bps.		
כספי	3310 ;			
1000	0020			Market and a state to the state
1000				
1000				
		SOARD	BASIC/DEGUS	ro.a
1000	2252 ;			and and and and
1002				and then set the
1025				s required by
1000		LHIKD	(DATA) BYES	
1000	2100 ;			
020				BITES ON THE SERIAL
000		1 Of L	HE T-8 COMES.	TER SOARD.
000	0130 7			
1030				res, stone first command
1003				HAND AT 1055H. YOU HUST
1000				FOR CHO! AND CHOS, DUE TO THE
1002		COMPTA	TONAL PERO S	er after the "Pirst" Label.
1003	£ C810			
1000	3193 ;			H 04003 23 000H PHESS 455 PHS
				H BITES TO DIFH. THESE ARE THE
000		BRALL.	ARCIONS' WHO	ARE UNUSED BY THIS PROGRAM.
000	0220 ;			
999	0230			
003	0240 FILL	BOU	10008	
000 PE PE PP Y2 PP	0250	DB	POFFII, SOFFII	, 1077H , 1077H , 1077H , 1077H , 1077H , 1077H
9 15 15 15 16 16 100	0260	DB	POPFH, POFFH	. Poffh , Hoffh , Hoffh , Hoffh , Poffh , Poffh
ef ff ff 010 ff ff ff ff ff ff	022n	20	andán ingan	salidu salidu sanod sacet sužet salidu
SE RE BE	0270	DB	fores' fores	, forfe, poppe, forpe, forpe, soppe
1918 FF FF FF FF FF	0263	DB	POPPH, MOPPH	, soppe, soppe, soppe, soppe, soffe, soffe
1020	0290 :			
1020	0300 ;			
020	OJIO BASIC	DRG	1020H	; PLACE A BASIC LINE AT 1020H
020 00 0A 47 4F 20	0350	06	60.410.160	e11030', fo, fofth, fofth, fofth
40 25 31 30 33				
30 00 PF FF FF				
1026	0330 ;			
02F	0340 :			
1028	0350 MULTI	ORG	10309	
030 26 76 00	0360	60	246,10	: 327 UP PORT 2 AS OUTPUT
033 86 F7 C1	0370	LB	247,00018	7 AITS, ODD PARETY, 1 STOP, PORT 2
REUPS DE.	-2,-		6.111.00.00	, ,
99 56 52 66	9380	LD	2. FOFFH	: SHOP DOWN ALL I/O AT START
039 86 30 00	0390	50	30H, #0	: 38f FLAG TO O
103C	0400 ;		2-1110-	,
103C	0410			
103C D6 00 54	0450 CHAND	CALL	#P2CON	2 GBT A BYTE FROM THE SERIAL PORT
038 A6 13 40	0430	CP	138,4C(0)	: IS THIS THE PIRST COMMAND CODE ?
042 68 05	0440	38	Z,FIRST	TES, DO SET PLAD
044 A6 30 00	2450	CP	30H. #G	IS PLAG O ?
047 E8 05	0460	JR	MI, PART2	: NO, TEST PLAG SOME MORE
049 85 30 01	ONTO FIRST	LD	308,81	SET PLAG TO 1
04C 88 EE	0480	JA	CHAMD	AND GO BACK TO LINE
04E A6 30 01	OTES PARTE	CP	30H . P1	IS PLAG A 1 7
051 RB 0A	0500	JA	MZ, PART3	HO, CHECK LAST POSSIBLE PLAG SET
053 A6 13 21	0510	CP	139, JCH02	: YES. 13 THIS COMMAND BYTE 2 7
056 £8 18	0520	JR	WZ, AESET	HO, PALSE MARM. RESET PLAG STEE
058 E6 30 02	0530	LD	30H, #2	: TES, UPDATE PLAG
058 88 DF	0540	JR	CHAND	: AMD GD BACK TO LINE
050 A6 30 02				
050 BB 11	0560 PARIS	CP JA	304, #2 #2, #ESET	HO. FALSE MARM. RESET FLAG BYTE
062 80 12	0570	CLR	128	: CLEAR REG 12H
064 DF	0580	SCF	160	SET CARRY PLAG
065 56 13 OF	0590	AMD	134, 4044	HASE OFF H.Q. BYTE OF DATA
068 10 12	0600 4000	RLC	158	: ROTATE BIT ONCE.
06A 00 13	0610	DEC	138	COUNT-COUNT-1
OSC EB FA	0620	JR	ME,LOOP	* CODM!
068 60 12	0630	COH	12H	: COMPLEMENT BECAUSE O = EMAGLE TO CE
CUIT	2435			1 -2/2
070 64 12 02	0640	LD	2.12H	: WHITE BIT TO THE MUX CONTROL PORT
013 86 30 00	0550 BESET		30H, #0	RESET COMMAND PLAG
076 BB C4	0660	JR	CHAND	AND GO BACK TO LINE
078	0670 ;			-
078	0680 :			
870	0690 CHD1	EQU	LEP .	
078	9700 CHD2	EQJ	(j)	
8101	0710 ;			
1078	0720 IXIZ	END		
THEOL TABLE				
ASIC 1020 CHAND 103C	CMD1 0040	n cati	12 0321 F1	Q.L 1000
1837 1049 LOOP 1068	NULTI 1030		172 1048 91	

Now, of course, I need another code-activated switch for the printers and modems, but I'm not enthusiastic about hand-wiring another one. So if The Micromint decides to make an improved version of the Micromux, I'll take the first one off the assembly line.

Next Month:

New developments in technology have prompted yet another speechsynthesis project, this one using adaptive differential pulse-code modulation.

Reference

 Ciarcia, Steve. "Build a Z8-Based Control Computer with BASIC, Part 1," July 1981 BYTE, page 38. Part 2, August 1981 BYTE, page 50. Reprinted in Ciarcia's Circuit Cellar, Volume III. Peterborough, NH: BYTE Books, 1982.

Terreten, see any more not established to a significant of the Africa. Cellum product tests in each service of particular and the Africa service of particular service of particular services.

Editor's Note: Steve often refers to previous Circuit Cellar articles as reference material for each month's current article. Most of these past articles are available in reprint books from BYTE Books, McGraw-Hill Book Company, POB 400, Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume I covers articles that appeared in BYTE from September 1977 through November 1978. Ciarcia's Circuit Cellar, Volume II contains articles from December 1978 through June 1980. Ciarcia's Circuit Cellar, Volume III contains the articles that were published from July 1980 through December 1981.

If you would like to put together a code-activated switch from off-the-shelf components, you could configure powerful hardware using the new Z8-BASIC System-Controller board (which contains RAM, EPROM, and a Z8671 on board) and a few Z8-BASIC Serial Expansion boards. For information about availability and prices of the Z8671 or other Z8-BASIC board products, contact The Micromint Inc., 561 Willow Ave., Cedarhurst, NY 11596, (800) 645-3479.

The Electronic Office

by Pamela A. Clark, Managing Editor

The term electronic office has been overused to the point where one might believe that the complete electronic office does in fact exist. "Nothing could be farther from the truth. While many office tasks are indeed automated - dedicatedfunction machines share data and a few peripherals-you could hardly say the electronic office is in full bloom. The current level of electronic office automation represents only a very small number of the myriad functions within an entire organization that could benefit from the speed and efficiency of the microprocessor. Companies strongly committed to implementing the electronic office will find the task complicated by the very nature of the

change, as well as by confusion in the marketplace.

In the words of Marshall McLuhan, the medium is the message, and electronic transfer of information will profoundly affect the structure and management of an organization. If information is power, then distributed information means distributed power-a new and threatening concept for many companies. Management by divisional competition and conflict must give way to cooperative management as information is shared rather than controlled. Technological advances always create changes in staff hierarchy, performance standards, and human relations. Organization charts may soon reflect more tenets of communication theory than management theory as the organizational functions become inextricably linked to information management. The answer to the fundamental question, "Who has the authority to make changes in a shared database?" could restructure an entire corporation and postpone its electronic birth for a number of years.

The delayed emergence of the electronic office can also be traced to confusing signals from the technical



arena. Traditional mainframe vendors tout powerful dedicated systems, but can't deliver the stand-alone features of a workstation, a situation that only perpetuates centralized resources and information. PBX vendors provide excellent low-speed voice and data local networks to channel information throughout a building, but have only recently begun to supplement this with terminals and software. The proliferation of microcomputers increases the impetus for change, but system incompatibility hinders electronic reorganization. The usefulness of integrated software packages remains limited by general-purpose designs aimed at large markets.

Organizations in search of

electronic nirvana must still look to multiple vendors for discrete components. Rapid technological changes and the accompanying lag in industry standards combine to sustain that situation and keep the complete, integrated electronic office from realization. However, the entrance of industry giants AT&T and IBM brings a powerful new pressure on the market. These heavy-weights have the necessary resources to tackle the many disciplines embodied in the electronic office. The level of technical integration required for a fully functional system is colossal. While the electronic office promoted by these giants may not be as innovative as current speculation would have it, it will be integrated. And if the electronic office is to become a reality, harmony must be the bottom line.

Our theme articles, beginning on page 60, are as diverse and discrete as components in the electronic office. Networks, individual computer systems, and software applications all play an important role in today's office. However, the total electronic office remains only a vision on the horizon

Local Area Networks An Update on Microcomputers in the Office

The boom in office communication systems is creating a pressing need for standardization.

Harry Saal Nestar Systems Inc. 2585 East Bayshore Rd. Palo Alto, CA 94303

The ideal state of computing—in which any computer or office device can communicate with any other device—is still on the horizon. But sharing information between physically separated personal computers, corporate computers, expensive printers, and disk drives is becoming more feasible and desirable every working day.

Often the information that managers would like to analyze with their electronic spreadsheet programs is ready and waiting on databases on the company mainframe computer, waiting for an easy communications link to the workspace in the managers' desktop computers. Electronic mail will help usher in a new era of office productivity, improving intercompany communications and ending vicious circles of returning calls to people who've returned your calls, etc.

Systems of computers and peripherals linked together in adjacent offices and buildings, or local area networks (LANs), will bring about complete office automation and standardize computer interconnections. But we're not quite there, yet.

Office computers are no longer de-

About the Author

Harry Saal is the president of Nester Systems Inc.

signed for the exclusive use of computer professionals; from senior management to the receptionist, employees are expected to use computers as standard parts of the office environment. Everyone from a trained analyst to a temporary secretary now needs to have access to information in databases and process it electronically

In business, a wide spectrum of individuals must share information; rarely is true personal data encountered in corporate situations. One person might enter the basic data, another will edit or modify it, and a third will produce reports or graphic displays from it. Information is typically supplied by many sources but must be merged, managed, and distributed to be useful. Also, because information is a valuable resource, it must be protected from malicious or accidental misuse.

Traditional multiuser computer systems, whether mainframe or minicomputer, are not well suited to this new type of automated applications. Conventional systems require large centralized facilities, inaccessible to the user. They require costly support staffs. Maintenance problems make it difficult to justify new development, resulting in today's widespread applications backlog.

Conventional systems also lack the responsiveness, ease of use, and user orientation of the newer desktop systems. They are designed for a more sophisticated, trained user, thereby limiting their usefulness for the far broader class of new computer users.

This unsatisfactory state of affairs, contrasted with the benefits of friendly, fast, and economical personal computing, is spurring current desktop computer development.

The Communications Requirement

Although often separated by distance, allied users must work together cooperatively. On different floors, in different buildings, or in different states and countries, fellow workers must exchange information. For them, communications are no longer a luxury; they are essential and growing daily in importance.

Two recent developments, local area networking and personal computing, provide a way to address the needs of this new class of computer users; community microcomputing is the merger of these two technologies.

Community microcomputing enables a community of users to share information that resides on common peripherals. Users share common programs and data as well as expen-




Figure 1: Popular network configurations. The star network (1a) is the most common of the early network types (such as the telephone system) and relies on the central node for control of operations. Bus configuration (1b), as used on the Ethernet and by cable television, allows nodes to be added or removed without impairing the network. The ring network (1c) circulates all messages in one direction and may pass tokens to specify which node may transmit; a failure of any node may interrupt network operation.

sive, high-quality equipment such as printers and disks. Individuals connected to a community microcomputing system have their own dedicated personal computers as well as support environments for communications and for sharing of peripherals and information. Familiar personal computers, serving as desktop workstations, provide a nonthreatening setting that enhances the effectiveness of professional and clerical workers. These personal workstations are open-ended, multifunction tools that make possible word processing, data manipulation, graphics, and sending electronic messages.

Attributes of a LAN

Local area networks are a specialized part of the larger class of communications networks. They undertake the job of intercomputer communications within geographically limited distances in a very reliable and cost-effective way. Conventional long-haul (telephone) lines and satellite systems are optimized for the

transmission of analog or digital data over thousands of miles. Local area networks are optimized for use in the office or factory, over distances of hundreds to many thousands of feet.

Local area networks typically are bounded by speed as well as distance, running several hundred thousand bits per second to as many as tens of millions of bits per second.

Speed and distance, however, are not the only two design considerations of a local area network. LANs operate with digital data and exhibit high reliability of communications over the distances specified. A system of error detection must be added to the digital information to ensure that even a rare error will be detected. Additionally, an error-correcting mechanism is needed to ensure that the correct data is retransmitted.

To accomplish retransmission, data is split into groups or packets. Each packet contains information regarding its source and destination. Most local area network schemes permit a special form of addressing referred to as broadcasting, whereby a station may send a packet that is destined for all stations connected to the local area net. Multicasting is similar; however, in multicasting the targeted stations are a subset of the totality of connected stations.

Typically, within the data packet, there are various acknowledgments. additional information concerning the sequencing of packets, network addresses, etc. This information is used to provide more sophisticated services to the programs running on the workstations than services simply based on a "point-to-point" transmission medium. Such sophisticated services include routing, distinguishing which programs on a particular machine are addressed, and identifying character sets and protocols in use.

The error-recovery schemes used in local area networks generally make it possible to add a new station to a functioning communications network without disrupting ongoing operations. This possibility results from several factors: First, the act of connecting (or disconnecting) a new station to the actual network medium causes some momentary interference and errors. But the basic design of the network accommodates such errors automatically, by retransmitting the information. Second, because local area networks are designed as fully distributed systems, there is no central station or master list of stations that must be updated in order for the system to continue functioning. This updating of station information takes place dynamically as the system runs. In more conventional communications schemes, it is generally necessary to stop the system and take some global action in order to add or delete a network node.

Network Topologies

The form of the physical connection of stations to the communications medium generally falls into one of three main categories: star, bus, or ring form (see figure 1).

Telephone systems are the best example of the star configuration, or topology. Each instrument is connected via cable to the central office where the switching is done between

stations. To talk to your next-door neighbor, the information must flow to a main switching point, where it is processed by an exchange, then back to the house next door.

Few examples of the star topology used in local area networks exist, other than the private-branchexchange (PBX) telephone system, due to the problems encountered by having a specialized piece of equipment to service all the stations at the ends of the lines. In computer systems, the services to be performed by the switch are likely to become more complex over time. This may require more than one piece of equipment. which makes it more difficult to arrange the equipment in a star configuration rather than in a bus or ring topology.

The star topology seems most suitable to a PBX-type system in which the main service requirement is dataswitching from point to point. The data speed requirements are generally nominal (less than 50K bits per second), and the wiring exists in millions of offices. This type of network works efficiently when fairly powerful multiuser systems are connected to it, thus providing the computing power for low-speed intelligent terminal devices. With many of the existing telephone systems manufacturers preparing to introduce this type of network, it could well dominate in the future.

The bus topology usually involves one long central spine of cable to which each of the nodes is connected. Nodes may connect directly, or as in many cases, they may be connected via a cluster box, which provides for multiple station connections. By connecting several cluster boxes, you obtain a treelike structure of interconnected cables, or a "star of stars." This configuration still remains a bus in the sense that stations can still communicate directly without the need of an intermediary station.

Bus schemes are sometimes found with two cables running to each station; one cable receives while the other transmits. In this case, all the transmitters are connected together via a bus that runs to a special headend retransmitter. This retransmitter

takes the signals, amplifies them, and broadcasts them on the receive cable to which all stations listen. Most community antenna television (CATV) systems work in this fashion. This system implies that stations cannot directly talk to each other but only via the intermediate amplifier. In this scheme, it is essential to make the head-end retransmitter extremely reliable, so that it is not the weak link in the network. Using this scheme adds significantly to the basic system cost; this is practical if the network is servicing a unit larger than an individual office, such as a complete building.

A ring can be thought of as a bus that is closed back on itself. The ring topology does not have the flexibility that bus structures have, yet it forces more regularity into the system, thereby assisting in error-diagnostic and repair capabilities. In ring systems, the information circulates (clockwise or counterclockwise), and it is possible to implement a scheme whereby a station can check to see if the data transmitted was received or not. This is done by looking at control information that is inserted or modified by the receiving station and passed around the ring, sometimes followed by a token.

One proposed ring system uses a pair of counter-rotating rings to circulate information. This system permits a nonfunctioning station to be isolated while all the other stations are still interconnected. On the other hand, adding or deleting a station from a ring system is more complex than with either the star or bus approach. The process typically disrupts the closure of the ring for significant periods of time during which the system is not operational.

Standards

The office is one of the most heterogeneous of all data-processing environments. Typically, companies have already acquired an assortment of word processors, small computer systems, and telephone exchange equipment and may be using outside timesharing services. Since one of the goals of a local area network is to facilitate the intercomputer com-



On the Threshold of 8-Bit Hyperspeed

At 8MHz, Sierra Data Sciences' new Z8O single-board computers are the first—and the fastest—microcomputers in their class.

Under CP/MTM they perform like single user minis. Teamed with networking TurboDOSTM their 16-bit-buss-transfers amaze the demanding 16-bit multiuser world. And at Sierra Data's production-oriented price, they bring an ever-expanding universe of CP/M compatible software into a whole new realm of price/performance reality.

Solve your need for speed. Only a reliable manufacturer with Sierra Data's undisputed technical lead and established reputation for support can deliver these features—all on board our new slave/satellite single-board computers:

HARDMARE SOFTWARE



SIERRA DATA SCIENCES

Fresno, California/ Product Support Division 25700 First St., Westlake, Ohio 44145 (216) 892-1800 TELEX: 980131 WDMR • Meets IEEE 696/S-100 Standards • Z80H (8MHz) Z80B (6MHz), or Z80A (4MHz), • 64K/128K*/ 256K*/512K* bank-selectable RAM in 4K incre-

ments • High speed integer or Floatingpoint math chip* • 2 Serial ports • 2 Parallel ports • 4 Counter timers • 4K CMOS cache buffer, buss addressable in 16-bit or 8-bit increments • 4K/8K/16K EPROM • Operates under Sierra Data supported CP/M 2.2**, CP/M 3.0** and TurboDOS 1.2**

Make Sierra Data the heart of your ad-

vanced system or discover one of Sierra Data's costeffective, turnkey systems. Sierra Data's single or multiuser 20M byte hard disk system with 8 inch

slimline floppy-disk backup is shown above. Other popular configurations are shown on the previous page. Ask for Sierra Data's product catalog today.

*Optional

- * TurboDOS is a Registered Trademark of Software 2000 Inc.
- **CPM is a Registered Trademark of Digital Research

CAST BETTER, FASTER SPELLS WITH OUR CI-C86 C COMPILER



• CPM86 and MPM86 • DEC Rainbow • Zenith 2100 · MS-DOS

• IBM Personal

- - Victor 9000 . Lomas 8086

 - Altos 8600
- Eggle

Seattle

- . Compupro 86/87 . And Many More
- Columbia 1600

CI puts all the magic of C at your fingertips with all of K&R, a full support library, 8087 support and much more.

Merlin would approve!

Disk and documentation \$395. Overseas airmail \$20.

For further information, please contact:



Computer Innovations, Inc. 75 Pine Street Lincroft, New Jersey 07738

Telephone: (201) 530-0995



munications within the office, it is very attractive to imagine a local area network that can connect together a variety of equipment, present and future.

The equipment must be compatible on many levels to accomplish this interconnection. Practically speaking, most vendors rely on the lack of interchangeability to prevent their customers from rushing off to the competition, and they do not actively publish specifications that enable easy substitution. Very often commonality comes about in informal ways, in which a number of vendors play follow the leader, otherwise known as being IBM-compatible! But the world of communications is one domain in which the need for information interchange requires more than casual attention to standards.

The ISO Reference Model

The International Standards Organization (ISO) established a framework for standardizing communications systems, called the Open System Interconnection (or OSI) Model. The OSI architecture defines seven layers of communications protocols, with specific functions isolated at each level. The purpose of layered protocols is severalfold; one significant advantage is that differing lower-level implementation details can be hidden, while compatibility can still be achieved at the higher levels. This permits considerable variation in the basic electrical technology, while retaining the fundamental information flow between systems.

Level 7 is the Application Level, which handles the utility aspects of network usage. Issues such as the identification of users, selection of services, or global network access are dealt with by Level 7. Typical programs at this level are file transfer programs, terminal-to-terminal emulation capabilities, and electronic message programs. At this level, tasks are performed; all the lower levels are there to support applications.

Level 6 is the Presentation Level, which handles the conversion of data



The Professional's Editor for **Program Development** Word Processing Source Code Translations

Widely acclaimed as an editor, VEDIT has evolved to be much more. Only VEDIT offers the combination of a versatile full screen editor integrated with a powerful command language. For the first time you'll be able to perform complex, yet useful, text manipulations that are virtually impossible with other editors or word processors. Plus, its customizability and hardware support ensure that VEDIT will be perfectly matched to your individual needs and to any microcomputer you are ever likely to own.

With two modes of operation, VEDIT never compromises its speed or ease of use for its power and sophistication. As one reviewer (Bradford Thompson, BYTE) wrote: 'If this review gives you an appetite for simplicity while editing, then VEDIT is well worth considering.' Its command language, based on TECO, is virtually a text oriented programming language, allowing command macros to be created, loaded and saved on disk. Yet its simplicity allows even a novice to perform tasks beyond the capabilities of any word processor.

VEDIT cuts programming time in half - with multiple file handling, macro capability and special features for Pascal, PL/1, 'C', Cobol, Assembler and other languages. And it can help with source code translations (example ZILOG to/from INTEL translator macros are included). A complete line of translators will be available by the year's end.

Word processing is a snap with word wrap, paragraph and print functions. Command macros free you from tedious search/replace operations. Hundreds of search/replace on dozens of files can be performed by VEDIT without waiting or intervening.

VEDIT easily configures to your favorite keyboard layout. Use any function or cursor keys you wish. It optimally supports nearly every 8080, Z80 and 8086 computer.

Go ahead and expect a lot from VEDIT. Its performance and our support will satisfy your most exacting needs.

To order, please specify your 8080, Z80 or 8086 microcomputer, operating system and disk format.

COMPARE VEDIT'S FEATURES

- True Full Screen Editing
- Horizontal scrolling
- Edit files one disk in length
- Automatic Disk Buffering
- Compact (only 16K) and Fast
- Display of line and column #
- Set/Goto text markers
- 'Undo' key to restore line
- Automatic Indent/Undent
- Adjustable Tab positions
- Repeat function key
- Text Move and Copy
- 10 Scratchpad Buffers
- Load/Save buffers on disk
- Powerful command macros
- Directory display
- Edit additional (small) files simultaneously
- Insert another disk file
- Unlimited file handling
- Recovery from 'Full Disk'
- Change disks while editing
- Word wrap, format paragraph
- Simple Printing
- 150 page indexed manual
- Startup command file
- Menu driven installation
- Program CRT function keys
- Support newest CRT terminals
- Support smart CRT functions
- Flexible Memory Mapped support

IBM PC, Displaywriter® Zenith Z100 and Z89® NEC APC® DEC Rainbow and VT180 ® Televideo 802 TRS-80 I, II and 16 ° Xerox 820 ° Apple II Softcard ° SuperBrain ° NorthStar MP/M ° CP/M-86 ° MP/M-86 ° Concurrent CP/M-86 ° Cromix ° Turbo DOS ° MSDOS ° PCDOS



CompuVid

from one format to another. This involves the packing and unpacking of data, changes in character set, expansion of graphics commands, and encryption.

Level 5 is the Session Level, in which the establishment and termination of streams of data from station to station are handled. Level 5 is typically responsible for mapping network-oriented addresses into more logical process or port names on the local workstation.

Level 4 is the Transport Level, which manages a lower level of connection than the Session Level and handles the connections needed to deal with messages that exceed the maximum packet size of the network. Making a reliable end-to-end connection across an imperfect basic network is done by Level 4. Error control, sequence checking, handling of duplicate packets, flow control, and multiplexing issues are the main concerns of this level.

Level 3 is called the Network Level. It deals with the routing of informa-

tion from node to node via intermediate nodes and stations. This is often not required on the local network itself due to the broadcast nature of the information exchange, or because of direct addressing provided by the network hardware. Interconnections between more than one LAN, however, require a functional Level 3.

Level 2 is referred to as the Data-Link Level. The data-link deals with the actual packets themselves and provides for the addition or removal of header and framing information surrounding the actual data contents. These headers provide for timing signals, error-detection checksums, and station addresses for hardware recognition. It is the data-link level that incorporates the access strategy for sharing the basic cable among many stations: for example, whether it is a round-robin protocol, controlled token-passing, or a probabilistic contention scheme.

Level 1 is the Physical Level, which defines the electrical and mechanical characteristics of the network. The particular signaling scheme used, modulation techniques, frequencies, and voltages employed are all specified at this level.


See table 1 for an idea of how the major microcomputer networks fit into the ISO framework.

Adoption of Standards


Clearly a need exists for some level of electrical compatibility at which a standard connector, standard signaling levels, etc., are used to successfully build fully integrated office systems that directly link together disparate office equipment. The most attention has been on the layers that deal with these issues, namely, Levels 1 and 2. This attention should result in the availability of standard components that a variety of manufacturers can use, thus reducing the cost to the consumer. This attention also follows the industry's tendency to feel that once the hardware is compatible, the software "can always be fixed later." It is interesting to note that this



Our duet is perfect for a single user system.



JUST THINK...DEALER DEMO SOFTWARE FOR ONLY \$295



Compute While You the Buffer that

Your computer is a real whiz when it comes to time. Like you, it works fast. But most printers don't. Most printers are slow. If you ever have to wait for your printer you are wasting time. Valuable time.

But with Microfazer, there's

no more waiting.
Microfazer is
the print buffer that frees
your computer. That lets it
work fast. That
helps you work
faster, too.

any data processing environment, it's truly the "any computer any printer" buffer. With models for any data transmission need. Serial or parallel. Or to interface incompatible devices. And

there's always the traditional Quadram Quality.
The assurance you are getting the finest buffer available.

MICROFAZER REMEMBERS IT ALL

Microfazer stores data from your computer in its own memory, then sends it to the printer at a rate the printer can handle. And Microfazer can be expanded at any time to meet all your future requirements. The print buffer that offers 512K of memory—a full half-megabyte—Microfazer can handle any buffer task.

Word Processing. Accounting, Graphics.

THE "ANY COMPUTER ANY PRINTER" BUFFER

Microfazer goes with anything. Printers. Plotters.

Even modems.
Perfect for

QUADRAM QUALITY


Print with Microfazer, Remembers It All.

You name it.

So stop worrying about losing vital data because you run out of buffer space. Whatever the job—no matter what the size— Microfazer remembers it all.


BUT MICROFAZER REMEMBERS MORE...

Microfazer remembers to give you the hardware features you're looking for in a print buffer. Features that include a Ready LED, manual Reset and Pause/ Copy buttons. And Microfazer comes in a variety of convenient sizes. To stand alone or stack with other peripherals. To snap onto the back of the popular Epson printer. There's even a model that plugs inside an Epson!



AND PRICED RIGHT, TOO

And with Microfazer you don't have to wait because of price. Parallel to parallel versions start at \$159 (8K), serial to parallel and par-



to serial versions start at \$199 (8K with cable), and serial to serial versions start at \$229 (8K with power supply).

Available in models from 8K to 512K.

So stop waiting on your printer. Compute while you print with Microfazer. You'll never have to wait again.



MICROFAZER. THE PRINT BUFFER. THAT REMEMBERS IT ALL.





4357 Park Drive / Norcross, Ga. 30093 / (404) 923-6666 TWX 810-766-4915 (QUADRAM NCRS)

Local Area Networks in the ISO Reference Model

Level ,					
7 Application	Constellation: pass- word entry, disk back- up, and diagnostics	Constellation; pass- word entry, disk back- up, and diagnostics	electronic mail, virtual disks, file transfer	electronic mail, print spooler, 3270 emulation	text, graphics, and print formatting; electronic mall
6 Presentation	Constellation	Constellation	PLAN 4000	зсом	Xerox Network Systems Courier
5 Session	Constellation	Constellation	PLAN 4000	3COM	Xerox Network Systems
4 Transport		Omninet	Xerox Network Systems	Xerox Network Systems	Xerox Network Systems
3 Network		Omninet	Xerox Network Systems	Xerox Network Systems	Xerox Network Systems
2 Datalink	polled (switched)	Motorola ADLC (CSMA/CA)	ARCnet	Ethernet	Ethernet
1 Physical	parallel 34-wire !lat cable	RS-422A twisted-pair cable	ARCnet	Ethernel	Elhemet
Vendors	Corvus Multiplexer	Corvus Omninet	Nestar PLAN 4000	3COM Ether series	Xerox

Table 1: Microcomputer local area networks in the levels defined by the International Standards Organization reference model. The ISO model provides only a framework not a standard. Most network systems (like Ethernet) implement only a few of the layers.

type of standardization argument actually runs contrary to the purpose of the OSI model; the OSI model attempts to preserve compatibility across applications by permitting variation in the lower levels as long as they are fully shielded from the higher-level programs.

IEEE 802

A great deal of attention has been focused on the activities of the IEEE (Institute of Electrical and Electronics Engineers) 802 Committee. While de facto follow-the-leader-style standardization may be the dominant trend, official standards processes are important in the communications world. Hence, all the major computer manufacturers have participated actively in the IEEE standards work on local area networks.

A curious state of affairs has developed in the IEEE 802 Committee. After substantial initial activity, the Committee finally recognized the impossibility of adopting only one standard that would satisfy the variations in speed, distance, reliability,

cabling, etc., required by the computer industry. Rather than to give up entirely, the current plan is to have a series of alternatives, each with several options. However, even this strange and indecisive proposal compares favorably to what is essentially anarchy in the current choice of product offerings.


The IEEE 802 standards are split into three main areas: (1) 802-3, a carrier-sense multiple-access with collision detection (CSMA/CD) system, based on the design of the Ethernet system; (2) 802-4, a token-passing bus network, and (3) 802-5, a token-passing ring network. The latter is especially interesting to industry observers since IBM is its strongest advocate in committee and public technical discussions. Each of these fundamentally different schemes has at least three or four alternatives. which vary such parameters as data rate, transmission medium, distance traversed, and modulation and encoding techniques used. For example, within the token ring scheme, there are four variations of speed (1, 4, 10, and 20 million bits per second) using two different types of cable (150-ohm twinax, or a bundle of three lines of 75-ohm coax).

It is likely that the American standards for the lowest levels will be adopted during 1983. The years of work that went into the standardization process thus far are a portent of even more complex activity needed to standardize at the higher levels of networking protocols. Some companies, like Xerox, have published the standards they have adopted for their own products, and this encourages other companies to do the same. The National Bureau of Standards has proposed a series of higher-level protocols for the transport level and electronic messaging.

For users of networked office systems, this is an unfortunate state of affairs since they are primarily interested in the Application Level. Users want to move information from system to system, have it shared between machines with different internal hardware, and be able to display graphs on a variety of screens with different qualities and features. No doubt this capability is the ultimate goal of

Starts now at \$775.

The ultimate under \$1000 printing machine.



Save the expense of a costly daisy wheel. Eliminate the limited capability of cheap matrix printers. And get plotting in the process!! Get the all new, advanced MT 160 multifunctional micro printer. You'll be amazed that such a small printer can house so much horsepower.

Capability? You name it, this printer's got it. A resident Report Package puts you in the Word Processing world...letter quality characters, proportional spacing, margin justification, auto centering. A resident Graphics Package lets you plot whatever your micro wants to portray. The standard print mode lets you generate reports fast-speeds up to 200 lines per minute. Also, print eight different resident character widths.

There's more. Clip-on paper handling attachments let you use fan-fold forms, letterhead, cut sheets or continuous roll paper. The control panel has a "menu select" for machine configuration. When you look under the hood, you'll see what is meant by "solid construction." And the MT 160 is

plug compatible to your micro.

Tally has the printers for today that you won't outgrow tomorrow.

Mannesmann Tally, 8301 South 180th Street, Kent, Washington 98032. Phone (206) 251-5524.

MANNESMANN TALLY

Computer printers manufactured in the U.S. and Europe for world wide markets.

IN DISTRIBUTION NOW!

WEST Anacomp (206) 881-1113 Byte Industries (415) 783-8272

PGI Distribution (602) 967-1421 Waybern (714) 554-4520 Western Micro Systems (408) 725-1660 Acom Data Products (303) 779-8644

CENTRAL Information Systems (312) 228-5480 D. L. MacNeil, Inc. (312) 952-8300 Sysprint (214) 669-3666

Tek-Alds (312) 870-7400

Computermaxx (904) 878-4121 Digital Solutions (404) 955-4488 Micro Distributors (301) 468-6450 Hansen & Hughes (201) 652-7055 CPI (315) 476-6664

Tech Data (813) 577-2794 US Plus (203) 234-0444 Mannesmann Tally Canada (416) 661-9783 Nation-wide Hall-Mark Electronics (214) 343-5000 Kierulff Electronics (2213) 725-0325

Circle 274 on inquiry card.

standards activities for LANs, yet the prospects for resolution appear to be years away.

Office systems buyers should, therefore, not anticipate that a local area network will make it possible for their IBM Displaywriter to talk to their Wangwriter and then to their CP/M machine without the addition of special programs and services to make it possible. Similarly, the adoption of electrical standards, whether by official committee or de facto

adoption, does not solve the fundamental difficulties inherent in handling a variety of computers, with different operating systems, languages, and databases. Local area networks expose these problems to the harsh light of day; they are not responsible for having caused them.

Cost and Acceptance in the Office

For a wide range of applications, community microcomputing solu-

tions are far more economical than conventional multiuser minicomputer approaches. Community networks are less expensive to purchase and, due to lower overhead, less expensive to operate. Fitting easily within existing office environments, community networks are less expensive to install than dedicated computer facilities.


More than price alone separates the personal computer local area network solution from traditional computing systems. To achieve productivity gains, workers must accept a system rather than resist it. Using familiar personal computers as workstations significantly aids in that acceptance. If a LAN functions transparently, the users see the network as an extension of their own personal environment rather than as a complex distributed data-processing system in which they feel like mere "nodes." The users feel that they are controlling their environment, not being controlled by it. This feeling of control and individuality by the user is the single most important difference between traditional systems and community microcomputing systems.

This article does not attempt to completely survey the available local area network hardware and software for personal computers in office applications. Instead, I will try to give several particular illustrative examples and let the interested readers follow up directly with their local computer vendor or by study of the references.

First, let's look at some of the microcomputer vendors who have gone ahead and designed their own proprietary networks for their own machines.

Proprietary Networks

Apple Computer Inc. recently announced a network for Apple products but has not delivered actual hardware and software or complete details on it yet. Applenet is described as a 1-megabit-per-second network, connecting as many as 128 stations over at most 2000 feet. It uses a twinax cable, which runs between a series of transformer-coupled boxes that permit as many as four stations to tap in at a time to the main bus. A



Leading Edge Z-80, S100 Distributed Processing. \$475.00

Memory transfer rates of 517Kbytes/second, direct memory access, memory mapping and host to slave requests via interrupt control make the CPS-MX fast. And easy to integrate. Fully compatible with TUR8Odos™, Intercontinental Micro System's slaves are available in four versions: synchronous or asynchronous serial port, 4Mhz or 6Mhz. The choice is yours. The CPS-MX also allows the bus master to utilize slave memory at the user's discretion. The slave then acts as a 64K RAM card.

The CPS-MX is also easy to integrate with Intercontinental's full line of \$100 products:

CPZ-48000 SBC single board computer with 64K on board RAM, 4 I/O



channels, memory management, on board floppy controller, DMA and vectored priority interrupts; and 256K bank selectable or contiguous memory.

A complete line of personality boards allow easy interface to anything from a floppy to a winchester, including modems and printers, and don't take up any S-100 bus space.

Best of all is the price. The CPS-MX starts at \$475.00. That's right, up to 65% less than what you have been paying for products that may not measure up.

Call Intercontinental Micro Systems today.

We'd like to send you information
on the S-100 slave alternative.

SEECRO INSIDES CONTRACTOR

1733 South Douglass Road, Suite E, Anaheim, California 92806 (714) 978-9758 Telex: 678401-TAB-IRIN TURBOdos is a trademark of Softwaris 2000. Inc.



YOUR IBM® PC

Tallgrass Technologies is the industry leader in

Winchester HardFileTM and streaming tape subsystems for the IBM® PC. Fortune 500 corporations, banks, governmental agencies, and small businesses throughout the world depend on Tallgrass HardFile subsystems for their mass storage and backup requirements.

Tallgrass offers formatted capacities from 6.25 Mb to 70 Mb with integral streaming tape back-up. Our proprietary disk/ tape controller with integral 10K track buffer optimizes read/ write activity and, coupled with our DMA host interface, offers high performance previously unavailable with 51/4" disk systems.

Tallgrass offers backup on ANSI standard 1/4" tape cartridges, instead of the usual floppies, video cassettes, or low-capacity removable Winchester devices. The Tallgrass 12.5 Mb formatted Hardfile can back itself up on a \$39.95 data cartridge in less than 10 minutes!

WHAT ABOUT DATA INTEGRITY?

Exclusive Canadian Distributor: Micro-WareTM 440 Phillip St.

Waterloo, Ontario N2L 5R9

(519) 884-4690

with a dedicated landing zone where the read/write heads land. This protects against incidental damage and data loss during power-downs and transportation.

TALLGRASS IS UNSURPASSED

We've done our homework in engineering and building a reliable HardFile subsystem with remarkable performance and convenient backup for the most stringent on-line mass storage and off-line archival requirements.

From \$3095 including integral tape backup. Available from COMPUTERLAND® and other participating computer dealers.

> Exclusive European Distributor: CPS Computer Group, Ltd. Birmingham, England B27 613H (021) 7073866



11667 W. 90th, Overland Park, KS 66214, (913) 492-6002

TWX: 215406 TBYT

spokesperson stated that Apple expects the networking hardware to sell for less than \$500 per station and be available at the end of 1983. Although the network was announced as part of the new Lisa computer, Apple stated that Applenet will also be available for the Apple II and III machines. No details were given on the kinds of hardware or software services that will be made available with Applenet.

Altos Computer Systems introduced its own Altosnet during 1982. This system can connect together as many as 32 stations at a data rate of 800K bits per second. Each system attachment costs \$295. Currently, Altosnet appears to be available only for the interconnection of more than one Altos multiuser (Xenix) system to another. It cannot be used to network independent single-user personal computers at this time.

Digital Microsystems has been one of the pioneers in this field, providing the Hinet system. It connects as many as 32 users at 500K bits per second, by a maximum of 1000 feet of multiwire ribbon cable. Digital Microsystems has recently introduced a series of special workstations, specifically for use on its network, which do not incorporate local disks. This is one of the first network-only workstations available in the microcomputer world.

North Star Computers provides the Northnet system for its Advantage microcomputer. This system supports CP/M-only applications and permits the sharing of resources in a 4000-foot end-to-end network. The network runs at 1 megabit per second and costs approximately \$400 per station.

Cromemco Inc. provides its own C-Net, which is a twinax-cabled system running at 500K bits per second. It costs more than \$1000 per user if an interface is dedicated to each workstation but drops to less than \$500 if shared among 5 or more users.

Vector Graphic developed its LINC (local interactive network communications) system, which is a token-passing network, running at 750K bits per second, over two twisted-pair cables. As many as 16 stations can be connected over a

2000-foot distance, at a cost of about \$750 per station. An enhanced version of CP/M is provided for network access.

Nonproprietary Networks

Only a few networks were developed by a computer vendor and then subsequently adopted by a number of other companies for their own use. There are three prime candidate networks in this area: the Corvus Omninet, Xerox Ethernet, and Datapoint ARCnet (attached resource computer network).

The Omninet system is designed for educational and small-business markets. As many as 64 stations can be connected to a 1000-foot cable. Repeaters can be used to extend the cable length to as many as 4000 feet.

The three prime candidates for standard networks are the Corvus Omninet, Xerox Ethernet, and the Datapoint ARCnet.


Omninet transmits data at 1 megabit per second, and a variety of microcomputer interfaces is available from Corvus Systems Inc. The interfaces range in cost from about \$500 to \$750. Corvus has worked with several computer vendors and licensed the technical details to them for use with their own offerings, Some examples of these companies are Dictaphone, Onvx, NCR, and Texas Instruments. Corvus also offers the simpler Multiplexer that shares time on the peripherals and uses the same high-level Constellation software that Omninet does, Corvus now manufactures its own office workstation, known as the Concept, which comes with a network interface as a standard feature.

Xerox Corporation has developed and licensed its own networking system, Ethernet, with the support of Intel, Digital Equipment Corporation, and many other manufacturers. Ethernet communicates at 10 megabits per second and can connect as many as 1024 stations attached to a series of segments that span as much as 7600 feet. Each station is given a unique 48-bit address, and Xerox provides a means of coordinating addresses and protocols on a worldwide basis. The Ethernet scheme provides the technical basis for one of the three IEEE committee standards. Due to the very early availability of the technical details from Xerox, Ethernet achieved a large measure of de facto acceptance prior to any formal adoption. Xerox has also released many of the details of the higher-level protocols, the Xerox Network Systems, that it uses throughout its network products: this, too, has led to significant de facto standardization to

Due to Ethernet's high performance and tight technical specifications. Ethernet controllers have been more expensive than other offerings. The recent production of custom very large scale integration (VLSI) chips has lessened the disparity, and the 3COM Corporation has introduced an Ethernet controller for the IBM PC. with a price of \$950 per station. The 3COM Corporation also offers a shared hard disk, Ethershare (\$11,500), and software packages to use with it. Etherprint (\$750) enables several users to share printers, and an electronic mail package, Ethermail (\$1500), provides sophisticated office communication for as many as 1024 users. The 3COM Corporation has agreed to provide Ethernet controller cards to Apple for use in all Apple's personal computers, including the Lisa, and also supplies controllers on an original equipment manufacturer (OEM) basis to companies such as Altos Computers and Digital Equipment Corporation.

Datapoint Corporation introduced its ARCnet system for linking together its own series of office equipment products beginning in 1977. Since then the product has expanded and, due to the thousands of systems being sold, was reduced to VLSI circuitry early. These circuits are available without any licensing fees or restrictions from their manufacturers, which is a more open stance than that taken with the previous two systems. ARCnet communicates at 2.5 mega-

Tek's most successful scope series ever: At \$1200-\$1450, it's easy to see why!



In 30 years of Tektronix oscilloscope leadership, no other scopes have recorded the immediate popular appeal of the Tek 2200 Series. The Tek 2213 and 2215 are unapproachable for the performance and reliability they offer at a surprisingly affordable price.

There's no compromise with Tektronix quality: The low cost is the result of a new design concept that cut mechanical parts by 65%. Cut cabling by 90%. Virtually eliminated board electrical connectors. And eliminated the need for a cooling fan.

Yet performance is written all over the front panels. There's the bandwidth for digital and analog circuits. The sensitivity for low signal measurements. The sweep speeds for fast logic families. And delayed sweep for fast, accurate timing measurements.

The cost: \$1200* for the 2213. \$1450* for the dual time base 2215.

You can order, or obtain more information, through the Tektronix National Marketing Center, where technical personnel can answer your questions and expedite delivery. Your direct order includes probes, operating manuals, 15day return policy and full Tektronix warranty.

For quantity purchases, please contact your local Tektronix sales representative.

Order toll free: 1-800-426-2200 Extension 54

In Oregon call collect: (503) 627-9000 Ext. 54

*Price FO.B. Beaverton, OR. Price subject to change



The next generation ISAAC/Apple



Important advances in the proven lab computer.

Apple is the world's most popular personal computer. Now the ISAAC/ Apple is the world's most flexible, most accessible, most useable laboratory computer system.

More than a thousand ISAACI Apple Laboratory Computer Systems are already at work, handling hundreds of applications in laboratory, electronic test and process control environments. Now this enormously successful system has been significantly improved.

To begin with, the system uses either the Apple II Plus or the new Apple IIe, with improvements like expanded 64K memory, easier-to-use keyboard, and enhanced operating system. Then there are new ISAAC enhancements: expanded software, new hardware and new flexibility.

Softening a hard job.

Your work is demanding enough already. You shouldn't have to struggle with software. So ISAAC's LabSoft extended BASIC has been made even more powerful with no sacrifice in ease-of-use, and convenient new utilities and application programs have been added. For example, there's a new high-speed data acquisition utility and a program that makes formatting graphs a breeze.

Then there are menu-driven "no programming" software packages for thermocouple data logging (DATA-TEXT) and chromatography data handling (CHROMATEXT), and software for communications to host or other personal computers.

No software anywhere works better in the lab. And, of course, no other software offers you the important advantage of Cyborg professionals ready to assist you in configuring and supporting the best system for your individual application.

Hardware that makes getting started easy.

The new modular ISAAC Model 41A now joins the full-featured Model 91A in Cyborg's line. When you choose the 41A, you can buy only the components your specific application requires, meaning entry-level prices are lower—as low as \$4,000 including the Apple Ile. You can then add expansion modules—A/D, D/A, Binary I/O and more—as you grow.

Then there's the new Data-Mem Card, a 147K memory buffer. It frees more of the Apple's internal memory for your programs and data. And there's a remote input system for pre-amplification of signals from thermocouples (K, J, T and others), RTDs, strain gauges, instruments and any other digital or analog signal. It can handle just one instrument or as many as 256 channels, at distances up to 50 feet.



Your laboratory solution.

The computer's impact on the laboratory is no longer a matter of conjecture. Everywhere, computers are bringing new speed, accuracy, and ease of use to data handling and storage.

And now Cyborg, the recognized leader in personal laboratory computer systems, introduces a new generation ISAAC/Apple system, adding flexibility, affordability and even more computer power.

If you want more from your instruments or sensor-based systems, you should have ISAAC/Apple working for you.

And the very first step in that direction is to find out more. Call, write or check the reader service number below, and we'll rush you information that can bring your laboratory into the computer age.

55 Chapel Street, Newton, MA 02158, (617) 964-9020, (800) 343-4494



bits per second, and as many as 255 stations, as far as 4 miles apart, can be connected at a time. ARCnet is a bus-oriented system, i.e., any station can communicate to any other without intervention. But the electrical connection is made (every 2000 feet) through a starlike amplifying and isolating device; thus the physical topology resembles a star or treelike form. The form of access control used is a token-passing scheme, which is a ringlike logical connection.

The issue of installed cabling may be critical in decisions about adopting a network, as was pointed out in the discussion about PBXs earlier in the article. ARCnet uses the standard IBM 3270 coaxial and connectors for its cabling scheme, thus taking advantage of the wealth of field experience and quantity of installed cable (more than 1 million offices). Rather than costing about \$1000 per station, as in Ethernet, ARCnet interfaces range from \$400 to \$600.

ARCnet has been adopted by two other companies to date in the microcomputer arena. Tandy Corporation announced that it will provide ARCnet capability for its Model II and Model 16 products. Tandy will provide a series of shared disk systems and the necessary software for office use.

Nestar Systems provides its PLAN (Personal Local Area Network) 4000 series products, which use ARCnet for their electrical network interconnection. Nestar chose to adopt another de facto standard at the same time, namely, the Xerox Network System (XNS) protocols (Levels 3 to 5), which are used by many Ethernet implementations. This permits the eventual easy interconnection between ARCnet and Ethernet for Nestar products, as well as the use of many XNS-based software products in an ARCnet hardware base.

Nestar's PLAN 4000 system interconnects IBM PC, Apple II, and Apple III workstations. Software is provided to permit each of these machines to operate in one of several different local-operating-system environments, rather than restricting the user to one particular choice. This may be important in permitting users

to select their environment based on the available application software, and not the other way around.

Nestar, like Xerox and Datapoint, provides a fairly complete set of surrounding hardware and software offerings to add to the basic networking equipment. This includes such capabilities as sharing disks, printers, a multitude of mainframe communications packages, electronic mail, etc.


Who's Missing?

The overview here is partial. Undoubtedly by the time this article is in print, there will have been significant changes in the networking industry. In particular, the offerings from IBM have not yet been unveiled. Once done, we can expect to see many companies shift swiftly in its direction.

The crucial question has to do with activities in the operating system and application software arena. Will we see true embedding of network primitives in the operating systems produced by such companies as Microsoft, Digital Research, and Softech Microsystems? (Digital Research has introduced the CP/NET system, but it has not been an outstanding success as measured by the number of networking companies that prefer to develop their own network-based CP/M support.) And which programs will take advantage of the multiuser database aspects of networks? Will the vendors of software packages trust the security and protection mechanisms of microcomputer-based local area networks? Who will sell networking systems-local computer retailers or specialty houses that work only in selected vertical markets?

Summary

Local area networking of personal computers in the office is a complex subject. The number of solutions offered are bewildering to purchasers of such systems, and it looks as if the product proliferation will continue for some time before any true coalescence occurs. Standardization is a slow process, and the real problems have yet to be addressed. At this time, users need to work closely with



Improve your present computer system with a high-resolution color monitor from NEC.

For superior color and clarity, you can hardly do better than NEC's JC-1212 Color Monitor. Use it to get a better picture on your present system or a truly first-rate picture with a complete NEC computer system. The JC-1212 is compatible with Apple II, Apple II+*, Atari 800 and 400*, VIC 20*, and others, including NEC's own NEC TREK (PC-6000).

Compare these specs with your present monitor:

90-degree deflection

Polarity Sync. negative

15.75 kHz x 60 Hz scanning frequency

40-character, 25-line display

Resolution of 250 lines at center

*Special interface required



Productivity at your fingertips

NEC Home Electronics (U.S.A.), Inc. Personal Computer Division 1401 Estes Avenue Elk Grove Village, IL 60007 (312) 228-5900 Nippon Electric Co., Ltd., Tokyo, Japan



A personal computer without communications, is like a car without gasoline. It can't go anywhere.

It needs a special telephone (called a modem), to get you communicating with other computers. Across the city. Or the entire country.

Whether you're swapping programs with friends or club members. Working at home and sending reports to the office. Or taking advantage of a wealth of information from any of the networks or information utilities. Telecomputing greatly expands the world of your personal computer.

And Hayes provides the communications link. Smartmodem 300, and the faster Smartmodem 1200, work with any computer with an RS-232C I/O port. Plugging your computer directly into the phone system, they allow you to communicate over ordinary phone lines with computers and terminals anywhere in America.

But any modem will send and receive data. A Hayes Smartmodem

also dials, answers and disconnects calls. Automatically. And it does this without going through the telephone receiver, a design feature that makes it far superior to acoustic coupler modems.

Choose your speed, choose your price. Hayes Smartmodems are available at two different speeds and price levels. The lower-priced Smartmodem 300 is

ideal for local data swaps and communicates at 300 bps.

For longer distances and larger volumes. Smartmodem 1200 operates at 1200 bps or up to 300 bps, with a built-in selector that automatically detects transmission speeds.

Both modems work with rotary dials, Touch-Tone* and key-set systems. We've even included an audio speaker and indicator lights so you can monitor the communications process. Smartmodem 1200 has an additional indicator light that detects high-speed transmission. And, unlike many modems, both Smartmodems operate at full or half duplex, for compatibility with most time-sharing systems.

At Hayes, all of these "extras" are standard. We've built our reputation on superior quality. Excellent documentation. A limited two-year warranty. And a wide range of software support. Including our own hot-selling Smartcom II™ communications software for the IBM** PC. making Smartmodem 300 and 1200 even easier for you to use.

See your computer dealer today for

a demonstration.
Then break out of isolation. Get a Hayes telephone for your computer.

Hayes Microcomputer Products, Inc., 5923 Peachtree Industrial Blvd., Norcross, Georgia 30092, 404/449-8791.

Smartcom II is a trademark of Hayes Microcomputer Proucts. Inc.

*TIM American Telephone & Telegraph
**IBM is a registered trademark of International
Business Machines. Corp.

©1983 Hayes Microcomputer Products. Inc.
Sold only in the U.S.A.

Circle 212 on inquiry card.

those vendors and their representatives who are well trained, knowledgeable, and dedicated to the field of networking. It is not as simple as plugging in a card, much as one would plug in a printer interface or memory expansion board. In spite of the complexity, personal computer local area networks are being used for some truly exciting applications, but, for the moment, they are not available as off-the-shelf products. Community microcomputing, the merger of personal computers and local area networking, is becoming a standard offering of most microcomputer vendors, but only a few have recognized the advantages of adopting standards and have avoided

the pitfalls of the invent-your-own approach. True office local area networking is still a dream to be fulfilled.

References

- Davis, George R., ed. The Local Network Handbook. New York: McGraw-Hill, 1982.
- Saal, Harry J. "Local Area Networks: Possibilities for Personal Computers." BYTE, October 1981, pages 92-112.
- Shotwell, Robyn. The Local Computer Network Vendor List. San Francisco: Shotwell and Associates, 1982.
- Thurber, Kenneth. The LocalNetter Designer's Handbook. Minneapolis, MN: Architecture Technology Corporation, 1982.
- Wolfberg, N.E., ed. The Ethernet Handbook. San Francisco: Shotwell and Associates, 1982.

Vendor	Product	EXO Corporation E	XO/NET
		1265 Montecito Ave.	
Action Committee	DPC/NET	Mountain View, CA 94043	
Action Computer Enterprises Inc.	DPC/NEI	(415) 969-8624	
55 West Del Mar Blvd.			
		Nestar Systems Inc. P.	LAN 4000
Pasadena, CA 91105		2585 East Bayshore Rd.	
(213) 793-2440		Palo Alto, CA 94303	
		(415) 493-2223	
Apple Computer Inc.	Applenet	(120) 200 2000	
20525 Mariani Ave.		North Star Computers Inc.	Northnet
Cupertino, CA 95014		14440 Catalina St.	rvortmet
(408) 996-1010		San Leandro, CA 94577	
(100/ 770-1010			
		(415) 375-8500	
Altos Computer Systems	Altosnet	m 1.6	ARC
2360 Bering Dr.		Tandy Corporation	ARCnet
San Jose, CA 95131		1800 One Tandy Center	
(408) 946-6700		Fort Worth, TX 76102	
		(817) 390-3300	
Corous Systems Inc.	Omninet,	20014 6	Pate have suite in
2029 O'Toole Ave.	Multiplexer		therseries
San Jose, CA 95131		1390 Shorebird Way	
(408) 946-7700		Mountain View, CA 94043	
100) 710 7700		(415) 961-9602	
	G.11.	Tri-Data	NNET
Cromemco Inc.	C-Net		14145.1
280 Bernardo Ave.		505 East Middlefield Rd.	
Mountain View, CA 9404	10	Mountain View, CA 94043	
(415) 964-7400		(415) 969-3700	
		Vector Graphic Inc.	LINC
Datapoint Corporation	ARCnet	500 North Ventu Park Rd.	LIIVC
9725 Datapoint Dr.		Thousand Oaks, CA 91320	
San Antonio, TX 78284		(805) 499-5831	
(512) 699-7151		1003/ 477-3031	
		Xerox	Ethernet
	Hinet	Office Systems Division	
Digital Microsystems	4 20106 \$	1341 West Mockingbird Land	9
Digital Microsystems			
1840 Embarcadero			
		Dallas, TX 75247 (214) 689-6000	



Read the fine print.

Improve the output of your present system with a dot-matrix printer from NEC.

For good-looking copy in a hurry, it's hard to beat NEC's hard-working PC-8023A. This is a bi-directional 100 CPS, 80-column printer that can operate in a compressed-print mode to yield 132 columns. Special 2K buffer holds a page of data, so the unit can print while you're typing in something else. Compatible with a wide range of computers, from Apple' to Zenith's.

Compare these features with your present printer:

Tractor and friction feed

Complete ASCII characters plus Greek, math, and graphic characters

Elite, pica, compressed print, proportional spacing, subscript and superscript

Standard parallel Centronics interface, serial optional

Prints clear original and up to three copies simultaneously

*Special cables may be necessary. Contact your local NEC Home Electronics dealer




Productivity at your fingertips

NEC

NEC Home Electronics (U.S.A.), Inc. Personal Computer Division 1401 Estes Avenue Elk Grove Village, IL 60007 (312) 228-5900

Nippon Electric Co., Ltd., Tokyo, Japan



"I chose TeleVideo's Personal Computer for all the things IBM left out."

I didn't choose TeleVideo because it's \$1,000 less than IBM.* It was because TeleVideo thought of everything.

To begin with, my TeleVideo has twice as much storage capacity as IBM, even with the extra cost IBM disk drive. I can

use that extra capacity.

My TeleVideo came with a big 14" screen that's easier to read, and it tilts for the extra comfort that's so important when you use a computer as much as I do. With IBM, you pay more for a smaller 12" screen that doesn't tilt at all.

Another thing I like. TeleVideo's keyboard is so lightweight and comfortable my fingers hardly know they're working. IBM's keyboard? It's a little behind the

times.

TeleVideo also gave me the choice of popular CP/M® or MS-DOS® operating systems—FREE—so I can pick from thousands of proven software programs. You can get the same option from IBM, but you have to pay for the privilege.

Last but not least, TeleVideo's network capabilities give me a real growth path

for the future, linking up to sixteen computers in one powerful network. You can't get that from IBM.

So before you choose any personal computer, do like I did and compare. You'll see that TeleVideo gives you a lot more computer for a lot less money. And you'll buy TeleVideo because they didn't leave anything out.

For more information, write TeleVideo Systems, Inc., 1170 Morse Ave., Sunnyvale, CA 94086, call toll-free 800-538-1780 (In California call 800-672-3470 Ext. 945), call one of our authorized distributors or dealers, or contact one of our regional sales offices, listed below.

Northeast Region, 617-369-9370
Eastern Region, 703-556-7764
Southeast Region, 404-447-1231
Midwest Region, 312-969-0112
South Central Region, 214-258-6776
Northwest Region, 408-745-7760
Southwest Region, 714-752-9488
European Sales (Holland), (31) 075-7461
UK/Scandinavia Sales, (44) 0908-668-778
Title Video Systems are fully servood nationwide by TRW

*Based on manufacturer's suggested retail prices for comparably equipped compute



Circle 448 on inquiry card.

Hardware Review

The Fortune 32:16 Business Computer

A multiuser, multitasking system that runs enhanced Unix.

Steven H. Barry
Systems Research Laboratories Inc.
6231 Leesburg Pike, Suite 300
Falls Church, VA 22044

The Fortune 32:16 has garnered its share of publicity as the first well-integrated Unix-based computing system for about \$5000. "Under \$10,000" might be more accurate, but at any rate the system has several unique and interesting features. User-friendly, the Fortune is directed at the first-time business computer user. In this review I'll describe the system's features, cost, performance, and product support and take a look at the For:Word word-processing program.

An Overview

The basic Fortune 32:16 is housed in three cabinets—the processor unit, the keyboard, and the video display unit (see photo 1). The processor unit contains a Motorola 68000 microprocessor that runs at 6 MHz, 256K bytes of memory (expandable to 1 megabyte of main memory), and a video-display controller board. The system can presently support a four-port serial-terminal controller and a microprocessor-based intelligent-terminal controller. In the future it will support these peripheral controllers as well: an optional storage-module disk interface, a parallel device interface, a high-resolution graphics board, and an Ethernet local-area network board. A console keyboard and video interface are standard, as is an RS-232C serial interface, which is often used for a serial printer.

The unit also contains a programmable-array logic IC (integrated circuit) and PROM (programmable read-only memory) used for loading the operating system,



Photo 1: Fortune's 32:16 computer system. The processor unit and keyboard and video display for a single user are shown.

software-security and operating-system parameter tables (parts of which can be modified by the user), and magnetic-disk storage controllers and drives.

The detachable console keyboard is connected to the front of the processor unit by a 4-foot coiled cord with a modular jack. The keyboard is a close cousin of the one found on Wang Laboratories' word-processing systems, but it has a total of 99 keys, including a 15-key numeric keypad. These are well arranged and color-coded., A Help key provides access to online help pages at nearly any stage of operation. Sixteen programmable function keys, which are used by Fortune-supplied application programs, are available for user-developed programs. The keyboard provides adjustable auditory feedback, good tactile feedback, and two speeds of automatic repeat when a key is held down.

About the Author

Dr. Barry is a senior scientist with Systems Research Laboratories Inc., working on state-of-the-art personal workstations.

TECMAR'S GRAPHICS MASTER."

It adds graphics to your IBM Monochrome Display, or 16 high-resolution colors to your color monitor!



Now your IBM-PC can run monochrome or color displays with remarkably enhanced graphics... and all from this one multifunction board — no other video board needed!

With your IBM Monochrome Display, the Graphics Master™ board gives you truly high resolution graphics, allowing 640 horizontal x 350 vertical pixel display.

With other monochrome display screens you can obtain even higher resolutions—up to 640 H x 480 V, with full-page 80-character x 60-line text display.

With a color monitor, it extends your color graphics to 640 horizontal x 400 vertical 16-color interlaced display.

Graphics Master ** accepts external sync, so you can add labeling to images. You can overlay characters or other computer-generated images on a video picture using the PC-Mate** Video Cassette Recorder Controller.

This remarkable new board fully supports all IBM advanced BASIC color graphics functions.



Computer, call or write for the latest catalog of PC-Mate™ peripherals from Tecmar.

TECMAR The Next Step

Personal Computer Products Division 23600 Mercantile Read Cleveland, Ohio 44122 Phone 216-464-7410/ Jelex 241735

At a Glance

Fortune 32:16 computer system

Manufacturer

Fortune Systems Corporation 300 Harbor Blvd Belmont, CA 94002 (415) 593-9000

Price (suggested retail)

Single floppy-disk-based, single-user system: \$4995 Dual floppy-disk-based, single-user system \$5990 5-megabyte hard disk, one floppy disk, single-user system: \$8990 10-megabyte hard disk, one floppy disk, single-user system: \$9990 20-megabyte hard disk, one floppy disk. single-user system: \$10.990

Dimensions

Processor unit: 5.8 by 13.9 by 22.3 inches, 30 pounds Console video display: 12.9 by 13.7 by 12.3 inches, 12 pounds. connected to rear of the processor unit with a 4-foot coiled cord with a modular jack.

Keyboard. 2.2 by 6.3 by 22.3 inches, 6 pounds, connected to the front of the system unit by a 4-foot coiled cord with modular

Description

Fortune 32:16 computer: Motorola 68000 microprocessor. 6-MHz system clock. Minimum 256K bytes of memory, 1.0-megabyte maximum. Five memory slots (one for error checking and correction board), five I/O option slots. Standard interfaces: disk control, video terminal control board, senal line printer RS-232C, and console keyboard and display 99-key, detached, color-coded. business-style keyboard with numeric keypad. 16 function keys. Help and Cancel/Delete keys. 12-inch green-phosphor display with 80-column by 24-row display format, 9-by 20-dot-matrix character cell, with till and swivel mount

Disk Storage

One or two disk options housed within the system unit. Hard disks: 5-, 10-, or 20-megabyte stepper-motor head positioner drives (approx. 75 ms average access time). Floppy disks: 800K-byte capacity, 96 tracks per inch, double sided. Additional disk storage in expansion cabinet: \$750° (holds up to two devices). Additional 5-medabyte disk: \$1995. Additional 10-megabyte disk: \$2995. Additional 20-megabyte disk: \$3995

Magnetic Tape Cartridge

20-megabyte cartridge-tape drive with integral controller in expansion cabinet, \$3550°. May be ordered with a disk drive (see above for prices)

Operating System

Unix, version 7 with Fortune, University of California, Berkeley, and a small number of System III enhancements. Multiuser capabilities are available for \$495. The Fortune-developed user interface (i.e., shell) as well as the Unix pseudostandard Bourne shell are available to the user. Standard Unix file-system structure allows essentially unlimited nesting of user directories. Fortune has implemented file, page, and record locking features. File system and software integrity checking is executed at start-up and shutdown

Software

Business-accounting software available. Order processing and inventory control: \$595" Accounts receivable \$595 Purchase orders: \$395. Accounts payable: \$595. Payroll. \$595. General ledger: \$395. For word: \$495. For word Plus: \$795. Idol database-management system. 5595* Multiplan spreadsheet. \$295 Business BASIC' \$295. C language, FORTRAN-77, and Pascal* \$495 each. Two types of COBOL - Type 1 \$495 runtime environment, \$795 compiler. Type 2: unpriced at this time Fortune operating system development tools \$495

 Denotes items that are near release or planned for release at this Writing.

The separate 12-inch (diagonal measure) video monitor has a green-phosphor screen with medium persistence and displays 80 columns by 24 rows. Characters are formed in a 9 by 20 pixel (picture element) cell. A set of up to 288 different characters can be displayed, including a subset of the AT&T videotex character set. The display's several video attributes include blink, inverse video, and bright fields.

The monitor is mounted on a sturdy, but too low, pedestal that permits easy tilt and swivel adjustments. The video display is connected to the rear of the processor unit by a 4-foot coiled cord and a modular jack.

The Fortune 32:16 comes with three hard-disk storage options: the disk controller can handle up to four 5-, 10-, or 20-megabyte disk drives. All hard-disk configurations come with a single 514-inch double-sided double-density 96-track-per-inch (800K-byte) floppy-disk drive. The floppy-disk drive is used for backup and for removable storage of data and programs. All software releases are on floppy disks. The processor's cabinet can accommodate only two such mass-storage devices. An optional disk cabinet will be available to house additional hard- or floppy-disk drives or a 20-megabyte cartridge-tape unit.


Depending on the user's needs, the system software, languages, and application programs may consume between 3.0 and 6.2 megabytes of disk storage. Thus a business with multiple users would be wise not to consider a system with less than 10 megabytes of hard-disk storage, Memory is also an important resource in Unix systems; it makes good sense to provide plenty of RAM (random-access read/write memory) to avoid excessive swapping to the disk.

Cost

A practical small multiuser configuration would be what Fortune Systems Corp. calls a System 10 (it has a 10-megabyte hard disk with the system keyboard and video monitor, one 800K-byte floppy disk, and 512K bytes of memory) and a four-port serial communications interface. Together with the multiuser-system software upgrade, this configuration will cost \$11,980-that's without terminals or application software. The lowestcost hard-disk-based single-user system is \$7990 (a promotional price, \$1795 less than list price), including the system keyboard and display, a 5-megabyte hard disk, the For: Word word-processing package (soon to be

ANNOUNCING THE ACCELERATOR II

Make your Apple[®] II run 3.6 times faster with VisiCalc[®],
DB Master[®], Applesoft, Apple Fortran, Pascal, and much more!
Eliminate those long delays in recalculating VisiCalc models, etc.
Just plug in the Accelerator II, and make your Apple
one of the most powerful microcomputers available.





The Accelerator II: Based on a fast 6502 processor with 64K of high-speed memory. Includes built-in fast Language card. Hardware compatible with all standard peripherals. Transparent operation with Apple II software. Special pre-boot diskette included to run Applesoft, PASCAL, and Integer Basic from high-speed RAM. Suggested retail price: \$599

SATURN SUSTEMS

P.O. Box 8050 Ann Arbor, Michigan 48107 (313) 973-8422



Photo 2: Editing sample text with For: Word. Note the status line at the top of the screen; it shows what page is being worked on, where the cursor is positioned, and where the tabs are.

dubbed Fortune:Word, to avoid legal hassles with another company), and a certificate for the advanced (but as yet unavailable) For: Word Plus. Programming languages, programmers' "tools," screen-oriented editors, communications software, and application programs such as accounting and graphics are all available for extra cost (see "At a Glance"). Single-user floppydisk-based minimum systems have been announced at \$4995 and \$5990 for one or two floppy-disk drives. respectively, but neither system is presently available. I have not used a floppy-disk-based Fortune system, so I won't comment on its utility and performance. But I will note that "standard" Unix uses both disk and memory aggressively. Based on my experience with other Unix systems and with several popular but less sophisticated and flexible floppy-disk-based CP/M systems, I am pessimistic about the performance of a floppy-disk-based Unix system.

Fortune Word Processing

One of the Fortune 32:16's most attractive features is the application software now available or planned for the near future. Word processing in particular is often cited as important for a small-computer user. The For:Word package is a close copy of the excellent Wang Laboratories system. Where differences can be found, they are either enhancements, trivial, or due to a bug. The Wang system is nearly bug-free (we have one in our office, and it was a major factor in our choice of the Fortune 32:16). The Fortune program is not bug-ridden, but it is recognizably new.

In general, the Fortune word processor compares favorably with popular alternatives for personal com-

puters. The extensive use of labeled function keys makes learning and using the system far easier than other popular programs such as Wordstar. For:Word, like Wang's editing system, is an early approach to a what-you-see-is-what-you-get word processor.

Wordstar does a better job with word wrap, pagination, and line-by-line justification on the screen, but For:Word's printer justification is better. For:Word also does a much better job with printing, hyphenation, formatting, searches, tabulation, and advanced features. Extensive use of screen attributes makes bold print and underlines quite clear. For:Word doesn't handle superscripts and subscripts as well; the material to be half-line shifted is surrounded with vertical arrows. That's much better than Wordstar, but it doesn't make things as nice as a true what-you-see-is-what-you-get system such as the Xerox 8010 Star word processor or Apple's Lisa.

Printing on the For:Word is accomplished by a postprocessor that takes, in our application, from 10 to 40 seconds, depending on file length and system loading to execute before printing begins. On the Wang system, printing starts almost instantaneously.


While the word processor is generally excellent, a few areas need improvement. These include line-by-line justification on the screen at text-entry time, printer-code conversion at text-entry time (to avoid long printer waits), word wrap keyed to a hard hyphen (currently done only at word breaks), the ability to start pagination or hyphenation passes at any arbitrary point in the text. and continuation of format settings (e.g., the Indent feature that keeps a block of text indented until the first hard carriage return is encountered) across page boundaries. Some of these features, such as line-by-line justification, would not look exactly like what you see on the printed page because the Fortune (and Wang) screens are character-oriented rather than bit-mapped (bitmapped screens can be used to show microspacing on the screen). Some of these features and several others are slated for the For: Word Plus package, which is due out by the second quarter of 1983.

The word-processing screen (see photo 2) is headed by a status line that tells you the document name, the current page, line, and column, and the cursor mode. The cursor mode is the amount of material through which the cursor will move with a press of the left or right cursor-motion keys. There are five cursor-motion modes: word, line, sentence, paragraph, and page. Below the status line is the format line, which is used to control vertical line spacing (no space, quarter spacing, half spacing, single spacing, a space and a half, double spacing, and triple spacing are available). The format page also controls tab stops and line length and provides a visual indication of cursor position on a line. The text area is bounded at its bottom by a double dashed line and the words Document End.

Overall document format standards are set in what is called a prototype document. Default settings such as line length, tabs, line spacing, and page length as well as

VISUAL presents ergonomic elegance and high performance in a low-cost terminal.





Tilt: 10° forward, 15° backward



VISUAL 50 and VISUAL 55 represent a new approach in low-cost terminals. Although they cost drastically less, they offer features you expect only from the high priced units.

For example, the enclosure is ergonomically designed in lightweight plastic and can easily be swiveled and tilted for maximum operator comfort. A detached keyboard, smooth scroll, large 7x9 dot matrix characters and non-glare screen are a few of the many human engineering features normally offered only on much higher priced terminals.

Another distinctive feature of the VISUAL 50 and VISUAL 55 is their emulation capability. Both terminals are code-for-code compatible with the Hazeltine Esprit," ADDS Viewpoint," Lear Siegler ADM-3A" and DEC VT-52. In addition, the VISUAL 55 offers emulations of the Hazeltine 1500 and VISUAL 210. Menudriven set-up modes in non-volatile memory allow easy selection of terminal parameters.

And you're not limited to mere emulation. As the chart shows, the VISUAL 50 and 55 have features and versatility the older, less

powerful low-cost terminals simply cannot match.
The VISUAL 55 extends the VISUAL 50 performance by adding 12 user-programmable function keys, extended editing features

and selectable scrolling regions.

Both terminals are UL listed and exceed FCC Class A requirements and U.S. Government standards for X-ray emissions.

Call or write for full details.

FEATU	RE CO	MPARISO	ON CHAR	T	
FEATURE	VISUAL 50/55	Hazeltine Esprit	ADDS Viewpoint	Lear Siegler ADM-5	TeleVideo® 910
Tilt and Swivel	YES	HO	MO	MO	MO
Detached Keyboard	YES	HO	YES	NO	MO
N-Key Rollover	YES	HO	YES	MO	MO
Audible Key Click	YES	YES	HO	HO	NO
Menu Set-Up Mode	YES	NO	HO	MO	MO
Status Line	YES	NO	HO	MO	NO
Full 5 Attribute Selection	YES	HO	HO	HO	YES
Smooth Scroll	YES	HO	MO	HO	NO
Line Drawing Character Set	YES	HO	HO	MO	MO
Block Mode	YES	YES	HO	HO	YES
Insert/Delete Line	YES	YES	HO	HO	YES
Bi-Directional Aux Port	YES	YES	HO	YES	HO
Columnar Tabbing	YES	YES	HO	MO	YES
Independent RCV/TX Rates	YES	HO	HO	MO	HO
Answerback User Programmable	YES	NO	NO	OPT.	MO

Service available in principal cities through Sorbus Service, Division of Management Assistance, Inc.

See for yourself

Visual Technology Incorporated 540 Main Street, Tewksbury, MA 01876 Telephone (617) 851-5000. Telex 951-539








Photo 3: Some of the menus found in the Fortune's word-processing system. The menus are the main word-processing menu (3a), the document index menu (3b), the document summary (3c), and the document printing menu (3d).

default print options are set in this document. Each subsequent use of For: Word is initialized with these default settings.

Text entry begins at line one on a page and continues for as many lines as you want to enter. Pagination is done either manually or in a pagination pass at the end of the text-entry process. (It makes sense to define pages manually as you go along because several functions, such as Insert and Delete, trigger a line-by-line text-rearrangement process that works on a page at a time. "Pages" that are hundreds of lines long take a long time to rearrange.) A Go to Page function makes access to any selected page easy. Each page of the final output has a place for a header and a footer, which are specified by separate pages in the prototype document. Prototype documents offer considerably more format capability than is available with Wordstar.

Human-factors engineering was less a consideration when Wang created its word processor. As a result, some aspects of the generally good user interface are annoying or awkward. For:Word has improved on Wang by making processes and manipulations more explicit (see photo 3), but in some areas the user can still be easily confused.

One such area is in the exit process after editing is complete. To exit the word processor text-entry mode, you press the Cancel/Delete key. An "End of Edit?" message appears at the right side of the status line. Pressing the Execute key confirms that editing is done. After pressing Execute, the following menu appears:

END OF EDIT

Cancel erases the changes

Execute saves the changes

Return goes back to the editing screen

The correct choice looks easy, but in practice many users find the Cancel, Execute, Execute sequence, at first, counterintuitive. You only have to enter Cancel, Execute, Cancel once to appreciate the awkwardness of the whole process. There is no way to retrieve the buffer after such errors.

The HASCI (Human Applications Standard Computer Interface) keyboard, developed for and implemented on the Epson QX-10 computer, solves this problem by providing a Save key. The prerelease example of For:Word Plus that I saw improves on the current state of affairs

From the inventors of the first personal computer-controlled, fully programmable digital oscilloscope, come two more instruments destined to make waves.



allows you to build complex waveforms by defining them mathemat-



ically or constructing them from previously stored waveform segments. aSource generated waveforms have 12-bit resolution and record lengths up to 4096.

aGEN

The aGen transforms the Apple II or IIe into a fully programmable 0.5Hz to 5MHz function generator that can generate all classic waveforms—sine, square, triangle, ramp

and pulse.

Personal instrumentation. It's a whole new wave in test and measurement systems.

First, Northwest Instrument Systems introduced the Model 85 aScope™. Now it's joined by the aSource™ Arbitrary Waveform Generator and the aGenTM Programmable Function Generator. Result? The world's first personal computerbased, closed-loop waveform stimulus/acquisition system. A system designed for user-interaction. With easy-to-learn menu-driven set-ups. Single keystroke standard commands. And the ability to address customized applications via co-resident programs.

Yet, for all their features, each of these instruments sells for under \$1,000; a tremendous price/ performance breakthrough achieved by making these instruments peripherals to a personal computer, not stand-alone products linked to an

instrument controller.

aSOURGE

NWIS's aSource converts the Apple II or IIe into a fully programmable arbitrary waveform


Its unique Waveform EditorTM



Continuous, triggered, gated and n-burst modes, along with variable symmetry, amplitude and frequency modulation, combine to make aGen a full-featured, flexible signal source.

aSCOPE.

aScope completes the loop. From its residence in the Apple II or IIe aScope provides you with a dual




channel programmable 50MHz digital memory oscilloscope with standard operating software that includes waveform disk storage and retrieval, hard copy output, waveform digital voltmeter, and waveform averaging.

THE REAL BEAUTY OF THE SYSTEM.

Each of these personal instruments by itself is a versatile, costeffective programmable instrument.

But used in combination they form an incredibly efficient, highperformance stimulus/acquisition system. A closed-loop system with which you can acquire information via the aScope and analyze it with



your Apple-resident BASIC or assembly language program. The program can then control the stimulus instrument (aSource or aGen) based on the analysis. And characterization. calibration and test results can be displayed according to your needs. Total cost of these capabilities (including the personal computer, monitor and disk drive)? Less than \$4,000.

So now you can allocate less time to setting up tests and wading through data. And more to the most important part of your work. Developing solutions.

For more information, including a demo disk or live demonstration, contact us for the name of the NWIS representative in your area.

> PERSONAL INSTRUMENTS. BRINGING YOU CLOSER.



NORTHWEST INSTRUMENT SYSTEMS, INC. P.O. Box 1309, Beaverton, Oregon 97075 800-547-4445, (503) 297-1434

and some other things as well.

Placement of certain options on menu screens is another source of confusion. To access document directories, you select Index on the main For:Word menu. But documents are placed in and retrieved from archives and libraries by selecting Filing on the main menu. Thus to retrieve a document from an archive you must look it up using Index, use the Cancel key twice to return to the main menu, and enter two levels of menu before you can use the name you remember from Index in order to retrieve the file. Providing an index function within the Filing menu choice would be a simple matter.

In summary, the For:Word word-processing package is a professional system that both secretarial and managerial personnel can use. The system is easy to learn, designed with users in mind, and very flexible. While the package is not complicated, its flexibility is a drawback in certain situations, as is the lack of advanced person-computer design features. Because For:Word emulates the Wang system, the most widely used word processor in the U.S., these criticisms actually apply to that as well.


For:Word has a number of bugs, and Fortune has assured me that a future version of the software will address them. Fortunately, none of these bugs stands in the way of the word processor's usefulness. Until the bugs are out, however, a list would help users to circumvent the worst of these problems. Because Fortune communicates with its customers only through its dealers, the company

misses useful feedback from the field and users miss many of the company's tips and cautions.

Applications Software

Other software, available now or in the near future, includes a complete Business Accounting System with related applications such as order processing and inventory control along with a coordinated business graphics package, Multiplan spreadsheet software, Pascal, FORTRAN-77, two types of COBOL (one of which is a high-intermediate level), programmers' tools, Idol database-management software. Sequitur databasemanagement software (third-party software known to work on the machine, but unsupported and without the company's blessing), general-purpose graphics, a very extended BASIC, a set of filters said to convert code written in other BASICs to the Fortune language (these include Applesoft, MBASIC, CBASIC, and TRS-80 BASIC), the C programming language, and the For: Word Plus advanced word processor.

The Fortune 32:16's operating system itself is scheduled for an update around mid-year for all users. Selected users have access to an interim upgrade of the operating system. The new version, in combination with replacing some ICs on the disk controller board and the upgrade to For:Word Plus, will make the system much quicker, I'm told. Our dealer will make each of these improvements at no additional cost. The disk-controller upgrade, on the other hand, is being done for all Fortune users. Fortune





QUADCHROME" BY QUADRAM" THE QUALITY SPEAKS FOR ITSELF

Quadchrome by Quadram is the first and only monitor your IBM PC may ever need. No matter what you may be doing now or years from now. Color graphics. Business applications. Word processing. Quadchrome does it all. And does it perfectly.



Brilliantly Designed for Brilliant Color

Quadchrome is an RGB color monitor designed to deliver up to 690 by 480 resolution, with 80 characters by 25 lines. That's high resolution for a high quality screen image. But what Quadchrome really delivers is color. Up to 16 different colors at once. Bold, brilliant color. Just what you need to add that extra flair to all your graphic work. To add that extra punch at your next business presentation.

A Quality Word Processing Monitor, Too

But Quadchrome is more than just a great color monitor. Much more. Quadchrome's resolution is so

sharp, so clear, it's perfect for all your business needs. Word processing. Accounting. You name it. And Quadchrome is both FCC and UL approved.

So get the monitor that's all monitors. The quality speaks for itself.

Available at retail stores worldwide.



Quadchrome. All The Monitor You'll Ever Need.



4357 Park Drive / Norcross, Ga. 30093 / (404) 923-8666 TWX 810-766-4915 (QUADRAM NCRS) Circle 508 on Inquiry card.

has recommended that the dealers upgrade the operating system for only those customers who "need" it now. I suspect this policy will return to haunt both the dealers and Fortune, if only in the short run. Supporting one version of mass-distributed software is difficult enough, but it will be a nightmare to support two versions until the second and universal release is made.

Fortune would do well to consider providing a software-maintenance service that automatically updates subscribers' software twice a year, supplies revisions to manuals (and any new manuals that are published for the customers' licensed software), and offers hints and tips to the users. Digital Equipment Corporation has done just that very successfully, after a slow and awkwardly administered start. Such a service would keep all users at the same revision level, reduce bugs in the field, keep the customers happy, and enhance the company's image.

Performance

If you're accustomed to 64K-byte dual-floppy-disk-based CP/M (or similar) systems, you'll be appalled at the amount of disk and memory resources Unix systems use. Note, however, that combined program and data memory sizes totaling as much as 880K bytes may be selected on the Fortune system. The user environment, whether it's within the excellent Fortune-supplied menudriven shell or within the more standard Bourne shell, is much more flexible than CP/M's command processor, and the operating system services are light-years ahead of

PROGRAMMERS FLIGHT SIMULATOR
Apple II Plus DOS 3.3 48K

HACH

B

C

C

C

C

C

This total IFR System disk features gobs of menu selectable flight programs each with breath taking realistic picture graphics, moving scenery, airport approaches, holding patterns and much much more.

\$50.00 At your Computer Store or direct from Visa

Programmers Software

2110 N. 2nd Street
Cabot, Arkansas 72023
(501) 843-2988

CP/M's. I will describe some of these advantages in detail below. It's important to keep in mind that the Fortune has a multiuser, multitasking operating system; each user (up to a practical maximum of 12) can run multiple processes simultaneously.

A system on the order of the 64K-byte one described above is the practical minimum for multiuser business applications. In addition to the components described, the system must have terminals and a printer. We use three Fortune Intelligent Workstations along with an NEC (Nippon Electric Company) 7725 letter-quality (55 characters per second) printer. That leaves one serial port available on this configuration for telephone or modem access. Our system is used for two widely disparate types of work; our analysts spend most of their time using For:Word, while the programmers spend most of their time editing, compiling, and testing programs written in one of several languages.

Under most circumstances, the system performs at an acceptable level. Things tend to slow down quite a bit when several users are in For:Word (a lot of "character banging" goes on in this program; for each character typed, about 20 are sent from the computer to the terminal) or when they try to access the disk at the same time or during the execution of a program compilation. System response should improve when a four-port, microprocessor-controlled serial interface replaces the "dumb" unit we are now using. Another 256K bytes of memory should also make things better. Fortune notes that the universal release of an operating-system upgrade (version 2.0) at mid-year will also improve performance.

A word about response degradation is in order. All disk-based multitasking timesharing systems have the same weakness: the average access time for a disk is thousands of times slower than it is for semiconductor memory. Small-business systems usually have relatively limited amounts of memory, compared to the amount that current system and users' tasks and data require.

System tasks called daemons (British for demons) are called from the disk and executed periodically to do housekeeping chores. The process of moving inactive tasks to the disk or making room in memory for large tasks whose turn it is to run is called *swapping*. The disk is used to minimize the amount of semiconductor memory the system requires and achieves an acceptable compromise between service and cost. The swapping overhead of a system, if excessive, can cause response to become very slow, even though the processor may be idle most of the time.

Generally, delays are particularly noticeable in timesharing systems when the same hard-disk drive is used for systems software, swapping, and user directories. Delays are aggravated by low-performance disk hardware (such as floppy disks, whose average access time is in the 250 to 500 milliseconds range) and by stepper-motor headpositioners on hard-disk drives (about 75 ms). There is a consensus in the Unix community about the performance improvements to be gained from high-speed disks (about 35 ms average access time), optimal placement of direc-

The Disc-less revolution can make speed, flexibility and productivity

an off-the-shelf reality for you, today.

The IEEE Disc-Less System eliminates systems dependence on floppy discs. In the most hostile industrial environments the IEEE 8/16 bit Discless system makes Data Acquisition, Process Control, Energy Management and other real time applications easy, low-cost tasks to accomplish.

A staff of Industrial process control experts are ready to assist in your applications.

Here are just a few of the "real world" applications now being



 Ultra-fast 8/16 bit Disc-less Cache Network: The Disc-Less Network utilizes "Ram-Disc" technology as on-line CACHE memory allowing data transfer from the 2 Mbit/sec. Baseband network directly to the Ram-Disc. The direct transfer enables continuous system operation while upline or downline loading large volumes of data. PRICE \$6995 **PRICE \$6995**



2. The 8/16 bit Disc-less systems and popular WORD PROCESSING software in ROM provide for the fastest and most flexible system WORK-STATION available today. The Disc-less system eliminates time consuming disc accesses in that system software is available in ROM. Text editing, document recall and search and replace are accomplished in **PRICE \$7995**



 The true flexibility of the Disc-less Approach is demonstrated in the user configurable 8/16 bit Disc-Less system. Sort, compile and assembly tasks are cut in half because no disc accesses are required. The Rom-Disc loads simple and complex software systems in microseconds. The actual loading of CP/M from ROM is accomplished in 1/60 sec. As a development system the Disc-Less operation increases productivity by at least 200%.

PRICE \$5995



m integration of Misc-Leak is chirology in the POWPARIL 0766 TANLE 2-100, provides it intermined a speed, and commulate of a 1883. Than MICHO INTERMITY PROCESS, an approvide Bubble-Disc make the burdware continued in the column of in

INDUSTRIAL QUALITY **IEEE 8-100**

SIERRA DATA SCIENCES

Single Board Computer \$8C-100

- 4 MHZ Z-80A Processor • Z-80 DART with 2 RS-232 channels • ZPIO I/O with 2 PAR-ALLEL ports • NEC 765 floppy controller to support 4 B inch or 4 5% inch drives • 64K byte system ram • 2732 Eprom for up to 4K user Prom • Supports Master-Slave operation • CP/M, MP/M, TurboDos compatible • IEEE 696 compatible • PRICE \$650

Single Board Stave SBC-100S

Single Board Stave 356-1905

-2-80A 4MHZ processor -Zilos DART for 2
RS-232 channels - 4 parallel ports; 2 thru
connectors, 2 thru bus - 64K onboard ram
-4 2732 EPROM with EPROM programme
onboard - Software controlled RESET inhibit - CPVM, MPVM. TurboDos compatible
- IEEE 696 compatible PRICE \$650

Four port RS-232 serial I/O PRICE \$270

RS-232 Multiplexer switchboard PRICE \$295

ADVANCED DIGITAL CORPORATION

Super Quad Single Board Computer

· Z-80A CPU · 64K byte BANK SELECT ram with extended addressing - Double density lioppy controller both 5174 AND 8 INCH - 2 parallel and 2 serial ports with INTEL-LIGENT HARD DISC INTERFACE - 2 OR 4K monitor with EPROM - CP/M, MP/M, Tur-boDos compatible - IEEE 696 compatible PRICE \$675

Super Slave Single Board Computer

- Z-80A CPU - 64K OR 128K byte system ram with Parity - interrupt controller on-board - 2 parallel and 4 serial ports - 2 OR 4K byte EPROM - Programmable baud rate generator - 1 year warranty - CP/M, MP/M. TurboDos compatible - IEEE 696 compatible PRICE \$550

Hard Disc Controller HDC-1001

 One slot S-100 hard disc controller - Built in data separator - Up to 5MEG/BIT sec data rate - 256 sector addressing range - CRC generation/verification on ID fields - ECC generation/correction on data fields - Auto-matic retries on all errors - Automatic re-store and reseek on seek errors - 32 bit computer generated polynomical - Com-plete documentation - ONE YEAR WAR-HANTY - IEEE 696 compatible PRICE \$425 HDC-1001 with a 5 MEG byte hard disc HDC-1001 with a 20 MEG byto

hard disc

\$1800.

\$2000

S.D. SYSTEMS

SBC-300 Single Board Computer - Z-80B CPU - Supports independently vec - 2-eou D-VV - Supports independently vectored interrupts, 8 maskable and 1 NON maskable - Auto start to any 16K boundary - Supports Master-Slave operation - IEEE 596 compatible - Supports full 24 bit addressing onboard and bus memory - 64K byte onboard ram, EXPANDABLE TO 128K EXTES - 2, Util, Julius - 8, 2-32 chapsate EXTES - 2, Util, Julius - 8, 2-32 chapsate BYTES • 2 full duplex RS-232 channels ASYNC. SYNC. HDLF • SASI interface for TAPE. DISC and OTHER DEVICES • IEEE 696 compatible PRICE \$750

Ram-Disc

The Ram-Disc eliminates S-100 systems dependence on floppy drives - The Solid state Ram-Disc is compatible with operating systems disc commands - Expandable to 1 Mbyte - Enhance your systems performance by the implementation of the real time Ram-Disc - IEEE 696 compatible
PRICE \$1095

Non-Disc is the companion product to the Ram-Disc in that the Rom-Disc is a solid state program load device. The installation of operating systems, intermediate level languages, graphics drivers and applications software allow systems to load simple and complex software in micro-seconds. IEEE 696 compatible PRICE \$289

STANDARD DATA **Bubble-Disc**

• The Bubble-Disc is the perfect non-volatile storage device for the S-100 Disc-Less system • At 256K bytes the Bubble-Disc offers fast, PERMANENT local storage in oners (ast, PEHMAREN I local storage in any dala processing environment - Process control, energy management, data acquisition and real time applications no longer require disc drives for local storage - Expandable to a full 1Mbyte - IEEE 696 compatible PRICE \$1775

Network Controller

 The 2mbit/sec. S-100 network controller is fully compatible with all the S-100 IEEE boards listed • CSMA and guaranteed message service insure accurate data transmission - Baseband/Broadband/Fiber optic compatibility make designing a LAN easy and cost effective - Full compatibility with the IBM PC, the Multibus, Apple computers and the S-100 bus provide flexibility necessary to upgrade existing and future networks to real world use • IEEE 696 compatible PRICE \$950

SONICS MICRO SYSTEMS

A SUBSIDIARY OF



SONICS IS STANDARD

STANDARD DATA CORP. 1500 NW 62nd ST., SUITE 508 FT. LAUDERDALE, FL 33309

1-800-327-5567 In Florida: 305-776-7177

DEALER INQUIRIES WELCOME

Se habla Español

COMPUTER:	STANDARD DATA	IBM PERSONAL COMPUTER	DEC RAINBOW 100	WANG PROFESSIONAL COMPUTER	RADIO SHACK TRS-80 MODEL 16	APPLE III
interpretation in	188	100	1607	IDM	TATE OF	
The state of the s			240	7000		
	100	IM.	AN .	108	10	100
DOLLAR DESSAY	Ver	SIM	No.	- Oliver		
NEW YORK STREET		Tiel .	No.	No	110	- 1
O TREATMENTS	Hek	Gir	400	201		700
line in use (sterne)	\$100°	Far think	2.5 W	\$10X	2110	The state of the s
INFAMEDON ILDTO:	(holand)	Average	(1600)			101
			MICEOU	and the same		
Profe	J-(0 + 978	340 ± 200 (2 tenors) 340 ± 200 (6 ensure)	500 y 240		IMONORIONES	0.00
Clar		(Indicate		Appens .	Her available	
incompletion.	- MA 10 50	IBM DIS (ME-DON)	NEARS	No. of the last of	95 1112 CB 195 319	100

tories and swap tracks (a feature said to be in Fortune's operating system version 2.0) on at least two disk drives to minimize disk arm movement, the use of overlapped disk seeks, separation of systems software from user directories, and separation of high disk-load users from low disk-load users. The use of only one hard-disk drive on a timeshared system can affect response time when relatively small memory is available. This is true for all timesharing systems, especially those that, like Unix, allow users to execute multiple tasks concurrently.

Product Support

Fortune has a Software Service WATs telephone number for its dealers. Users report problems to the dealers, who attempt to fix them with their own resources or query the software hotline. Because both Unix and Fortune are new to most of the dealers handling the 32:16, they often have to resort to Fortune's dealersupport system,

Because the Fortune 32:16 computer is directed at first-time business-computer users, dealers need to know about and be able to support the application software.

Our dealer, Kramer Systems International in Silver Spring, Maryland, seems to be learning to support this product fairly quickly. The company has perceived the need to provide Unix expertise and dealer support that is more comprehensive than what many microcomputer vendors offer.

Fortune offers its dealers training courses in hardware, operating-system software, and supporting the applications software. Our installation was completed relatively early in the dealer training cycle, before some of the support that's now routine became available. The Fortune 32:16's commercial success seems to be driving the dealers toward better service and, inevitably, away from a willingness to discount. Because the system is directed at the first-time business-computer user, dealers are required to know about and support the application software.

A lot of software is available now, and more is constantly becoming available. The software and manuals I've reviewed seem to be solid, flexible, and nontrivial products. The programs are well debugged at the surface level, and as a whole my impression is that this is good first-release software. Remarkably good, in fact, for an industry that routinely uses its first customers as a final test and inspection department. The software manuals are outstanding for novices, but too superficial for people who know their way around systems and software.

An effective dealer has to invest significant training in both technical and sales staffs to support the depth and range of products to be offered. A financially solid, committed, and technically qualified dealer is a valuable facet of the overall decision to use the Fortune 32:16 in a business environment. As always, it's wise to give some serious thought to the purchase contract, installation support, and maintenance before you purchase any system. Despite a marketing focus on the first-time business-user, the Fortune has (or will have) the tools to support software development on a small scale. The thought of twelve sophisticated programmers working simultaneously on a 32:16 boggles the mind, but for environments in which word processing and packaged applications constitute 80 percent of the system's use, ample resources are available. Here, too, even if you're a Unix expert, good dealer support is highly desirable (if for no other reason than as an information conduit between you and the support people at Fortune, who will not speak to you directly).

The Unix Operating System

Unix, a multitasking operating system developed at Bell Laboratories, has been both praised and damned. Experienced users find it a superb software-development environment. Often, however, a user must navigate through a complex and branching structure to find a particular file. The Unix file structure is much like a branching tree; the top of the structure is called the root but is referred to as / (slash) when addressing that directory.

Like other directories, / is a file, and like all directory files it contains disk address pointers to executable binary files, binary object files (the results of the compilation process or the assembler process), data files, and other directories. The user looks at a directory listing and sees the names of these files, not the pointer value.

A typical Unix file of whatever type has an owner and a set of read/write/execute permissions for other users (naturally, nonexecutable files, such as ASCII text files, can't have an execute permission). By Unix convention, most files and all commands are styled with lowercase characters.

Unix also appears to have a perverse and pervasive unwritten rule requiring all commands be abbreviated to the point of unintelligibility. For example, to get to a file belonging to a user called "george," you use a command like this: cd /usr/george. The command cd changes your current directory to the one specified after the cd command-in this case, the directory george that is itself contained in the user directory. The first / refers to the root, where everything starts; usr refers to the directory in which all user directories are kept, the second / is merely a separator, and george is the target directory. (On the Fortune Unix system, user directories are kept in u instead of usr.)

To execute a program or command, you must first have permission. Then you only need to type the name of the pathway that leads to that program.

The file-system structure enables you to organize files by subject, project, month, or whatever is convenient. Each category name is used as a directory name. Subdivisions of the category can be used as the names for



Now you can upgrade from 8-bit to 16-bit without creating a lot of bad memories.



Introducing Board 8/16 from Octagon.

Plug it into your S-100 bus and it's ready. Ready to come right

up. Ready to execute both the Z80* and the 8088 instruction sets. Ready to run both CP/M 86* and CP/M 80* software. Ready to deliver all the advantages of true 16-bit power.

Its floppy disc controller is ready to run up to four 51/4" or 8" floppies. In any combination. At the same time. And you can transfer files back and forth between them.

And when you buy either Concurrent CP/M 86* or MP/M 86* from Octagon, Board 8/16 is ready to run any CP/M 86* or CP/M 80* programs. Simultaneously.

Board 8/16 is not only ready to boot the operating system from disk, its 8K monitor also contains many useful debugging features. Memory test. Memory dump. Memory search. Plus all the disk interface software you need for almost any operating system.

Board 8/16 takes only one

expansion slot-yet it takes the place of up to five boards.

So if you're ready to upgrade

 Dual processors: 4MHz NSC-800 (executes full Z80° instruction set) and 8MHz 8088.

- Concurrent CP/M 86° or MP/M 86° from Octagon includes CP/M 80" emulator and auto-select bios. Intel 8272 floppy disk controller with 24-bit DMA.
- 8K PROM monitor boots operating system.
- Two serial ports (baud rate software-selectable up to 19.2K bauds.)
- Interrupt controller with eight vectored interrupts. · Fixed-frequency real-time clock interrupt for multiuser dispatching.
- Optional 8087 math co-processor.
- IEEE-696 S-100 compatible.


to 16-bit, but you're not ready to scrap all your 8-bit software, get ready for Board 8/16. Order today.

Name		
Address .		
City		State
Zip	Compa	iny
Title		
Acci #		Ехр
□ Visa	□ MC	☐ Check enclosed
☐ Board 8	3/16	\$895
☐ Concu	rrent CP/M 8	36" \$195 (Save \$155)
☐ MP/M t	36*	. \$495 (Save \$155)
☐ More In	nlormation	
. Rold withou	t board, "280 P/M 80 and h	Operating systems not is a trademark of Zilog AP/M 86 are trademarks
	OEM inqui	ries invited.



151 Bernal Avenue, Suite 5 San Jose, CA 95119 408/225-2700

When one terminal is not enough



Add a MuSYS Slave!

Expand your Z80A/S-100 based micros with MuSYS slaves and TurboDOS*. Our NET/82 slave board has everything you need for another station: Z80A CPU, up to 128K bytes of RAM, two serial ports, a priority interrupt controller, memory parity checking, and many other features. There isn't a more cost-effective way to add complete, hardware-isolated network slaves to your system. And TurboDOS makes it even better. It's faster than CP/M® * for systems functions, supports larger files (134 MB) and disks (1048 MB), and unlike CP/NET* it's compatible with nearly all 2.2 applications software. Many features which are optional, extra-cost, or not available at all in CP/M are standard with TurboDOS. Call today for all the details. Generous dealer/OEM discounts available.

"TurboDOS is a tredemark of Software 2000, Inc.; CP/M and CP/NET are tredemarks of Olgital Research, Inc., NET/62 is a trademark of MuSYS Corp.



1752 8 Langley Irvine, CA 92714 (714) 662-7387 TWX: 910-595-1967 CABLE: MUSYSIRIN


subdirectories if you find that useful. These features are very nice, but the result is that it takes a lot of disk-head motions to accomplish a file access and execute the program. It's also very easy to forget where things are stored if you are new to Unix, the project, or have been doing other things for a while. Moreover, this structure does not promote good housekeeping habits; because all directories and subdirectories must be empty before they may be deleted, it becomes a chore to find all of your useless files and delete them, move those you want to keep, and then delete each of the subdirectories in ascending order until you are done. Because of this tedium, users need to be cajoled into releasing unneeded disk space before the disk is completely jammed with useless files. The floppydisk drive can be used to provide a copy of files that might be useful but are not needed for current work.

Unix enables each user to execute a number of tasks-called processes-concurrently. This can be very useful: you can start compiling a program and immediately begin editing another program module. You can run a "spooler" program in background mode that would immediately send to another computer, via a modem attached to another terminal port, any material placed into a specific directory—just the thing for making sure that time-critical reports generated by a team of people reach their destination as soon as possible. Simultaneous printing and editing is supported, as is printer queueing.

Programs can pipe results to another program waiting to receive them. Thus it is possible to use several modular service programs in various combinations to create new services. One example is the program called more. Long directory listings can easily zip right by your eyes on a terminal operating at 9600 or 19,200 bits per second. The directory listing can be piped to more, which will catch the output of the listing and display it 24 lines at a time, at your command.

Yes, it would be easy to modify Is, the directory lister, to display 24 lines at a time, but then you'd have a program that makes assumptions about the terminal on which it is working. This is completely foreign to the Unix philosophy, which encourages portability and machine independence. Unix uses a file named termcap to define the individual characteristics of numerous terminals, thus making programs like more device independent. You can also use more to provide screen buffering for many other tasks-something that a custom-modified ls couldn't do. Such applications might include looking at a long file of data produced by a program or browsing through text files. You would use the cat command to catenate a file (i.e., dump it) to the default output device (i.e., the terminal), but you would pipe the result of cat to more for screen buffering. Unix contains many programs that can be used as commands or used in combinations by piping the results of one to another.

Unix has many unique and useful features. Even an experienced user of other systems will find Unix a strange and somewhat intimidating environment at first. Many of the commands have very terse and not very descriptive



This Programming professional deserves a lot more from his personal computer.

He's earned it. As a seasoned professional, he's learned to master some of the world's most advanced programming tools. Tools specially designed to meet the everyday demands of programming experts.

But as the owner of a personal computer, he's come to expect less. Less performance. Less sophistication. And less flexibility.

Why should programming a personal computer be any different?

Prior to the announcement of micro/ SPF™ development software, experienced programmers felt programming a personal computer was a lot like playing with a toy. You couldn't take it seriously.

But today, there's micro/SPF; a solution to elementary program editing tools now offered with most micro-computers.

With micro/SPF™ you get the same procedures and commands experienced programmers are accustomed to using at work. By mimicking features found in

standard SPF software, micro/SPF™ provides all the sophisticated utilities programming professionals expect.

Programming experts can take advantage of skills they've spent years perfecting.

Now, for the first time, mainframe software is available for personal computers. SPF screens are fully reproduced in logical sequence and each screen is formatted identical to those found in the SPF system.

In addition, micro/SPF™ comes equipped with the same primary and line commands, tutorial messages and program editor (with program function keys) experienced programmers are used to.

Programming professionals who've spent years perfecting the art of writing sophisticated code deserve to work with state-of-the-art tools, not toys. Find out how micro/SPF™ can help you do work-compatible programming on your personal computer today!

```
RUCHO-STY PAIMER OFFICH NUMBER

SELECT OFFICH (1)

B DT FARES SPECITY HICKO-STY PARMETERS: THE FIRST SHEET S
```

PH/SSER

PHASER SYSTEMS, INC 50 WEST BROKAW ROAD SAN JOSE, CA 95110

Circle 360 on inquiry card.

Fortune Global Menu




Figure 1: The Fortune Global Menu. Each of the six applications in the first level is followed by a list of available software.

names. For example, cp copies files, nroff is a text formatter, and cc calls the C compiler, while cb calls a C beautifier (a program that formats a C program for easy reading and good style). There is a very fussy syntax checker for the C language, called lint. The program as calls the assembler for the host machine, and df gives you statistics on the amount of free disk space available, but diff is used to compare the contents of files or directories. Literally hundreds of such commands are available in standard Unix when using the Bourne shell. These commands, together with an environment that makes group programming or other group efforts easy to organize and efficient to monitor, make Unix a very useful system for those who are willing to do the requisite apprenticeship.

Unfortunately (no pun intended), Fortune does not currently supply any Unix documentation with its system and supplies only a relatively minuscule amount of documentation with the C programming language package, I bought a set of manuals for \$91 from the University of California at Berkeley, whose version of Unix is the current model for the Fortune operating system. Due to the terse and sometimes irregular syntax of commands, the large number of commands, the potential for disaster if you misuse a command (Unix assumes that you know what you're doing), and the industry-wide

lack of Unix documentation for the casual user, many consider the standard shell inappropriate for the average business environment. Luck is on our side, however, because Unix has an answer.

Unix allows the use of many different shells. In fact, each user can have his own shell. The standard shell even lets you program within it to create new commands out of old ones. Thus there's a strong foundation on which you can build a shell that is more appropriate for an office environment. Fortune Systems is one of the companies that has done this.

The Fortune shell is menu-oriented. You sign on to the system by turning on your terminal and typing your name and password in response to screen prompts. If the name and password correspond to entries authorized on the system, you can progress to the Fortune Global Menu (or to the Bourne shell, if your account specifies this option). The Fortune Global Menu has six areas: business applications, professional tools, electronic office tools, communications, training/education, and system tools, Each of these areas has a list of available software.

Figure 1 and photo 4 show the global menu. Note that some entries are brighter than others. The brighter entries signify software options installed on the machine. To select an option, you can use the Return key, which will

DOING WELL.

What does it take to move up in the world?

CompuPro has made quite a reputation by adopting a few simple principles:

1) You've got to do a little extra — like provide more memory, run 8 and 16 bit software, use rugged all-metal enclosures, and offer all the other extras that spell performance.

2) You have to be reliable. If our products were iffy, we'd offer a 90-day warranty, like the other guys. But you get 365 days from CompuProbusing we have four times the confidence.

3) You have to take on bigger challenges willingly. Even our single-user systems can expand easily to multi-user status, acquire more power, or take advantage of new technology.

4) You've got to keep the boss happy. And she'll be plenty sour if her computer has to be ship the factory for repairs. CompuPro offers on-site service contracts in all 50 states, plus Canada.

5) You need a wide-reaching intellect. Our sytems run the vast library of more than 3,000 CP/M® programs, and meet the popular IEEE 696/5-100 hardware standard.

6) Use a CompuPro. (We do.)

Call (415) 562-0636 for the location of your nearest Full Service CompuPro System Center.

OmpuPro

CompuPro, a Godbout company, Box 2355, Oakland Airport, Ch 94614
Circle 498 on inquiry card.

BUSINESS APPLICATIONS	PROFESSIONAL TOOLS	OFFICE AUTOMATION TOOLS
El Fus ress Systems Els ress Surveys El Els ress Graph)cs El	P1 Multiplan P2 Color Graphics P3 P4 P5 P6	EZ Recora Fracessina E3 Automated Caternar E4 E5 E5
COMMICHING	TRADICIOS AND EDIZATION	SISTEM TOOLS
Agent Eggi Network	T1 Topic Introduction T2 Amusements T3 Operator Training T4 C.A.I. Training T5 Demonstrations T6	31 System Utilities \$2 System Management 53 Languages 54 TOOL 55 Product Meintenance 55

(4a)

ACCOUNTS	GROUPS
10 Add is eccupy 11 Modify a 2' ng eccupy 12 Delete a 2' ng eccupy	20 Add reserve 21 Modify energy arcus
12 Delete a styre account 13 List accounts	22 Delete et af na angua 23 List anguas
OTHER	TOOLS
M Shuldown consulter Mo Susing the consulter Bush usass	35 Display current data and fine 36 Set date and time 37 Write massage to a terminal
sc prist usage 13 Percent of disk used 14 Change gour password	37 Arite message to a terminal 38 Send message to all terminals 39 Change device connections

(4c)

Photo 4: Global system menus and submenus. The global menu (4a) is the root for all access to the Fortune's operating system; also shown are the system utilities menu (4b) and the system management menu (4c).

move the cursor through the menu selections sequentially, use the cursor keys to select the application, or type the entry number of the desired option (e.g., e1, or E1 for For:Word), followed by pressing the Execute key.

The options within each application are also menuoriented. Thus it is possible to get three or four menus deep into an application before you can execute a function. This procedure treats the new or infrequent user very gently, but it can be tedious for users who are familiar with their applications.

Menus are also a very slow way to use computer systems. Fortune has provided mechanisms that alleviate some of these lengthy navigations of the system menus, but these commands do not yield complete access to all options. For example, you can go to any previously created document from the Document Index display

FILE HANDLING	DIRECTORY HANDLING		
18 Append Table 1 Tabl	28 Copy 21 Craste 22 Delete 23 60 To 24 Group 25 List 26 Hove 27 Name 28 Owner 29 Paraission		
30 Beckup F of To Fe to T to 31 Reload F of Fert Fe to T to	32 Format Fig. 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5		

(4b)

without climbing and descending a set of menus. Although it is slow and occasionally confusing, the Fortune menu shell and the menu approach to applications are generally very well thought out. Few areas have been neglected, and those are sufficiently technical in nature that the user might well use the standard Unix shell for them.

You can access the Bourne shell whenever you are being asked for a Global Menu choice by typing an exclamation point followed by the desired Unix command. The command is executed and you are returned to the menu shell at its completion.

Summary

The Fortune 32:16 computer offers an oustanding business-operating environment with a reasonably good technical development environment. The system is well designed and easy to use. Dealer support is advised if you're not expert at fending for yourself in complex systems environments. The Fortune operating environment does not encourage tinkering with the inner workings of the operating system, but if you're technically inclined you'll have a good time with the system.

The major marketing consideration that distinguishes this system from the large number of similar systems on the market is its optional gentle user interface and the wide range of very high quality application software available now or planned for the near future.

Some systems are better adapted to highly technical environments, to the use of industry-standard interface cards (e.g., STD bus or Multibus), and to real-time applications. Fortune Systems has, however, created one of the better systems currently available for business use and for technical efforts that do not require all of the nitty-gritty of standard Unix, the pleasures of the Programmers' and Writers' Workbench modifications to Unix, or the flexibility of systems designed for laboratory environments. Given the technical orientation of the bulk of offerings in the Unix marketplace today, Fortune Systems has chosen the harder row to hoe and has done it very well.

THE NEW DAS SERIES 500 FOR THE IBM PC:



THE DATA ACQUISITION & CONTROL SYSTEM YOU SHOULD CONSIDER OVER A MINI. EVEN IF MONEY IS NO OBJECT.

Let's say you have enough money to buy nearly any data acquisition and control system you might want. What will you choose?

If sheer power is your main requirement, you might choose an expensive minicomputer system. But, then again, you might just as well choose the new DAS Series 500.

Simply plug the Series 500 into any off-the-shelf IBM Personal Computer and you'll have up to 336 channels of analog output and 192 channels of digital I/O (even AC/DC device control). And with measurement speeds as high as 25,000 analog data points per second, and true 12 or 14 bit precision, you'll have enough power and accuracy for the most demanding applications.

If you need flexibility, you'll want to compare other, more costly systems to the fully modular Series 500. If comes supported by an extensive library of integrated plug-in modules that let you custom tailor almost any combination of inputs and outputs, digital or analog. And do so almost instantly.

So the Series 500 is ideal for hundreds of applications in product test, process control and energy management; in psychology, biology, analytical chemistry and neuroscience.

If ease of use is high on your list, consider this: Only the Series 500 comes equipped with the advanced, integrated Soft500 software package. With it, you can set up, collect, store, control, display and analyze, all with a few simple BASIC commands.

In fact, Soft500 makes programming so easy, you can be up and running with your Series 500 the same day you get it. Even if you're not a computer expert.

Now compare advanced features. Like exclusive foreground/ background software architecture that lets you analyze data while you collect it. Like the real-time clock/ calendar and precision interval timer. Or the tremendous range of signal conditioning options, including software selected gain and offset, amplification from millivolt levels, and provision for direct connection of thermocouples, strain gauges and RTDs.

These are features you might not get elsewhere, no matter how much money you spend. But then, why spend all that money?

Because for less than \$6000 you get both the advanced capabilities of the DAS Series 500, plus an IBM PC (which incidentally, you can still use to do all the other things a PC does so well).

For complete information on the DAS Series 500 data acquisition and control system, write to us at Data Acquisition Systems, Inc., 349 Congress Street, Boston, Massachusetts 02210. Or call us at

617 423-7691.

BMPA Application of approach Application and all the Applications and the Application of the Applications and the Application of the Application and the Application a



Shown are IBM-PC* compatible programs. The Columbia MPC runs MS-DOS* plus six other operating systems.



World Headquarters: 8990 Route 108 Columbia, MD 21045 (301) 992-3400 TWX 710-862-1891

West Coast: 3901 MacArthur Blvd. Suite 211 Newport Beach, CA 92663 (714) 752-5245 Telex 277778

Limitenstr. 94 4050 Moenchengladbach 2 West Germany Phone 02161-33159 Telex 852452

Access Systems Wellesley, MA (617) 237-7743

N.I.D.I. (National Instrument Distribution Inc.) Dayton, OH (513) 435-4503

Call our distributor nearest you.
Access Systems Advanced Management Systems Aurora, CO (303) 752-2972

RPC Electronics Cleveland, OH (216) 461-2280

Central Microcomputer Distributors Montreal, Quebec, Canada (514) 849-7533

RPC Electronics Pittsburgh, PA (412) 782-3770

Distributors in Australia, Austria, Belgium, Colombia, Denmark, Hong Kong, Israel, Italy, Malaysia, Netherlands-Antilles, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom, Venezuela.



Today, the Columbia MPC takes on hundreds of IBM-PC compatible software programs and IBM-PC addons or peripherals.

What's more, six other Columbia-supported operating systems are available - CP/M-80. CP/M-86, Concurrent CP/M-86, MP/M-86" (OASIS-16" and XENIX" available soon) - stretching the Columbia MPC's software compatibility beyond any other personal computer.

Farther, faster, for far less.

The Columbia MPC is shipped with fully supported software that will save you \$3,000. Included is the entire self-teaching Perfect Software" family: Perfect Writer," a word processor; Perfect Speller," a 50,000 word dictionary; Perfect Filer," a data base manager; and Perfect Calc," a financial calculation system.

In addition you get MS-DOS. CP/M-86, Macro/86 Assembler, BASICA," Asynchronous Communications Support, Diagnostics and the Columbia Tutor program. This means your Columbia MPC is up and running right out of the box. Space Commanders and Fast Graphs show off the Columbia MPC's fullcolor graphics.

Way out front in value and performance.

With a list price of \$3,995 including 128K RAM, 640K in dual disk drives, 8 IBM-PC compatible expansion slots, 2 serial and 1 parallel I/O, IBM-PC compatible keyboard, and color graphics monitor controller-the Columbia MPC is

ready to go. And a complete 12MB hard disk system lists for \$5,995 software included! B/W or color monitors and printers optional.

Made in U.S.A.—supported worldwide.

All Columbia hardware and software are backed by the "Call for Columbia" national service program. So, call us or our distributor for the dealer nearest you - and start looking at the Columbia MPC. It'll show you a whole new world of performance and value.

COLUMBIA

DATA PRODUCTS, INC.

Commerical Computer Sales Atlanta, GA (404) 256-9190

Renaissance Technology Corp. Concord, CA (415) 676-5757

Empire Micro Products Rochester, N' (716) 626-3660

Southeastern Data Products Lynchburg, VA (804) 237-6286

MP Systems Dalias, TX (214) 385-8885

Tek-Aids Industries Arlington Heights, IL (312) 870-7401

Mid Tech Associates Desoto, KS (913) 441-6565

Tele-Terminals Brooklyn Park, MN (612) 328-3072

Mid Tech Associates Florissant, MO (314) 837-5200

Mytec, Inc (305) 321-2301

Waybern Corporation Garden Grove, CA (714) 554-4520

Perfect Software, Perfect Writer, Perfect Speller, Perfect Filer, and Perfect Calc are trademarks of Perfect Software, Inc. IBM is a trademark of International Business Machines. CP/M and MP/M are registered trademarks of Digital Research, Inc. OASIS is a trademark of Phase One. MS-DOS and XENIX are trademarks of MICROSOFT.

The Movable Conference

A report on a revolutionary new communications medium: computer-moderated conferencing.

During the eighteenth Egyptian dynasty, about 3500 years ago, a royal scribe named Amenophis, son of Hapu, rose to great prominence. He was such an accomplished communicator that the pharaoh appointed him both hereditary prince and master of ceremonies of the feast of Amun, a position rivaling that of the high priests of Karnak, the great temple city of upper Egypt.

Since that time, the princes of communication have always aspired to power but have rarely achieved the deified status of Hapu's remarkable son. In 1970, however, an experiment in information science started a movement that, as this decade matures, will extend and transform this most fundamental of human activities and may confer unprecedented power on a new generation of electronic messengers.

Consider the ways we usually communicate (talking, writing, and gesturing) and how we enhance that communication (telephone, gatherings, print, video, signs, radio, etc.). Such exchanges are limited by the environment, by the need for synchrony in time and place for dialog to occur.

The most desirable form of com-

Irving A. Lerch
New York University Medical Center
Division of Radiation Oncology
566 First Ave.
New York, NY 10016

munication is the face-to-face meeting. But face-to-face meetings are unstructured, weighed down with social conventions based on rank. subject to misunderstandings, and vulnerable to information loss. If needed data is not immediately available during the meeting, many decisions will be delayed until some time after the conclusion of the conference. Meeting planners must have exquisite foresight if everything is to run smoothly. If numerous participants are located in different cities. the travel and accommodation costs can be excessive and the meeting cut short, often before anything useful is accomplished. With the computer as communications device, however, the bonds of synchrony can be cut. A conference can now "move" in terms of both time and place to each participant of that conference.

Indeed, the most apparent difference between computer-moderated conferences and face-to-face meetings is in the temporal relationship of the exchanges. In a computer conference, messages are forwarded in time until a participant reads them and replies. Participants may review the proceedings, respond to specific messages, enter new information, ask questions of any participant, or acquire data at any time, day or night. And because each participant needs only a normal telephone line or leased communications line to connect a terminal to a central host computer, the interchange is independent of place as well as time.

In addition, because the computer maintains an accessible record of all transactions, memoranda and synopses are unnecessary; the final documentation can simply be edited from the computer memory. Add a feature for privacy to protect proprietary exchanges, and the system begins to develop a useful shape.

To a limited degree, we already have a measure of this power. The telephone enables us to contact people anywhere, at almost any time, and to carry on group conversations. We can even use the telephone to transmit printed and graphic information. But such teleconferencing must be conducted in the heat of the here and now, and the spoken word is fragile and notoriously elusive. What is obvious to one participant may be opaque to another. Some people may require more time to digest a certain piece of information, Much information is invariably lost.

Thus the conventional ways we exchange information are somewhat limited. But all of this is about to change in a way so fundamental, so profound, that the processes of collating and synthesizing information will cease to exist as separate activities divorced from communication.

About the Author

Irving A. Lerch, a professor of medical physics at the New York University School of Medicine has published numerous articles on the impact of science and technology on society.

Keep Your Computer Healthy...

with the Industry Standard in System **Maintenance Programs.**

Diagnostics II

Diagnostics II is the linest set of system maintenance routines available for microcomputers. It thoroughly checks all live areas of your computer system, pinpointing hardware problems to help keep your computer in pariect working order.

The areas of your computer which are tested include: Memory, Printer, Terminal, Disk, and CPU

In addition to being extremely thorough, every lest in Diagnostics II is also "submit"-able. The output of the

(Requires 32K CP/M*) Diagnostics II: Manual only:

Disk Doctor

Disk Doctor automatically recovers otherwise unrecoverable information from "crashed" diskettes, It also un erases liles.

Maybe it was a lightning storm, static from the rug, or just too late at night to be working. Whatever the cause, when the diskette "crashes" or a file is accidentally erased, valuable data or programs can be permanently lost.

Disk Doctor was designed to recover this "lost" information. It consists of five wards, each performing a specific recovery operation

Ward A Verifies diskettes and locks out bad sectors.

Places copyable information from a "crashed" file in a Ward B

Ward C Copies diskettes without stopping for bad anctors.

Uniorases liles. Wand D

Displays a directory of recoverable erased lifes Ward E.

Disk Doctor was not designed for use with double sided or hard disks. Circle 430 on inquiry card ifilegures 48K CP M1, two drives for complete

operation)

Disk Doctor \$100 Manual only 5 30

Available from line dealers everywhere, or directly from SuperSoll.

tests can be logged to disk for later review.

Japanese Distribution:

ASR Corporation International

3-23-8. Nishi-Shimballili Minato ku

Tokyo 105, Japan

Tell (03) 437-5371, Telex 0242-2723

European Agent

Micro Technology Ltd

51 The Partiles

Tunbridge Wells, Kent, England TN2 5TH Tel: 0892-45433, Telex: 95441 Micro-G

Diagnostics II available for virtually all CP/M1

CP M-86*, and MS DOS compatible systems.

Disk Doctor available for virtually all CP/M*, and

CP/M-86* compatible systems

CP/M1 and CP/M-601 are regulation // redemma of Digital Franch



EMISARI

In 1970, the White House Office of Emergency Preparedness (OEP) was given the responsibility of administering President Nixon's wage-price freeze. To accomplish this difficult task, the OEP put into use the first electronic conferencing system, the **Emergency Management Information** System and Reference Index (EMISARI). The following quote from The Network Nation by Starr Roxanne Hiltz and Murray Turoff

(Addison-Wesley Publishing Company, 1978) describes how EMISARI supervised information flow:

The ten regional offices of OEP needed to be able to generate and share timely and useful data on ... the wage-price freeze. The regional offices had to respond to requests and inquiries from the public in a way that was consistent with the initial guidelines and emerging modifications and interpretations. The central OEP management had to make sure that policy interpretation was consistent from region to region. . . .

The primary innovation in EMISARI was the ability to set up alternative communication forms. such as collections of numeric estimates, tables of numbers, and situation report forms, and have these assigned as a permanent responsibility to some member of the communication group who would supply the information on a regular basis. . . All this was under the control of a human monitor who could tailor the conmunication structure and the responsibilities as a function of the problem at any time.

As you might imagine, the advent of this unique, computer-moderated conferencing system was accompanied by a great deal of discord between the OEP establishment and the outsiders who invented EMISARI. The story of this conflict, recounted by Hiltz and Turoff (one of the designers of EMISARI) in their book, illustrates the friction generated when control over information changes hands. In spite of this difficulty, however, the concept of computer-moderated conferencing has been employed in a number of communications systems.

From New Guinea to the Electronic Cottage

A few years ago, the multinational Bechtel Corporation approached its telecommunications group with a problem: how could a team of employees scattered across several time zones and continents maintain effective communications? The great geographical dispersion made it clear that only a messaging service would work, yet the traditional methods were inadequate to sustain technical dialog among the 10 to 12 people in a team. Bechtel solved the problem by subscribing to Infomedia's Notepad system, developed by one of the premier innovators in the field, Jacques Vallee.

An early Bechtel project using Notepad was centered at a Nevada molybdenum mine with no telephone access. In order for the site manager

Excellence Acknowledged.



Some people demand the best.

Superior quality at superior value identifies the "best" products, and the best in Apple !1" compatible drives is the Micro-Sci line of 51/4 " floppy disk drives and subsystems.

Business people needing storage, reliability and fast access have been impressed with Micro-Sci's A40 system since we introduced it back in 1979. For a lower list price than the Apple Disk II*'s, the A40 offers 20Kb more capacity, faster access time and greater data reliability.

The Micro-Sci A70 drive combines quick

access and high reliability with a full 286Kb storage capability.

The newest member of Micro-Sci's Apple IIcompatible family, the A2, is a direct replacement for the Disk II.

International Dealer Inquiries...

featuring total compatibility at a lower cost. Better still, you can mix our A2 drive and controller with their drive and controller for complete freedom of interchangeability.

And Micro-Sci's controller includes operating features like jumper-selectable 3.2 and 3.3 DOS.

Give yourself the privilege.


Micro-Sci delivers the most in quality, reliability and performance. So when you consider additional drives or a disk subsystem for your Apple II, indulge yourself in the Micro-Sci alternative.

See our complete product line today at a dealer near you.

(SPECIAL NOTE TO APPLE III* USERS: Micro-Sci also offers a full range of Apple III-compatible drives. Ask your local dealer for details.)

Micro-Sci is a Division of Standun Controls, Inc. 2158 SOUTH HATHAWAY STREET - SANTA ANA, CALIFORNIA 92705 - 714/662-2801 - TELEX: 910-346-6739 IMC International Markets Corp. Telephone 714/730-0963 • Telex: 277782-ROBY UR

" Apple, Apple II, Apple III and Disk iI are registered trademarks of Apple Computer, Inc.



Interested in dBASE II or 1-2-3? Beware The Dreaded Finger Pointers!

Sound familiar? Does your dealer turn into a "finger pointer" when you need help?

At SoftwareBanc we offer a complete system that doesn't stop when your software is delivered.

Careful Product Selection

Do you get bewildered by the endless lists of software you find in most ads? Let us be your quality control department.

We only sell the best programs on the market. After a thorough evaluation we chose dBASE II™ for data processing, and 1-2-3[™] for financial management.

Our complete line of add-on products help you to continue to get the most from your software.

Expert Technical Support

When you buy software from us, you can rest assured that help is only a phone call away. Just call us at (617) 641-1235 for all the free support you need.

Free dBASE II™ User's Guide Prices You Can Afford

We don't send you somewhere else to learn more about a product we sell. Order dBASE II™ from us, and you'll receive a free copy of our dBASE II™ User's Guide, You can also buy the User's Guide first for only \$29, and then receive a full credit when you buy dBASE IL™

Free 1-2-3" Utility

Receive 1-2-3 TRANS free with your purchase of 1-2-3.™ 1-2-3 TRANS is a menu driven program that will quickly and easily transfer files from dBASE II™ to 1-2-3™ and back again.

1-2-3™ & dBASE II™ Classes

Want more in-depth information about dBASE II™ or 1-2-3™? Attend a SoftwareBanc seminar near you. Each session runs from 9 to 5, and costs \$175.

Los Angeles July 18-22 Washington, D.C. Aug. 29-Sept. 2

Anchorage August **New York City** September

1-2-3™
dBASE II™\$479
ABSTAT\$379
dBASE II™ User's Guide \$29
DBPlus*\$95
dGRAPH\$199
dUTIL
dNAMES\$109
QUICKCODE\$199
*Only available for IBM PC with MS-DOS.

Free Catalog

If you want to learn more about SoftwareBanc, call or write for our free product catalog.

SoftwareBanc

661 Massachusetts Avenue Arlington, Mass. 02174 To order call: (800) 451-2502 (617) 641-1241 in Mass. For technical support call: (617) 641-1235

1-2-3 is a registered trademark of Lotus Development Corporation/dBASE II is a registered trademark of Ashton-Tate, Inc.

Payment may be made by: MasterCard, Visa, check, C.O.D., money order. Mass. residents please add 5% sales tax. Add \$5.00 for shipping and handling.



to communicate with a central office in San Francisco, he was given a portable terminal. Each evening he jumped into his jeep, drove to the nearest town, and telephoned Infomedia's computer in San Bruno, California, to receive updates on engineering and management messages and details concerning orders and shipments. The system was also successful in managing gold and silver mines in Idaho and Canada and in supporting a nine-month project in

the Beluga oil fields in Alaska.

The most spectacular Bechtel conferencing project involves a mining operation in Ok Tedi, a remote province 400 miles from the coast in Papua New Guinea. Altogether, several teams had to be coordinated between New Guinea, Australia, and a central office in Los Angeles.


Ironically, Bechtel does not use conferencing for its internal corporate communications. As is true for many organizations, messaging is accomplished by using switching networks, electronic mail, and similar systems. This may change as computer conferencing is exploited to relieve working groups of the need for extensive travel and real-time discussions.

Two other computer-moderated conferencing systems, Confer and EIES (Electronic Information Exchange System), serve the needs of specialized study groups and business clients who "meet" online to develop documentation, examine specific problems, exchange data, and communicate with allied organizations. The Army's Delta Force, a network of consultants and Department of Defense specialists, uses Confer to examine future needs and organizational requirements, (See "Electronic Publishing" by Arthur Bechhoefer, page 124, for an account of another interesting application of Confer.)


EIES has been the site of professional-society committee deliberations such as those of the Instrument Society of America. Also, 10 hepatitis experts used EIES to organize a new database, the Hepatitis Knowledge Base, for the American Library of Medicine. The Hepatitis Knowledge Base is now available for downloading into physicians' microcomputers. In addition, Starr Roxanne Hiltz, coauthor of The Network Nation and sociologist studying acceptance of the new telecommunications technologies, has employed EIES to present online courses such as Telecommunications in the Future.

In 1978, a conference was organized on EIES, called Politechs, that included federal laboratories, state legislatures, local governments, public-interest groups, technical professional societies, and the White House. The conference was dedicated to promoting exchanges on the impact of science and technology on public policy. As a result of this conference, proposals have been made that aim at developing permanent interchanges for various departments of the federal government.

After the Three Mile Island incident in 1979, the nuclear industry responded by founding an Institute of Nuclear Power Operators that uses Notepad to tie together each utility



Incubation Complete



A Third Generation is

(Pictured above)

A 280 based microcomputer board with memory and I/O functions

Fully complies with IEEE 696 Standard

4/6/8 MHz Z80 A/B/H°
 Supports CP/M° Plus

- Operates as bus master/slave for multi-user, multi-processor architecture.
- 64K on board memory, dual ported, parity checked
 2 serial ports, 1 full SASI port
- All I/O drivers on board
- Memory management
- Full 24 bit address capability
- 3-16 bit CTC's



EXPANDORAM IV—Random access memory board utilizing 64K or 256K NMOS RAM chips

- Fully complies with IEEEE 696 Standard
- 256K capacity with 64K chips
 1024K capacity with 256K chips
- Error checking and correction (2 bit detection, 1 bit correction)
- On board refresh
- Supports both 8 and 16 bit data transfers
- 24 bit addressing



SD300—A new series of compact yet expandable S-100 microcomputers.

- Compact size approximately 4" x 14" x 17"
- 6 Slot motherboard
- Rugged metal enclosure
- Supports up to 5 users

OEM Version: Designed for ease of integration and maximum flexibility

- Z80 CPU
- Versafloppy II with free CP/M PlusTM

DISKIESS Version: An ideal high performance system for disk intensive applications. Eliminates disk walt states for spread sheets, spelling checkers, and network operation. Utilizes SD Systems RAM Disk and ROM Disk modules.

FW-3: A single board controller for floppy and Winchester disk drives:

· Fully complies with IEE 696 Standard · Free copy of CP/M PlusTM included • Up to 4 floopies and three Win-chester drives may be controlled by VFW-3 • Data transfers to and from board under DMA or programmed I/O control • Supports 24 bit address space.

P/M Plus Mainigh performance single user operating system.

 CP/M° 2.2. compatible—no modification!
 When used with SDSystems 256K memory board speeds are up to 7 times faster than CP/M° 2.2.
 High performance file system
 MP/M° II file password protections. tion • Time and date stamps on files • Support for 1 to 16 banks of RAM • Support for 1 to 16 drives of up to 512 MB each • Easy to use system utilities with HELP facility . Powerful batch facility . Sophisticated programmer utilities

RAM Disk 256: A solid state disk emulator that greatly increases system performance by eliminating disk walts in disk intensive applications. Excellent for spreadsheets, spelling checkers and software

• 256K capacity • 1 mb total bus capacity • CP/M® 2.2, PLUS TM compatible • 1/0 port addresses user selectable • Storage locations addressed by on board 20 bit counter . On board refresh.

ROM Disk 128: An EPROM board that replaces a floppy disk drive for the purposes of booting CP/M and loading application programs.

 Provides non volatile, permanent storage of proor provides not volatile, permanent storage or pro-grams and data • Utilizes 2732 or 2764 EPROMS, 116 max) • 128K capacity per board • 512K system capacity • Use with SDSystems RAM disk to configure a stand alone or network diskless system • CP/M PlusTM available in eproms . Serial port provided.

CP/ m® 2.2 and CP/ m PlusTM are registered trademarkes of Digital Research, Inc. *280 product of Zilog Corp

10111 Miller Road • Dallas, Texas • (214) 340-0303 • TLX-682 9016

Communitree: A Microcomputer-**Based Conferencing System**

An organization in San Francisco called the Communitree Group has developed a computer conferencing system for the Apple II. Designed as an alternative to the many computer bulletin boards around the nation, this system provides a relatively simple messaging structure capable of supporting complex branching communications- hence the name Communitree. In operation, you simply dial the system as you would any other bulletin board. You then obtain a list of parent conferences that can be accessed with a simple READ command. If the selected conference contains a subconference structure, the titles of the branch conferences will be displayed. You may browse as with more elaborate systems and enter messages with a simple line editor. Only the system operator has the power to delete or shift messages. Help files assist novices in learning the system's features.

This design is similar to The Source's Participate in that it provides a message-branching structure. Communitree is much more primitive, however, because machine limitations restrict the resources available to users, but the system's simplicity makes it easy to learn and very suitable for restricted applications.

To run the conferencing software, you must have an Apple II with 48K bytes of RAM (random-access read/ write memory) and two disk drives. This will support a maximum of 320 fifty-line messages. The system deletes notes that are not current, and it can easily handle up to 35 users per day if it is kept online 24 hours per day. The Communitree Group also intends to develop software for other personal computers such as the IBM Personal Computer.

The source code is written in FORTH, and the cost of the program and manuals is \$150.

Additional information may be obtained from the Communitree Group, Suite 207-3002, 470 Castro St., San Francisco, CA 94114.

with consultants, vendors, and numerous organizations.

Participate, a conferencing system that has recently appeared on The Source, has facilitated conferencing among disparate groups. These

groups can subsequently organize themselves into communities.

An interesting example of the synthesis achieved in such a structure is the electure, a project designed and implemented by a group of approximately 20 participants within a three-month period. Jim Rutt, while serving as manager of Product Development for The Source, started with a concept developed by David Hughes, an early exploiter of computer telecommunications as a teaching tool, and suggested that Participate provide popular electronic lectures or "electures." A conference was started in which the members examined the scope, organization, and operation of an electure.

Despite the fact that many key members of the conference were periodically absent for extended periods, the group was first able to define the mechanism and procedures that were needed and then put the first electure online. The "electurer" was Starr Roxanne Hiltz, and the subject was the computer revolutionhow the "electronic cottage" is changing the home. It appeared in seven segments, each segment followed by a ballot and a separate discussion conference. The electure became a powerful model for colloquia, seminars, electronic publishing, and structured telecommunications.

Where the Conferences Are

As of this writing, approximately a dozen commercial conferencing services are available in the United States. Some of these are run on central computers and can be accessed by terminals or microcomputers via packet-switching networks such as Tymnet and Telenet. Some can be licensed for use on a private mainframe computer. Most of these services are summarized in table 1. In addition, there is even a computermoderated conferencing system that runs on a microcomputer.

It is difficult to compare the various conferencing systems because many were designed with different tasks in mind. This has led to certain structural and operational quirks peculiar to each one. However, because some features are shared.

there are undeniable family resemblances.

All systems are designed to facilitate many-to-many communications. Participate differs somewhat in that it was designed to accommodate what has been referred to as "inquiry networking." Users of Participate may branch off a main conference and develop their own subconferences, usually based on an inquiry generated in the trunk discussion. This multiple-branching capability is analogous to the organization of subcommittees in a plenary session. The subcommittees are established to examine specific topics and then report back to the full committee. This structure facilitates the problemsolving aspeci of conferencing.

Of course, any system that provides such opportunities for multiplebranched conferencing must also supply the user with means to maintain access and control. This requires a more complex set of instructions that can frustrate the unsophisticated subscriber. Initially, users may have difficulty knowing where they are within the conference hierarchy. Most computer conferencing systems have limited branching capabilities and use as simple a procedure as possible in order to achieve userfriendliness.

This does not mean that such systems are simple-far from it. EIES furnishes elaborate subdivisions for specialized information transfers, such as an electronic marketplace for buying and selling information and a "paper fair," a repository of research documents. Participate relies on its branching capability, which users must learn in order to tailor the system to their own needs.

Perhaps the most elaborate system is Augment, which gives the subscriber maximum control over all textual operations, from processing to multicolor page composition. Such a system requires a high degree of user knowledge and skill.

Com, the Swedish entry, has an extremely flexible structure that enables participants to track related messages via the links that interconnect them as a discussion grows. A single command is all that is needed to trace the

North Star solutions are simple and powerful.

Not everyone needs a small business computer as powerful and fully-featured as a North Star. The North Star ADVAN-TAGE and HORIZON* microcomputer systems are built for those who demand a great deal more... of themselves as well as the vital tools they select for office automation.

Powerful

Putting a North Star system through its paces is like high-speed driving in a luxury sports car: instant response to user commands, with a feeling of untapped resources within. Your North Star system has the power to get you through the fast curves of business and over towering peaks in workload. North Star outperforms the industry in single-user, multi-user and now in office network systems.

Simple

Advanced software engineering has harnessed the power of the HORIZON and ADVANTAGE, so that achieving your results is as simple as a Sunday drive. Concise user commands instruct the computer to work the way you want it to.

And, we keep it simple everywhere: service, system expansion, and even custom software.


Solutions

North Star systems are designed to get you from A to B as effectively as possible. The designed-in harmony of our word processing, planning, accounting and other applications permits faster solutions and a broader range of possible accomplishments.

And no solution is complete until it is in presentation form. North Star graphics concisely present your results in charts, graphs and graphic figures.

Discover North Star's simply powerful solutions at one of over 1000 computer stores or systems houses. Call 800-447-4700 for the location nearest you, or write North Star Computers, Inc., 14440 Catalina Street, San Leandro, CA 94577.

NorthStar Simply powerful solutions.



See us at NCC, Booth -W6358.

The North Star logo, tagline and HORIZON are either trademarks or registered trademarks of North Star Computers, Inc. © 1983.

Systems serviced nationwide by MAI/Sorbus Service Division.

Circle 331 on inquiry card.

System	Availability	Connect Costs	Processor
Participate Participation Systems Inc. 43 Myrtle Terrace Winchester, MA 01890	The Source; may be licensed	\$20.75 to \$5.75/hour; closed user group: \$5000; licensing cost: \$10,000 to \$60,000	Prime computers
EIES Electronic Information Exchange System New Jersey Institute of Technology 323 High St. Newark, NJ 07102	Telenet, Univet, or direct dial	\$75/month; group accounts: \$200/month plus \$10/month per user plus \$8/hour	Perkin-Elmer 3230
Notepad Infomedia 801 Trager Ave., Suite 275 San Bruno, CA 94066	Tymnet; may be licensed	\$10/hour average; closed user group: \$1000/user plus \$60/hour; licensing fee: \$35,000	DEC-20 with TOPS-20 operating system
Confer Advertel Communications 2067 Ascot Ann Arbor, MI 48103	Telenet	\$19/hour average	Amdahl 580
Hub Institute for the Future 2740 Sand Hill Rd. Menlo Park, CA 94025	Uninet; may be licensed	\$30 to \$ 40/hour; licensing fee: \$40,000	DEC-20 with TOPS-20 operating system
Com Swedish National Defense Research Institute Stockholm University Computing Center Box 27322 S-10254 Stockholm Sweden	no subscription service; may be licensed	purchase cost: \$14,000 (\$7000 for universities); leasing cost: \$4000/year (\$2000/year for universities)	DEC-20
Genie Data Dynamics POB 5517 Portland, OR 97228	no subscription service; may be rented or licensed	rental cost: \$15,000/3 months; licensing costs: \$35,000	CDC Cyber 175; DEC VAX-11/780
MTX Matrix Transaction Exchange Cross Information Co. 934 Pearl Mall, Suite B Boulder, CO 80302	Telenet; may be licensed	\$50 fee plus \$25/hour; leasing costs: \$1000/month and up	DEC systems
Augment Tymshare 20705 Valley Green Drive Cupertino, CA 95014	Tymnet; may be licensed	\$14 to \$18/hour; licensing cost depends on implementation	DEC-20 with TOPS-20 operating system

Table 1: A list of commercial computer-moderated conferencing systems available today. Most of these systems can be accessed with either a microcomputer or a terminal. In addition, the software for some of these systems can be licensed for operation on a mainframe computer.

complex branches of an involved discussion.

Computer Resources

One of the main advantages of computer-moderated conferencing is the ease with which you can access other very useful computer resources such as text editors, databases, and so

on. Obviously you need an editor to process text that you will enter into conference discussions, and databases, programs, graphics packages, and instructional texts are all significant enhancements.

This support may be achieved by one of three strategies: putting the resources on the conferencing computer, accessing a separate resource computer over a network link, or implementing these resources directly on the user's microcomputer. In this last case, the conference computer may append one user's resource for the benefit of other users, although this is not the most important feature of such an arrangement. Obviously,



You can count on 3M diskettes. Day after day.

Just like the sun, you can rely on 3M diskettes every day. At 3M, reliability is built into every diskette. We've been in the computer media business for over 30 years. And we've never settled in. We're constantly improving and perfecting our product line, from computer tape and data cartridges to floppy disks.

3M diskettes are made at 3M. That way, we have complete control over the entire manufacturing process. And you can have complete confidence in the reliability of every 3M diskette you buy.


Look in the Yellow Pages under Computer Supplies and Parts for the 3M distributor nearest you. In Canada, write 3M Canada, Inc., London, Ontario. If it's worth remembering, it's worth 3M diskettes.



3M hears you...



FOR MATURE USERS ONLY.



If you're a dealer, OEM, or fairly knowledgable end user, Vandata has an incredible deal for you — the Vandata Business Software Package. The package includes: General Ledger, Accounts Payable, Accounts Receivable and Payroll with Cost Accounting, plus our custom installation program. All for only \$295.

Why so low? Because a mature user doesn't need support. That drastically cuts our costs. And yours.

And if you're a software dealer, you can resell Vandata Business Software without paying royalties. The Vandata business package is the best-debugged, easiest-to-install enhanced Osborne-based system on the market. It's well worth up to \$995 with your support to end users.

Minimum requirements are 48K RAM, CP/M™, or CDOS, CBASIC2™, a CRT and a 132-column printer. The package is available on most CP/M disk formats. Our installation manual is included and the Osborne/McGraw-Hill application manuals are available separately.

Why pay for support you don't need? Order the Vandata Business Software Package. Call toll free:

1-800-426-5248.

VANDATA

17544 Midvale Ave. N., Suite 107, Seattle, WA 98133. In Washington call (206) 542-7611 VISA or MasterCard accepted. line costs may be minimized if you can access these editing and programming resources offline. (I'll discuss this further in the following section).

EIES uses a microprocessor to dial out through Telenet to specific resources such as the New Jersey Educational Computing Network, which provides software packages for data analysis.

Designers of the Hub conferencing system from the Institute for the Future (IFTF) decided to support four basic activities: graphics, programming, documenting, and balloting. Upon conclusion of the developmental and testing phase of the system, Hubert Lipinski and Richard Adler of IFTF concluded that a more general method of achieving usermediated access to resources is through a programmable microcomputer, so that connection to the conference computer and the resource computer could occur simultaneously.

Participate, as implemented on The Source, relies on the resources of the host computers in McLean, Virginia. These include various compilers; mathematical, statistical, and financial packages; and management modeling programs. The procedure for accessing these resources is complicated, however: the data must be processed outside the conference, the result placed into a file, and the file transferred into the conference.

Microcomputers as Terminals

As mentioned previously, you can reduce online charges by using a microcomputer (or intelligent terminal) capable of supporting text processing and a wide variety of communications tasks. A long document can be composed offline, edited, and then transmitted to the conference. Conversely, documents can be downloaded and read at leisure. And for the corporate executive with a hectic schedule or the computer hobbyist with little money, the microcomputer can wait until an appropriate time (say, after midnight when the network rates are lowest), dial into the conference, upload documents. download messages, and inform its user of the transactions the next day.

LET THE "ANGEL" DO THE WAITING

6 Leds to indicate power, transmission and reception status, buffer activities, page number, etc.

put and output

SKIP and REPRINT provide Independent page controls to reprint portions of documentation

40 Pin Expansion Bus available for future expansion

COPY provides convenient one key operation for single copy or multi-copy of text

3 externally accessible Dip Switches for baudrate, device type, and parallel and serial selections. Selections can be in without losing buffer

Connect an "ANGEL" between your computer and your printer, and let the "ANGEL" do the waiting

Your valuable computer spends 95% of its time waiting for the printer to catch up...and while the computer waits, the payroll continues.


The computer sends data to the "ANGEL at speeds up to 19.2K baud. The "ANGEL" stores data and sends it to the printer at a speed the printer can handle, and your computer is free to continue working without interruption.

A USER WRITES:


"I tried the "ANGEL" with my Altos system connected to an Epson MX-100, both set at 9600 baud. Without the "ANGEL" it takes 30 minutes to print 210 doctors' requisition forms. With the "ANGEL" installed, my computer is free after 90 seconds."

With "ANGEL'S" self diagnostics and memory test, the entire system thoroughly checks itself every time you power up.

PAGE REPRINT is another unique feature. EXAMPLE: You are printing a 32 page report, and the paper jams at page 11. Reset the printer to the top of the form, press PAGE REPRINT, and resume printing at the top of page 11. Want to restart two pages back? Press PAGE REPRINT twice,



PAGE REPRINT



Independent PAUSE and HOLD controls to suspend transmission and recep

Two 20 Pin Edge Connectors for parallel input and output

"ANGEL" is compatible with almost all Micro-Computers, including IBM, Apple, TRS-80, Vector Graphic, NorthStar, Altos, Xerox, Heath, Zenith, NEC, DEC, etc., with RS-232 serial, Hardware Handshaking, or Centronics competible parallel interface. The manufacturer reserves the right to change the product specification.

...And think of these other possibilities: HEX DUMP. Display or printout every bit of data your computer sends out to the printer in an easy-to-read Hexidecimal and ASCII format. A must for your programmer. Pause and Hold for real time programs. Page skip for selective printing. What a waste to print the entire documentation if you only need part of it.

Simple external switch settings, let the "ANGEL" accept either RS-232 serial or Centronics parallel data and can output either/or in any combination, (S-S,S-P,P-S,P-P). The "ANGEL" is compatible with almost all Micro-Computers, and can be installed by anyone in minutes. Switches are clearly marked for ease of operation, and a concise, USER FRIENDLY operator reference card is included with each unit.

The "ANCEL" has a full one year limited warranty. THE "ANGEL" WILL NEVER KEEP YOU WAITING



HEX DUMP

The chart shown here illustrates the features of the "ANGEL" compared to other buffer devices. When compared with the "ANGEL", the others just don't measure up. Sorry guys.

Feature	ANGEL	PAZER NY	\$P00U64	MICRO BUT PER IN LINE	SCIOPLE SPOCALES SERVAL
Price	295.00	330.00	319.00 w/o senal	349.00	603.00
Memory Size	64K	64K	64K	64K	62K
Max Baud Rate	19.2K	. 3	NVA	19 2K	7
Serial-Parallel	Yen		No		
Parallel Sena	Yeu		No	,	
Parallel-Parallel	Yes		Yes		
Serial-Serial	Yes	Yes	No	Yes	Yes
Сору	Yes	Yes	No	Yes	No
Reset/Clear	Yes	Yes	No	Yes	Ves
Pause/Hold	Yes	No	No	Yes	Na
Page Skip	Yes	No	No	No	No
Page Reprint	Yes	No	No	No	No
Continuous Copy	Yes	7	Na	. 7	No
Self-Diagnostics	Yes	7	7	7	7
Hex-Dump	Yes	No	No	No	No

* Can only be configurated for one of the low Modes.
**Information based on available specifications from manufacturer's advertisement as of Decumber, 1982 Micro-Fazer TM of Quadram Corp. Scoper Spooler TM of Computink Corp.

TO ORDER:

CALL TOLL FREE 1-800-323-3304 OR SEND CHECK OR MONEY ORDER TO LIGO RESEARCH

Please rush me (

) "ANGEL(S)" @ \$295.00 each

Sub total

ILLINOIS Add 6% U.S. sales tax

Delivery charge

\$4.00

TOTAL

Charge my () VISA () MASTERCARD

MY ACCT. # IS_

The essential capabilities for a microcomputer communications software package are the following:

- to provide a transparent talk utility that relegates the microcomputer to the "dumb" role of inputting key strokes and displaying information sent back by the host
- · to record into mass storage all information received in the talk mode
- · to upload files to the host computer in the talk mode
- · to upload files with a "stop-andwait" protocol so that large files may be uploaded without exceeding the buffer capacity of the recipient machine (for example, a microcomputer might upload a file until the host machine sends a wait signal-a Control-S on most keyboards-and will resume uploading when the host sends a continue signal-usually a Control-O)
- to divert incoming data to a printer if hard copy is needed

Many other capabilities are useful.

and much depends on such factors as the data-transmission rate. With slow data transmission, the stop-and-wait protocol is usually not needed. If accuracy is essential, such as when sending binary or numerical data, asynchronous transmission may not be satisfactory.

Existing communications software packages for linking personal computers to such popular subscription facilities as Compuserve and The Source have rather limited capabilities. In contrast to this are the proprietary networks (e.g., Ethernet, Wangnet, and SDnet) developed by office equipment manufacturers for in-house electronic mail. Telex operations, the sharing of peripherals, and other telecommunications.

Recently microcomputer software designers have begun integrating packages for text editing and formatting, database management, and asynchronous communications all into a single system. One such system, MIST (Microcomputer Information Support Tools), was developed by Peter and Trudy Johnson-Lenz and is available from New Era Technologies for licensing on microcomputers using the CP/M 2.0 operating system (MIST requires 56K bytes of volatile memory and two 250K-byte floppy disks).

Ultimately, multitasking multiuser operating systems running on the new generation of microprocessors will enable conferees to access many discussions, databases, and computer resources simultaneously. Without question, this will elevate telecommunications into a new realm about which we can only speculate.

An Example: Participate


The best way to give you a good idea of how computer-moderated conferencing works is to show you an example of transactions with Participate on The Source. Getting into Participate is somewhat easy. After logging onto The Source and requesting command mode, all I have to do is type "PARTICIPATE." My terminal should then respond by displaying the following:

[PARTI Version 3.08] Welcome to PARTICIPATE on the Source, IRVING! "PARTICIPATE" AND "PARTI" are trademarks of Participation Systems Inc. 5 waiting notes.

Read, Scan, Batch, Cancel or Hold?

When a Source user asks for Participate, the conferencing computer automatically checks its memory to see if the account number is registered and what conferences the customer has access to. In this case, the computer recognizes me as "IRVING." It is more than a name, it is an address to which others can send messages and information. Note that I have five messages waiting for me. If I simply type "Read," I will be asked to respond to them one by one. By batching them together, I can decide what to do at the conclusion. These notes may be conference notes, readable by members of the conference, or they may be addressed to me alone or to groups of respondents.

Let's say I am involved with the engineering section at a computer man-



ZERO TO MULTIPLAN. IN 5.2 MINUTES.

FINANCE OR ACCOUNTING WORKSHEETS FAST.



Gentlemen, start your computers.

Select budget intervals.

Enter sales revenue.

Enter selling expenses.

Time: 0

Time: 0.5

Time: 1.0

Time: 1.5

登録

Your sales budget on the Multiplan electronic worksheet-in record time.

Time: 5.2

First, Microsoft created the Multiplan interactive electronic worksheet, to help you analyze your business problems and explore possible solutions. Without asking you to become a computer expert.

Now we've added the Multi-Tool™ budget and financial expert systems. They can help design

and build financial or accounting worksheets tailored to your specific needs. In minutes.

You won't have to worry about developing formulas or formatting screens to build your Multiplan worksheets. Because the expert systems literally do it for you.

For example, the Multi-Tool Budget expert system creates seven interrelated

Multiplan worksheets for a total budget planning and control environment.

What's more, each system is developed by experts: business professionals and leading authorities in finance and accounting.

You'll benefit from their knowledge immediately, through the powerful worksheets each Multi-Tool expert system builds for

> you. And with the sophisticated tutorial manuals that accompany each system. Each manual provides in-depth information about both the design of the worksheets and the areas of finance and accounting they cover.

The result: a tailored electronic worksheet that helps you make high quality decisions.

That's just what you'd expect from Microsoft. The people who let you concentrate on your business rather than on your computer.

Ask your computer dealer to let you test drive the new Multi-Tool expert systems. Better tools that help you put your business in first place.


THE MULTI-TOOL EXPERT SYSTEMS, A POWERFUL ADDITION TO THE MULTIPLAN ELECTRONIC WORKSHEET. Available now: The Multi-Tool Budget expert system. The Multi-Tool Financial Statement expert system.

BETTER TOOLS FOR MICROCOMPUTERS

Microsoft is a registered trademark, and Multi-Tool, Multiplan and the Microsoft logo are trademarks of Microsoft Corporation.

Less for Your Money

If you do word processing on your personal computer, you probably know that there are many programs for sale to help you with your spelling. But the biggest spelling error you'll ever make is paying too much for your spelling correction software. The Random House ProofReader gives you less for your money -less trouble, that is, and fewer spelling errors. The Random House ProofReader is based on the world famous Random House Dictionary, It contains up to 80,000 words, depending on your disk capacity. You can add new words with the touch of a key. It shows you the error and the sentence it's in. It instantly suggests corrections. It even rechecks your corrections. And it costs half as much as other programs with far less power. The Random House ProofReader is compatible with all CP/M 2.20, MS-DOS® and IBM Personal Computer® systems.



For orders or information, see your local dealer or call 505-281-3371. Master card and VISA accepted. Or write Random House ProofReader, Box 339-B, Tijeras, NM 87059. Plesse enclose \$50 and specify your computer model, disk size and memory.

Random House and the House design are registered trademarks of Random House, Inc. CP/M to a registered trademarks of Random House, Inc. CP/M to a dol 18M Personal Computer are registered trademarks of International Business Machines, Inc. MS-DOS to a registered trademark of Microboft, Inc.

ufacturing company, and I have been using a conference on engineering to keep in touch with everyone. The following message illustrates a typical exchange:

"NEW PRODUCTS" Conference 83,34 HENRY, about "THE MANUFACTURE OF PORTABLE PRINTERS." (answers: 5) THUR, 01/27 13:35 (254 characters)

The decision has been made to design and produce portable printers. The product is to be on the market by the middle of next year. All members of the engineering staff are to begin their preliminary discussions in this conterence.

Join to receive future answers?

This message alerts me to the fact that on Thursday, January 27, another conference participant, HENRY, organized a new conference called "NEW PRODUCTS"-the 34th conference of 1983 (83,34)-about the manufacture of portable printers, and that there are already five responses in the conference discussion. I can find out who has already joined and what the topics of the discussions are, or I can join for a while, participate in the discussion, and then leave or quit the conference. Once I leave, however, I will no longer automatically receive notification of new discussion entries each time I log onto the computer.

Let's say I want to start my own conference, "JOINT," to establish communication between the engineering department and the marketing department to help market portable printers. To do this 1 type "Write" or simply "W" in response to the computer prompt, "Disposition for NEW PRODUCTS'7" At this point, I can write my message in a special editable workspace-the scratch pad-set aside by the conference computer.

This is to notify all members of the engineering staff that a joint marketing-engineering conference called "JOINT" Conlerence has been organized to coordinate activities. A preliminary market survey indicates that there are three manufacturers of portable printers with high inventories. Design fallures may have been the largest factor contributing to their lack of sales, and it will be

necessary to determine what was responsible for their poor performance.

The above message will be automatically appended to the "NEW PROD-UCTS" Conference, At this juncture, I may use the editable workspace to organize the "JOINT" conference. As members of the engineering staff log onto the computer, they will be informed of my message concerning the "JOINT" conference and given the opportunity to join and participate.

This kind of communication system gives everyone the choice to enter, abstain, or simply monitor all goings-on. Only the moderator-the discussion editor-has the power to restrict membership, delete, or modify what has been recorded in the conference. It makes no difference whether HENRY and I are separated by a few feet or 10,000 miles, by seconds or days.

The Computer as Publisher

Some large corporations, primarily those involved in computer technology, have begun to experiment with automated conferencing as a tool to facilitate their developmental work. The Massachusetts Institute of Technology's Center for Information Systems Research has been using Participate to run a conferencing project for a number of corporations. The MIT program has been particularly successful in using Participate to organize meetings and to explore specific conference topics. Notepad was used to organize the Spring 1982 Office Automation show in San Francisco.

In the past, a major meeting required careful planning and volumes of communication, but when the preparatory work is handled in a computer conference, the content and scope of a meeting are easily developed. Computer conferencing cannot substitute completely for all meetings, of course, but it can greatly increase the productivity of meetings when they do take place, Such conferencing also includes a democratizing feature: the organization is open to criticism and discussion among all conferees.

This immediately points to a poten-



Some people drive fine German machines to work. Some people drive them once they arrive.

The tradition of high quality, high performance German craftsmanship and engineering is legend. And while we most often see that tradition in action on America's streets and highways, it is in America's business offices that its future holds the most promise.

The BASIS 108 is the proof.

This powerful small business computer passes higher-

priced competitors with ease. Its dual processors—for CP/M® and Apple II® compatibility—open up the largest library of microcomputer software and plug-in peripherals available today. This unique combination also provides

compatibility with other popular languages, including Pascal™ and LOGO.™

The detached keyboard is a work of art and practicality. Lightweight and low profile, it features a full one-meter cord for comfortable operation on your desk — or your lap. There's a full 128-key ASCII character set. Fifteen user-definable function keys that can provide access to 60 distinct functions. A nine-key cursor control block. And a convenient eighteen-key numeric pad. For special applications, you can also custom map the keyboard with a simple exchange of ROMs.

And there's more. RGB and composite NTSC or PAL video. Keyboard-selectable 80-or 40-column display.

High resolution color graphics. Parallel and serial printer interfaces. Easily accessible outboard I/O connectors. Six Apple II-compatible card slots for peripherals expansion. Even a two-inch alarm or music speaker.

The BASIS chassis is cast aluminum, eliminating heat and RFI interference problems. And there's plenty of room for internal expansion to include hard disk drives and other peripherals.

The BASIS 108. Microcomputing's "Best Of Both Worlds." German craftsmanship and American business savvy. CP/M-based business computing and Apple II-based personal computing. High performance and a surprisingly low cost. The BASIS 108. A computing machine finely tuned to handle the fast tracks of business today.

Call your BASIS dealer for a test drive.



BASIS INCORPORATED (IIII)

5435 Scotts Valley Drive Scotts Valley, CA 95066 (408) 438-5804 TWX: 910-598-4512

CP/M^a is a registered trademark of Digital Research, Inc. Apple II^a is a registered trademark of Apple Computer, Inc. Pascal™ is a trademark of the Regents of the University of California at San Diego. LOGO™ is a trademark of Logo Computer Systems, Inc.

tially important new application. Computer conferencing may be ideally suited to filling certain gaps in publishing. Consider this: with a computer terminal connected to a network, the user has potential access to thousands of information libraries or databases-from the New York Times Consumer Data Base to the Library of Congress Card File. There is no substantial publisher of data that does not put at least part of its information into computer storage, Some commercial information services such as Dialog, a subsidiary of Lockheed, have access to over 45 million records in more than 120 databases on business, science, medicine, technology, the humanities, and politics.

The computer facilitates the search for meaningful information by providing highly selective search strategies. It is no longer true that the proliferation of information is threatening to deluge us with meaningless drivel. The problem is the opposite, Information is not being produced fast enough.

Particularly troublesome is the fact that some scientific and medical articles take a year or more after submission to a journal before emerging in print. Also, the processing of economic statistics can be excruciatingly slow. Such delays are not acceptable. We need more informa-

tion faster if we are to be able to correlate and organize the diverse pieces necessary to make coherent and prompt decisions.

One exciting solution is for scientific societies to supplement their publishing operations with computerized conferences in which information exchanges can be conducted and subjected to the critical scrutiny of their members. Specialized research groups can also conduct exchanges, partially in public or wholly in private, in order to accelerate the interchange of ideas and data. Ongoing dialogs can be developed and nurtured along diverse, interdisciplinary lines, merging with specialists in different groups when necessary.

The Collective Intelligence

The marriage of cable television with computer technology has already led to a limited form of mass conferencing in certain test markets. On the Qube system in Ohio, subscribers can respond to inquiries, participate in votes, play games, and obtain information through a communications link with their cable service.

In the future—especially as videotex services become more popular—electronic mail, commercial transactions, conferences, magazine abstracts, local reports, and public-interest announcements will be integrated into our daily routine.

How the institutions of our society-business, government, universities, laboratories-will be changed by this technology is difficult to assess. The process of communicating creates new information; new designs for equipment, solutions to marketing problems, the synthesis of scientific and technical knowledge, the testing of hypotheses, the hard work of whittling fact from the raw material surrounding it. And the more people communicate, the more new information will become available. Once expressed, an idea will become part of a percolating turbulence of thought, criticism, and judgment—a collective intelligence,

There will be dangers, however. Information vendors may assume tremendous power; no antitrust laws govern the managment of ideas. The great institutions may acquire even greater authority, and a suffocating superclass might emerge to stifle the innovations of the future. Privacy may be difficult to maintain, and privileged information may become the prey of unscrupulous individuals and institutions.

What we gain, however, will be more than what we hazard losing. We will live with a wealth of ideas, in a firmament of information as enormous as the whole of human knowledge.

ENHANCE YOUR COLOR COMPUTER WITH THESE GREAT PRODUCTS!

MACRO-BOC DISK BASED EDITOR/ASSEMBLER

This is a powerful macro assembler, screen oriented editor and machine language monitor. It leatures local labels, conditional assembly printer formatting and cross reference listings. Assemble multiple likes. Program comes on Radio Shack compatible disk with extensive documentation. Price; \$99.95

MICROTEXT COMMUNICATIONS

Make your computer an intelligent printing terminal with off-line storage! Use Microtext for timesharing interactions, printing what is received as it is received and saving text to cassette, and more! Price: \$59.95

PIBOC PARALLEL PRINTER INTERFACE

Use a parallel printer with your Color Computer! Senal-Parallel converter plugs into the serial port and allows use of Centronics-compatible printers. You supply the printer cable Price: \$69.95

THE MICRO WORKS COLOR FORTH

Color Forth is easier to team than assembly language, executes in less time than Basic and is faster to program in than Basic. Rompack comes with 112-page manual containing glossary of system-specific words, full standard FIG glossary and prices \$109.95.

SDS-80C SOFTWARE DEVELOPMENT SYSTEM

SDS-80C is a Rompack containing a complete editor assembler and monitor it allows the user to write assemble and debug assembly language programs with no reloading object patching or other hassles. Supports full 6809 instruction set Price: \$88.95

BOC DISASSEMBLER

Runs on the Color Computer and generates your own source listing of the Basic interpreter ROM Documentation includes useful ROM entry points, complete memory map, 1/0 hardware details and more Cassette requires 16K system Price: \$49.95

GAMES: Star Blaster * Pac Atlack * Berserk * Cave Hunter * Startine * Astro Blast * Starship Chameleon *
Adventure Black Sanctum * Adventure Calicità Island *




Also Available: Machine Language Monitor Books Memory Upgrade Kits Parts and Services Call or write for more information

California Residents add 6% Tax Master Charge/Visa and COD Accepted

P.O. BOX 1110 DEL MAR, CA 92014 619-942-2400

THE BEST PRICED 256K RAM CARD ONLY HAS 64K.



Compatible with the new XT

BUT YOU CAN GET ANOTHER 192K ANY TIME.

Apparat's RAM Card, priced at \$149, is the most economical way to add memory to your IBM/PC today. And have the ability to add-on tomorrow.

The RAM Card, with sockets for up to 256K bytes of RAM with parity, gives you an additional 64K of RAM for your IBM. As the price of RAM chips comes down further or your needs go up, you can add to it easily. Additional RAM is available today at \$64 per


64K increments if you need it now. If not, wait and buy it in the future. Apparat's 64K RAM Card gives you memory and economy. The RAM Card also comes with SDRIVE, enabling RAM memory to be directly accessed as if it were disk memory. And if you

use Apparat's COMBO Card
you can have three additional
functions; parallel
printer, RS232 async
communications and clock
calendar. The COMBO Card
is now priced at just \$169.
The RAM Card and COMBO
Card are compatible with
IBM/PC DOS 2.0 to let you
use the newest IBM operating
system and both carry a one
vear warranty.

For the dealer nearest you call 800/525-7674 or write Apparat Inc., 4401 S. Tamarac Parkway, Denver, Colorado 80237, 303/741-1778.

IBM PC is a trademark of IBM







The best software for the IBM Personal Computer. Could it be yours?

Attention, all programmers. Here's a chance to reach the top.

If you've written software that's completed and runs on the IBM Personal Computer, we could be interested in publishing it.

(We also could be interested if it runs on *another* computer. If we select your software, we'll ask you to adapt it to our system.)

But be advised.

Our expectations are great.

Because the software we publish must be good enough to complement IBM Personal Computer hardware. In fact, the more you take advantage of all our hardware capabilities (see the box at right), the more interested in your software we become.

Think about incorporating color graphics into your program, for example.

Use sound. Consider the power of our keyboard and remember to utilize the ten programmable function keys.

In all cases, we're interested in "friendly" software—with emphasis on quality and wide appeal. Programs with the greatest chance of being published must be easy to use, offer a better way to accomplish a task and provide something special to the user.

What kinds of programs? All kinds. Education. Entertainment. Personal

finance. Data management. Self improvement. Games. Communications. And yes, business.

We select programs that will make the IBM Personal Computer an even more useful tool for modern times.

IBM PERSONAL COMPUTER SPECIFICATIONS

User Memory 64K-640K bytes Microprocessor 16-bit, 8088

Auxiliary Memory 2 optional Internal diskette drives, 514^{rt} 160KB/RBOKB or 520KB/360KB

per diskette Keyboard 83 keys, 6 ft. cord attaches to system unit 10 function keys

10 function keys 10-key numeric pad Diagnostics Power-on self testing Parity checking Display Screens
Color or monochrome
High-resolution
80 characters x 25 lines
Upper and lower case

Operating Systems DOS, UCSD p-System, CP/M-86†

Languages
BASIC, Pascal, FORTHAN,
MACRO Assembler,
COBOL
Printer

All-points-addressable graphics capability Bidirectional 80 characters/second 18 character styles 9 x 9 character matrix Permanent Memory (ROM) 40K bytes

Color/Graphics Text mode, 16 colors

256 characters and symbols in ROM Graphics mode. 4-color resolution: 320h x 200v Black & white resolution: 640h x 200v Simultanexus graphics & tea capability

Communications RS-232-C interface SDLC, Asynchronous, Bisynchronous protocols Up to 9600 bits per second

So, if you think your software is the best, consider submitting it. If it's accepted, we'll take care of the publishing, the marketing and the distribution. All you have to do is reap the benefits of our new royalty terms. And you're free to market your program elsewhere at any time even if you license it to us.

We're offering the ladder. Think about taking the first step.

For information on how to submit your program, write: IBM Personal Computer,

External Submissions, Dept. 765 PC, Armonk, New York 10504.



The IBM Personal Computer Atool for modern times

For more information on where to buy the IBM Personal Computer, call 800-447-4700. In Alaska or Hawaii, 800-447-0890. †UCSD p-System is a trademark of the Regents of the University of California. CP/M-86 is a trademark of Digital Research, Inc.

Electronic Publishing The New Newsletter

How a traditional newsletter became a computer-accessed, interactive investment advisory service.

Computer conferencing is gaining popularity as a solution to the time and place restrictions of conventional business meetings; however, the techniques involved readily lend themselves to other uses. Through the example of the Independent Investors Forum (IIF) I'll show how such conferencing techniques can be applied to the field of newsletter publishing to develop an information service that is highly receptive to the needs of its audience.

Not long ago I found the opportunity to publish a small newsletter for stock market investors. In designing this publication, I had two principal objectives. First, the publication would have to be profitable, even though it would probably circulate to fewer than 500 subscribers. Spreading investment advice to a larger au-

Editor's Note:

For more information on computermoderated conferencing, see the article entitled "The Movable Conference," by Irving Lerch, also in this issue on page 104,

About the Author

Arthur Bechhoefer has a doctoral degree in Urban and Regional Planning from the University of Michigan. He is the director of the Independent Investors Forum, the first commercial application of computer conferencing techniques to newsletter publishing.

Arthur S. Bechhoefer Independent Investors Forum 1640 Argonne Place, NW Washington, DC 20009

dience, as is done in many newsletters and most notably on public television's Wall Street Week, destroys the value of the advice; too many people act on it before you get a chance.

Second, because I wanted the publication's information to help individuals make investment decisions that best meet their own needs, people ought to have some input into the editorial process. They should be able to question the research staff, offer their own opinions, and ask other subscribers what they think. (In practice on the IIF, not only does this dialogue produce better decisions, it keeps our research staff honest. That's why we tell our clients, "Our advice is questionable.")

This second objective presented me with an interesting new application for my personal computer. Originally I had intended to use it simply as a word processor to produce clean copy suitable for a biweekly newsletter. But even a computer novice like me could see at a glance the advantages of a computerized investment service over traditional market

advisory letters. The major benefit, of course, is the elimination of the time needed for preparing hard copy and mailing it to subscribers. Investment advice often loses its value rapidly. Timing of purchases and sales is critical, especially for the small investor. With a computer and communications equipment, you can get all the information instantly.

An electronic mail or bulletin board system would be one way to meet this need for rapid communication. But the problem with these systems is that the user often likes to refer back to certain articles and to skip over other articles entirely. The user needs to be able to sort through the entire data file quickly to minimize connect-time costs and to avoid eyestrain from looking at a video display that, in the case of most home systems, is pretty unsophisticated.

Compared with hard copy, the average home computer terminal leaves a lot to be desired. There are no fancy type styles, no photos, and very limited graphics. Everything merely scrolls up a phosphor monitor that displays at best only 80 columns of text. How much of that can you take before you get bleary-eyed or just plain bored? We had a hunch, confirmed by subsequent research,

Tiny BASIC MICROCOMPUTERS TRANSWAVE'S K-8073 SERIES

The "ENGINEER'S" computer is available in three powerful versions offering real-time Tiny BASIC.

\$68400 *24K BYTE

SINGLE UNIT



K-8073B XCALIBUR

DISPLAY

Low Cost—Powerful/Versatile Rapid Implementation of Control Programs

In its price range, the NEW Transwave K-8073B, "XCALIBUR," is the computer for the engineer or technician. Rapidly implemented, the "XCALIBUR" can be up and running sophisticated applications of measurement and control in hours instead of weeks or months. Transwave has added many important features to its original Tiny BASIC K-8073. Memory has been expanded to 24K byte of RAM with 16K battery backup. An additional 8K byte is available for HI RES color video and is contiguous to the first 16K RAM. EPROM is increased to 16K with an on-board programmer. The "XCALIBUR" comes in a heavy-duty extruded aluminum housing with a 16-key data input keyboard and 8-digit, real-time display. A constantly expanding EPROM software library allows fast implementation of many industrial control applications.

*Supplied with 16K EPROM, 6K RAM, 2.5K ROM. With full memory-\$992-16K EPROM, 24K RAM.

Expanded Features:

- INS-8073 XMOS* 8MHZ or 4 MHZ Tiny BASIC microinterpreter.
- Extended memory—24K RAM battery backup, 16K EPROM w/on-board programmer.
- · Color video generator for full HI RES graphics/text.
- RS-232 w/printer handshake.
- Real-time clock-yr., mo., wk., day, hr., sec. w/interrupt.
- . Socketed RAM: 2K or the new 8K 6264LP.
- Buffered ADD/DATA/CONTROL LINES.
- ART/RC Master, for single wire data I/O of 128 "Slaves."
- 8-digit status display w/16-key data input keyboard.
- New interlocking extruded aluminum metal housing for industrial use.
- *When available from NSC.

K-8073A

The Satellite Tiny BASIC Computer Features:

- INS 8073 microinterpreter MPU
- · On-board, real-time clock
- RS-232 communications
- Color video generator w/graphics
- Up to 40K RAM/EPROM memory
- Battery backup for RTC & RAM
- ART/RC communications link
- Extruded aluminum module

For stand-alone control applications, the K-8073A provides a low-cost alternative. After software has been developed, the small K-8073 module can be installed just about anywhere. As a satellite, the K-8073A can report or receive instructions from a host computer.

24K BYTE \$47800





K-8073

The Original Board Level Tiny BASIC Computer

Features:

- INS 8073 MPU w/Tiny BASIC language
- · STD (modified) bus
- · On-board, real-time clock
- On-board EPROM (2716) programmer
- 1K byte local RAM
- 8K byte EPROM
- PPI—three 8-bit programmable I/O
- RS-232 communications
- ART/RC for single wire I/O to 128 "Slaves"
- Auto start capability
- · Accessories:
- —Dual voltage power supply
- 8K RAM board
- -16K memory board (RAM or EPROM)
- A/D module
- -TRIAC output
- -Assembler/disassembler

SINGLE UNIT \$28800



TRANSWAVE CORPORATION

Cedar Valley - Box 489 Vanderbilt, PA 15486 (412) 628-6370

For orders and information only: (800) 245-6843/Telex 902992



THE PREMIER LANGUAGE
OF ARTIFICIAL INTELLIGENCE
AVAILABLE
FOR YOUR IBM PC

DATA TYPES

Unlimited Precision Integers Floating Point Numbers Character Strings Multidimensional Arrays Files Machine Language Functions

▶MEMORY MANAGEMENT

Dynamic Allocation Compacting Garbage Collector Full Memory Space Supported

▶FUNCTION TYPES

Call-By-Name/Call-By-Value Fixed/Variable Number Of Arguments Macros Machine Language/Interpreted Over 150 Primitive Functions

▶10 SUPPORT

Multiple Display Windows Cursor Control All Function Keys Supported Read And Splice Macros Disk Files

- ▶POWERFUL ERROR RECOVERY
- ▶8087 SUPPORT
- ►LISP LIBRARY

Editor And Formatter Package Support Debugging Functions .OBJ File Loader

▶RUNS UNDER PC-DOS

IQLISP

from

∫ ġ Integral Quality

P. O. Box 31970 SEATTLE, WA 98103-0070 (206) 527-2918

5¼ diskette and manual 125.00 manual only 25.00

(Wash. State residents add sales tax) VISA and Mastercard Accepted

"Listening in" on the Independent Investors Forum

The following is an edited series of responses on the IIF. Note that although the item was originally dated June 1982, a participant was able to join in November and get an update.

Item 1 08:56 Jun14/82 20 lines Arthur Bechhoefer June Recommendations— Fruits of Labor

Despite the poor functioning of the economy, there are STILL some stocks worth considering. For June, I continue to recommend high technology stocks in markets that are growing steadily or that have at least cyclical growth potential.

As I noted last month, my two choices continue to be Apple Computer, because of a better than 30 percent growth in the personal computer market, and Cherry Electrical Products, a manufacturer of microswitches, computer keyboards, and "dedicated" semiconductor circuits for cameras, smoke alarms, and other control apparatus.

You're certainly big on fruit. How about meat and potatoes?

The only item along that line I recommend is Prime Computer, which unlike its two main competitors—Digital and Data General—continues to post profit gains from quarter to quarter and has had recent purchases

of its stock by officers and directors. . . .

Six Discussion Responses

- Howard Finney: How do you feel about DEC overall?
- 2) Art Bechhoefer: Last May, as reported by the Securities and Exchange Commission, five of Digital's officers sold roughly 10 percent of their stock holdings at prices ranging from \$76 to \$81. With the stock currently about \$84, I think I'd go along with the insiders and sell too, if I owned it.
- Peter Hollidge: Art, it's now November. Do you still feel the same about Apple?
- 4) Art Bechhoefer: Peter, yes, basically I feel the same way. See item 31 for an update. I tend to think that the market as a whole is too high right now (November 3) but remember that Apple has been lower relatively speaking, due to Steven Jobs' having sold a bundle of shares to finance a music extravaganza last August.
- Carolyn Allen: Art—it was Steve Wozniak who blew a bundle on the US festival.
- 6) Art Bechhoefer: Right you are. Anyway, same difference. A lot of stock went on the market and kept Apple prices artificially low. This was coupled with skepticism in the investment community concerning lack of a new computer to update the Apple II.

that the limit was something like 4 minutes for an article and not more than 10 or 15 minutes for an entire session, including the time to sign on, request the information, read it, and decide on subsequent action.

If we examine these constraints in terms of what they mean for stock market advice, we find that our research articles could cover only basic points—the main reasons behind our buy, hold, or sell recommendations. But the user might be left with quite a few unanswered questions concerning the research data as well as other possible investment alternatives. This suggests that some method for requesting more information, such as two-way communica-

tion, is essential in electronic publishing.

Two-way communication provides a basis for dialogue and thus enhances information transfer and learning, What is true for scientists, engineers, or any other professionals, applies equally to those providing investment advice: no one has perfect information. No one has a monopoly on expertise. Some people specialize in one area, some in another. A well-formed investment decision is the product of all the best available information, given the constraints of time and cost. Dialogue speeds the transfer of information and thus makes learning and decision making more efficient.

To facilitate two-way communica-

The new COMPAQ Portable Computer. IBM compatibility to go.

imple, isn't it? The COMPAQ™ Portable Computer can do what the IBM® Personal

Computer does. To go.

It runs all the popular programs written for the IBM. It works with the same printers and other peripherals. It even accepts the same optional expansion electronics that give it additional capabilities and functionality.

There's really only one big difference. The COMPAQ Computer

is designed to travel.

Carry the COMPAO Computer from office to office. Carry it home on the weekend. Or take it on business trips.

If you're a consultant, take it

to your client's office.

If you use a portable typewriter, you can use the COMPAQ Computer as a portable word processor instead.

If your company already uses the **IBM Personal** Computer, add the COMPAO

Portable as a mobile unit that can use the same programs, the same data disks, and even the same user manuals.

There are more programs available for the COMPAQ Computer than for any other portable. More, in fact, than for most nonportables. You can buy them in hundreds of computer stores nationwide, and they run as is, right off the shelf.

With most other portables

you'd probably need to buy an additional display screen because the built-in screen is too small for certain tasks, like word processing. The COMPAQ Computer's display screen is nine inches diagonally, big enough for any job, and it shows a full 80 characters across. And the built-in display offers high-resolution graphics and text characters on the same screen.

The bottom line is this. The COMPAQ Computer is the first uncompromising portable

computer. It delivers all the advantages of portability

In the standard configuration, the COMPAQ Computer has three open slots for functional expansion electronics as your needs and applications grow. It accepts standard network and communications interfaces including ETHERNET™ and OMNINET™.

If you're considering a personal computer, there's a new question you need to ask yourself. Why buy a com-

puter that isn't portable? For more information on the COMPAQ Portable Computer and the location of the Authorized Dealer nearest you, write us. COMPAQ Computer Corporation, 12330 Perry Road, Houston, Texas 77070. Or call 1-800-231-9966.

© 1983 COMPAQ Computer Corporation (BM® is a registered trademark of International Business Machines Corporation.
ETHERNET is a trademark of Xerox Corporation.
OMNINET is a trademark of Corvus Systems.
Apple is a registered trademark of Apple Computer, Inc. COMPAQ is a trademark of COMPAQ Computer Corporation.

cost? Nothing.

The COMPAQ Portable sells for hundreds less than a comparably equipped IBM or APPLE® III. Standard features include 128K bytes of internal memory and a 320K-byte disk drive, both of which are extra-cost options on the IBM. Memory and additional disk drive upgrades are available options to double those capacities.

without trading off any computing power capability. And what do those advantages





Will This Happen to You?

NOT IF YOU BUY YOUR PRINTER

THE

SERVICE, COMPUTER AND SOFTWARE COMPATIBILITY, and LOW PRICE, are among the many factors to consider when purchasing a printer. At the PRINTER STORE we specialize in printers, so our trained professional staff can help you choose the right printer for your personal and business needs. When you buy a printer from us you can be assured that your purchase will also include:

* FULL FACTORY **AUTHORIZED** SERVICE

* FREE TECHNICAL CONSULTATION AFTER SALE SUPPORT

DOT MATRIX PRINTERS

EPSON SERIES FX 80 S CALL MX 100., ... SCALL **OKIDATA SERIES**

82 A	,		1	4	k	ſ	ì	j.	1		ź,	,			I	. \$380
A EB	1 4						JA.	-		4				ý	nt	\$685
																CALL
																CALL
																CALL
C. ITO	H	SI	RI	E	S											
8510														1		. \$395
Prow													ur.		\$	CALL

IDS SERIES	0.000
Microprism 480	.,\$ CALL
Prism 80	. S CALL
Prism 132	\$ CALL

GEMINI SERIES					
Gemini 10	٠.	11	*		\$339
Gemini 15.		*			
NEC 8023			 4	 S	CALL
Toshiba P 1350 .	, .			 	\$1750

LETTER QUALITY PRINTERS

BROTHER SERIES HR-1 (parallel)	. \$815
HR-1 (serial)	
COMREX SERIES	
CR-1 (parallel) \$	CALL
CR-1 (serial)	CALL
Transtar 130	.\$785
C. ITOH SERIES	
F-10 40 CPS S	CALL
F-10 55 CPS Daisywriter	CALL
NEC SERIES	
3510	\$1575
3530	
3550	
7710 ,	\$2425
7720	\$2900
7730 , , , ,	\$2400
SCM-TDI	eco:

Grappler+....\$ CALL Apple Dumpling\$ CALL We carry a full line of Cables and Accessories Call (213) 470-1888 and ask us about . . .

PHONE REBATE

are so confident of our LOW PRICES and SUPPORT that we are going to ask you to make the initial investment by calling us in return when you buy your printer from us, we will rebate the cost of your call and deduct if from your invoice. 1) LOW PRICES

2) FREE INTERFACING BOOKLET

Micro Buffer S CALL

3) FREE TECHNICAL SUPPORT

4) FULL SERVICE OPTION

THE STORE 2357 Westwood Blvd., L.A., CA 90064 =

HOW TO UNDER: Our phone lands we open from 8 a m to 6 g m PST Monday-Friday. We accept VISA MASTERCHARGE (at no extra charge) personal checks take two weeks to clear. COD is accepted stame-day shipment on orders placed before 1 p. in Manufacture's warranty applicable on all equipment. Prices subject to charge.

tion, I chose a computer conferencing system available on the Michigan Merit network. The system, known as Confer II, runs on an IBM 3081 or Amdahl equivalent and is accessed from any of five network host computers via GTE's Telenet network or leased outside lines. Confer II has a number of features that, while not unique, are eminently well suited to electronic publishing;


• The computer conference organizer (editor) can easily create agenda categories for the different types of information that will be presented. The agenda is similar to a table of contents in a magazine.

• The user (reader) always has a chance to respond, discard, or pass on each item (research article) presented. The user can select the latest items and literally throw away the rest, or just read summaries or items dealing only with certain subjects (stocks, industries, investment strategies, and so forth).

• The ability to respond at any time, either openly for all participants or privately for selected individuals, means that the more timid participants don't get shouted down or brushed aside. Conversely, the more assertive participants soon learn that long responses cost more. In some ways these features actually improve the quality of dialogue beyond what might occur in a real-time teleconference or face-to-face meeting. In the context of a publication, it is far livelier than a standard Letters to the Editor column.

• The focus of the conferencing system is on making decisions, not just sharing information. The system software encourages users to contribute information, suggest topics for future research, vote on the conference agenda, or express their preference for particular investment alternatives.

The net effect of these features from the organizer's (i.e., editor's) point of view is to have at one's fingertips a vast amount of feedback, making it possible to provide what the users want, not what the organizer or editor thinks they want, From the



The Most Versatile Integrated System Available! — Without Compromise.

From the crystal clear monitor with a true typist keyboard to the high performance switching power supplyan engineered solution-the 5000IS system is designed to be an economical single-user system (basic system price is \$3,295) which is easily field expandable to be the master of a four-user system.

Now you can have hi-density floppies, 19 megabyte Winchesters with true error detection and correction, extended RAM memory, and various

peripheral controllers. Up to four users may be supported by the 5000IS, with each user having a dedicated microprocessor, 64K of memory and two serial I/O channels.

With this flexibility you can configure the highest performance, lowest cost multiuser/multiprocessing system available. A four-user IS system gives you higher performance at a lower cost than comparable systems configured with personal computers or other single-user micros!

For complete information and specifications on the 5000 IS plus the location of your nearby IMS International dealer, call or write today! (714) 978-6966 or (702) 883-7611



2800 Dackberrd Way Carson City, NY 89701 Telex: 910 385 6051

INTERNATIONAL

We Build Computers As If Your Business Depended On Them.

IMS INTERNATIONAL DISTRIBUTORS:

Argentina

Canada Chile

Hong Kong

Istacl

Netherlands Malaysia New Zealand Mexico **Philippines**

So Almra Singapure

Sweden Switzerland United Arab Emirates United Kingdom IISA. West Germany

point of view of the researcher, it puts an end to the notion that there are only a few experts whose words are infallible.

As for the users, our information indicates that they prefer spending no more than 15 or 20 minutes online per session. They sign on mostly during weekends or holidays, thereby reducing their connect-time costs by about 10 percent. Also, if they have appropriately equipped personal computers, they can download items from the host system and store them on disk. The items can then be read at the users' leisure, and connect time will be reduced. Similarly, users can prepare messages on their personal computers before going online, and then quickly upload the messages into the host system, saving even more time.

Although users of the Independent Investors Forum have some difficulty mastering the numerous system commands at first, their capabilities improve quite rapidly, as evidenced by the accuracy and appearance of their responses and other communications. When troubles occur—and they do—the user can call us by telephone. We have a technical advisor who provides advice either over the telephone or online. We also have a tutorial to make the system easier for beginners. A professional conference facilitator helps everyone participate actively, and a monthly user's guide provides technical tips and research articles more suitable for hard copy. Nearly all users who initially selected a 60-day trial membership have converted subsequently to a full year.

In the future, we hope to expand this form of electronic communication by publishing other journals and newsletters for those who need to keep up on what is happening in their field now, not three months from now. Also, because of this system's low cost in comparison with on-site meetings or video conferencing, it would probably be useful for maintaining contact between various divisions or field offices in a corporation. Or it could be used for conducting

training seminars without disrupting anyone's work schedule or straining a limited travel budget. All in all, computer conferencing should have a fairly significant impact not only on the way we gather information, but also on the way we work.

Accessing the IIF

The Independent Investors Forum can be accessed by any microcomputer or terminal equipped with a modem and an appropriate communications software package such as ASCII Express "The Professional" from Southwestern Data Systems (POB 582, Santee, CA 92071; (714) 562-3670) or Crosstalk from Microstuf Inc. (1845) The Exchange, Suite 140, Atlanta, GA 30339: (404) 952-0267). Communication is available at either 300 or 1200 bits per second. A one-year membership in IIF costs \$300, plus telephone connect charges (\$19 per hour, average). A 60-day trial membership costs \$125 and includes 31/4 hours connect time. Membership and telephone charges may be tax-deductible as investment expenses.

Circle 468 on inquiry card.

Introducing automatic dialing, 300/1200 baud for \$599*

- 300/1200 Baud—Bell 103/113/212 compatible
- Auto Dial—compatible, Hayes dialing protocol
- Full or Half duplex
- · Audio Monitor signals busy line, no-answer, etc.
- Two year limited warranty

Our newest modem does all this with 3 LSI chips—about one seventh of the usual integrated circuits. Its simplicity, an achievement of advanced microprocessor design, promises two major benefits. The first is outstanding reliability—that stands to reason. The second is a cost low enough to inspire skepticism. Be skeptical: shrewd comparisons may save you \$100 or more.

Intelligent design also makes this modem uncommonly easy to use. Lights and switches let you test and correct installations without technical experience—including some that require special interfaces or rewiring with most modems.

The shrewd modem. If it's not at your dealer's yet, write or call for complete specifications.

*Suggested list for model 212A Auto Dial.



U.S. ROBOTICS INC. 1123 WEST WASHINGTON BOULEVARD CHICAGO, ILLINOIS 60607 (312) 733-0497





SOFTKITS

Softkits contain complete, ready-to-run programs. The programs are modular, menu-driven and written in BASIC. They come fully-documented with listings, theory, equations and operating instructions. Use them as-is or modify and combine for custom applications.

Softkit disks are copyable.

Graphic Software for Micros

This complete graphics self-teaching guide will show you how to write your own 2 and 3 dimensional graphics software quickly and easily.

Contains 61 programs arranged in a tutorial manner. Learn how to create 2D and 3D shapes, translate, rotate, scale, stretch, clip, remove hidden lines, shade, create perspective views, calculate and plot surface intersections, and produce animations effects. Applications to science, education and business.

Math level is kept to a minimum and new concept are explained as they are used.

Named "The Best Book on Microcomputer Graphics" by Creative Computing magazine.

☐ Manual with Disk(Apple) or Tape(TRS-80 Color Computer): \$45

Data Plotting Software for Micros

This softkit contains a system of 18 complete programs which process and display data: pie charts, bar charts, stock market charts, histograms, 3D views of surfaces, log plots, curve fitting, data management, histograms and statistical analysis.

Programs are modular, menu driven, written in BASIC, fully explained and keyed to theory. They are listed in the book alongside theory and equations. Use as-is or modify to best sult your own applications.

Four data base management programs are included. These create x, x-y, x-y-z and stock market data files and store them on disk. Plotting programs read the data files and carry out sorting, statistical analyses and plot results.

Features include automatic scaling, axis marking and numbering, auto replot when data changes, and a special program called LABELER which places text and symbols over graphics using a moving cursor.

| Manual with Disk(Apple or IBMpc) or Tape(TRS-80 Calor Cemputer): \$48

Engineering Software for Micros

This softkit contains 25 fully-documented programs for computeraided design and analysis on micros. They will show you how to write modern CAD software or they can be used as-is for professional engineering work.

Emphasis is on combining computer graphics with engineering problem solving. Programs are included to interactively create engineering drawings, store them on disk, recall, update, merge, add physical properties such as resistance, thermal capacity and density, and rotate in 3 dimensions to produce isometric views.

After being stored on disk, the drawings are recalled by applications programs which perform mechanisms simulation, heat transfer, matrix operations and optimization using Monte Carlo techniques. Programs are also included for Fourier Series and Transforms. These graphically display spectra alongside waveforms.

All programs are menu driven, written in BASIC and fully documented and keyed to theory and equations.

Manual with Disk(Apple or IBM): \$48

IBMpc Graphics

This softkit is a self-teaching guide that will show you how to write your own 2 and 3 dimensional graphics software on the IBMpc, quickly and easily.


Learn how to create 2D and 3D shapes, translate, rotate, scale, stretch, clip, remove hidden lines, shade, create perspective views, calculate and plot surface intersections, produce animations effects, store graphics on disk.

Applications to science, education and business included. Also covers hardware needed for PC graphics, use of the PC's special graphics enhancements, and how to separate text from graphic on the PC's sceen.

Contains 61 programs arranged in a tutorial manner leading from one step to the next. Math level is kept to a minimum and new concept are explained as they are used.

Much of this softkit is based on the popular Graphic Software for Microcomputers by B.J. Korites which was named "The Best Book on Microcomputer Graphics" by Creative Computing magazine.

☐ Manual with Disk((BMpc): \$45



Structural Analysis Software for Micros

These 11 programs will enable you to carry out sophisticated structural analyses on your micro. They are modular, fully documented and ready to run.

You will be able to create a finite element mesh on the screen, rotate it in 3 dimensions, and store it on disk. Then recall the mesh from disk, recall a file of material properties and carry out a 3d truss or frame analysis. Shape of a deflected truss may be plotted over the original shape.

Other programs analyze trusses with large deflections and nonlinear material properties. These use an incremental solution strategy. Also included are programs which calculate combined stresses and properties of beam cross sections.

Analyses use the modern "direct stiffness" method.

This system of programs is patterned after large-computer structural analysis systems such as ADINA and SAPP, but reduced in scale for micros. They were written by B. J. Korites, PhD, former CAD/CAM consultant to the Arthur D. Little Company.

☐ Manual with Disk(Apple or (BMpc): \$85

To order, send check drawn on US bank, money order in US funds, Vise or Mastercard number with expiration date to KERN PUBLICATIONS, 190 Duck Hill Road, P.O. Box 1029B, Duxbury, Massachusetts 02332. Add \$2 per book 4th class postage in US and Canada, \$4 1st class or UPS in US; \$4.50 1st class Canada; \$12 air Europe and Central America; \$18 air elsewhere.

Call (617)934-0445 for faster delivery.



OUR PRICES, SELECTION AND SAME-DAY SHIPPING MAKE US COMPETITIVE.

Red Baron. Home of the Nation's

NEC 8023/DMP-85

Outstanding Graphics, Print Quality & Performance



144 x 160 dots/inch · Proportional spacing · Lower case descenders · N x 9 dot matrix · 8 character sizes · 5 unique alphabets · Greek character set • Graphic symbols • 100 CPS print speed • Bi-directional, logic-seeking • Adjustable tractors • Single-sheet friction feed • Vertical & horizontal labbing

SCall

IDS Prism 80/132

Affordable Color, Speed



200 CPS · Bi-directional, logic-seeking · 24 x 9 dot matrix · Lowercase descenders · 8 character sizes 80-132 columns · Proportional spacing · Text justification · Optional color and dot resolu-

Prism 80 Base List \$1,299 Prism 132 Base List \$1,499

tion graphics

SCall

The Epson Series

High-Quality Printers at a Low Price.



160 CPS • Dot graphics • Proportional spacing • Downloadable character sets • 10 and 12 CPI • Super/subscripting • Underlining • Reverse line

Full Line of Epson Accessories

Smith-Corona TP-1

Daisy Wheel Printer For Under \$900



Letter quality • Standard serial or parallel data interface • Drop-in ribbon • 144 WPM • Various fonts available • Loads paper like typewriter • Handles single sheets for forms

Smith-Corona TP-1....List \$895 \$Call

Anadex Silent Scribe

The Quiet Serial Matrix Printer

Brothers HR-1 Daisy Wheel

Perfect for quality. quiet word processing.



- 16 CPS Prints up to 6 copies Bl-directional
- · Cloth or carbon quick-change cassette ribbon
- Quiet, efficient operation for word processing

Parallel List \$1,100 Serial List \$1,200

SCall

Televideo CRT's

Price, Performance & Reliability



Anadex DP-9501A \$1,725 Anadex DP-9620A \$1,845 Anadex WP-6000 \$2,900 (w/Tractor)........\$3,450

Up to 500 CPS · Dot addressable graphics · Parallel and serial interfaces standard · Switch selectable protocol • Cartridge ribbon • Foreign character sets • Underlining • 1.5k to 12k buffer

Correspondence quality print

925 \$ 995\$1195 Discount

\$575

Star Micronics Gemini 10/15



120 x 144 dot graphics • 100 CPS • 2.3K buffer

2K User programmable ROM •
Underlining • Super/subscripts

Friction feed and adjustable Lowest tractors

Priced Dot Gemini 15 Matrix

Monitors

Crisp, Clear, Compatible



Video 300, green.....List \$249 Calor I List \$499

for low prices

OUR PEOPLE MAKE US EXPERTS.


Largest Computer Printer Inventory.

The Grappler+™ Apple® Graphics Interface



· Graphic and text screen dumps · Dual Hi-Res Graphics · Printer selector dip switch · Apple III compatible Inverse graphics Emphasized graphics Double size picture 90° Rotation Center graphics Works with Pascal and CPM* Optional bufferboard available

The Bufferboard™ For Apples and Printers



Take your existing printer interface—and

 Versions for Grappler + , Apple interface, Epson interface, and others
 Comes standard with 16K buffer • Expandable to 32K and 64K • Includes interface docking cable

IDS Microprism 480

Prints like a daisy, priced like a matrix!



Correspondence quality in a single pass
 Dual speed 75, 110CPS • Proportional spacing

 Bi-directional, logic-seeking • Platen Pin or pressure feed • 24 x 9 dot matrix • 10, 12, 16.8 characters per inch - Double width characters

IDS Microprism 480 . . . Llst \$799 SCall



Customer Benefit Package

1. Free Expert Consultation. 2. Technical Staff. Even your most involved questions get quick, helpful answers from our staff of printer technicians. 3. Free Catalog. Get your informative catalog with printer comparison chart and print samples today. 4. Warranty. The manufacturer's warranty where applicable. 5. Same-Day Shipping. 6. Free MasterCard and Visa. 7. We Stock What We Sell. We make every effort to keep a large stock of our advertised products. 8. APO/FPO Orders Welcome.

The Okidata Series Microline 92 & 93



160/200CPS · Correspondence quality · Proportional spacing · Enhanced, emphasized and expanded characters · 10, 12 and 17 pitch · Super/subscripts · Underlining · Okigraph dot graphics · Alternate downline loadable character set

Okidata 92 List \$ 699
Okidata 93 (w/ Tractor) List \$1249
Okidata 84 (Parallel) . . List \$1395

Other Quality Printers at Red Baron

NEC Spinwriter RO Serial Parallel 7710 \$3055 \$2.425 Toshiba P-1350 \$2195 SCall

Interface Equipment

Complete Stock of Options. Cables and Accessories

COMPLETE STOCK OF EPSON PRINTER RIBBONS—Most Types \$Call

Here's How To Order:

Phone orders are welcome; same-day shipment on orders placed before 11:00 a.m. Free use of MasterCard and Visa. COD's accepted. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to

Call For Free Catalog: (800) 854-8275

AK, HI (714) 779-2779





4501 E. Eisenhower Circle, Anaheim, CA 92807

Hardware Review

What a Concept!

A View of the Corvus Computer

Curtis Feigel, Technical Editor

To call the Corvus Concept a microcomputer is to miss the point. The 68000-based Concept is a complete system for automating the modern office. Not merely a workstation or a personal computer (although it can be either), the Concept consists of software and hardware modules designed to work together in an office environment.

Getting personal computers to perform useful functions has always been a challenge for designers and programmers. Heretofore, we have had a variety of off-the-shelf solutions to the problems of financial planning, text editing, and communications. Until now, however, if you wanted a spreadsheet that worked with a word pro-

cessor that worked with a local-area network, you needed to buy each item separately, then modify all three so they would work together. Corvus has done this job for you by combining these functions in one easy-to-use package.

The Concept, which uses a Motorola 68000 microprocessor running at 8 MHz, comes standard with both 256K bytes of memory (expandable to 512K bytes) and an Omninet local-area-network interface. In addition to its two serial ports, the Concept has four I/O (input/output) expansion slots that accept Apple II peripheral cards. The machine features a bit-mapped video display in a full-



Photo 1: Two Concepts linked to a 6-megabyte hard-disk drive (center) via an Omninet local-area network. An 8-inch thin-line floppy-disk drive (right) is connected to a controller board installed in the Apple II-compatible expansion bus of the Concept on the right. The video display on the right is set up in the portrait format, almost the exact size and shape of a sheet of paper. The monitor on the left has been rotated 90 degrees for viewing in the landscape format.

NOW AVAILABLE ON THE APPLE LISATE Under XENIX ACCOUNTING SOFTWARE FROM OPEN SYSTEMS GETS YOU IP AND RUNNING . . . FAST.

Looking for on-track accounting solutions to increase your company profits? Look to the software champion...
The SOFTWARE FITNESS PROGRAM.

Our competition can't come close. Since 1974, we've built a track record

as the pacesetting supplier of comprehensive, interactive accounting solutions for more than 30,000 customers worldwide in 200 different types of businesses. Wholesalers... distributors... manufacturers... job shops... retailers... accounting firms... businesses like yours.

Anyone familiar with bookkeeping can get up and running with The SOFTWARE FITNESS PROGRAM. We run on more than 50 of the best known computers in the industry. Our products include training disks and owner manuals that'll put even a computer novice at ease. And, whatever your accounting needs, we've got the most advanced software you can buy—one that's designed to become more powerful as your business grows.

If your bottom line is your top priority, today and to-morrow, we've got solutions.

Ask for a demonstration from your local computer dealer.

Dealer inquiries are invited.

Circle 340 on Inquiry card.





At a Glance

Product

Corvus Concept

Manufacturer

Corvus Systems Inc. 2029 O'Toole Ave. San Jose, CA 95131 14081 946-7700

Components

Processor Unit: 8-MHz Motorola 68000 microprocessor: 256K

bytes of memory; two RS-232C serial ports; Orn-

ninet local-area network; four Apple Il-

compatible expansion slots height: 4 3/8 inches width: 16 7/8 inches depth: 15 1/8 inches weight: 28 lbs

Display:

14-inch (diagonal measure) high-resolution black-and-white video monitor; 8 1/2 by 11 1/2 viewing surface; tilt and swivel mounting on top of processor unit; monitor can be rotated 90 degrees to provide either portrait (545 by 639 pixels, 63 lines of 90 characters) or landscape [707 by 479 pixels, 47 lines of 117 characters]

aspect ratio height: 15 inches width: 13 1/2 inches depth: 14 inches weight: 36 lbs

Keyboard:

standard typewriter layout with numeric keypad and 10 software-definable function keys;

detached from processor unit with 9-foot coiled

height: 3 3/8 inches width: 16 7/8 inches

depth; 8 inches weight 6 lbs

Cost

\$4995 (\$5995 for 512K bytes of memory)

Hardware Options

choice of 6-, 10-, or 20-megabyte-capacity Hard-Disk Drive:

drives (one required); can interface to single workstation via I/O-expansion controller board or to multiple workstations via Omni-

net network interface height: 5 3/4 inches width: 12 inches

depth: 15 1/5 inches

weight: 18 lbs

\$2495 cost: 6-megabyte 53495 10-megabyte 20-megabyte \$4495

Mirror Unit:

installs between hard-disk drive and usersupplied video-cassette recorder; backup times are approximately 1.8 minutes per

megabyte

height: 3 1/4 inches width: 7 1/2 Inches depth: 13 1/8 inches weight: 10 lbs cost 5790

Floppy-Disk Drive: Tandon thin-line 8-inch floppy-disk drive in external case that interfaces to processor via

I/O-expansion controller and 50-conductor

ribbon cable height: 10 1/4 inches width: 4 3/4 Inches depth: 16 inches weight: 14 lbs \$1500 cost-

Software

Operating System: CCOS (Corvus Concept Operating System).

designed specifically for the Concept, accepts most commands from the keyboard's specialfunction keys (cost included in package

price)

FORTRAN-77 compiler cost: \$445 Languages:

Pascal compiler included with floppy-disk

Applications: EdWord text editor accepts most commands

from the keyboard's special-function keys cost: included with floppy-disk drive

LogiCalc spreadsheet program accepts most

commands from the keyboard's specialfunction keys

cost: \$195

CP/M emulator imitates Intel 8080 microprocessor running CP/M; allows mass storage on hard disk and is capable of accessing IBM 3740-format single-density 8-Inch floppy

disks cost: \$295


page format. It also includes a detached keyboard whose 10 function keys match the software-generated menus. Thin-line 8-inch floppy-disk drives are available. A required hard-disk subsystem and optional companion video-tape interface can connect to the unit or to the Omninet network for access by more than one Concept (see photo 1).

Because the 68000 microprocessor is relatively new and independent vendor software for the Concept is far from abundant, Corvus supplies two of the most important programs: the LogiCalc spreadsheet program and the Ed-Word word processor. The company also provides two high-level languages, Pascal and FORTRAN, as well as a CP/M emulator.

The Workstation Approach

Its designers intended the Concept to be an individual workstation operating within a local-area network. With this arrangement, each user receives the full resources of a computer, but can also share both information and peripheral devices. The networked computer offers some attractive cost advantages and allows several people to work simultaneously on the same task.

KEY TRONIC POLISHES THE APPLE II* KEYBOARD



Enhance your APPLE II* Computer System with a Key Tronic keyboard peripheral. This detached, low-profile keyboard is plug-compatible with the existing keyboard socket of the Apple II. It also features reliable microprocessor electronics, solid-state capacitance switches, and positive tactile feedback.

Come see us at NCC, Booth #W6270.



Price: \$298.00, includes shipping & handling. To Order Model KB-200 Call Toll Free 1-800-262-6006 (8am-4pm Pacific Standard Time). Warranty information may be obtained, free of charge, by writing to the address below.

THE RESPONSIVE KEYBOARD COMPANY

DEPT. E1 • P.O. BOX 14687 • SPOKANE, WASHINGTON 99214 USA

*Apple II is a registered trademark of Apple Computer, Inc.

AUTHORIZED DISTRIBUTORS:

CJ SALES San Francisco, CA, (415) 941-6892 DIGITAL ENTRY SYSTEMS, INC. Boston, MA, (617) 899-6111 COMPUTER-MATE, INC. Dallás, TX, (214) 669-9370 COMPONENTS UNLIMITED Lynchburg, VA, (804) 237-6286 J C SALES COMPANY Los Angeles, CA, (213) 340-6136 SSE PRODUCTS, INC. Elmont, NY, (516) 872-9001 PERIPHERAL SUPPORT, INC. Chicago, IL., (312) 593-3900

CANADA:

FUTURE ELECTRONICS, INC.

Montreal, Quebec Ottawa, Ontario Toronto, Ontario Calgary, Alberta Vancouver, B.C. (514) 694-7716 (613) 820-8313 (416) 663-5563 (403) 259-6408 (604) 438-5545



Photo 2: The keyboard features 10 function keys (F1 through F10) above the standard QWERTY layout.



Photo 3: The character editor allows the user to customize and redesign the displayed characters.

A second feature of the Concept workstation is the absence of individual mass storage. Whenever a system must process large amounts of data, hard-disk drives are a necessity. Because these drives are expensive, providing one for each user can be too costly. For this reason, the Concept allows several users to share a single hard disk.

Corvus also realizes that the office market contains many potential users who know little about using computers. All the bundled software programs—including the operating system, spreadsheet, and text editor—focus on people who want to use a computer with their work, but who don't want to solve puzzles to make that happen. In fact, the software menus make it possible for a computer novice to use either the spreadsheet or text editor with less than an hour of tutoring.

Fingers and Keys

The Concept detachable keyboard has 91 keys in a standard typewriter layout with additional function keys and a calculator pad. In addition to the standard features, you get three keys labeled Fast, Alternate, and Command. Although any key will automatically repeat when held down for more than one-half second, pressing the Fast key simultaneously increases the repetition rate. The Alternate key works like the Control key in special applications.

Across the top of the keyboard are the special-function keys, arranged in two groups of five (see photo 2). These keys correspond to menu selections appearing at the bottom of the display screen. The Command key allows you to toggle between menu selections when more than 10 functions are available for a particular application. The function keys also let you select additional menus. After a bit of practice, your speed with the function keys can become quite impressive because they make it un-

necessary for you to memorize and type a complex command. Additionally, the Concept's keyboard buffer lets you rapidly enter commands, while the machine continues to execute them in order. If you forget what a function can do, pressing the Help key and then a function key produces a description of the second key's function.

A New Look

If the Concept's keyboard is a good idea, the video display is an amazing one. It sits atop the processor cabinet secured by a swivel joint that lets you tilt and pivot it as you wish. In its vertical position, which is great for text editing, the screen contains 90 columns by 63 lines in a display about the size of a sheet of notebook paper. You can also unlock the display, rotate it 90 degrees, and secure it in the holder to get a display of 117 columns by 47 lines, which works well with the spread-sheet. Besides the option of two display modes, the Concept offers both white-on-black and black-on-white characters. You have a choice of supplied type fonts and can also create your own character sets. A large blank matrix lets you redefine characters using a process similar to painting (see photo 3).

The video display also divides into windows or rectangles of user-defined ratio and size. Each window becomes an independent display area with its own attributes, providing the user with a powerful and convenient feature. In a window you can show text in any font, display black or white characters, and scroll the text independently of the rest of the display. For example, you could use EdWord to write a report while creating a separate window of information from a LogiCalc model.

Under the Hood

Considering all the functions that the Concept provides, the hardware formula is simple: combine the

CONGRATULATIONS.

YOUR VISICALC JUST DOUBLED IN VALUE.

New Super Expander Plus[™] pre-boot for Ramex-128[™] board upgrades any Apple II[™] 16-sector VisiCalc[™] to look like the Advanced Version.

SUPER EXPANDER PLUS keeps all your existing VisiCalc facilities, and adds variable column width, global formatting of numbers, negative numbers in brackets, password protection, new format commands, tabbed fields, the works. It even supports an 80-column card if one is present.

If 136K is enough, you can get all these features with just one Ramex-128 board. But SUPER EXPANDER PLUS supports two Ramex-128K cards to give you an incredible 255K VisiCalc File, and dumps the whole model back and forth to floppies in less than 40 seconds.

There's simply **no** other memory-expansion/software combination



SUPER EXPANDER PLUS[™]

that even comes close. All the others give you less memory, take longer to load and save (as much as fifteen minutes longer), and cost more for what you get. You've got to see it to believe it. Quick! Call your dealer.

Ramex-128 card, just \$499. SUPER EXPANDER PLUS, just \$125.



222 SO. RIVERSIDE PLAZA CHICAGO, IL 60606 312-648-4844

MasterCard and Visa holders order toll-free 1-800-835-2246

Following our long-established Omega MicroWare policy, present Super Expander-40 and -80 owners may upgrade for the price difference only. Phone our office for details.

Apple is a registered wademark of Apple Computer, Inc. VisiCaic is a registered trademark of VisiCorp, Inc. Super Expander Plus, Ramex-128, and Omega MicroWare are trademarks of Omega MicroWare, Inc.

(© 1983 Omega MicroWare, Inc.

BYTE May 1983




Photo 4: The drawer containing the Apple II-compatible expansion connectors.

Dispatcher Functions
Clears the current window, leaving cursor in
upper left corner
Runs the Constellation II utilities; produces
its submenu
Allows creation of windows on the video
display
Runs the word processor; produces its
submenu
Executes a file of commands
Runs utilities for maintenance of files; pro-
duces its submenu
Produces a help message for any function
label
Runs the spreadsheet program; produces
its submenu
Lists all volumes online or names of all files on a disk volume
Runs utilities for mounting disk volumes:
produces its submenu
Causes the system to be completely re-
loaded from disk
Reverses the background color of the cur-
rent window
Assigns one window as the current window
Used to select which volume is to be cur-
rent
Runs utilities for setting system attributes;
produces its submenu
Provides functions for setting window characteristics; produces its submenu

Table 1: The Concept's functions are accessed via a series of menus beginning with the Dispatcher level.

16/32-bit architecture of the 68000 with a large amount of RAM (random-access read/write memory). Most of the flexibility and many of the special features of this system result from this combination of power and memory. For instance, the microprocessor positions each of the screen's 350,000 pixels, which allows you a variety of display options such as windows and programmable character sets.

Access to the outside world comes from an Omninet

local-area-network interface and the capability to use Apple II peripheral cards. The Omninet network provides users with one of the best-defined network standards in the marketplace and provides the convenience of local communication and rapid data-transfer rates necessary to many business applications. By duplicating the Apple II expansion bus, the Concept can take advantage of the hundreds of expansion boards already on the market (see photo 4). In addition, Corvus did not forget the need for local I/O devices and provides two RS-232C serial ports for connection to a printer and modem.

Software Details

The Concept uses menu-driven software that appears to the user as a single hierarchical system. From the operating system to the lowliest editing command, all functions are menu items. At any point, your options are obvious and you can easily move to the previous or following menu. The first menu of available functions, the Dispatcher level, presents all the major software features (see table 1). This level, similar to the operating system in other computers, gives you a choice of four menus: File Manager, Window Manager, System Manager, and running programs. Selecting any of these options produces a submenu of choices, and some of those choices produce still further menus.

File Manager becomes a frequent choice because the Concept requires that you divide the hard-disk storage into separate volumes to limit information access to particular users. While the size may vary, each volume has a name and a directory, much like a floppy disk. When you

	File Manager Functions
CirWndow	Clears the current window, leaving cursor in upper left corner
ConcFile	Concatenates files
CreWndow	Allows creation of windows on the video display
Crunch	Rectaims unused disk space within a volume
CopyFile	Copies disk files
DietFile	Erases disk files
DietTemp	Erases a temporary disk file from a volume
Exit	Returns to previous menu
Help	Produces a help message for any function label
ListFile	Lists the contents of a text file
MakeFile	Creates a disk file
MountMgr	Auns utilities for mounting disk valumes; produces its submenu
RevBkgnd	Reverses the background color of the cur- rent window
Rnamfile	Changes the name of a disk file
SelWndow	Assigns one window as the current window
SetVol	Used to select which volume is to be cur- rent
Spool	Sends output to a temporary disk file from which it may be read and printed elsewhere

Table 2: Disk-file-management functions are available through the File Manager menu.

on the network

Thoughtware[™] tames your CP/M[™]system for just \$49.95

CLIPTM, our Command Line interpretive Program, makes your system more efficient than ever before. CLIP replaces the interactive portion of CP/M with a user friendly "shell". CLIP is sophisticated enough to satisfy the entire spectrum of needs from the novice to the most expert programmer.

Command Files

Command sequences that you use often can be placed in a command file. From then on you'll never type the commands again, since typing the name of the file will execute the commands as if you typed them by hand. These files can ask questions and perform different tasks depending on the answers received. In addition, a special command file can begin working whenever your computer is turned on.

All input text can be edited.

Once CLIP is in control, entry of text into ANY program can be edited as if you were using a word processor. The single keystrokes that you use to edit the text can be defined to be similar to your existing word processor. CLIP also remembers your previously entered line, and it can be retrived with only one keystroke.

Built-in file editor

Clip contains a simple editor for editing command files, programs, or data files. English-like commands simplify any editing task.

Automatic file searching

With file searching you can keep files that are frequently accessed in a common place. CLIP will find them when requested by a program or command file, no matter which disk or user number you are currently at. This can save precious disk and directory space.


Help Files

Extensive on-line help is available for each of the 50+ commands in CLIP. You can also add your own help files to customize your working environment.

Built in calculator.

CLIP has a built in 16-bit calculator with the functions: +, -, *, /, remainder, AND. OR, XOR, and NOT. The calculator has 10 memory registers and works in any base from 2 to 16.

Circle 454 on inquiry card.



A Unix™ like environment with I/O redirection and pipes.

With CLIP you can direct screen output from any program to a file for later viewing or printing. CLIP can also take any program's input from a file instead of the keyboard. "Pipes" force the output from one program into the input of another automatically.

Sophisticated command language with over 50 commands.

CLIP is a state-of-the-art command language that includes:

- Conditional command execution with IF, THEN, ELSE, and ELSEIF and ENDIF commands up to 64 nested levels.
- Command files (or macros) with looping capabilities and conditional termination. Macros can use other macros.
 Extensive argument extraction capabilities can extract values and switch options off of a command line.
- The ability to trace command file execution.
- Commands that can OPEN, CLOSE, READ and WRITE files.
- Ten alphanumeric registers that can store command lines, filenames, file input, or anything you desire.
- Multiple commands per line.
- A copy command that can copy files between disks and user numbers.

Buy CLIP and get 50% off our software tools. Just \$25.00!

We have a collection of 10 software tools that make difficult tasks easy.

- BC Binary file comparison
- SC Source file comparison
- SR Search for a pattern in a file
- SRT Simple in memory sorter
- DMP Hex file dumper with ASCII
- BFE Binary file editor
- XC Extract columns from a file
- XW Extract words from a file
- WC Counts words, lines, and bytes
- HC Horizontal file concatenate

Also get 50% off our file encryption program. Just \$25.00.

If you have more than one person accessing your computer, then you need our file encryption program. This program won't stop the KGB, but it will stop others from seeing sensitive data. A twelve-character password gives you all the protection you need. For just \$25.00, you can't afford to be without it.

ORDERING INFORMATION:

Order HOT LINE: 8-5 MST 1-800-821-6010 /(AZ 327-4305)

CLIP \$49.98

Tools \$49.95 (\$25.00 with CLIP) Encryption \$49.95 (\$25.00 with CLIP)

CLIP user's manual can be purchased separately for \$25,00

CLIP, the tools, and the file encryption program have been designed for the Z80TM microprocessor, running CP/M version 2.2. Distribution is on standard 8-inch SS/SD floppies.

Visa and Mastercard accepted. No COD's, please.

Send check or money order to:


Thoughtware, Inc. P.O. Box 41436 Tucson, AZ 85717

Please add \$3.50 shipping for all orders.
AZ residents please add 6% sales tax.
Prices are subject to change.

CP/M - TM Digital Research, Unix - TM Bell Labs, Z80
-TM Zilog Inc. Thoughtware and CLIP - TM of Thoughtware Inc.







Protect your computer against

Voltage

Protect your computer system from damage or disruption from sudden spurts of excess voltage—from lightning or flickering fluorescent lights. This Voltage Surge Protector plugs into any wall outlet. Dissipates up to 600,000 watts. Prevents downtime, lost data, circuit damage, service calls. You save valuable time and money. And Pryor Corporation guarantees your satisfaction.

Computer Supplies Catalog

Phone	Signature		
City		State	Ziò
Address			
Company			
Name			
☐ Send a FREE copy	of the Pryor Comp	uter and Word Proc	ressing Supplies Catalog
Check enclosed	□ 5ii) me		Total \$
SendVoltage	Surga Protectors (two outlet) Order !	Vo. 526-105 al \$89.50 ea
Pryor Catalog Sale 8785 North Port W P.O. Box 17829, M	es Corporation /ashington Road litwaukee, Wisco	nsin 53217	81583

Window Manager Functions CirWndow Clears the current window, leaving cursor in upper left corner CreWndow Atlows creation of windows on the video display DelWndow Deletes the current window Returns to previous menu Exit Produces a help message for any function Help LdDispCh Loads character set and assigns to display LdKybdCh Loads character set and assigns to keyboard RevBkand Reverses background color of current win-Allows text to be scrolled by line or page ScriMode SelWndow Assigns one window as the current window TestPtrn Displays test pattern on screen System Manager Functions AsgnDrvr Assigns a peripheral driver to a logical device DrvrVran Displays attributes of currently available drivers **EdChrSet** Allows user to create or alter character sats Exit Returns to previous menu Help Produces a help message for any function SatDate Sets the system calendar

Table 3: The Window Manager and System Manager menus allow you to choose from a variety of functions.

Sets the system clock

Assigns printer characteristics

SetPrntr

SetTime

turn on the Concept, your current or active volume is System (named /CCSYS), and you use the File Manager option to make any other volume your current volume (see table 2).

Using the Window Manager option, you can create, manipulate, and display up to 17 windows on the Concept's screen. The user moves, clears, scrolls, and deletes windows, which are limited only by their rectangular shape and their need to fit within the Concept's display. Various utility programs available from the System Manager menu allow you to select the I/O drivers. specify printing parameters, and edit the character set. In addition, other utilities let you format floppy disks, automatically load a floppy disk, and execute a printer spooler. The Concept's printer spooler lets you send output to a special volume named /PIPES, and when the network's printer is available, that stored output is printed (see table 3).

When you decide to run a program, the EdWord text editor may be your first stop. If it weren't for its Undo and Redo features, EdWord would be just another unremarkable text editor (see photo 5). The service provided by this combination of features is essentially a "flight recording" of your editing progress. If you blunder and delete a hefty section of an important report, the Undo feature restores the text to its preedited condition.

Introducing The Pied Piper.



The Portable Computer that leads your business exactly where you want to go...

for only \$1299.

Meet The Pied Piper and enjoy the convenience of the office wherever you go. Do your work wherever you are. Send documents back to the office over the phone.

The Pied Piper is completely portable, about the size of a slim briefcase, and weighs only 12½ lbs.

But it is loaded with features. The Pied Piper is faster and has twice the

data storage capacity of much larger personal computers. With the Pied Piper you have superb word processing capability with spelling checker. Spreadsheets for business projections. Data base management.

Everything you could want.

And its astonishingly low cost includes the most advanced business software programs—worth \$1700 if purchased at regular retail prices.

The Pied Piper comes with CP/M*, plus its own unique

set of CP/M-compatible utilities. It has a standard typewriter

keyboard and full 80-column display capability. It organizes mass mailings, creates invoices, prints labels, writes standard or "boilerplate" letters from the file.

The Pied Piper lets you talk to data banks, e.g. Dow Jones News/ Retrieval* or The Source, or your own corporate computer and database system.

Try The Pied Piper. If your computer store doesn't have it, call us and we'll send you the name of your nearest dealer.

In California call toll free: 800 772-3545, ext. 576; elsewhere call 800 227-1617, ext. 576.

Pied Piper Specifications. Z-80A, 4MHz, CP/M2.2, 64K, 784K mini floppy (formatted), Perfect Software, full 80x24 video format, Pied Piper Utilities, expandable, parallel port, 12½ lbs., Nationwide Xerox Warranty and Service. Options include 10Mb drive, modern, RS232C, LCD.



See us at Comdex Booth 3130-3132

The portable computer all others will follow.

STM Electronics Corporation, 525 Middlefield Road, Suite 130 • Menlo Park, CA 94025 • (415) 326-6226

CP Mas a registered trademark of Digital Research. Inc. Dow Jones News Retrieval is a registered trademark of Dow Jones & Company. Inc. Fied Piper is a registered trademark of STM Corporation. The Source is a service mark of Service Telecomputing Corporation, a subsidiary of The Reader's Digest Associated Piper is a registered trademark of STM Corporation.

Circle 425 on inquiry card.

BYTE May 1983 143




Photo 5: The EdWord text editor can display more than 60 lines of text on the screen. Note the thermometer-like workspace indicator (bottom right) and the cursor/position scale (lower left of text).




Photo 6: The LogiCalc spreadsheet. With this display, more than 400 items can be shown simultaneously.

EdWord operates solely on files residing in its work-space, a special area of a disk volume that you create. Several files or workpads must be included in this area. These workpads include the text file you are editing, a formatted print file (if you intend to print the text), files for the Undo and Redo information, copy space for your cut-and-paste operations, and a directory of this workspace. The smallest allowable workspace is 50 blocks (512 characters to a block) with the upper limit determined by the size of the volume containing the workspace.

Several important and variable editing parameters are displayed with graphics. A column rule indicating the width of the editing window tops the EdWord display. At the bottom of the screen is a thermometer-like scale that reveals the proportion of the workspace that is free. Another linear scale in the lower left of the screen displays the cursor's present position within the document being edited. In addition to these graphics representations, the system also shows the actual line number, column number, and number of lines in the text at the bottom of the display screen.

One advantage that EdWord provides over most present editors is the ability to execute system functions without exiting to the operating system. If you want a directory of available files, you simply request it from within the editor.

LogiCalc

A chronic problem of most spreadsheet programs is the limited size of the video display. The Concept solves this problem by allowing you to rotate the monitor 90 degrees, displaying a spreadsheet with 38 lines and 10 cells of 12 characters (see photo 6). With more than 500K bytes of memory available, a LogiCalc model might contain 1000 active cells. Like EdWord, LogiCalc provides the expected functions and a few pleasant surprises. The expected functions involve cursor control and data entry. The surprises are more sophisticated, presenting the user with a calculator, linear-regression functions, formatting commands, averaging and summation functions, and even user-definable functions. Although these are not unheard of in spreadsheets, it's rare to find them all in one program (see table 4).

Development Tools

Even with a text editor and spreadsheet, an obvious lack of business-applications software still limits the Concept. In particular, database-management programs and graphics and accounting packages will be necessary before this machine can take an active role in the office. Corvus is taking steps to encourage the development of more software by providing Pascal, FORTRAN-77, a 68000 assembler, and a CP/M emulator. It is hoped that this step will promote program development by software houses.

Corvus Pascal, developed by Silicon Valley Software, is compatible with the ISO (International Organization for Standardization) Level 0 standard and provides most

TIMEX MAKES THE COMPUTER, BUT WE MAKE IT TICK.

If you own a TS-1000 or ZX-81 computer and want to bring out the power within it, you'll want Memotech. From easier input to high quality output and greater memory, Memotech makes the add-ons you demand. Every Memotech peripheral comes in a black anodized aluminum case and is designed to fit together in "piggy back" fashion enabling you

to continue to add on and still keep an integrated system look.



MEMOPAK RAM All Memopak RAMs are directly addressable, user transparent, are neither switched nor paged and no additional power supply is required. You can also choose the Memopak RAM which is just right for your needs. From economy to power.

16K RAM The Memopak 16K RAM is the most economical way to add memory to your TS-1000. It is fully compatible with the Timex or Memotech 16K RAMs to provide you with up to 32K of RAM. The 16K RAM also offers additional add-on capabilities through its "piggy back" connection.

32K RAM The 322K Memopak enables you to execute sophisticated programs and store large data bases and like the 16K RAM is fully compatible with Timex's or Memotech's 16K RAMs to give you a full 48K of RAM.

64K RAM The 64K Memopak is powerful enough to turn your TS-1000 into a computer with capabilities suitable for business and educational use. It accepts such BASIC commands as 10 DIM A (9000).

MEMOCALC Memocalc, our spreadsheet analysis

software, enables TS-1000 users to perform complex number crunching routines with ease. With the 64K RAM a table of up to 7000 numbers with up to 250 rows or 99 columns can be specified. Quick revisions can be achieved by entering new data to your formula.

MEMOTECH KEYBOARD For ease of operation, the Memotech keyboard is a high quality standard typewriter keyboard, with TS-1000 legends. The keyboard is cable connected to a buffered interface which is housed in a standard Memopak case and plugs directly into the back of the





TS-1000 or other Memopaks. **MEMOPAK HRG** The Memopak High Resolution Graphics, with up to 192 by 248 pixel resolution, enables display of high resolution "arcade game" style graphics through its resident 2K EPROM, programmed with a full range of graphics subroutines.

CENTRONICS PARALLEL AND RS232 INTERFACES

Memotech's Interfaces enable your TS-1000 to use a wide range of compatible printers. The resident software in the units gives the

complete ASCII set of characters. Both Memopak Interfaces provide lower case character capabilities and up to 80 column printing. The RS232 Interface is also compatible with modems and terminals. **SEIKOSHA GP 100A PRINTER** The Seikosha GP 100A uses a 5x7 dot matrix printing format with

ASCII standard upper and lower case character set. Printing speed is 30 characters/second with a maximum width of 80 characters. The printer uses standard fanfold paper up to 9-1/2 inches wide. The GP 100A is offered as a package including cable and



interface. Other printer packages are also available through Memotech.

ORDER AT NO RISK. All Memotech products carry our 10 day money back guarantee. If you're not completely satisfied, return it within ten days and we will give you a full refund. And every Memotech product comes with a six month warranty. Should anything be

defective with your Memotech product, return it to us and we will repair or replace it free of charge. Dealer inquiries welcome. To order any Memotech product use the order coupon or call our toll-free number 800/662-0949.

TS-1000 is a registered trademark of Timex Corp



CORPORATION

Price* QP: Total 168 RAM \$ 49.95 328 RAM 99.95 648 RAM 99.95 Memorale 49.95 Keyboard with Interface 99.95 High Resolution Graphics 99.95 Centronics Parallel Interface 74.95 RS232 Joint face 99.95 Prison 19.95 Certain Prince Parallel Interface 74.95 RS232 Joint face 99.95 Prison 19.95 Centronics Parallel Interface 74.95 RS232 Joint face 99.95 RS232 Joint face 99.95 Centronics Parallel Interface 74.95 RS232 Joint face 99.95 Centronics Parallel Interface 99.95 RS232 Joint face 99.95 Centronics Parallel Interface 99.95 RS232 Joint face 99.95	Mail To: Memorech Corporation, 7550	West Halle Ave., D	lenver, CO 80	227
32k RAM 99.95 Memocalc 49.95 Memocalc 49.95 Keyboard with Interface 99.95 High Resolution Graphics 99.95 Entronics Parallel Interface 74.95 RSS32 Interface 79.95 Priester Cable 19.96 GP 100A Printer Package** 309.00 Shipping and Handling 4.95 \$ 4.95 Tax (Colorado reachents only) TOTAL \$ "All prices quoted in U.S. dollars. Prices and specifications subject to change without not "Phease add att additional \$5.00 for printer shipping changes. Check MasterCard Visa Account No Exp.	Cook BYT-5	Price*	Quy:	Total
688 RAM	LGK RAM	\$ 49.95		
Memocale: 49.95 Keyboard with Interface 99.95 High Rusolution Graphics 99.95 Centronica Parallel Interface 74.95 RSS32 Interface 99.95 Prister Cable 19.95 GP 109A Printer Package** 399.00 Shipping and Handling 4.95 \$ 4.95 TAN (Colorado residerina entry) *All prices quated in U.S. dollars. Prices and specifications subject to change without not "Please add an additional \$5.00 for printer shipping changes. Check □ MasterCard □ Vesa Account No Exp. Name Photoe transiter	32K RAM	99.95		
Keyboard with Interface 99.95 High Resolution Graphics 99.95 Centronics Parallel Interface 74.95 RSS22 Jointeface 79.95 Pitater Cable 19.95 GP 109A Printer Package** 599.00 Shipping and Handling 4.95 \$ 4.95 Tax (Colorado residents only) *All prices quoted in U.S. dollars. Prices and specifications subject to change without not "Please add an additional \$5.00 for printer shipping changes." Check MasterCard Vesa Account No Exp. Name Photoe trumber	GAIR RAM	149.95		
High Resolution Graphics 99.95 Centronics Parallel Interface 74.95 RS232 Jointeface 79.95 Pitator Cable 19.95 GP 109A Printer Package** 399.00 Shipping and Handling 4.95 \$ 4.95 Tax (Colorado residents only) *All prices quoted in U.S. dollars. Prices and specifications subject to change without note *Please add an additional \$5.00 for printer shipping changes. Check MasterCard Yea *Account No Exp. Name Photoe transfer	Memocalc	49.95		
Centronics Parallel Interface 74.95 RSX32 Jointeface 79.95 RSX32 Jointeface 99.95 Printer Cable 19.95 GP 109A Printer Package** 399.00 Shipping and Handling 4.95 \$ 4.95 Tax (Colorada residents only) *All prices quoted in U.S. dellars. Prices and specifications subject to change without not *Please add an additional \$5 00 for printer shipping changes. Check MasterCard Visa Account No Exp.	Keyboard with Interface	99.95		
REX.32 Junefinos 99.95 Printer Cable 19.95 GP 199A Printer Package** 399.00 Shipping and Handling 4.95 \$ 4.95 Tax (Colorado residenta only) TOTAL \$ *All prices quoted in U.S. dollars. Prices and specifications subject to change without not Phease add an additional \$5.00 for printer shipping, changes. Check MasterCard Visa Account No Exp. Name Phone resember	High Resolution Graphics	99.95		
Prister Cable 19.95 GP 100A Printer Package** 599.00 Shipping and Handling 4.95 \$ 4.95 Tax (Colorado readents only) TOTAL \$ *All prices quoted in U.S. dollars. Prices and specifications subject to change without not "Please add an additional \$5.00 for printer shipping changes. Check MasterCard Visa Account No Exp. Name Phone transfer	Centranica Parallel Interface	74.95		
GP 100A Printer Package** 399.00 Shipping, and Handling 4.95 \$ 4.95 Tax (Colorado residents only) TOTAL \$ *All prices quoted in U.S. dollars. Prices and specifications subject to change without not *Please add an additional \$5.00 for printer shipping, changes. Check MasterCard Was *Rep. Name Phone resember	RS252 Jeneclace	99.95		
Shipping and Handling 4.95 \$ 4.95 Tax (Colorado residents only) TOTAL \$ "All prices quoted in U.S. dollars. Prices and specifications subject to change without not "Please add an additional \$5.00 for printer shipping, changes. Check MasterCard Visa Account No Exp. Name Phone resember	Printer Cable	19.95		
This (Colorado residents only) TOTAL *All prices quoted in U.S. dollars. Prices and specifications subject to change without not *Please add an additional \$5.00 for printer shipping, changes. Check MasterCard Visa Resp. Name Photoe number	GP 109A Printer Package**	399.00		
*All prices quoted in U.S. dellars. Prices send specifications subject to change without not *Please add an additional \$5.00 for printer shipping changes. Check MasterCard Visa Account No Exp. Name Photoe transler	Shipping and Handling	4.95		\$ 4.95
*All prices quoted in U.S. dellars. Prices and specifications subject to change without not **Pfease add an additional \$5.00 for printer shipping changes. □ Check □ MasterCard □ Visa Account No Exp. Name Phone transfer	Tax (Colorado residents only)			
" Please add an additional \$5.00 for printer shipping changes. ☐ Check ☐ MasterCard ☐ Vesa Account No ☐ Exp. ☐ Name ☐ Phone number	TOTAL			F
Name (Phone susculer	""Please add an additional \$5.00 for printe	nd specifications subjections subjections.	ject to change	without noti
Address	Account No	Ехр		
			Phone	number
City State Zip	Address			
	City		Static	Zip

7550 West Yale Avenue, Denver, Colorado 80227, 303/986-1516, TWX 910-320-2917

	LogiCalo Functions
Advance	Automatic cursor advance during text entry
ACaic	Automatic recalculation of whole spread- sheet whenever an item is entered
Aform	Begins text entry on a predefined form template
Сору	Copies series of entries to another part of the sheet
DelAll	Erases every entry
DelCol	Ereses a whole column
DelEnt	Erases a single entry
DelRow	Erases a whole row
EdText	Allows editing of items on the entry line
Exit	Returns to previous menu
FMode	Selects form mode
Go To	Moves cursor to a specific entry
Help	Produces a help message for any function label
InsCol	inserts a new column into the array
InsRow	inserts a new row into the array
LckBth	Allows simultaneous viewing of two parts of the sheet
LckCol	Allows simultaneous viewing of two parts of the sheet
LckRow	Allows simultaneous viewing of two parts of the sheet
Load	Reads a disk file into the array
LstVol	Lists all files of a volume
Merge	Overlays a disk file onto the current array
MovArr	Positions the cursor at the top left entry
NxtRow	Moves cursor to first item of next row
Order	Changes the order in which the array is evaluated
Prec	Sets the number of decimal places to be displayed at any entry
Print	Prints copy of spreadsheet
ReCAll	Recalculates results at every position
ReCEnt	Recalculates results at one position
Save	Writes array to a disk file
Space	Displays space available
Where?	Gives coordinates of cursor position
Width	Sets cell width

Table 4: The LogiCalc functions include all the expected ones plus a few surprises.

UCSD features as extensions. A run-time library provides a source of relocatable support code, Any compiled Pascal source file must be linked with this library before the system produces executable 68000 object code. The same developer provides the FORTRAN-77 compiler that conforms to the ANSI (American National Standards Institute) standard. As with the Pascal, this compiler's output must be linked to a run-time library before execution.

The Corvus ASM68K assembler is quite similar to Motorola's specifications syntax for 68000 assemblers, and its output is also relocatable object code that must be linked to a run-time library. The CP/M emulator makes the Concept actually emulate the registers and instructions of an Intel 8080 microprocessor, Programs written for the 8080 can thus be transferred and run on the Concept. Obviously, for anyone who has already invested in 8080 software, this feature is important. Unfortunately, because Corvus doesn't emulate instructions for Zilog's Z80 microprocessor, Z80 specific code will not run under the CP/M emulator.

All the built-in CP/M commands are available, as well as the transient commands: ASM, DDT, DUMP, ED, LOAD, PIP, STAT, SUBMIT, SYSGEN, and XSUB. Because of the software overhead, however, the emulation mode, the Concept provides access to as large a quantity of hard-disk storage space as the user wants. In fact, you can assign 16 CP/M logical-disk drives to the mass-storage volumes. By adding the optional 8-inch floppy-disk drive, the Concept can also read standard IBM 3740-format single-density disks. When you use the emulator, the screen and keyboard appear to CP/M as a Lear Siegler ADM 3A video terminal.

Documentation

Bluntly, the lack of documentation for the Concept is a tragedy. While some manuals are available, they don't begin to cover what you need to know to set up an office-automation system, and the Corvus Concept definitely falls into that category. The only saving grace is that Corvus worked very hard to ensure that users won't need to refer to the manuals during day-to-day operations. The manuals supplied with the system are listed in table 5. Most of the ones we received were readable, but they were also stamped "Preliminary" and all contained errors and confusing passages.

Conspicuous by its absence is an introductory manual providing an overall view of the Concept. The user needs to know what to expect from this system, how to set it up, and something about the philosophy behind the system design. Although installing the system and getting it to run required only that we make simple connections and follow straightforward procedures, everything had to be done in the right order— which was not always obvious. After a dozen phone calls during a four-week period, we finally got our two workstations and the hard-disk drive with a video-cassette-recorder backup communicating over the network.

Considering that the Concept is aimed at the business market, Corvus should make the installation as fast and painless as possible. A big step in that direction would be an improved set of manuals. The current materials are primarily a set of dry references for the applications software packaged in impressive suede-cloth binders. Still lacking are tutorials for the novice, quick-reference cards for the advanced user, and some nitty-gritty technical manuals on the software and the circuitry. With support materials like these, independent consultants and data-processing managers would have no qualms about recommending this system to clients, and third-party developers could provide much-needed software and add-on boards.

Performance

While user-friendliness is an important consideration, the Concept must also be able to work for a living. The machine's particular combination of features—graphics potential, powerful processor, large memory, FOR-

SuperSoft FORTRAN Now for CP/M-86; MS DOS, and IBM PC DOS*

SuperSoft FORTRAN is the answer to the growing need for a high quality FORTRAN compiler running under CP/M-86 and IBM PC DOS. It has major advantages over other FORTRAN compilers for the 8086. For example, consider the benchmark program used to test the IBM FORTRAN in InfoWorld. p. 44, Oct. 25, 1982. (While the differential listed will not be the same for all benchmark programs, we feel it is a good indication of the quality of our compiler.) Results are as follows:

IBM FORTRAN: 38.0 Seconds SuperSoft FORTRAN: 2.8 Seconds

In its first release SuperSoft FORTRAN offers the following outstanding features:

- 1. Full ANSI 66 standard FORTRAN with important extensions
- 2. Standard data types, double precision, varying string length, complex numbers
- 3. Free format input and free format string output
- 4. Compact object code and run time support
- 5. Special functions include string functions, dynamic allocation, time/date, and video access
- 6. Debug support: subscript checking, good runtime messages
- 7. Full IEEE floating point
- 8. Full 8087 support—available as option (\$50.00).

Program developers:

SuperSoft's family of FORTRAN compilers means you can write your programs once and they will run under CP/M-80, CP/M-86, and MS DOS. This lets you get your applications running fast no matter what the environment.

The current compiler allows 64K code space and 64K data space with expansion anticipated in future releases.



"At last, a FORTRAN compiler that works great on my 8086, 8087, and 8088 based systems!"

SuperSoft FORTRAN: available NOW and working great!

Requires: 128K with CP/M-86®

and MS DOS

Price: \$425 (in each environment)

CP/M-80 version also available.

In conjunction with SuperSoft, SuperSoft FORTRAN was developed by Small Systems Services, Urbana, IL. a leader in FORTRAN development.

CP/M and CP/M-86 are registered trademarks of Digital Research.

Japanese Distributor: ASR Corporation International, 3-23-8, Nishi-Shimbashi, Minato-Ku, Tokyo 105, Japan,

Tel. (03)-437571 Telex: 0242-2723.

European Agent: Micro Technology Ltd., 51 The Pantiles, Tunbridge Wells, Kent, England TN2 5TH TEL 0892-45433, Telex: 95441 Micro-G.

Circle 431 on Inquiry card.



	Outline of Co	rvus Manuals	
Personal Workstation User Guide System Start-up Keyboard and Display Operating System Utilities	(120 pages)	CP/M Emulator Installation Guide Installing CP/M CP/M on the Concept Technical Notes	(20 pages)
Peripheral Connections		FORTRAN Language Reference Manual Introduction	(171 pages)
Omninet Disk Installation Guide Hardware and Software Required Hardware Setup Booting from Disk Firmware Update Disk Initialization Booting from the Network Copying System Files to Hard Disk	(41 pages)	Lines, Statements, and Control Flow Data Types and Constants FORTRAN Names, Arrays, and Substrings Expressions Specifications Statements Data Initialization Assignment Statements Control Statements	
Operating System Reference Manual File System and Volumes Operating System Interface Utility Software Software Development Tools Linker and Librarian Drivers		FORTRAN Input and Output Units Format Specifications Program and Subprogram Structure Using the FORTRAN Compiler Pascal Reference Manual Introduction	
LogiCalc Glossary Function Key Labels The System Functions The Calculator Functions The Linear-Regression Functions The Slash Commands Miscellaneous Functions The User-Defined Functions Conditional Expressions	(142 pages)	Defining Data Types Declaring and Referencing Variables Expressions Statements Input and Output Program Structure Standard Procedures and Functions Running the Pascal Compiler Pascal Language Syntax	
EdWord User Guide Overview	(133 pages)	Relationship to Other Versions Data Representations	
The EdWord Workspace Making a TXT Workpad Basic Editing Formatting Text Printing a Workpad Dot Commands and Codes Search and Replace Cut and Paste		ASMK68 Assembler Reference Manual Introduction Layout of an Assembler Program Operand Information Assembler Directives Assembler Operation Codes Using the Assembler Assembler Output and Messages	(62 pages)

Table 5: Outline of manuals available for the Concept and its attendant software.

TRAN, and Pascal-makes it attractive to scientists and designers, as well as to the business community. To determine a performance rating of the Concept in a timesensitive environment, we compiled the Pascal version of Jim Gilbreath's prime Sieve benchmark (see "Eratosthenes Revisited: Once More through the Sieve," January 1983 BYTE, page 283). The compilation was fast, less than 8.2 seconds, with an execution time of 21.26 seconds, slower than the times of most 8-MHz 68000s running Pascal. We also compiled the FORTRAN version of the Sieve with a compilation time of 30 seconds and an execution time of 4.5 seconds—a quite respectable performance.

While multiuser systems always exhibit a loss of response time as more users come on line, this result may not occur with a distributed processing system such as the Concept and Omninet combination. In this case, the only possible waiting occurs when two users try to access the same shared resource, for instance, the hard-disk drive or a printer. We were unable to detect any difference with

either one or two active users, even when both were performing tasks involving a high level of disk I/O.

Prices and Options

Today, the Concept does not offer many options. The basic workstation with 256K bytes of memory costs \$4995. Another \$1000 gets you an additional 256K bytes. Included with the workstation are the operating system, two serial ports, and the built-in Omninet interface. The required hard-disk drive, available from Corvus with capacities of 6, 10, and 20 megabytes, costs an additional \$2495 to \$4495. You can install the hard-disk drive in an expansion slot, if it is intended for use on a single Concept, and through the Omninet interface, if it is to be shared by more than one workstation.

The only real options are a thin-line 8-inch floppy-disk drive and the Mirror backup unit for the hard-disk drive. The floppy-disk drive, in its own enclosure, connects to an interface board installed in the workstation's expansion slot. The Mirror, which connects between the hard-

SUPER BARGAINS

ACE 1000 COLOR List \$1545 COMPUTER! SHARP COMPUTER



SUPERBRAIN II

Double Density

DOUGIC Ochaity	*	w	*		М	4	4	*		æ	+		+		100-4
Quad Density															
Super Density SC)			'n.	м					н		4			2649
COMPUSTARS															
TO DEALERS	sh	+		ph	40		(26	Ą	L	L		å		SAVE
Advanced Micro Quad Single Boar	Ç	1	Č	¢)1	a	F	S	11	1	0	0	Z	8	uper- 064K

Disk Controller. ALTOS — single and multi-user ACS-8000-15D List 5990

Only 4699 ATARI 400 289 800 655

PRINTERS OKIDATA 82A

OUTUR										
CENTR	ONICS	739	-1					6 11		499
IDS PR	ISM 80	9 P W					26			743
EPSON	MX-80	FT				* *	4	. 4		547
	MX-80									459
	MX-100									
	cribe . 510 Let 1 F10 Le	etter	Qua	lity ial	y ity	4 12 d	4		1	1623 1399
TRAXX	5%" Ad	d-o	n D	riv	es	,		4 (r	249
Central	Merch Data R	MA								

RAM S-100 64K

AMERICAN SQUARE COMPUTERS IS organizing a World Wide Association of Computer Dealers. Open a Store or Start Work Out of Your Home! We Charge NO FRANCHISE FEE! (Our Competitors charge a FRANCHISE FEE of from \$15,000.00 to \$45,000.00.) Be a Winner Let US help YOU get started MAKING MONEY by HELPING PEOPLE to put COMPUTERS to WORK. Write or Phone Ioday.

Microangelo Video Graphics 715

Which Computers are Best? ... Free Insured Shipping at Low Rates.

> We Repair Computers



TELEVIDEO

	518
Televideo 925	718
Televideo 950	399
Televideo Computers C	Call
ADDS VIEWPOINT A-1B	
ZENITH Z-19 Terminal	349
Z-89 48K Computer 2	119
Z-90 64K DD 23	399
ZVM-121 ZENITH	
Green Screen monitor	125
INTERTUBE III	
or EMULATOR\$	
AMDEK Color Monitor \$5	329

GODBOUT COMPUPRO

Super Sixteen 8085/8088 The fastest 8-16 bit computed Runs 8 and 16 bit code! 128K Static RAM, 6MHz CPU's LIST 3440 SPECIAL 2569

News Systems 816/A, B, and C with enclosure and drives. 816/A List 5495 Only 4395

EATTLE pure 16 bit computer is the fastest microcomputer by actual test! S-100, 128K Static RAM, 8 MHz 8086, 22 slot Mainframe

Model #2 List 3785 Only \$3026 #1 as above bul 64K List 2990 Only \$2392

IBM PC memory made by SEATTLE. Now with "Flash Disk" . . 192K = 697

CALIFORNIA COMPUTER 2210A List \$1995 Only \$1595 Z80, 64K, I/O, Disk controller + CPM. California main frame 484

SYSTEMS GROUP computers run FRIENDLY OASIS Call SAVE

QUAY COMPUTER

Hard Disk \$5945 TARBELL'S Empire I & II have two 8" disk drives

The I is single sided, the II is double

FREE Business Software Empire I ... List 4888 ... Only 3495


Corvus Hard Disk SAVE SSM Video BRD VB3 kit 361 Spectrum Color ASM 223

> One hour free troubleshooting on business systems.



NORTH STAR

ADVANTAGE 64K Green Phosphor The Best Business Graphics, 2 Disks, Serial Port. Options CPM — Business programs \$2894



MICRO DECISION

"A DEAL YOU CAN'T REFUSE"

64K RAM, Z80, 4MHz, 2 Serial Ports, Disk Controller. FREE SOFTWARE: CPM - Microsoft BASIC - BaZic -Wordstar-Logicalc-Correct-It.

List Only with 1 51/4" Disk ... \$949 ... \$1049 with 2 51/4" Disks ... 1545 ... 1400



NORTH STAR Horizon Powerful North Star BASIC Free Superb for Business & Science

Free Secretary Word Processor Horizon Standard Is now HRZ-2-64K Horizon-1-64K-QHD 5 Only \$2894 Horizon RAM 64K 594 Big Sale on Multi-User Time-Sharing . North Star Hard Disk 18Mb 4295 English to Basic Translator Zbasic 2 to 5 times faster! 325 Secretary Word Processor 69 Wordstar Word Processor 278 Oasis ... 599
CPM for N'-Extra features ... 147
Micro Mike Software ... CALL
MICROSTAT ... \$355
539 Pascal-80 539 Extra Precision BASIC 49 Northword
Inlomanager
General Ledger
Accounts Peceivable
Accounts Payable

INTEGRAND main frames S-100. Many models to choose from Only 200 & UP

MODEMS

DC HAYES - S-100	
POTOMAC MICRO MAGIC	. 369
SIGNALMAN	97
CAT NOVATION	. 159
AUTOCAT	. 215

Full Time Graduate Technician on Duty.



DECISION I

"The IBM-360 on the Z-80 & S-100 BUS!"

Sixteen Programs running simultan-eously! Free CPM, Microsoft BASIC, and WORDSTAR with complete system!

DECISION 1 + 65K Static +
8" Disks DMA 3403
DECISION 1 · 65K Static ·
2 514" Disks
DECISION 1 + 65K Static •
5" Disk + 5 Mb Hard Disk 4235
DECISION 1-2user 256K Static 4
5" Disk + 5 Mb Hard Disk +
MICRONIX 5830
DECISION 1 — Z-80 + I/O + 65K 1915
DECISION 1 — Rackmount + 20 Mb
HD - 8" DRV Reg. 6235
Inventory Sale 5415

MORROW Hard Disks

чр	Į,	,		,	F	ч		-	4	-7	_						-	2				
HDC-M26																						
HDC-M20																				33		
HDC-M10		ď	34	9	·	4	9	4		,	۰			٠						29	55	>
DMA-M5	4	,				à	L	4			A			и		R	e	g	ŀ	17	7	•
						Į	П	ľ	P	21	۱۱	t) (y	1	S	a	ı	ė	14	D()
DMA-M10																				22		
DMA-M16		ŧ		,			4	þ			×		1	v			4			27	95	3

MORROW 8" Disk
Discus 2D + CPM 600K ... Only \$834
Discus 2 + 2 + CPM 12 Mb 1068
Add Drives 2D = 599 2 + 2 = 1795
Discus 2D dual + CPM ... Only 1384
Free Microsoft BASIC from MORROW with Discus system or hard disk.

FAST FIGURE — Most powerful spread sheet. 51/4" or 8" 99

All MicroPro Software for IBM. Apple. North Star, Morrow, etc. SAVE¹ CALL

Call for latest prices & availability



4167 Kivett Dr.



Factory Guarantees

We Beat Prices

IPUT

Jamestown N.C. 27282

919-883-1105

The intensity of Scrabble: the excitement of Boggle: the imagination of word search games...

WORD CHALLENGE" The Ultimate Word Game.





Ready for some mental gymnastics? Take on Word Challenge. You'll race the clock with LEX, an opponent of

a square of random letters. (The sample square has 142 words.) Longer words score better points, so while you might enter "cap," "ape" and "tea," LEX is picking out "aster, "repast" and "sacred," all part of his remarkable 90,000-word vocabulary. But don't give up. You can select from 26 different skill levels, choose the square size (3 x 3, 4 x 4 or 5 x 5), time limit and a variety of scoring methods.

Word Challenge. Only \$39.95 at your computer dealer. For Mastercard and Visa orders, call tollfree, 1-800-323-0023. In Florida, call collect, 305/566-3511. Or complete the coupon and send check or M.O. to: Word Challenge, Proximity Software, 3511 N.E. 22nd Avenue, Fort Lauderdale, Florida, 33308.

PROXIMITY

Please send Word Challenge Disk(s) for which I've enclosed \$39.95 each (plus \$2.00 shipping and handling). Florida residents please add 5% sales tax.

Check appropriate box.

- ☐ Apple II, II Plus or II Plus E (min 48k) w/disk
- ☐ IBM Personal Computer (min 64k) w/disk
- ☐ Osborne I (mln 64k) w/disk

Namě Address. City . State . Zip

Apple IBM and Osborne are registered trademarks of Apple Computer Inc International Business Machines Corp. and Osberne Computer Corp. respectively Boggle and Scrabble are registered trademarks of Parker Brothers Division of OPG Products Corporation and Selchow and Righter, respectively.

disk drive and a user-supplied video-cassette recorder, records data on a video cassette. This backup is essential in an office environment where lost data means lost business. The Mirror-which can record 6 megabytes in 11 minutes, 10 megabytes in 17 minutes, and 20 megabytes in 35 minutes—costs \$1250.

Service

While Corvus Systems Inc., is not a small company, getting a Concept repaired won't be as easy as with some other popular personal computers. This is a sophisticated machine, and the only place to get one fixed is at a Corvus-authorized dealer. Presently, there are only two dozen of these dealers across the country. It's likely that these dealers will need technical manuals to perform the necessary repairs, and there is also no word yet about the availability of service contracts. This seems to mean that Concept owners are taking a chance if they rely on one machine. With a large networked system, you can usually weather an occasional failure. At this point, I should add that we haven't had any problems in more than 100 hours of use.

The Envelope Please

I approached the Concept with high expectations, which for the most part have been realized. The designers have included some features that are very special. They have created menus for every possible situation. The keyboard and video display should set a standard for massproduced personal computers. The bundling of a complete package of business software and hardware is also an idea to be imitated. These features make the Concept a highly usable computer system.

I would like to see Corvus attend to a few details, My most nagging concern is with the inconsistencies encountered when you move from level to level in the menus. When you want to return to a parent menu, you must select a function button. Depending on which level you are at, however, that key is labeled Quit, Exit, Edit, Cancel, or (Cncl). One of the advantages of function keys is not having to memorize the commands. With this arrangement, you must still memorize a set of commands for each level. Adding to the confusion is the fact that the same function label has a different result in different menus. For example, in one menu Cancel returns you to the most recent menu; at another level, it returns you all the way back to the first level, the Dispatcher.

I also found a few cases in which a function listed on the screen was not yet implemented, specifically the < Para and Para > functions in EdWord and the print spooler. In only one case did I find an improperly implemented function, which was a minor problem. Overall, Corvus has done many things right in creating the Concept, but the system needs much more applications software to take advantage of its features, Although the manuals seem to be a major stumbling block, if a sufficient number of companies develop programs and boards for this computer, the Concept could still become a very popular machine.



Plug 3,000 new applications into your Apple.

THE CP/M Card™ plugs CP/M Plus™ into your Apple. The CP/M Card gives you the option of running your Apple II with the speed and capability of a professional Z-80 system with CP/M*-compatible software. You plug in the CP/M Card. Then choose CP/M or your standard Apple software at your option.

Plug into a big, new world of software.

The CP/M Card gives you instant access to the world's largest selection of microcomputer software - more than 3,000

CP/M-compatible applications, languages, and programming utilities. So, you, too can use professional business programs such as WordStar,* SuperCalc[™] Condor, [™] and other high-performance software from Day One. Yet, you still have access to your present library of Apple software.

Plug into incredible performance. Together, the ultra-fast CP/M Card and CP/M Plus run applications up to

300% faster than your Apple system! The CP/M Card is the only Apple II performance package that offers the speed and efficiency of CP/M Plus.

A plug about quality.
The CP/M Card was designed and built by Digital Research, the creators of CP/M, and Advanced Logic Systems, the most respected manufacturer of Apple performance products. So you know the CP/M Card is the most perfectly integrated Apple performance package you can buy.

Why just keep plugging along? The CP/M Card provides everything you need—including 64K of on-board memory, CP/M Plus, CBASIC,

GSX™-80 and full documentation — for just \$399. Now available through the CP/M library. See your local microcomputer dealer today. Or contact Advanced Logic Systems, 1195 East

Advanced Logic Systems Argues Ave., Sunnyvale, CA 94086 (800) 538-8177. (In California (408) 730-0306.)

The CP/M Card for your Apple II.

CP/M, CP/M Plus, the CP/M Card and CBASIC are either trademarks or registered trademarks of Digital Research Inc. Z-80 is a registered trademark of Zilog, Inc. WordStar is a registered trademark of MicroPro International Corporation. SuperCalc is a trademark of Sorcim Corporation. Condor is a trademark of Condor Computer Corporation, GSX-80 is a trademark of Graphics Software System. Apple is a registered trademark of Apple Computer, Inc. #1982 Digital Research Inc.

How to mak work like a

First, neatly cut out the "370" label.

Now, when nobody's looking, nonchalantly tape it to your terminal, just under the "IBM," as if it really belonged there.

Then wait for your chance and quickly slip a dBASE II™ disk into

your main drive.
That's it.
Your IBM Personal
Computer is now ready to
run a relational database
system, the kind that IBM
put on their mainframes last year.

And you're ready with more data handling power than you would have dreamed possible before dBASE II.

You'll wonder how you managed without it.

You'll find that dBASE II, because it's a <u>relational</u> database management system (DBMS), starts where file handling programs leave off.

dBASE II handles multiple databases and simplifies everything from accounting to department staffing to monitoring rainfall on the Upper Volta.

With a word or two, you CREATE databases, APPEND new data instantly, UPDATE, MODIFY and REPLACE fields, records and entire databases. Organize months worth of data in minutes with the built-in REPORT. Do subfield and multi-field searches, then DISPLAY some or all of the data for any condition you want to apply.

And you've just begun to tap the power of dBASE II.

Easy to look at, easy to use.

Input screens and output forms couldn't be easier—just "paint" your format on the CRT and what you see is what you'll get.




You can do automatic calculations on fields, records and databases, accurate to 10 digits.

And you can use dBASE II interactively for answers right now. Or save your instructions, then repeat everything with two words: DO Manhours, DO ProjectX, DO whatever has to be done.

Use dBASE II to help make your choice:

If you've got a 96k IBM PC, send us \$700 and we'll send you a copy of dBASE II to use free for 30 days.

your micro mainframe.



Instead of just poring over a manual, run it and make sure that it does what you need done.

Then if you find it isn't right for you, send it back and we'll return your money, no questions asked.

But if you do that, you'll have to remove that label. Because nothing short of a mainframe works like dBASE II.

Call (213) 204-5570 today or drop by your local computer store for the rest of the story. Ashton-Tate, 9929 Jefferson Blvd.,

Culver City, CA 90230.

Ashton-Tate

Circle 48 on Inquiry card.

©1982 Ashton-Tate

CP/M is a registered trademark of Digital Research

Achieving Greater White-Collar Productivity in the New Office

The conversion to automated tools in an office must address many issues, especially human factors.

Randy J. Goldfield The Omni Group 115 East 57th St. New York, NY 10022

The issues of automated office management and white-collar productivity are no longer the stuff for futurists. The spiraling availability of high-technology office equipment, coupled with inescapable economic forces like increasing labor and management costs on the one hand and decreasing costs of electronics and communications on the other, mandate that top management address the issue of how to increase office worker productivity in this new environment.

The trend is clear: improved whitecollar productivity has become a key to increased profitability. There is a

Reprinted with permission from the Directory of Information/Word Processing Equipment and Services, available from Information Clearing House, 500 Fifth Ave., New York, NY 10010. The directory is sponsored by the Association of Information Systems Professionals (AISP).

About the Author

Randy J. Goldfield is president of The Omni Group, a New York-based consulting firm that specializes in office systems productivity improvement.

twofold reason for this: the whitecollar work force now accounts for the majority (53 percent) of workers and, simultaneously, past blue-collar productivity gains show little leeway for further improvements. According to Labor Department statistics, while industrial productivity rose 83 percent during the past decade, there was a mere 4 percent advance among white-collar workers, despite huge outlays for new technological equipment. The shift away from an industrial work force to an office work force adds greatly to the importance of automation as well as to the potentials for greater output.

Today, business is on the verge of enormous changes spawned by the development of new technologies for distributed word processing, smart copiers, effective terminal PBXs, computerized filing and data banks, laser printing, and the like. As a result, management is faced with the strategic issue of collectively committing tens of billions of dollars to the new and evolving technology of office automation. Executives are asked to weigh technologies that are often not completely understood, factor

them into potentially disruptive human elements, and then decide to what extent they should commit to a relatively new office work-style or mode of operation.

The Two Reactions to Office Technology

There have been two general reactions to the challenge of office technology. Both are extremist and contribute to poor results in automated ventures. The majority trend has been to wait for the emergence of time-proven office systems and technologies that present minimum risk. Unfortunately, this trend often leads to a loss of competitive edge in the marketplace.

The second reaction falls to the breed of executives who, so overly enthralled with new technologies, ignore bottom-line reality. To some degree, the reason that investment to date in advanced office equipment has not paid off in more visible productivity dividends is because this Buck Rogers group—by focusing predominantly on equipment at the expense of integrating advances into office procedures and human factors re-

WordStar® \$269		\$48		SuperCa \$18		Multiple \$19		Perfect Writer \$289			
WordStar MailMerge \$369		WordStar dBASE II \$749		VisiCald \$189		SuperWri \$249	ter"	InfoSt \$29	-		
A.L.S." Z-80 Card CP/M Card ASPEN SOFTWARE" Grammatik Random House Proofrader	\$129 \$359 \$ 60 \$ 39	FOX AND GELLER** Quericode dUni dGraph HONARDSOFT** In Preparer (Apple) In Preparer (BM)	\$229 \$ 69 \$229 \$179	Wordstar/Mail Merge Wordstar/Mail Merge/SpellS Wordstar/InfoStar InfoStar CalcStar DataStar SuperSort	\$369 lat \$509 \$549 \$299 \$ 89 \$179 \$149	DASIS" The Word Plus Punctional and Style ORGANIC" Mustone PEACHTREE"	\$129 \$109 \$269	SORGIM** Superical: Superivale: SoeliGuard TCS ACCOUNTING** Accounting Package	\$189 \$249 \$129		
Random House Thesaurus ASHTON-TATE** dBase II COMPUTING** Poner	\$119 \$489 \$119	Tax Preparer (18M) 1US** Easywrder (1 Easyspeller H Easyspeller	\$189 \$239 \$139 \$269	SpellStar ReportStar DataStar Update MICROSOFT**	\$149 \$229 CALL	Series 4 PeachPak (GL, AR & AP) PERFECT SOFTWARE** Perfect Winter Perfect Speller	\$369 \$289 \$169	(4 Modules) GL AR, AP, PR as the Mgml VISICORP VISICATE V	\$289 \$ 99 es. \$189 \$ 85		
CONTINENTAL SOFTWARE'" Mome Accountant DIBITAL RESEARCH'" CHASIC	CALL	Francial Management Series LEXISOFT" Spollbunder LIFETREE SYSTEMS"	CALL \$259	Softcard Ram Card Videoterm (Video ") All Three Above Multiplan	\$259 \$ 89 \$269 \$509 \$199	Perfect Wider/Speller Perfect CMC Perfect Filer All Four Perfect Products	\$389 \$169 \$279 \$749	VisiDex VisiFide VisiSchedule VisiTrend/Pigi Business Forecaster	\$189 \$249 \$249 \$249 \$100		
CB-80 Compiler PASCAL/MT - Access Manager CBASIC 86 PASCAL/MT + 86	\$109 \$379 \$259 \$225 \$149 \$299	Volkswriter METASOFT*** Berchmark MICROLAN***	\$145 \$379	Enhancer I) (Videxi***7) BASIC 80 BASIC Compiler COBOL Compiler FORTRAN 80	\$119 \$275 \$295 \$549 \$349	PICKLES AND TROUT" CP/M for TRS Model II CP/M for TRS Model II6 Hard Desk SILICON WALLEY SYSTEMS"	\$169 \$189 CALL	Desktop Planner FLOPPY DISKETTES (Boxes of Ten)	\$249		
Concurrent CP/M 85	\$259	Tas Manages MIGROPRO * Wordstar	\$179 \$269	Flight Simulator MICROSTUF** Crosstath	\$ 45 \$135	Word Handler Let Handler	\$149 \$129	5" (SS) 5" (OS)	\$ 25 \$ 25 \$ 35		

NOW, PAY LESS, AND GET GREAT SERVICE, TOO!

If you're looking for rock-bottom prices and fast, personal service, take a close look at 800-SOFTWARE.

Because we buy in volume, we're able to sell the products you want at prices that finally make some sense. But don't take our word for it. Compare prices and see for yourself!

OUR SERVICE CAN'T BE BEAT.

We take care of you like our business depends on it. Because it does.

When you call 800-SOFTWARE, you get the fastest delivery available anywhere. Which means that every order is filled the day we get it. And that our unique

Order Tracking System's is on the job, keeping tabs on your order, every step of the way.

Our giant inventory - one of the largest in the United States - also assures you of the fastest possible service. Everything's in stock so you don't have to wait.

Technical support? Business software expertise? We've got it and it's the best you'll find unrachere.

But, put us to the test. Let us prove what we've proven to satisfied customers around the world.

That our prices are lower. That our service is better. That there really and truly is a difference.

We look forward to your call.

TO ORDER, CALL TOLL-FREE: 800-227-4587

In California, 800-622-0678 or 415-644-3611 CA residents add sales tax

OR WRITE: 800-SOFTWARE, INC.

3120 Telegraph Avenue, Berkeley, CA 94705









- Purchase orders accepted.
 Prompt UPS 3 day Blue Label
 Call for shipping charges, free cutatog, and other low software
- prices.

 Now open Mon. Sat.


 International and national dealer
- requests welcome.

 Quantity discounts available
 Prices may change.
- GEOphendia Militarianiane Militaria

UARTER

- 8/16 BIT DATA PATHS
- 24 BIT EXTENDED **ADDRESSING**
- 230 nS ACCESS TIME (from pSTVAL)—Runs in 4 MHz systems with no wait states.

FOR 16 BIT **IEEE-696 SYSTEMS**



- TWO INDEPENDENTLY ADDRESSABLE 128 KB REGIONS.
- □ PARITY ERROR DETECTION— Programmable read options: Latched vectored, pulsed vectored, bus error signal generated.
- ☐ TRANSPARENT REFRESH, continuous operation w/o wait states or arbitration delays.
- □ DATA INTEGRITY with added byte parity check-bit.
- ☐ CERTIFIED RELIABLE: 168-hour burn-in dynamic memory test.
- □ 64K DYNAMIC MEMORY CHIPS with large cell geometry delivers low soft error rate.
- ☐ FIELD PROVEN—used in all Dual System 83 series 68000-based computer systems with UNIX*.

DMEM-256KP \$1295

*UNIX is a trademark of Bell Laboratories.



DUAL SYSTEMS CORPORATION

2530 San Pablo Avenue · Berkelev CA 94702 • (415) 549-3854 • 172029 SPX quirements-often created overly ambitious projects that were never completed or disappointed users or caused fiascoes when employees refused to adapt to change.

Of course, almost everyone knows cases where high-technology equipment was installed and failed to live up to expectations. Responsible management, however, recognizes that the office has become the next logical place to look for the sort of improvement that can mean sharply increased profits. In fact, with office overhead costs now accounting for 52 percent of operating costs (up 100 percent since 1955), improving productivity in the office has become imperative. What, then, are the key issues to determine before creating a corporate office automation strategic plan? And what are the results that can realistically be expected? These questions must be addressed before any successful implementation can be accomplished.

American industry invests enormous amounts of capital in its workers-and is growing rapidly as the U.S. economy evolves from primarily a manufacturing base to a service base economy. The federal government predicts that by 1985 about 55 million workers of the projected 104 million person work force will be working in offices. For a national economy that historically has had a farming and manufacturing base, this is a revolution indeed. The Commerce Department estimates that some 60 percent of the gross national product already involves information production, storage, transfer, and utilization-clear evidence that the Information Age is already well upon

A recent analysis of current and projected work force costs for more than a dozen companies conducted by Gibbs Consulting Group shows they spend record amounts in direct costs for white-collar workers and for information resources/access in an attempt to reap greater gains in worker output. And this is clearly the trend. Melody Johnson, of Kidder Peabody, explains, "Everyone seems to be jumping into automation! Unfortunately, not everyone is prepared to deal with the problems, and consequently not all will reap the benefits."

Because, despite these expenditures, most office workers are far from being as productive as they can be. In a recent Lou Harris poll conducted for Steelcase, between 67 and 80 percent of white-collar workers reported their individual productivity could be increased if the office work load were reorganized and analyzed so work flowed more smoothly from person to person and department to department. In fact, almost all executives surveyed said they backed investment in more computer terminals and electronic filing, typing, copying, and other equipment to increase office efficiency.

Business executives give top rankings to conversion to electronicprocessing telecommunications and data-processing methods as these offer the most visible productivity gains. In addition, the need to enhance overall functioning, and the need to seek better physical layouts that would positively affect employee productivity, play important roles in the reorganization and refining of the office environment.

Despite the investment in labor and the clearly perceived need for productivity increases, the total investment in information resources has reached only about \$73 billion, which, impressive as it might seem, does not clear the threshold necessary for meaningful productivity improvement. In a recent survey of professional productivity, it was determined that professional staff interfaces with computers less than 1 percent of the time. Pens and pencils, at 65 percent, were by far the most popular tool. Overall, it is clear that integrated systems with their synergistic effect on productivity have not yet been put into the right place in significant numbers.

The Spread of Automation: The Rationale

Of course, many current office systems have at least some equipment that can help boost output. Although U.S. business is generally still entrenched in inefficient paper, mail, and filing systems and relies on anti-



If you bought your computer to save time, then you need SUPER, the most powerful database system you can use. Power is a combination of speed, ease of use and versatility. SUPER has them all.

FAST - To demonstrate SUPER's speed, ISA retained a professional dBASE programmer to benchmark SUPER vs. the acknowledged leader. A simple mailing list application was chosen to minimize dBASE programming cost. The results:

Task	SUPER Time	dBASE II Time
Set up/Program	5:20 min.	12:18:00 hrs.
Input 100 records	50:29 min.	1:27:50 hrs.
Sort & Print Labels	6:41 min.	4:18 min.
Totals	1:02:30 hrs.	13:50:08 hrs.

Notice that SUPER was faster at every task where your time is involved—and saving your time is probably the whole reason you bought a computer.

EASY TO USE - SUPER won because of its ease of use. Since it is menu-driven, office personnel can easily learn to use SUPER to set up their own applications, speeding and simplifying dozens of tasks without the need of programmer support.

VERSATILE - SUPER, unlike other business programs, doesn't dictate how to run your business. With SUPER the computer does what you want, when you want, the way you want it. SUPER may be the only business program you'll ever need. It can handle customer files, payables, receivables, depreciation, appointments, cost accounting, time charges, commissions, inventory, manufacturing control, and even matrix accounting systems!

SUPER PERFORMANCE AT A SUPER PRICE -

That SUPER beats the \$700 dBASE program may surprise you, but in terms of price vs. performance SUPER has no competitors. Among its features are: production input, data compression, multiple databases on line, transaction posting, file reformating, stored arithmetic files, flexible report formats, hierarchical sort and multi-disk files for up to 131, 068 records. It can select by ranges, sub-strings, and field comparisons. It interfaces to word processors such as WordStarTM, SuperSCRIPTSITTM, Model II/16 SCRIPTSITTM, and NEWSCRIPTTM. In fact SUPER has so many features that

it takes a six-page product description to cover them all. Write or call and we'll send you one.

SUPER is available for TRS-80™ Models I & III under NEWDOS™, LDOS™, and DOSPLUS; for TRS-80 Models II, III and 16 under TRSDOS™; and CP/M™ systems.

Prices: TRS-80 and Osborne versions \$250.00 Other CP/M versions \$295.00 Manual (Price applicable to purchase) \$25.00

Now available for the IBM PC \$250.00

MasterCard and VISA accepted.

OTHER SOFTWARE

- ManageMint™: A PERT/CPM project management system compatible with SUPER. It includes scheduling, resource and financial management modules.
- Sales Planning and Data Extraction System: Improves hit rates while cutting costs.
- Small, economical program packages for accounting, business and office applications as well as utilities.

Write for Catalogue



Institute For Scientific Analysis, Inc.

SOFTWARE FOR HARD USE ™

Dept B-3 Institute for Scientific Analysis, Inc. P.O. Box 7186 Wilmington, DE 19803 (215) 358-3735

ORDERS ONLY 800-441-7680 EXT. 501

Trade mark owners: dBASEII-Ashton-Tate, SCRIPTSIT, SuperSCRIPTSIT, TRSDOS, and TRS-80-Tandy Corp. NEWDOS/80-Apparat, Inc. WordStar-MicroPro Intl. Corp. NEWSCRIPT-PROSOFT, LDOS-Logical Systems, Inc. CP/M-Digital Research

quated typing equipment and "dumb" copiers, there also are electronic dataprocessing machines, leased or owned private branch exchanges or key systems, and increasing numbers of basic word processors (mainly standalone, single systems). And these devices can, and do, improve productivity. But productivity improvement is not always the only issue. In fact, productivity increases when not offset by staff reduction or cost avoidance will not benefit the organization. And it takes careful control to ensure

the savings are captured.

It is estimated that U.S. business can anticipate a productivity and cost reduction of about \$300 billion annually by 1990, simply by adapting new technology and focusing work forces in the right direction. lack Walsh, Director of Information Services at Avon Products, feels that productivity is a secondary consideration. He says, 'Most managements are concerned with profitability. Those of us in the trenches, who understand the day-to-day needs of

coordinating human resources, machinery, procedures, etc., see productivity as a realistic goal, but senior management will lean toward profitability. Until our offices mature, the profitability of installing automated equipment will overshadow productivity issues."

In addition to productivity improvement and profitability concerns, an added benefit of automation is to allow top management to make far faster, higher-quality decisions because of the new systems' capabilities for organizing, sorting, and storing huge amounts of data at speeds measured faster than ever thought possible. And, in fact, other "soft" benefits, such as improved customer service, faster research and development, better marketing information, etc., are all outgrowths of office automation.

Therefore, the executive charged with determining policy on automation must understand both hard and soft improvement opportunities and pressures and the three basic rationales for conversion.

Improving Corporate Profits. Current competitive patterns and seemingly intractable lags in productivity make this a persuasive argument for automation. The significance to a company's competitive position, of course, varies with the industry. In banking and insurance, for instance, automation is a critical issue. But at some point in the next 5 to 7 years it is clear that automation will be a necessity that is driven equally by increasing overhead and more automated competition.

For example, some banks have increased their market share by taking greater advantage of information technology to provide 24-hour banking and instant access to customer records. This strategy stems from the highly competitive environment of banking. Similarly, legal firms use terminals to query court proceedings and other legal information as a counter to the growing volume and complexity of precedent searches. In helping to achieve these goals, office automation becomes a strategic issue as well as an operating decision.

Reducing Escalating Costs. Con-



ATARI

1010 - \$75

800-48K - \$499 1200 - \$645 810 - \$429410 - \$75

ALTOS

5 -15D - \$2120 5-5D - \$4100

NORTHSTAR

850 - \$159

Advantage-\$2600 Horizon 64QD-\$2600

TELEVIDEO

802H - \$4450 802 - \$2599806 - \$4950 B00A - \$1250

> APPLE-LOOK-A-LIKE CALL

APPLE CARDS

16K RAM - \$78 Z80 CARD - \$235 Videx Card - \$227 Smart Term - \$279 Microsoft Prem. Pk - \$475

SOFTWARE

Apple All Major Brands - \$CALL Wordstar - \$299 Datastar - \$180

Calcstar -- \$100 Spellstar - \$165

DISK DRIVE

Microsci Apple Dr. - \$265 Rana Elite I - \$275 Rana Elite II - \$450 Rena Elite III - \$550

MODEMS

HAYS - MICROMODEM - \$269 HAYS - SMARTMODEM - \$210 HAYS - 1200 Baud - \$530

DISKETTES/BOXES

Elephant - \$20 Scotch - \$25 Dysan - \$35

GUARANTEED LOW PRICES

PRINTERS

OKIDATA M93A - \$910 M92 - \$515 M82A - \$399 w/Tractor & Grap. \$479 M84P - \$978 M84S - \$CALL

ANADEX

9500A - \$1290 9501A - \$1290

CITOH

F-10P - \$1299 F-10S - \$1299 1550P - \$659 Prowriter 1550CD - \$709 8510AP - \$409 8510BCD - \$545

DATASOUTH DS120 - \$595 DS180 - \$1175

DIABLO

630RO - \$1799 620 - \$900

NEC

8023 - \$450 7710 - \$20453510 - \$1375 3550 - \$1834

TI

810 - \$1240 820 - \$1795

TERMINALS

ADDS

A1 - \$485 Viewpoint A3 - \$485 HAZELTINE

1500 - \$995 ESPRIT - \$498

TELEVIDEO

910 - \$569925 - \$718920 - \$735950 - \$899

ZENITH


Z19 - \$689 289 - \$2129

MONITORS

Amdek 300 - \$140 Color I - \$295 Amdek Color II - \$645 Color III - \$350 BMC Green - \$85 USI Amber -- \$159

COMPUTER IC'S COMPLETE LINE SPECIAL 4116 (150ns) \$1.50ea.

Customer Service 602-863-0759





Introducing ... The IS PipeLine Random Access Printing Buffer.

Insert pictures, graphics or spread-sheet data into reports. Duplicate form letters—automatically changing addresses on each. Now, all your programs can work together to produce printed output.

For the first time ever, here is a buffer that not only frees your fast computer from your slow printer but also allows you to rearrange, compose and copy your data on its way to the printer.

- Random Access Printing—stores paragraphs or pictures for printing in any order—any number of times.
 FIFO Printing—conventional first-in first-out operation.

- Compression of data for efficient utilization of memory space.
 Ability to interrupt long-term buffer operations for straight-thru shortterm printing.
- Simple Erase feature to clear buffer.
- Automatic duplication capability.
 Easily expandable, by you, from 8K Bytes to 128K Bytes.

The IS PipeLine is Universal—it works with any parallel (Centronics*—style) computer/printer combination. A special version is available for PKASO™ Printer Interfaces.

The IS PipeLine is a self-contained unit with operating manual, cables and power supply included.

For more information on the truly revolutionary IS PipeLine Random Access Printing Buffer, call us today.



Interactive Structures Inc. **146 Montgomery Avenue** Bala Cynwyd, PA 19004 Telephone: (215) 667-1713

*Centronics is a trademark of Centronics Data Computer Corp.

Circle 234 on inquiry card. The IS PipelineTM Random Access Printing Buffer is patent pending.

ventional office support systems are not only outdated, but inefficient. Labor-intensive jobs like secretarial typing, shorthand, etc. can be greatly reduced or eliminated by automation. In addition, potential staff reductions through improved processing by machinery can often reduce the number of employees reguired to perform the more redundant tasks.

Increasing Professional Productivity. In the average company, professional salaries account for about half of total salary costs. As the largest segment of the work force salary, increased professional productivity becomes a prime target and justification for automation and increased output. An outlay for equipment, therefore, can be recouped very quickly. Although difficult to quantify, the benefit of providing complete and correct data to professionals is, perhaps, the greatest profit improver office automation will offer. According to James Folts, Vice President, Corporate Development at Syntrex Incorporated, "Automation as a


management tool is the single most important factor in office automation. Historically, management has viewed office automation as a secretarial tool. However, this approach is the least cost-effective. When used as a professional tool, automation can have an impact on productivity for outweighing the simple increases in document production many companies see as the chief benefit of automation systems."

While word processing and data processing have initially focused on clerical and secretarial staff, increased professional productivity is now seen as a major priority in business. Professional staff salaries have the greatest impact on white-collar costs because much of professional work can be defined as decision making. The key factors in improving productivity are timely handling and processing of information and a reasonable amount of information upon which to base decisions. When people don't have the correct information resources, decision making becomes more complex, and usually less effec-

tive. Conversely, if you inundate people with facts, details, and ideas, they are unable to effectively analyze this profusion of information and the right decisions will become impossible to make. The crux is that the proper amount of information provided in a timely fashion permits reasonable decisions. A chief objective within the office, therefore, is to provide professionals with reasonable tools that give them the information they need to make practical, timely decisions. Information must also be presented in a useful form and automation enhances the availability of information. Hence, the obvious relationship between decision making and automation.

Taking the Plunge: The Risks of Converting

While pioneering is not often profitable, however, timely implementation is important. To wait for the perfect system, totally compatible with every other device, at the right price from the right company is to delay forever. The greatest gains in



Floppy Disk Drives

Double your work space with the new TEAC 51/4" Floopy Disk Drives. Because the TEAC FD-55 Series Drives are half the height of conventional drives, you can fit up to four TEAC drives in the same space where two conventional drives fit. Or, have room for two floppy disk drives and a hard disk drive.

Not only are the new TEAC drives half the height, they also consume half the power and generate half the heat. Design innovations using a low-noise brushless DC direct drive motor are responsible for this breakthrough. The result: a highly reliable drive with over 10,000 hours life backed by a one year parts and labor warranty.

SPECIFICATIONS											
	UNFORMATTED CAPACITY	TRACK DEHSITY	TRACKS PER DISK								
FD-55A (1 side)	250K Bytes	48	40								
fD-55B (2 sides)	500K Bytes	48	80								
FD-55E (1 side)	500K Bytes	96	80								
FD-55F (2 sides)	1000K Bytes	96	160								

Maynard Electronics also manufactures a complete line of peripherals for the IBM PC and PCXT. They include: SandStar" Series fully modular boards, Memory Expansion and 51/4" and 8" Floppy Drive Controller Boards, clock calendar and Parallel, Serial and Game Ports,

Maynard Electronics is an authorized distributor of TEAC Floppy Disk Drives. Call or write today for complete technical data and price.



MAYNARD ELECTRONICS

400 E. Semoran Blvd. • The Greater Mail • Suite 207 • Casselberry, Fl 32707 • 305/351-6402

We make modern times better.

The Inmac Plus floppy is totally reliable, guaranteed for life, and you can get one free.

ALL YOU HAVE TO DO IS ask, and we'll send you three Inmac Plus premium diskettes.

One-up to a \$9.90 value-is free.

The other two are for you to use for 45 days at no obligation. Test them out. Compare them to the diskettes you're now using.

We're convinced that once you try Inmac Plus, you'll buy Inmac Plus. And nothing else.

But if you're not completely satisfied, simply return the two diskettes and keep the third one with our compliments.

Inmac Plus quality for error-free performance.

Do your floppy disks work the first time, every time you put them in your drive?

Ours will, and we're not just saying that. We back every Inmac Plus diskette with the strongest guarantee in the industry—a lifetime guarantee.

For as long as you own an Inmac Plus diskette it will read and write flawlessly. It will protect your data. It will perform to perfection—or we'll replace it free."



With Inmac Plus diskettes, you're guaranteed 100% read/write accuracy and lifetime data protection.

The problem with ordinary floppy disks is that they gradually wear down under the every-day stress of drive heads and pressure pads. This can result in everything from annoying read/write errors to complete data loss.

Inmac Plus diskettes don't have this problem. They're made with a durable oxide coating that "gives" not flakes as hard-coated disks do. So you don't wind up gambling with your data or wasting hours of valuable programming time.

Inmac Plus diskettes excel on all types of

INMAC PLUS

LIFETIME FLEXIBLE DISKS

Immac

Inmac Plus diskettes surpassevery applicable performance standard in the industry. Trust them with your most critical programs and data.

drives, even finicky ones. One reason for this is a special reinforced hub ring that protects against a major cause of data loss—warps, dents, and tears resulting from the drive's clamping hub.

In all, Inmac Plus diskettes go through 32 separate quality tests. And each is given an individual registration number to help us maintain the highest quality standards possible.

Due to this stringent quality assurance program, they surpass every applicable performance standard in the industry. You can trust them with your most critical programs and data.

Nothing comparesat any price.

Add it all up.

Inmac Plus diskettes give you total reliability. 100% read/write accuracy. Lifetime protection for your data.

That's why they're your best buy-at any price.

This exclusive Trial Offer ends August 31, 1983.

Here's how it works.

Simply mail the attached card or phone our toll-free number by August 31, and we'll send you three Inmac Plus diskettes—one of which is yours to keep, no matter what.

The other two are yours to use for 45 days at no obligation. Return them if not completely satisfied.

But we're expecting just the opposite. We think you'll be so utterly impressed, you'll want to keep the two diskettes.

That's why we're enclosing an invoice with your order, so that by the end of the trial period, you can mail it back to us, along with your check or money order. Or if you prefer, use your credit card—whichever is most convenient for you.

Remember, send no money now. We want you to try Inmac Plus before you buy Inmac Plus, and we'll ship your diskettes within 24 hours so that you can get started as soon as possible.

Offer limited to one free diskette per customer. Offer void in Alaska and Hawaii.

Get three diskettes for the price of two.

To be sure of getting the Inmac Plus diskette that's right for your system, specify its make and model. Below are some of the most popular systems and the corresponding Inmac Plus diskette. If yours is not listed, call us for assistance and pricing information.

System	inmac Plus description	Price for 3 diskettes
Apple II, II Plus, III; IBM PC (single side); Osborne PC; Radio Shack TRS80-1 or 3	51/4" SSDD Soft Sector	\$11.80 (sove \$5.90)
AB Dick Magna Witter; Cromemco Z2H; HP85/Serles 9826A, 9836; IBM PC (Dual Side)	5¼" DSDD Soft Sector	\$16.80 (sove \$8.40)
DEC RX01; IBM System 32, 3737, 3740, 3730, 3741, 3600, 3601, 3790, 3791	8" SSDD Soft Sector IBM format 2305830	\$15.80 (save \$7.90)
CDC 9406; HP3000 Series 33; IBM Series I, diskette 2, IBM System 34, diskette 1	8" DSDD Soft Sector	\$19.80 (save \$9.90)

Double density diskettes can be used in single density applications.

Send attached postage-free card or phone toll-free.

1 (800) 547-5444

[1(800) 547-5447 in California.]

When you call, ask for a free Inmac catalog. Inmac Plus diskettes are available only through the Inmac catalog or through special offers such as this.



World's leading source of computer supplies and accessories.

Circle 226 on inquiry card.

107121

TRM personal computer UCSD p-System™ Version IV.1

NCI now offers Version IV.1 which includes:

- RAMdisk
- Subsidiary Volume Support
- 8087 Numeric Coprocessor Support
- FASTER Long Integers (2x)
- FASTER Floating Point (3x)
- 25% greater floppy storage
- Floppy Write Verification
- Asynchronous Serial I/O
- Extended memory codepool
- 8086/87/88 Mucro Assembler
- 8087 Native Code Generator
- program caller unit
- generalized sort unit
- 32 hit seek
- FASTER Seek
- FASTER Turtlegraphics
- Adaptable Support
- PC DOS Filer Utility
- Background Spooler

Also available

- PFAS Pascal File Access System
- Hard Disk Support
- Advanced Systems Editor
- Sprinter text formatter
- QuickISAM/PascalISAM/SuperDB
- QuickForm/PascalForm

Available for

- IBM pc
- Victor 9000

TM Regents University California TM IBM Corporation

For more information call

Network Consulting Inc. Discovery Park Suite 110-3700 Gilmore Way Burnaby, B.C. Canada V5G 4M1 604-430-3466

profitable automation will be forthcoming from research and development groups working at beta test sites across the country, and the fear of becoming involved in automation too early, or of being locked into obsolete equipment, should be put into its proper perspective. A timely start. despite the hazards involved, will ensure a smoother transition, as automation makes further advances. along with the development of a core of internal expertise that can provide hands-on knowledge and a leading edge on the competition.

But this does not mean that one should opt for an overnight plunge into the so-called, much-touted "office of the future." Because most offices exist with yesterday's systems (or lack of them), an orderly update to the "office of today" makes more sense and avoids the trauma, expense, and serious disruptions that an overly ambitious or, perhaps, premature program will invariably cause.

Of course, outright purchase of equipment in a climate so volatile is rarely desirable, although some underfinanced manufacturers make their rentals virtually punitive versus relatively attractive lease/purchase plans. The cash flow and capital situation of the company is, of course, also a factor. In fact, cost-justification and return on investment become highly complex,

Quantifying Benefits: Justifying the Investments

There is, typically, a "backbone" application that must exist to justify automated equipment within each area of a company. Frequently, that backbone is word processing-the task of text-editing and manipulating words-where productivity can be dramatically increased by automation with the least outlay of capital and most quantifiable resultant savings. In promoting a recently announced multipurpose office system, for example, salespeople stressed its application simply by cost-justifying it as an automatic typewriter. Despite many other capabilities, products from Xerox, Syntrex, IBM, and Wang are also marketed in this manner to

capture the most obvious audience. Chuck DeNapoli, General Sales Manager at Micom, explains, "Our marketing approach is to appeal to the clients' common ground, and then augment it. New accounts usually feel more comfortable approaching advanced automation applications as an add-on to their current typing process rather than a completely new and different mode of operation. Improved typing is often the best avenue to travel on first applications."

But once a terminal is in place for word processing, additional peripherals can add sex appeal and accrue additional benefits for very little or no extra cost. Applications like automatic filing, conferencing, or electronic mail can complement the backbone application.

Electronic mail alone, for instance, is rarely cost-justifiable except in unique situations requiring both speed and accuracy. But without a large installed base of preexisting terminals as a backbone, it realistically is both prohibitive in cost and in usefulness.


Another key issue is to determine to what extent potential and achieved benefits can be quantified. By and large, the task of quantifying clerical work has been accomplished through systems as sophisticated as MTM and other industrial engineering techniques. Secretarial productivity, however, is somewhat more ephemeral. If a secretary received 20 calls today, versus 40 yesterday, is she half as productive? Clearly, the task is more complex because, in addition to measuring output, a value must be placed on it. Yet administrative support audits can-and do-quantify secretarial efficiency, typically finding cost reduction opportunities of about 20 percent in most studies.

If secretarial productivity quantification is somewhat difficult, it's a cinch compared to the issue of quantifying professional and managerial productivity, which raises far more questions as to its value or its feasibility.

The difficulty, of course, is in assigning a dollar value to creative and intangible activities that may or may not eventually result in tangible


System Saver™

The most important peripheral for your Apple II and IIe.



For Line Surge Suppression

The SYSTEM SAVER provides essential protection to hardware and data from dangerous power surges and spikes.




By connecting the Apple II power input through the SYSTEM SAVER, power is controlled in two ways: 1) Dangerous voltage spikes are clipped off at a safe 130 Volts RMS/175 Volts dc level. 2) High frequency noise is smoothed out before reaching the Apple II. A PI type filter attenuates common mode noise signals by a minimum of 30 dB from 600 khz to 20 mhz, with a maximum attenuation of 50 dB.

For Cooling

As soon as you add 80 columns or more memory to your Apple II you need SYSTEM SAVER.

Today's advanced peripheral cards generate more heat. In addition, the cards block any natural air flow through the Apple II creating high temperature conditions that substantially reduce the life of the cards and the computer itself.





SYSTEM SAVER provides correct cooling. An efficient, quiet fan draws fresh air across the mother board, over the power supply and out the side ventilation slots.

For Operating Efficiency

SYSTEM SAVER contains two switched power outlets. As shown in the diagram, the SYSTEM SAVER efficiently organizes your system so that one convenient,


front mounted power switch controls SYSTEM SAVER, Apple II, monitor and printer.






The heavy duty switch has a pilot light to alert when system is on. You'll never use the Apple power switch again!

Easy Installation



Compatible with Apple Stand



Suggested Retail \$8995
One Year Warranty

Kensington Microware Ltd. 919 Third Avenue New York, NY 10022 (212) 486-7707



Circle 361 on inquiry card.



benefits to the company. Is a trip to a convention productive? By what standard? How do the hours spent preparing for an internal meeting contribute directly to the bottom line of profits? Should productivity be determined by the number of reports read or memos written or meetings attended? Obviously not, but finding out what methods to best use is difficult. The target group may not be willing to cooperate and there are many aspects of professional activity that cannot be measured. Finally, in addition to support staff and professional quantification, those "soft" benefits or value of more complete, timely, or accurate information must also be considered.

A "backbone" application must exist to justify automated equipment within each area of a company.

For example, putting a price tag on the speed and accuracy with which market data, government regulations, competitive analyses, sales figures, inventory, etc. are available is difficult but can make a significant difference on the bottom line of a company. In terms of government reporting alone, the burden for some companies is immense. For example, a report released in March 1979 estimated that each of the 48 largest U.S. companies spent an average of \$54 million annually on government reporting.

However, implementation cannot begin, even after benefits have been established and costs justified, without careful consideration of how quickly implementation can take place within a particular company's individual environment. Its resources, potential user acceptance, and funding availability must all be realistically appraised. Appropriate planning is critical, and the environment will define how fast changes can be implemented and how quickly benefits will accrue.

Managing Change in the Office

The mechanics of managing office automation present another side to the environment issue. In putting together a plan, one must determine:

- size of staff necessary to implement and convert the facility
- the function of each staff member
- study methodologies used to study, justify, and design the system
- productivity measurements
- result quantifiers

Of course, top management most frequently asks: "How much will automation cost?" Although this is a valid query, it is impossible to answer in generalized terms. Costs will depend on the company's current level of automation, the industry, and individual needs and must reflect them. As a general rule of thumb, hardware costs should be offset by labor savings and productivity increases within about 18 to 36 months, and sometimes can be realized sooner.

Cost considerations are being helped by continuing breakthroughs in microelectronics and other technologies. Cost reductions of 85 percent and more are being realized, and further reductions are certain to appear as the volume of production of automated office equipment continues to run counter to general inflationary trends.

If an implementation plan is being created, it is important to also determine the best way to integrate the plan to a corporation's internal attitudes. Should a task force or committee be set up to assist in the planning and conversion process? What involvement should end users have? Who in the firm should take on day-to-day operational responsibilities? How should such a plan be structured to ensure integration with complementary functions such as data processing and personnel?

The management philosophy of a company will dictate the appropriate method of involving employees. Democratic, highly communicative firms typically opt for committees, with high user feedback and re-





Video Monitors

Video Monitors

AMDEK Video 300 12" hi-res gin 145"

AMDEK Color 113" viduadio cut 289"

AMDEK Color 113" viduadio cut 289"

AMDEK Color Britisha RGB 389"

AMDEK Color Britisha RGB 389"

MEC 12214 12" nicres green

MEC 12148 12" composite color 229"

NEC 12034 12" composite color 229"

NEC 12034 12" RGB tor IBM PC 499"

TAXAN Vision 3 12" hi-res RGB 229"

TAXAN Vision 3 12" hi-res RGB 25"

TAXAN Vision 13" modre RGB 25"

TAXAN Vision 13" modre RGB 25"

TAXAN Vision 11" mod



Kaypro

s anytime-anywhere computer des GP/M, CBASIC, a spraadsh

PLEASE CALL FOR MORE DETAILS.



OSBORNE I

New Includes double-dentity drives, and softwars: CPIM. WordStar, MalMarge, SuperCatc, CBASIC & MBASIC.

PLEASE CALL FOR OUR PRICE.



Diskattas		
SM Tuesters	Internation	
dishattes 5	219	
3M Scotch 5 % BS/DD 3M Scotch 5 % DS/DD	Box of 10 35"	
Verbatim 5 W SS/DD B		

SATISFACTION GUARANTEED We will accept the return of most items within 15 days

of your receipt of the merchandise. At your request we will repair, exchange, or issue a prompt refund. Understandably, software is not returnable. Please call for more details.

Mark the State of To order please send money order or cashier's check, Personal checks 3 weeks to clear. Prices religion 2% cleah dispositive accept VISA, MasterCard, American Espress, Direct Club and Carte Blanche. Shipping, handling 5 insuer charges, add 3% of merchandise total rink, add00, California readents and 8% sates far. Foreign customs please or write Prices and availability subject to change without notice. All equipment is new and warranted by the manufacture.



COMMODORE 64

\$379**

100 Miles 1000 1000

MICROSOFT

Named outstanding product of the year by infoWorld Magazine. S17900

Specify Apple DOS, Apple 2-80, or 8" CRM

VISICORP"

VisiCalc

ider IBM with (28K)

MicroPro

SuperSari SpellStar Citaly \$179% Specify Apple, IBM, or 8" CPMM for real.

Popular Saftware

dBASE II by Ashton Tate SuperCase by Soreim Tate SuperCase by Soreim The Home Accountant IBM 1-2-3 Lotus — Please call for de Personel Investor IBM The Tax Manager 1883 IBM Flight Smulation IBM Veraform for IBM

299*

Only 9 17 9 9 5
VisiFile BM: Vi

VisiSchedule

Microsoft Multi-Plan

COMMODORE 1541 Desk Brive
Datasette program recorder
DATA 20 Z-50 & 80 column pac
CARDIGO Centronses interface
Totl. Text Processor
35" oritemaster croSystem PS-212 interface

We carry a complete into of comoree and software for the C-modern Please call.



ATARI 1200XL Onlo \$67998

ATARI 800 with 48K ATARI 810 Disk Drive ATARI LIGHT PEN by Symfec Alten Volce Box File Manager Plus dalls base 129m 129m 79m

We carry much more for Atari



Call



LECOVISION State-of-the-Art video game

\$18750



Donkey Kong game included

mes on ColscoVision.



layes Smartmodem 300	219**
tayas Smartmodem 1200	. 619th
lovation J-Cat 5-300 baud	12511
inchor Mark I 300 baud	. 84**
inchor Mark VIII 300/1200 baud	339m



EPSON FX-80

160 cps, 10" carriage, 2K buller

EPSON FX-100 GEMINI 10 GEMINI 15 Please call prices



Letter Quality Printers

C ITOM F 10 Starwayer 40 ops 1359** C ITOM F 10 Printmaster 55 ops 1649** Dataywiler 40 ops w/16 burlins . 1249** NEC 3510 33 ops 89-32 serial 1449** NEC 3500 30 ops paraitel 1569**



OKIDATA ML92

160 cos, 10 inch paritage, 80 colu

Only 549995

Tractor for ML 92 . OAIDATA 92 OAIDATA 82A with Iraci OAIDATA 84A per witre



TRANSTAR 315 Color Printer

Prints 7 cooks plus more than 30 shades, all in a single pass of the print head. And it's built by Selec.

Tinly \$54995



NEC 3550 Spinwriter for IBM PC

Only \$199500

ORDERING



Apple IIe Ptekke call for prices on Apple IIe system packages and other ac-

Call for Lowest Price.



Apple Disk Drives

Special Franklin Ace 100

Forth Dimension	205**
MicroScl A2	
MicroSci A2 with controller	369"
Rana Elite I	289**
Rana Etite I w/controller .	389"
Corona 5 megabyte hard drak.	1895"



FRANKLIN ACE 1000 & 1200 ower case, and more

PLEASE CALL FOR DETAILS alon packages at special pric



Apple II Accessories ALF 9 voice mustic card

LEK Rum Curd	50*
Grappier Plus FAASO interface	129**
Wizard 80 as umn sard ,	189*
(T) Having	

Hayes MicroModern II by Haves . 269"

Videx 80 column and 239**
Enhancer fi 118**

MICROSOFT MICROSOFT PREMIUM

des. Z-80 SoftCard, 15K Rem-, Yidex Yideoterm, Softswitch, 8 Liser Guide by Adam Osborne Card, Vides CPM User List 755.00

Only Special Price

S459 2-80 Soli Card by MicroSoft 228**
18K RemCard by MicroSoft 88** IBM Personal Computer Includes 64K, 2 DDrDS 320K drives, keyboard, color video card, 6 MS-DDS

PLEASE CALL FOR SYSTEM PRICES.



Columbia MPC

IBM PC compatible systems includes 128K, 2 DSIDD 329K drives keyboard, video card. MS-DCS & CP/M 88 software. Monitor not includ-

COMPLETE SYDYEM Only SITES 50



IBM PC COMPATIBLE

126K 320K disk drives. 9" display, serial 6 paratiol ports, and MS-008 Under \$2400 Please call for more details.

IBM PC COMPATIBLE PORTABLE

K, 320K disk drives. W deslay, al å parallel ports, and MS-DOS. Under \$2300 Plasse cell for more details.



IBM PC Accessories

TOWN TO ACCORDEDITES

Outdom 54K 288* 128K 318*

Outdom 54K 288* 255K 318*

Outdom 54K 288* 255K 318*

ACROSCOT 55K 318*

ACROS



National Computers Spring 1983 collection of State-of-the-Art computer merchandise is available now. You'll find hundreds of products, including computers, printers, video monitors, modems, and accessories for the Apple II, IBM PC, and CP/M systems, all at the great prices you expect from us. It includes dozens of illustrations and some very informative comparison charts. For your copy send \$1.00, which we will credit to your next



8338 Center Drive, La Mesa, CA 92041-3791



Information on products, and order inquiries coll (619) 46Q-65Q2 Call, Alaska, & Howell Call (619) 698-8065 sponse, while more paternalistic firms, predictably, design a system and only then introduce it to the staff.

Analysis of individual office styles is also important. What works in New York may not work in Boston, but almost certainly will be totally inappropriate in Los Angeles or Honolulu.

The type of industry is also important. The style of a large nonprofit theater corporation will vary widely from a light manufacturing facility. Careful consideration of the organizational and management philosophy and style will prevent the formulation of a heavy-handed or inappropriate action plan and greatly support active gains in implementation. Of course, risk factors will vary, not only from company to company, but from division to division, or even from department to department. They may include issues such as impact on unionization, loss of professional and clerical staff, trauma during conversion, disruption of schedules, changes in pay scales, or even sabotage to equipment.

It is best to define and realistically consider these risks versus the opportunities, and once a decision has been reached, to proceed, setting up implementation programs to mitigate the risk factors whenever possible.

To lessen some of these risks, begin automation slowly. Installing a "core" system to provide one department or office with several applications is a good approach, with dispersed or satellite equipment of a more limited but compatible type in other parts of the company. In this way, the overall corporate structure is introduced to the benefits of automation on an incremental basis.

Such basic systems should be capable of relatively simple expansion, as more and more of the firm's information and transactions are switched from paper to electronic media as development of the system proceeds. This sort of solution, if the original equipment is planned as cost-efficient from the beginning, can also ease financing problems that may extend beyond cash flow and debt considerations. Programs that are demonstrably self-liquidating can go far toward

convincing boards of directors and activist stockholders of the viability of new technologies.

Picking the Hardware: Defining the Function

The concern that is raised with greatest frequency by users at professional conferences, seminars, and on consulting assignments is always: "What equipment should we be using in automating our office?" Unfortunately, the push from zealous vendors has focused attention on equipment, and all too often users are made to believe that it is the machine rather than the procedures that is the key to a successful conversion. Management is also intimidated by the technology and fearful of making a wrong choice.

Publicity and media overexposure, coupled with a host of manufacturers jumping into this hot marketplace, have inevitably led to confusion over the viability of the "office of the future." But when you define office automation needs by function, rather than with a hardware bias, equipment falls relatively easily into five basic functional categories.

Of course, equipment will vary considerably and continue to do so, but can best be judged by the components most systems use and then individually compared.

Input. This converts information from the human-recognizable form of the typed page to electronic storage form, for example, the keyboard on a word processor is the input component through which an operator translates a handwritten draft into impulses on magnetic media.

Output. The component that performs the reconversion translating from electronic/storageable form to human-recognizable form, e.g., laser printers that translate magnetic coding into typewriter-quality, human-readable documents,

Storage. The electrical, magnetic, and optical filing of information that can be done on microfilm or microfiche, computer disk, cassette, magnetic card, or other media, both on line or off. These media have the unique ability to conserve space by thousands of percentages.

Transport. The transfer of information either electromagnetically or optically between devices, as in OCR scanning or facsimile transmission.

Processing. The capability to perform logical arithmetic or formatting manipulation of information, as well as the control of all four previous physical components through software procedures.

By determining the requirements of a particular office, one can select the category of functions that need to be fulfilled and judge available equipment by the quality and features of the components that fulfill these functions. The old hardware categorizations, such as "stand-alone word processor" or "executive terminal," are not really relevant. To be sure, to best address business needs, the process must involve defining current support requirements and potential benefits of automation, designing the appropriate systems, and estimating resource requirements to achieve the plans.

Some firms have even created a position to address this need, such as Director of Office Automation, Vice President of Productivity, etc. Although the titles vary, and the responsibilities range from simple advisory to wholesale implementation and management duties, the position is, in almost all cases, that of a company-wide coordination ensuring an integrated and compatible approach to office automation.

This sort of approach requires a management commitment to change. And although no totally futuristic or empirically more productive automated office exists in today's business place, beta test sites and partial conversions are springing up nationwide. Many have been instigated by relocation projects—company moves are a perfect opportunity for reevaluation and change.

Converting the Office: A Blueprint for Change

Planning and bringing to successful completion a conversion to office automation must successfully address all the issues already described. The approach suggested below can assist in ensuring success, but the solution,

"My Dad bought NEC TREK for all the wrong reasons."



When I told my Dad about NEC TREK, NEC's new personal computer, he wanted one right away.

I told him it's a Z80-based system with 16K ROM/16K

RAM expandable to 32K ROM/32K RAM.

He sald it looks like fun.

I told him it has 10 programmable function keys, highpowered graphics capabilities, powerful Microsoft BASIC included, and an 8-octave programmable musical tone generator.

He said it has lots of 'fun games'.

I told him how its memory storage can interface with cassette, diskette, or cartridge, and how it has a wide variety of sophisticated software available—important things like financial management packages. And how NEC gives him big system power at a small system price,

including options like their thermal printer, disk drive, digitizer touch panel, expansion unit and data recorder. The whole package for under \$2,000, and the computer itself is only \$349.

He just challenged me to a game of Protector.

That's my Dad. I love him, but sometimes I wish he could understand how a kid feels.



NEC Home Electronics (U.S.A.), Inc. Personal Computer Division 1401 Estes Avenue, Elk Grove Village, IL 60007 Nippon Electric Co., Ltd., Tokyo, Japan



Adventure at your fingertips ...

TM Synapse Software

of course, must vary depending upon the unique needs of the situation. The outline below helps make sure that all aspects of office automation strategic planning are covered, but, realistically, the skill of a Houdini still may be needed to pull it off.

Step I. Create a detailed work plan for the project. Because of the implications and tremendous breadth of an undertaking like this, a fully detailed, time-phased plan is necessary to describe tasks that must be undertaken, manpower necessary, elapsed time for each task, and target due dates, which may extend over a period of years. Such a plan will help control an unwieldy, major undertaking. Most important, the plan should be approved by top management before the program begins, which guarantees its knowledge of and involvement in various steps. Interface with office corporate groups is also necessary to ensure compatibility in planning between sites.

Step 2. Assess business needs and relate them to automation/productivity implications and opportunities. Those involved in designing automated systems must understand the future business directions and strategies of the corporation and compare the operating objectives, long-term positioning, and economic and regulatory constraints to available technological solutions. For instance, rapid growth, industry needs,

competitors' capabilities, and even the overall economy are important considerations when designing a system. Governmental policies, new business strategies, cash flow, or changing marketplace conditions all should impact the plan.

Because of the certainty that meaningful office automation will vastly affect both day-to-day operations and strategic outlook for the enterprise, rigid analysis of where the company is and where it intends to go is essential. When the planning process is ended, if it is successful, the firm will commit itself to a phased implementation program that will merge downstream with the company's evolving business and market strategies to capture potential productivity gains.

Step 3. Select applications and concepts that will profit and improve business. By applying the set of available automated office concepts to business needs, a backbone application as well as additional peripheral applications should evolve.


It is critical, then, that the benefits of technology specific to industry and business be determined. For example, electronic mail is most attractive when internal communications need enhancement. For a firm with largely external communications needs, electronic mail will not be a great boon. It is the role of the office automation

practitioner to overlay the business needs onto the available technology, determining applications.

Armed with what amounts to a first-cut solution, the planners must then determine resource requirements to bring about such a solution. Financial and personnel needs must be weighed carefully and then factored in with a prudent estimate of what future technical, human, and financial resources the company can commit. Without an assessment of the "real" constraints as perceived by future end users, office automation planners may find themselves in a situation where "client" departments are very resistant to change and feel left out of the planning process involved. Needless to say, "solutions" presented without first going through this feedback loop are doomed to failure.

Step 4. Conceptualize the architecture of the system. The user must develop a conceptual design of the proposed system based on available technology, price/performance, and vendor service and support records. Systems architecture must be described in terms of the five physical elements previously mentioned: Input, Output, Storage, Transport, and Processing.

At this point, organizational alternatives must be considered. Should devices be located in centers, in clusters, or individually? Should they



Frustration Insurance.

The Assembly Language Programming Series from Osborne/McGraw-Hill.



1) 6502 Assembly Language Pr Leventhal Order #27-6 316,99 "The book that will probably get the reputation as being the 6502 Bible." INTERFACE AGE



2) 6502 Assembly Language Subroutin Leventhal, Saville Order #59-4 \$15.95 Over 50 ready-to-use subroutines



3) Assembly Language Programming for the Apple II. Mottola Order #51-9 \$12.95 Run programs hundreds of times laster and use less memory space than with programs written in BASIC.



4) 6809 Assembly Language Programm Leventhal Order #35-7 \$16,99 Leventhal appears to have a formula for

producing programming manuals. If so, it's a good formula... he has produced another clear and thorough manual for the






Leventhal Order #12-8 \$15.99 A complete reference to the 6800 instrucbon set and programming techniques.



6) 68000 Assembly Language P Leventhal Order #62-4 \$16.99

Covers 68000 assembly language program-ming in the explicit detail needed to tap the full potential of this highly evalved microprocessor



7) ZBO* Assembly Language Programming venthal Order #21-7 \$16.99 There may never be a better book on the

CREATIVE COMPUTING



8) ZBO* Assembly Language Subrouti Leventhal, Saville Order #91-8 S15.95 (Available 4/83)

Over 50 useful subroutines to save you valuable programming time.




9) Z8000 * Assembly Language Programming 10) 8080A/808S Assembly Language Leventhal, Osborne, Collins Programming Leventhal Order #10-1 \$15.99

An excellent source reference for this powerful 16-hit device. Filled with trouble-shooting funts and sample problems to guide the user to mastery of this "super chip"

Berkeley, CA 94710



...an excellent encyclopedia of assemble language programming.



11) The 8086 Book Rector, Alexy Order #29-2 \$16.99 lar superior to any other book about 8086" DR. DOBBS JOURNAL

Before you hit the Frustration Key, reach for an Osborne/McGraw-Hill book.



By phone, call TOLL FREE: 800-227-2895. In California, call 800-772-4077. VISA and MasterCard accepted.

By Mail, complete the coupon below and mail to Osborne/ McGraw-Hill, 2600 Tenth Street, Berkeley, CA 94710. All orders must be pre-paid. Check, money order, VISA and MasterCard accepted. Add shipping fees per item: \$0.75 4th Class, \$1.50 UPS, \$3.00 1st class/UPS Blue Label. California residents, add local tax.

Allow 4-6 weeks for delivery. Prices subject to change without notice.



Osborne/McGraw-Hill

State		Z/p
	p. date	
Card #	ORDER #	
Card # Signature QTY		PRICE
Card # Signature QTY	ORDER #	PRICE

Z80 and Z8000 are registered trademarks of Zilog Inc. ♠ 1983 Osborne/McGraw-Hill

be used by dedicated full-time operators or by multifunction personnel? Should devices be located at the professional workstation, by secretaries, or perhaps only one should be assigned within a department?

Often, enormous flexibility can be achieved through the use of distributed information systems, which sometimes permit equipment to be located at great distances from the main computer.

During rapidly changing business conditions when inventory control is especially crucial, this sort of option can have enormous economic impact. As architecture falls into place, planners need to establish a system of priorities that combines the predetermined criteria for potential solutions and the interrelated business strategies they must address. Also, planners must begin working toward specific rather than general goals. Therefore, it is important that past work and estimates of future needs be checked for accuracy.

Step 5. Define and address human resource issues. The reaction of the end user to automated office support systems must be considered, including behaviorism; staff orientation, training, and preparation; and habit changes. In fact, it is the people problems that are perhaps the most difficult issues to resolve.

New positions, new tools, and new roles for office staff are bound to create fear and concern among office workers. Job security status and salary issues will need to be addressed. In addition, human resources to undertake the physical conversion must be located and allocated to the tasks ahead. In this area, senior office systems practitioners must take a strong hand during the planning process. Subordinates and those with experience in early, less sophisticated office equipment may press for less than optimum solutions as they seek to defend or enlarge their own power-this can prove fatal in such a venture.

Senior office automation practitioners must consider whether current staff with expertise in the fields of data processing and word processing,

telecommunications, and the like have the abilities to move into crucial management roles in the new office structure. Often, new technologies involve massive and potentially dangerous change, and top management should view the decisions made on the issues of supervision, reporting, and authority levels to be as important as they would be when establishing a new division upon which the firm places major hopes for future profitability.

Step 6. Select appropriate hardware. Basic assumptions must now be made about the equipment itself. Key considerations are availability, level of support, price flexibility, and the performance of hardware, software, telecommunications, and related items. Architectural requirements will begin to emerge as the list of expected information flows is juxtaposed against technology assumptions. Negotiations with vendors must begin, equipment must be selected and displayed, and operating staff must be trained.

Step 7. Design the management process cycle. With a workable program for implementing office automation, planners still have not completed work on critical issues. An especially crucial consideration involves the management processes necessary if the new systems are to work at optimum and productive levels. A most common cause for failure in achieving hoped-for productivity gains from automated office equipment is not establishing new management systems that will provide smooth and efficient operations.

A number of critical new management processes must be developed to translate the plan into a successful set of operations. Cost audits and postinstallation reviews need to be devised to enable the user to establish and maintain the cost-effective, efficient, service-oriented automated office environment. A permanent staff of service-oriented, technically knowledgeable, bottom-line-oriented personnel must be recruited or developed to manage the new systems.

Step 8. Address key corporate issues. Finally, identify and resolve organizational issues such as end-user

ALF COPY SERVICE

FAST • RELIABLE • LOW COST

If you produce software, ALF's disk copying service is the quick, convenient answer to your disk duplication needs. Most orders are shipped in less than a week. Every disk we copy is verified bit by bit and guaranteed 100% flawless. Standard formats include Apple II (including nibble-copy proof and double-boot), Apple III, Atarl, IBM, Osborne, and TRS-80.


Our "no frills" pricing means you don't have to buy extras you don't need - set-up charges are \$10 to \$25 per disk to be copied, copying charges are 30¢ to 40¢ per side (minimum: 50 copies).

Of course, we have the frills too - including custom printing and packaging. Call us today for complete details.

We also sell blank disks in bulk pack boxes of 100. All are 51/4", single sided, double density (except Nashua single density), unlabeled, with hub ring. Add \$7 per hundred for sleeves, \$2.50 per hundred for shipping.

3M	\$165/100
CDC	\$165/100
MEMOREX	\$165/100
NASHUA (double density)	\$160/100
NASHUA (single density)	\$140/100
VERBATIM	\$185/100

1315F NELSON ST. (303) 234-0871 **DENVER, CO 80215**



Technically, IDE's new Combination Board for the IBM PC is a knockout.



It beats the knockout problem.

IDE's new Combination Board allows you to cable both serial and parallel interfaces from the back of the board itself.

So even if your IBM PC doesn't have a knockout at the back, you can now interface printers, disks, or communications devices. Without any troublesome jury rigging, without wasting expansion slots, and with the unit's protective cover still in place.

It's a technical knockout.


The interfacing innovations are only the beginning.

For the first time, you can get a Winchester disk drive interface on a combination board. Or you can use the same interface for a printer.

Only the IDE Combination Board gives you this capability.

And that's only one of 3 options

IDE offers. You can also add a serial interface (RS232C Cable Adapter included) and/or clock/calendar with battery backup.



The price is a very nice touch.

To really be knocked out by the IDE Combination Board, just take a look at our price structure.

You buy only the options you want – so you never have to pay for something you don't need.

And with IDE's helpful upgrade policy, you can trade up your board for one with more memory or options. For very little money.

Dalak		tabl	
Prici	nΩ	tan	ıe

Memory only:	One option:	
64K \$275	Add \$75	
128K \$385	Two options:	
192K \$485	Add \$120	
256K \$575	Three options: Add \$150	

A Combination Board this advanced deserves a lot behind it.

IDE backs up its new Combination Board with a one-year warranty...not just 90 days.

It's available for immediate delivery, and installation is free in major metropolitan areas.

So call us now to order your Combination Board. We'll answer any questions you have, and give you the name of your nearest IDE dealer.

He'll show you the new IDE Combination Board and the whole line of IDE products: Winchester disk drives, memory boards, printer spooler software, and disk-emulation software.

They're all technical knockouts.

1-800-257-5027

(in MA call (617) 272-7360)

IDE Associates

Circle 223 on inquiry card.

IF YOUR COMPUTER'S IMPORTANT TO YOU

Sure

Without SAFEWARE." you could be uninsured. For as little as \$35 a year, SAFEWARE provides complete protection for all hardware, media and purchased software. Both business and home application. Call toll free today for more information or immediate protection. Columbia National General Agency, 88 E. Broad, Columbus, Ohio 43215. (In Obio call 1-800-848-2112)



Introducing SPL the first multi-mode spooler Get A Second for CP/M computers

If you believed that your computer couldn't do better than a single task system think again. You can convert your machine into a dual-task computer with SPL, the amazing Spooler program developed by Blat R+D. SPL enables you to use hidden capacity available on your CP/M computer to print documents and run your ordinary programs, all at once.

While printing, your regular programs won't stop processing, waiting for the printer to finish. SPL will store the information to be printed in internal or external (disk drives) memory until the printer is ready to receive the data. Result: your programs will run at full speed.

As SPL can use up to the full capacity of your disks for temporary storage, it's much more powerful than hardware spooters, which are limited to 64k memory or less.

SPL is an advanced product with several modes of operation. In addition to intercepting the output to the printer, SPL can print your existing text files, or those that your programs will create from now on. SPL will even take care of tab expansion. As an added bonus, SPL needs no installation on most CP/M 2.x computers.

If you have a computer

Computer FOR \$139



You could get an equivalent increase in computing power by spending \$1000 to \$3000, but SPL is only \$ 139, including disk and manual.

To order your SPL program call us today specifying what disk format you require. You can charge it to your VISA or Master Card if you prefer.

Blat Research+Development Corp. 8016 188th SW, Edmonds, WA 98020 Phone orders: [206] 771-1408

involvement, information policies, security standardization and operational responsibilities to ensure acceptance, and proper coordination and control of office automation strategies and implementation.

Top Management Briefing

In summary, management must be aware that office automation is not simply the acquisition of new and better technology to achieve productivity gains. Equipment alone is not the answer, and management must stop the unplanned proliferation of machines to ensure a cost-justified, totally integrated, strategic approach to the office. A comprehensive program must be devised that will provide such key benefits as:

- standardized base line studies to ensure company-wide conformity and a base for future cost-justification
- •compatible backbone equipment selection to allow for future systems integration
- •bulk discount purchasing where feasible
- education and training programs for clerical, secretarial, and professional staff
- ointernal expertise in office technology to design and manage systems and benefits

An office automation conversion cannot be successful without senior management guidance and support. While office automation offers an important strategic opportunity for business in the 1980s and promises increases in productivity, as with any new opportunity, only the best will manage to reap those benefits fully. Specific strategies and goals help to maintain viable operations and garner increases in output. The '80s will be the decade when automated tools will be mastered and accepted as commonplace in the office. Yet the process is bound to be a somewhat painful one; mistakes will be costly. Delay may be irresponsible; haste, catastrophic. Management must find an approach to best utilize new technologies to achieve that shimmering goal-increased white-collar productivity and profitability.



Circle 131 on inquiry card,

ACE1000



We Have An Ace Up Our Sleeve For You! Call For Sale Price Now!

NEW The Ace 12 0502 & Z-80 Processors

Builtin Drive # 128K RAM 80 Columns

DA SAIA NAW!

THE ALTERNATIVE

IBM® P/C Compatable.

•Desktop with one 320K Drive 128K Bam, Ser. & Par Ports, Hi-Ras Monitor, M6 DOS Basic and Multiplan \$2550 Portable same components as the "Desktop" but portable \$1995

ommodore

198 229 319

Software

Choplifter (cart.)

Trashman (cart.) Hesmon (cart.) Vic Fourth (cart.)

Personal Jour. (tape)

Vic-Journal (tape) ...

Dataset Disk Drive. Graphic Printer.

16K Mem Expander 79 24K Mem Expander 138 IEEE-488 Card 69

6 Slot Expand. Afron Chassis 40/80 Col. w/16K. 40/80 Col. w/64K.

Wico Joystick Delux Wico Trackball

SYSCOM SYSTEMS



Compatable System CAL

HOULU	JOHILO
Fourth Drive 279 Fourth Controller 89 Rana Elite One 299 Rana Elite One 299 Micro Sci A-2 349 Micro Sci A-2 349 Micro Sci A-40 349 Freckbell By T.G. 49 New Vista Products. Celli Versa Card. 169 BK Ram (2yr WNT) 59 Softcard Plue By MS. 49 Softcard Prem System 449 Cest By Nov. 124	Hayes 1200 Babd 939: Sooper Spooler (184) 299 Z-80 by Microsoft 229 Videoterm (80 col.) 244 EPS Keyboerd 319 The Grappler Plus 119 RGB by Electrohome 219 Persilel Card (6' cable) 69 Z-Card by ALS 139 The CP/M Card By ALS 329 Symergizer By ALS 329 Joystick by TG 46 In Line Buller Disk Emulator (294K) 689
Solicard Prem System 449 +Cat By Nov	In Line Buller 229 Disk Emulator (294K) 689 Appll-Card 6MZ 429 Expan Chassis by Mtn 539 Winchester Hard Disk CALL
APPLE IS A REGIS	TERED TRADEMARK

PFS: Graph Desktop Plan Wall Streeter by M.L.

CP/M® - SOFTWARE

Basic Interpreter ** CALL Basic Compiler by MS289 Cobol-80 by Microsoft.539 Fortran-80 by Microsolf1 46 Word Star 229 SOFTWARE Word Star. Screen Writer II Sell Star Magic Window SuperText II by Mu BPI SOFTWAR/ Exec Secretary Pro. Easy Writer LetterPRFTw/n 99 Peachtree CALL Peachtree CALL CALL WORD HAND General Mana Visicalc by Visic PFS by Soft Put Visifile by Visica Visitrd/Visipitby PFS Report DB Master 239 109 139 27 27 de ne Analyzer Tricks Special Effects

CALL FOR CATALOGI

*CP/M is a Registered Trademark

COLUMBIA

The Columbia MPC is IBM® P/C Hardware & Software Compatable. The Price? Non - Comparable! Save Hundreds and Call

4 A COMMITTED IN By Non-Linear Systems

The totally portugie, powerful and profitable computer for your home or office.

Parallel Punter - Inter

CP/MT 2.2 • S/Besic • Profit Plan Perfect Water W/P • Perfect Calc

Perfect Filer . Perfect Spetter

On Sale

Complete Catalog Hardware/Software FREE!

	And the second
C-64 Accessories	C-64 Software
Video Pak Z-80 259 Video Pak 80 159	Hesmon 64 (carl), , , , 128 Heswriter 64 (carl) . 3
Viac tadant any cass) 45	PalaCalc (lane) 3

AST

Combo Plus 64K (S/P) 349 Combo Plus 256K(S/P) 639 MegaPlus 64K (S/P) 459 MegaPlus 256K (S/P) 749

DAVOMO Hard

Visit Work Pea Voll Sup Eas Hor CP/ Ved

Quadboard II 64K Quadboard II 256K Quad 512+ 64K Quad 512+512 K 1049 TECMAR Complete Line Monne Carlo (64

419 159 543

Satel Call 139 155 589

3199

4699

2450

549 2350 419

QUADRAM

PESMB	790	Baby Blue Ramolu
	OFTW	
	185 249 88 ALL 129 217 239 109 299	Vedit-B6 by Cmpvier The Programmer CP/M-86 by Digital Basic-80 by MSoft Fortran-80 by MSoft M/Sort by MSoft Easy by Denver Mathemagic by ISk Logon by Ferox. Fastscreen by Cu

Commodore 64

EW SX 100 PORTABLE with 5" Color and 1 Drive or

with 5" Monochrome and 2 Drives

C-64 Accessories	C-64 Software
Video Pak Z-80, .259	Hesmon 64 (cart), 12 122
Video Pak 80 159	Heswiter 64 (carl) 3
IEEE Adapt, by MS 89	Home Journal (tape) 3
Viac (adapt any cass) 45	CataCalc (tape) . 3

The Pri eader! Eagle II. Eagle III Eagle IV MUNICIPAL TO A

Z-100 All in One (2) Z-100 Low Figure 2 Color Upgrade Kit (2, 705-1), (2) 192 K Upgrade Kit (2, 705-1), (3) RGB Color Monitor (3-725-1), (3) Auto-Dial Te Ininal (27-1-A), System Software Pack #1, 725-100-2),

Newl Eagle 1600 (8086 Micron Free Brochure TERMINALS MONIT TAXON OKIDATA

1200XL On Sale! 800 w/48K 529 400 w/16K 229 The Bookkeeper . The Entertainer. The Educator The Programmer . The Communicator 410 Recorder 810 Disk Drive 825 Printer 830 Modem 69 124 56 334 33 26 27 850 Interface Full-View 80 Joystick (Paid 48K by Intel 32K by Microtek Frogger God Microsoft Basic 1010 Recorder Epson Cable

TO ORDER Phone orders invited using Visa Mastercard American Express or bank wire transfers Visa MC and Visa MC and American Express service charge of 2% Mail orders may send charge card number include expiration date: cashiers check money order or personal check (allow 10 business days for personal or company checks to clear. Please add 3% (\$5.00 minimum) for UPS shipping handling and insurance. COD's minimum \$250.00 with \$25.00 deposi. All equipment is in factory cartons with manufac-turer warranty. Opened products not returnable. Restocking

CALL POR CATALOGI

TELEVIDEO

TVI 910 TVI 910 Plus TVI 970

collect credit cards not accepted

Viewpoint A-2 Viewpoint A-3 Viewpoint 60

499 719

RGB Vision RGB Vision III.

Video 300 Color II

AMDEK

51D Provenier 729

NEC 8020

399 659 1599

tee for returned merchandise. Fourtiment subject to once

change and availability. Retail prices differ from mail order \$40.00 min purchase "With prepaid cash orders Exclude certain printers & morntors & foreign orders

Calif residents and 6%. State Tai For APO and FPO - add 10% i\$25.00 min for postage. Calif residents and 6% Sales Tax Include phone number credit cards not accepted. Foreign Orders - include 3% handling. Shipped air freight



COMPUTER SPECIALTIES (619) 579-0330 MAIL TO: 1251 BROADWAY EL CAJON, CA. 92021





THE NEW ATARI 1200XL HOME COMPUTER MAKES SOPHISTICATED GRAPHICS AND SOUND SO EASY TO PROGRAM.

ONLY the new ATARI 1200XL Home Computer combines custom microchip technology with 64K RAM computing power to de-liver graphics and sound capabilities that are so easy to program. The ATARI 1200XL has 11 graphics modes and 5 text modes. (The Commodore 64 and Apple II-e have only 2 graphics modes and 1 text mode.)
Additional text and graphics modes allow users to easily program
sophisticated graphics effects with relatively few commands, taking
full advantage of the 256 color variations available. The sound capabilities of the ATARI 1200XL are also easy to program. Four distinct "voices" spanning 31/2 octaves are controlled by a separate microchip, leaving the principal microprocessor chips free to perform other tasks.

ONLY the ATARI 1200XL offers a keyboard featuring 8 programmable function keys controlling 16 functions in a 64K computer. (That's twice as many as the Commodore 64). Four new function keys enable you to lock and unlock the keyboard electronically, disable the screen DMA for faster processing time, generate European lan-guage or graphics characters, turn the keyboard sound on and off or access the one-touch cursor control. The unique user-definable "help"

HE NEW

key permits users to self-test ROM, RAM, audio-visual circuitry and keyboard functionality or call up assistance within complex programs. For even more help, Atari gives you a toll-free number to call for product and technical information (800) 538-8543; in California 1-(800) 672-1404.

ONLY the ATARI 1200XL offers you a home computer compatible with virtually all ATARI Computer peripherals and software (compatibility that other new computers like the Commodore 64 don't offer). There are over 2,000 programs and seven programming languages currently available for the ATARI 1200XL. New programs like AtariWriter™ and languages like ATARI Microsoft BASIC, Assembler Editor, PILOT, Pascal, ATARI BASIC, Forth, and Macro Assembler offer you even greater programming challenges and flexibility.


ONLY Atari puts so much more in the new 1200XL Home

Computer so you get so much more out of it.



ATARI 1200XL. HOME COMPUTER

Circle 51 on Inquiry card.



TI's new Compact Computer. It takes over your work, not your desk.

The ordinary personal computer occupies too much of the ordinary desk.


Now Texas Instruments brings you a cordless compact computer that solves the same sort of problems as the Apple™ or IBM™ personal computer. It has enough memory and power for complex problems in business and science, yet the whole thing is smaller than a magazine page.

Sophisticated software is available right now for finance, statistics, production planning, graphics—and spreadsheet and wordprocessing are just around the corner.

For most personal computer tasks, its 6K RAM and 34K ROM are ample. The system is easily, economically expanded.

The TI Compact Computer 40 has peripherals that make it even more useful:

a 4-color printer/plotter; an RS-232 interface for talking with other computers or running a larger printer; and TI Wafertape™ drive for program or data storage. TI Solid State Software™ cartridges offer you a choice of convenient, foolproof programs.



Its built-in language is TI Enhanced BASIC, which allows you to write programs in everyday words. The integrated liquid crystal display shows 31 characters, which can be scrolled to show up to 80 per line. It operates on four AA alkaline batteries that give up to 200 hours of service.

The TI Compact Computer 40 offers solutions anywhere you go. Yet it retails for less than 1/3* the price of Apple™ or IBM™ personal computers. The TI Compact Computer—compact in price and size, but not in power. See it soon at your Texas Instruments retailer.

Creating useful products and services for you.



Copyright © 1983 Texas Insuraments

Circle 452 on Inquiry card.

*Based on published manufacturer's suggested retail price.

Apple is a registered trademark of Apple Computer, Inc. IBM is a registered trademark of International Business Machines Corp.

Thunder Tector UNINTERRUPTIBLE POWER SUPPLY





Protect your computer operation from loss of data files, lost keyboard input, and questionable integrity of stored information due to power failure. Operation is completely automatic, just attach your own 12V battery, or purchase below.

Available for:
Apple, Radio Shack, IBM, Olivetti,
and most other personal and business computers.
Specify equipment to be attached when ordering.

If not completely delighted, return in original condition within 30 days for refund. Ten percent restocking fee will be charged. Ninety-day factory warranty.

Gel battery pack available with cables: 1-amp, computers - \$65; 2-amp, computers - \$111.

For fastest delivery, send certified check or money order payable to "Thunderhawk." Send 10% with C.O.D. orders. Sent FOB, Texas. Price subject to change without notice. Texas residents add 5% sales tax. Broad selection of power ranges available for larger computers — call for prices.

DEALER INQUIRIES INVITED - send on letterhead.

Thunderhawk Manufacturing (214) 586-6256
A Division of Thunderhawk Corporation
P.O. Box 573

Jacksonville, TX 75766

• 1983 Thunderhawk Corporation

gram under an old name from Information Unlimited Software (IUS); Volkswriter, from Lifetree Software; Wordstar, from Micropro International; and The Final Word, from Mark of the Unicorn.

Preliminary Cautions

A word-processing program is a tool, and, just as you choose a hammer that fits your hand, you should choose a program that fits both the job to be done and your working style. That means you should try out the software before you buy it, Most computer users will certainly want to buy their word-processing software from a retail computer store or dealer, not only to try out the program before buying but to be able to ask questions there after the purchase. The state of the art in user's manuals is still not sufficiently advanced that I can recommend giving a new program to an inexperienced user without a live person somewhere around to give advice and render help.

Four major users of word processors: an author of magazine articles, a marketing manager doing mass mailing, a personal secretary, and a newsletter editor.

As many different word-processing jobs exist as there are things that people want to write. But the capabilities you may need in a system do fall into a few broad categories. For instance, Dr. Larry Press, in a 1980 article in onComputing magazine (precursor to Popular Computing, see reference 8), outlined four major kinds of word-processing work, typified by four users: an author writing long continuous articles, a marketing manager doing mass mailings of form letters, a secretary typing many short personalized letters, and a newsletter editor concerned about document merging and exact formatting.

There are also a number of ways to test word-processing programs. Some authorities count the number of available features; some weigh the balance of features for different tasks. Some people look for only one or two features that may be vital in certain jobs; others avoid characteristics judged undesirable. No list of features can fully capture the feel of using a program, just as knowing the weight and length of a hammer gives you only a rough idea of what it will feel like to pound a nail with it. My method of evaluating these programs has been partially subjective, and here I should state my prejudices.


Although I have on occasion done work similar to that of each of the four hypothetical users above, my every-day use of a word-processing program is closest to that of the author: writing, rewriting, and editing lengthy articles. The first program I ever used was Magic Wand running on a Z80-based CP/M-80 system with a Cops-10 video terminal. (Magic Wand, now called Peachtext by its distributor, Peachtree Software, is not reviewed here because a version of it was not available for the IBM Personal Computer when I started this project.) I am a

WILLD CARD

MAKES BACK-UP COPIES OF PROTECTED SOFTWARE QUICKLY, EASILY, WITH JUST A PUSH OF A BUTTON.

New software locking schemes have rendered even the latest generation of copy programs virtually unusable. Locksmith™, Nibbles Away™ and other "Nibble copiers" require complicated parameter settings, much patience and great effort to use. More often than not, the results are disappointing. WILD-CARD is different. Rather than copying disks track by track, WILDCARD ignores the disk and any copy protection encrypted on it. Instead, WILDCARD takes a snapshot of memory in your Apple® II.

Now you can make back-up copies of protected software with the push of a button.



Software is not copy protected.
System requirements: Apple II
Plus with 64K and DOS 3.3 or
Apple Ile. Franklin Ace also
supported.
"Wildcard does not operate with

"Wildcard does not operate with CP/M^a or other microprocessor based software.

FEATURES

- Hardware copying device... push button operation.
- □ Copies 48K memory resident software, most 64K software.
- No programming experience or parameters necessary.
- ☐ Backs up DOS 3.2 and DOS 3.3 disks.
- □ Creates DOS 3.3 unprotected and autobooting disks.
- ☐ WILDCARD lives in any slot. Undetectable by software.
- □ Produces autobooting disk in 2 minutes.
- 2 minutes.

 □ Copies are DOS 3.3 compatible.
- Copies become accessible for alterations.
- □ Simple, easy-to-use software included.

WILDCARD Utility Disk 1 also included, featuring:

- Automatic program compression and BRUN file maker.
- Multiple programs can be placed on the same disk.
- Recreates basic files to load and save.
- ☐ Files can be placed on a hard disk...and more.

WILDCARD

\$139.95

Order direct from East Side Software Co., 344 E. 63 St., Suite 14-A, New York City 10021, 212-355-2860. Please include \$3.00 for shipping and handling. Orders outside continental U.S. please add \$10.00 for shipping and handling. Mail and phone orders may be charged to MasterCard and VISA. N.Y. State residents add sales tax. Dealer inquiries welcome.

IMPORTANT NOTICE: The WILDCARD is offered for the purpose of enabling you to make archival copies only. Under the Copyright Law you, as the owner of a copy of a computer program, are entitled to make a new copy for archival purposes only and the WILDCARD will enable you to do so. The WILDCARD is offered for no other purpose and you are not permitted to utilize it for any other use, other than that specified.

Apple and the Apple logo are registered trademarks of Apple Computer, Inc.—CP/M—trademark of Digital Research, Inc. Locksmith—trademark of Omega Microwave, Inc. Nibbles Away—trademark of Computer: applications.

At a Glance

Name

Easywriter II

Type

Word-processing program

Manufacturer

Information Unlimited Software Inc. 2401 Marinship Way Sausalito, CA 94965 (415) 331-6700

Price

5350

Format

Two 514-inch floppy disks

Language

C (source code not available)

Computer

IBM Personal Computer

Documentation

User's manual: 92 typeset pages in small loose-leaf binder; function-key sticker

Audlence

Beginning users of word processing

moderately fast touch-typist (I usually can type faster than I can think), and I like to place the detached keyboard in my lap.

Simply using Easywriter II, Volkswriter, Wordstar, and The Final Word was the most important test I could put them to, but my conclusions are inevitably affected by the factors I've listed above. Your needs and desires will inevitably differ from mine. That's all the more reason to try any program before you buy.

Easywriter II

Only the name is the same here. Easywriter II is a completely different program from the Easywriter sold by IBM. The II suffix is intended to distinguish this Easywriter package, written in the C language for IUS by the Basic Software Group, from the IBM-distributed program (Easywriter 1.0 and Easywriter 1.1), written in FORTH by Cap'n Software. Easywriter II is being sold directly by and through the dealers of Information Unlimited Software Inc., not by IBM.

Information Unlimited Software certainly has learned from IBM how to package Personal Computer software; Easywriter II is sold in a boxed, 9¼- by 8-inch, linencovered loose-leaf binder that is perfectly coordinated in appearance with IBM's Personal Computer documentation.

IUS was not able to coordinate certain other characteristics of its new program quite as well, at least at first, In

FREE SHIPPING

IBM® Personal Computer Products

Davong 5 MB Hard Disk System - \$1495.00 12 M

12 MB - \$1995.00 \$ CALL

Ouadram - Quadboard with Parallel

IBM PC-2 Drive System

Port, Serial Port, Clock/Calendar, Expandable to 256K

64K on brd. - \$425.00 192K on brd. - \$629.00 128 K on brd. - \$539.00 256 K on brd. - \$719.00

Quadram Memory Expansion

192K Maximum

64K on brd. - \$230.00 192K on brd. - \$490.00 128K on brd. - \$350.00

Amdek Monitors

Mod 300 Phosphor - \$150.00 Composite Color III - \$345.00

IBM RGB Compatible Color I) - \$850.00 Color I - \$300.00

IBM/TRS 80 Disk Drives/Cabinets

TM 100 Single 40 Track Drive - \$189.00 TM 100-2 Double 40 Track Drive - \$280.00

JMR POWER SUPPLY AND CABINETS

Apple II® Computer Products

Syscom Apple Compatible System...\$695

w/Controller ... 315.00
Printer/Graphics Interface ... 99.95

Epson/Smith-Corona Printers

MX80 \$425.00 FX80 \$550.00 MX100 \$640.06

TRS 80 / Parallel Printer Cable \$20.00
IBM Parallel Printer Cable \$35.00

STAR MICRONICS BEMINI 10 \$ CALL

TRS-80 MOD III Drives w/RS 232 \$1650.00

TRS-80 MOD III Disk Controller

Includes Disk Controller, Power-Supply, Mounting Hardware, Cables and Instruction Manuals \$239.00 COMPLETE

Dual 8" Stim Line - \$100,00 - Dual 5¼" Stim Line - \$ 99.00 Single 5¼" Stim Line - \$ 69.00

AST MEMORY EXPANSION PRODUCTS \$ CALL

FREE SHIPPING IN CONTINENTAL U.S. (TRS 80 MOD III EXCEPTED)

[213] 993-4804

VISA, MASTERCARD (5100 Min., Add 2%)
Or Certified Check
90 Day Warranty (Parts & Labor)
TRS 80 is a Registered Trademark Tendy Corp.

Prices Subject to Change Without Notice

DATA — MAIL P.O. Box 818, Reseda, CA 91335 1-800-635-5555

Software Review

Word Tools for the IBM Personal Computer

Richard S. Shuford Special Projects Editor



Photo 1: Four currently available word-processing programs for the IBM Personal Computer (Model 5150): Easywriter II, from Information Unlimited Software; Volkswriter, from Lifetree Software; Wordstar, from Micropro International; and The Final Word, from Mark of the Unicorn. (All photos by Ed Crabtree.)

The BYTE editorial staff was clustered in the computer lab eagerly watching text scroll up the screen of a video display. The date was August 13, 1981, and we were watching Phil Lemmons' first report on the announcement of the IBM Personal Computer (reference 6) come in through a modem connection.

"Aha," someone said, reading from the screen, "IBM is offering an impressive set of software: Microsoft BASIC, Visicalc, the Peachtree business package, UCSD Pascal, CP/M-86, and . . . Easywriter?" We were sufficiently surprised at the appearance of this program from the realm of Apple computers that we later called Phil to double-check; the Easywriter word-processing program, from Information Unlimited Software, just didn't seem to fit with the other pieces of software in that initial announcement.

Before long, many purchasers of the IBM Personal Computer (PC) were also surprised by Easywriter, and unpleasantly so. The first Easywriter package, Version 1.0, quickly developed a reputation for user-unfriendliness and annoying bugs. Eventually IBM released the improved and more reliable Version 1.1, but the impression had been made and many independent developers of software perceived a ripe opportunity to sell an alternative word-processing program for the IBM PC.

In trying to seize this opportunity, some developers rushed dubious programs to market in the guise of word-processing software. But enough time has now gone by that a state of dynamic equilibrium (although certainly not a state of calm) has settled over the market for IBM PC word-processing programs, and most users will be able to find a program that meets their needs. In this article, I'll tell you about four candidates: Easy-writer II, a new and different pro-

HIGH TECHNOLOGY PRODUCTS & SERVICE FROM THE HIGH COUNTRY

IRM-PC HARDWARE

PRINCETON GRAPHICS SYSTEM PGS HX12 RGB Color Monito THE High Resolution Monitor for your 100% tRM Compatible includes cable 690 Dots Horizontal Resolution, CALL
OUADRAM CORPORATION Quadboard Multifunction Board Full expandability from 64K to 258K Parallel Ponter Port Asynchronous RS232 Senal Modern Port Programmable clock/calendar Ram Disk Drive (software) Print Bullering from 8K to 64K. One Model goes to 512K^s Any printer/computer combo

Why wait on your printer? (All prices include power supply) BK Epson Snap-On \$139 00 \$149 00 \$169 00 BK par to par w/copy BK ser to par w/copy BK ser to ser w/copy \$179 00 \$169 00 BK par to ser w/copy

DAYONG SYSTEMS
Hard Disk Drive / Can be internal
Complete package includes
Drive, controller, power supply. software and documentation 5. 10 or 15 meg 5 meg \$1594.00 MP/M 86, OASIS 16.....

THE XEDEX FAMILY Baby Blue® CPU Plus
Get CP/M • 54K of main memory CALL

TANDON TM100-2 Industry Standard 320K Drive Fully IBM Compatible ONLY \$258.00

TANDON "SLIM-LINE" TM50-2 Put Two in One Siol' CALL

MAYNARD ELECTRONICS Floppy Disk Controller Card Parallel or Senai Port w/parallel \$229 00

CORONA DATA SYSTEMS
Hard Disk — 5 or 10 meg
Seapate Technology w/Data Guard
Comes Initialized¹ ROS networking available 16 operating systems in dynamic partitions includes CP /M and Pascal extensions 5 meg \$1539.00 10 meg \$1969.00

COLUMBIA DATA SYSTEMS
IBM compatibility in a Multi-User 16 bit
computer 128K two serial ports parallel port
and 8 eap slots Runs MS-DOS, CP/M 86 or

IRM-PC SOFTWARE

, ,,	AT T AATTER	
L	GAME SOFTWARE/HARDW	ARE
\$319 00	Auto. Simulations, Oil Barons	\$74 00
	temple of Apshar	\$2900
\$469 00	C ree of Ra	\$1500
\$99 00	Ayelon Hill, Galaxy	\$1900
\$549 00	Midway Campaign	\$16.00
\$145.00	Funtactic, Snack Altack II	\$29.00
\$189 00	Infocom, Deadline	\$37.00
\$245 00	Starcioss	\$29 00
\$14300	Zork I, II, III, each	\$29 00
\$128 00	Innovative Designs, Pool 15	\$25 00
\$295.00		\$39 00
. CALL		\$29 00
		\$22 00
		\$29 00
\$294.00		
		\$25 00
		\$55.00
		\$45.00
\$232 00		
CALL	Tech, Adam & Eve Paddles	\$2900
	\$469 00 \$98 00 \$98 00 \$549 00 \$145 00 \$145 00 \$126 00 \$128 00 \$128 00 \$295 00 \$220 00 \$290 00 \$199 00 \$199 00 \$199 00 \$232 00	\$469 00 \$99 00 \$549 00 \$145 00

*** MILE-HIGH SAVER ***

TEAC HALF-HEIGHT 320K DISK DRIVE

IBM COMPATIBLE PUT TWO IN ONE SLOT

5%" FD658 ONLY

08/00 LOW POWER DRAIN ******* \$279.00 ******

APPLE/FRANKLIN HARDWARE

* * * * FOURTH DIMENSION SYSTEMS * * * * DISK-DRIVE PRICE BREAKTHROUGH

SUPER DRIVE - Plug-In Apple Compatible Add-On PLUS one box of Elephant Diskettes SS/DD

\$269.00

WITH CONTROLLER, ADD \$55.00 WITH CONTROLLER, DOS & MANUAL, ADD \$90.00

RANA SYSTEMS 300% faster than Disc II Advanced write-protect features Exclusive centering cone-gentler, Elste I (up to 163K) \$289 00 Elite II (326k) \$469 00
Elite III (452k) \$609 00
Four Drive Controller \$99 00

MICROSCI: A2 — 100% Apple Compatible

FRANKLIN ACE THE APPLE II+/IIE ALTERNATIVE

ACE 1000 Upper and Lower Case Automatic Repeat Numenc Keypad

ACE 1200 Move over IIE 128K RAM on Board 80 columns CALL for price w/monitor

NEC APC The Advanced Personal Com-puter 126K—expands to 256K 1 Megabyte storage per disk Detached Keyboard with Keyped

Numeric Keypad

SU Columns

Bullish for CP/M

22 Programmable Function Keypad

CALL for Special package once

Serial and parallel interface

CALL FOR PRICES!

CALL FOR LOW APPLE SOFTWARE PRICES

HIGH TECH OF THE MONTH STB SYSTEMS, INC. "Super-RIO" Card

THE TRULY ULTIMATE IBM PERIPHERAL

EIGHT- FUNCTIONS ON ONE BOARD

....

95 95

95 50

64-256K
 Add 64-512K w/ Super RtO Piggyback*
 (Optional — Fits on Super RtO — Up to 768K)
 Two RS232 ports One parallel port
 Game port (Apple or IBM joysticks)

 Up to 64K printer spooler
 RAM disk drive clock/calendar
 TRULY A WINNER! Simply The Best

PRINTERS OOT MATERIX

DOI MATRIX
C. ITOH
Prownler I - par CALL
Prowriter II - par \$699 00
EPSON
FX 80 CALL
IDS, Prism & Microprism
OKIDATA
82A \$419 00
83A \$689 00
84 per \$1055.00
92 par CALL
93 par CALL
STAR MICROHICS
Gerrin 10 CALL
Quanter
7030
LETTER QUALITY
BROTHER HR-1 \$884 00
BYTEWRITER
CITOH
Starwriter F 10 par
NEC
7710 /730 \$2291 00
3550 IBM plug-in

MONITORS

AMDEK, 300 Amber	\$159.00
300 Green	. \$155 00
310. A, G IBM including cable	\$179.00
Color I, composite	. \$344.00
Color I) RG8 (IBM companile)	\$744.00
BMC, Green	
NEC, 1201 Hi-Res Green	. \$169.00
1201 Color composite	
1203 RGB (IBM compatible)	
TAXAN, Amber	
Green	
RG8 III (IBM compalible)	
USI, Pr 3 Amber	
ZENITH, Green Med-Res	

DISKETTES & STORAGE

DISKETTES & STORAGE
DYSAN, 10 each 5's SS/DD, DS/DD
ELEPHANT, 10 each 5% SS/DD
10 each 5% D5/DD
VERBATIM, 10 each 5% SS/DD
10 each 5'4 DS/DD
LIBRARY CASE, 54
DISK BANK, 514. Interlocking swivel
DISK FILE, 5% Elephant The Trunk

APPLE EXTRAS

16K RAM EXPANSION
Microsoft \$75.00
Microtek \$72.00
80 COLUMN CARDS
Videx \$249.00
Vista \$225.00
Wesper Wizard 80 \$169 00
PRINTER INTERFACES
Microtek, RV611C par
Dumpling GX w/graphics \$105.00
Dumpling w/16K Buffer, \$160 Bt
Grappler • \$119.00
MODEMS

DATES	
Smartmodem 300	\$211 00
Smartmodern 1200	
Micromodem II	\$275.00
NOVATION	
CAT (Acoustic)	
D-CAT	\$168 00
Auto Gat	
Apple Cat II	\$273 00
212 module (1200 baud for Apple Cal II)	
212 Apple Cat II	\$626 00

Rocky Mountain Micro, Inc. MAIL ORDERS:

10890 E. 47th Ave.

NATIONAL 1-800-862-7819

TERMS AND CONDITIONS:

Denver, Colorado 80239 IN COLORADO CALL: 303-371-2430

Personal checks (allow 10 days to clear), VISA, MasterCard, wire transfers, include telephone number

COD orders accepted — \$300 maximum — \$10 surcharge • All products factory seeled with manufacturer's warranty.

PO's accepted from qualified customers. • Approval needed on all eturns. • 10% restocking charge unless defective, a plus shipping • All Colorado residents add 31% sales tax, City and County of Denver residents additional 3% sales tax.

Shipping Costs 2% UPS Ground UPS Blue Label — rate quoted at time of order.

All prices subject to change without notice • Lease/Innancing available

All prices subject to change without notice • Lease/Innancing available

Export orders accepted from foreign dealers. Contact P. L. Kleinberg & Co. TWX 910-940-2517

Telephone Order Desk Hours: 8 AM to 8 PM, Monday through Friday, 10 AM to 4 PM, Saturday, Mountain Standard Time. CIRCLE 495 ON INQUIRY CARD FOR COMPLETE "LINE CARD"




Photo 2: The first thing Easywriter II does is give you a menu of possible activities. The special file system keeps track of a certain amount of document history, as you can see here from the directory of one disk. Two of the documents were "imported" to the Easywriter II disk environment from a PC-DOS disk; therefore, parts of their histories are missing. The file names appear on the screen in bright-intensity characters, most other things in normal intensity. You call up a document by typing only its number, not its full name. This photo was taken from the screen of an IBM Monochrome Display, as were all other screen shots in this article except photo 13.

```
Say Full 82/81/8)

Space I Line 13 fage 1 Doc 5 LBT Word Processors, Fart frow FULL

The STR collibrial staff was clustered in the computer lab

mayerly watching text erools up the arroan of a video Aimpley.

The date was August 28, 1981, and we were watching Fail Lemons'
first report on the announcement of the IBT Fersonal Computer
(reference Li Come in through a nodeo connection.

"Nas," success vail, reading from the suress. "IBT is
offering an impression set at software. Ricrosoft MASIC,
Uinicale, the Pacchtree business package, UCS Fanal, CFM-86,
and...Leapariton' We were sufficiently surprised that we later
called Fbit to doublecked: the Laugariter aimd-processing
program, from information Unlimited Software, just didn't note to
Fit with the other places of software in that initial
announcement.

Before long, many purchasers of the JBB Fersonal Computer
were also surprised by Experitor, and unpleasantly so. The First
Ensperitor package, Oversion 1.8, quickly developed a regulation
for successful serior and annous plays. Locationally JBB
released the improved and more reliable Version 1.1, but the
impression had been under and many independent developers of
outlease perceived a ripe operation to a sitemative
word-processing program for the JBB FC.

In trujung to selve this apportunity, some developers reshed
```

Photo 3: A typical editing screen display produced by Easywriter II. The top three lines of the screen are used to show a variety of status information and transient messages, including the current text-object mode (CHAR for character), percentage of the document disk used (56 percent), the current date, the cursor position ("Space" means column), the current page number, the name of the document, an indication of space left in the current page, and a tab ruler. All characters have normal video attributes (not especially bright, inverted, blinking, or otherwise).

the version I tested, the biggest such discontinuity was that Easywriter II did not run under PC-DOS (also known as MS-DOS, the most widely used disk operating system for the IBM Personal Computer). It ran in its own disk environment, storing its files in an incompatible format and requiring that floppy disks be specially formatted for storing documents.

The unique disk environment caused other problems. The Easywriter II software was divided onto two disks: a "system" disk and a "housekeeping" disk. Even such a simple operation as copying document files required an annoying number of manual disk changes, and operation on a single-disk-drive system was impossible. Only single-sided floppy disks were supported, with a capacity of less than 100,000 bytes' worth of documents on one disk (on a double-sided drive, only one side was used). A utility program on the housekeeping disk converted Easywriter II files to PC-DOS format and vice versa, but it could copy correctly only onto single-sided disks; this undocumented fact caused me some frustration. "Importing" a 21,504-byte file to an Easywriter II disk took 2½ minutes.

At least one of the effects of the Easywriter 11 disk structure was good. The structure allowed long (30-char-

Easywriter II depends heavily on the use of on-screen menus and function keys.

acter) document names (like "TEC FinanceCommittee 17 Jan 83") and the keeping of a certain amount of document history; author's and typist's names, size in pages, and dates (but not times) of creation and last modification (see photo 2). Each document on a data disk was assigned a sequence number by the system, so that you did not have to type those long file names; you referred to documents by number.

The verbs in the preceding section are intentionally past tense. According to a telephone conversation I had with a representative of IUS, a new version of Easywriter II should be available by the time you read this. The new version is intended to run under PC-DOS, and most, if not all, of the inconveniences caused by the disk environment should be removed.

I found the editing command structures in Easywriter II to be quite different from those of the other microcomputer word-processing programs I have used. Easywriter II is organized around pages and modes. The computer's video-display screen is used as a window onto one page of the document (see photo 3); normally, you can scroll only up and down on this single page, and you have to issue an explicit command to move to the next page or a previous page, either of which takes about 4 seconds. The most text you can cram into one logical page is about 200 lines, and the computer will remind you of every line entered on a page past line 54 (or a number you set).

The action of any editing and most cursor-movement commands depends upon the current object mode. Seven possible modes each correspond to one defined text object (character, word, sentence, paragraph, line, block, and page). Each command acts upon the object named by the mode currently in effect. To select the object mode, you press one of the 10 assignable-function keys (F1 through F10) on the left side of the keyboard or, in some cases, a function key plus the Shift key. Some of the more dangerous operations (like delete page) require explicit





Whatever your computer system or its purpose, put a PRINTEK professional printer beside it for more versatile performance, greater reliability, and superior value.

The single printer solution for...

- Spread sheet specialists: to 227 cols, 16" paper, 6 copies.
- Word processing professionals: near-letter quality, 45 cps (model 910) and 80 cps (model 920), true descenders, proportional spacing, underlining, 2 standard fonts, 2 optional fonts, 4 vertical spacings, 8 character sizes.
- Data crunchers: 200 and 340 cps models, 160-260 lines per minute typical, 7 foreign character sets, downloadable for special sets, 2-8K buffers to keep the speed up.
- Graphics artists: dot addressable, full raster, 144x144 or 72x72 resolution for fine detail and shading of charts.

Full-featured and reliable...

- Great office mates: office quiet, typewriter size, easy-change cartridge ribbons, front panel accessible operator controls and indicators, intelligent microprocessor control, self diagnostics, easy interfaces.
- Ready to work everywhere: multiple voltage power supply, regulatory compliance (FCC, UL, CSA, VDE).
- One year print head warranty: over 125,000 text pages.
- 2500 hours MTBF: nearly two years between service calls.
- Quality U.S. manufacture: extensive quality control plus days of continuous tests of circuit boards and complete units.


The affordable professionals...

Model 910, \$1595 list. Model 920, \$2395 list. See your dealer.

PRINTEK, Inc., Benton Harbor, Mich. 49022 616/925-3200







printek 350





FIELD PROVEN HARD DRIVES

5 to 240 MEGABYTES ON LINE for the TRS-80* Mod II/XVI Winchester and Cartridge Disk Drives available for immediate delivery!!

> 5 MEGABYTE FOR Mod I, II, and III CALL FOR PRICING



14 + Megabyte (formatted) ARM Winchester Disk Drive CALL for Pricing includes ECC error detection and correction. FAST, Service Contract Available (\$30/month/drive). Multiplexor available. SHARE hard drive between four Model Il's!!

20 Megabyte Eli Honeywell Bull Cartridge Drive

10 Megabytes fixed, 10 removable for the professional installation requiring Removable Media for BACKUP. 60 and 120 Megabyte add-on drives available. Up to 240 MEGABYTES!) Four port multiplexor available to SHARE hard drives.

HARD/SOFT DISKS SYSTEM (HSDS) SOFTWARE

Radio Shack 2.0 Compatible Operating System for Hard Drive Operation. Run your 2.0 software on hard drives without conversion (except drive designation). Compatible with most machine language programs that use the standard calling sequence. Supports ARM, Cameo, Cynthia Bull, Corvus, Data Peripherals, QCS, Radio Shack, and certain other hard drives.

Access 90TH your floopy disk drives and hard drive files INTERCHANGEABLY!! Complete utilities include HZAP (Hard Disk SUPERZAP), Directory Catalog Systern. Parameterized FORMAT, HPURGE (Bulk Copy/Purge Utility) and others. The Hard/Soft Disk System (HSDS) Software has almost two years FIELD experience. Version 5.0 adds several enhancements including maintenance of system files on the hard drive, files as large as the disk, the ability to segment the disk as logical drives, and definable directory size. Floppy backup (close to a Megabyte per minute) is provided for Winchester drives.

HSDS for Radio Shack HSDS for Other Drives \$400



1330 N. Glassell, Suite M, Orange, CA 92667 (714) 997-4950

CALL FOR COMPETITIVE PRICING ON HARD DRIVE SUBSYSTEMS -BUY WHERE YOU CAN GET SOFTWARE SUPPORT!! DEALER AND SYSTEM HOUSES - WE HAVE DEALER PRICING!!

CIRCLE READER RESPONSE FOR FREE TRS AND NEC CATALOG.

Edit destination page. Press MINGI when the cursor's on the line ABOUS the point you wish test mber, then grass TAI to move to the ment blank - the number of the numer document.

- the TAG name. All text UP TO THE MEXT TAG will be copied.

Pross RETURN, then press ESCAPE to continue shilling. Photo 4: Easywriter II relies heavily on "help" screens to coach new users on how to use the system, rather than lengthy chapters in the written documentation or online tutorial files. After you hit the F2 function key, you are presented with a menu of possibilities. Shown here is the explanation of the merge function.

NELP For help, salect as editing

Mark merge text with TAGs. (See TAG.)

1. Status Lines Z. Cursor Control

Editor

Shir full 82/81 81

mend or one of the choices listed below eas ESCAPE to edit)

Editing Keys Page Formatting

confirmation. The keys of the numeric/cursor-control keypad on the right are also used.

Easywriter II depends quite heavily on use of both onscreen menus and the function keys. The use of menus is common enough, but use of the function keys deserves some attention. The assignable keys F1 through F10 are used both unaugmented and along with the Shift and Alt (alternate) keys, IUS provides a reference sticker as an aid in remembering what the function keys do, and I gather that you are supposed to affix the sticker to the front panel of the IBM PC system unit, between the disk drives and the IBM nameplate. The sticker has one great deficiency: it's too small. The words within the key outlines seem to be in 5-point type and are impossible to read without leaning up close.

The page orientation, the object modes, and the heavy, enforced use of the function keys combined to make me dislike editing with Easywriter II. I don't put much significance on page divisions in the documents I write and edit (this article, for instance), and it's much more convenient to be able to scroll up and down through a large buffer containing the whole document. And with Easywriter II, block-move and block-copy operations cannot occur in block sizes greater than one page.

When editing text, I like to make both large and small changes in the same pass through the text. Easywriter II assumes that you will make changes mostly at the level of one text object at a time. I also found myself forgetting what mode was in effect (even though a status line on the screen indicates this) so that I often changed the wrong text object, Furthermore, I like to leave my fingers in the home position on the keyboard, so that I'll know where they are and only rarely need to look at them to guide my keystrokes. Using Easywriter II, you have to use the function keys a lot to change between the modes, and you have to lift your hands out of the home position and look down at them to hit most of the function keys (while

*TRS-80 is a trademark of tandy corporation

TODAY'S PRODUCTIVITY IS TOMORROW'S PROFIT.

That's why Quark designs office automation software to increase your productivity. With programs that will dramatically enhance your Apple III or IIe. So you'll'do more work—more efficiently—in less time—for less money.

And all Quark programs are extremely friendly. So you can devote your enorts to using them, not learning them. Yet you'll discontinuous sophisticated feature no other software can offer.

Find out for yourself. See your dealer foday for a complete demonstration of our ward surplant word processing system. And innovative united programs, such as our Catalyst hard disk boot.

Because tomorrow bulbings to transpoductive. And who wante to be left behind in yesterday?

Quark Incorporated 2525 West Evans, Sultand Denver, Colorado 80218, (802) 1814-2211.





squinting at the reference sticker). This sort of thing slows me down, You use the keyboard's directional cursor keys, which require you to move from home position, to move the cursor. It's not that I object to function keys in themselves, but there should be a way for expert users to streamline their actions.

My objections don't apply to some users. If you are new to computers (see photo 4), you may appreciate having certain keys dedicated to common functions, and if you are a hunt-and-peck typist you won't care about the home position. And again, if you do only light editing of your text once you have entered it, these problems will be negligible. But once you have learned the system, if you come to use it frequently for editing and revision, you just might get tired of moving your hands back and forth every other keystroke.

You format text for printed output from Easywriter II chiefly by getting it to look on the screen the way you want it on paper. (I'll have more to say about such screen-oriented formatting later on.) A "ruler" line on the screen defines tab settings, margins, and page centering; as many as eight rulers may be used for each document.

Decimal-tab settings allow easy alignment of columns of figures, although no column-move facilities are provided. Different headers and footers may be defined for left and right pages, with page numbering placed as desired.

Printing can occur while editing is taking place, including immediate printing of the page just edited. The version of Easywriter II that I tested was unable to drive a serially interfaced Integral Data Systems Prism printer at full speed; IUS is planning to speed up the new version to avoid this problem.

The program I had didn't contain a true global searchand-replace function (the updated version is supposed to have one). An update of the documentation is planned, giving more tutorial examples.

A few other comments are in order: Online help for most functions can be gotten by simply pressing the F2 key. Whenever you wish to take a break from working, you can hit the Escape key, and the page you are working on will automatically be stored on disk against the possibility of some system mishap while you're gone. Sections of one document may be tagged to be merged with another document. No extra backup copies of files

Property	Easywriter II	Volkswriter	Wordstar	The Final Word
Price	\$350	\$195	\$495	\$300
Printed documentation	9 14- by 8- by 114-inch binder, 92 lypeset pages, 5-page index; linen-covered box; function-key sticker	9- by 7- by 1 1/2-inch binder, about 70 typeset pages, 5-page index	12- by 10- by 1¾-inch binder, 230 pages, 5-page index, 14 pages specific to IBM PC; pocket reference card; separate tutorial workbook	12- by 10%- by 2%-inch binder, 402 pages, 8-page index; reference card; function-key chart
Minimum practical hardware configuration	64K bytes of RAM, 80-character display, two 5%-inch floppy-disk drives (reviewed version supports only single-sided drives), and printer	64K bytes of RAM, 80-character display, one 514-inch floppy-disk drive, and printer	128K bytes of RAM, 80-character display, two 5 %-inch disk drives (double-sided recom- mended), and printer	128K bytes of RAM, 80-character display, two 5 %-inch double-sided floppy-disk drives, and printer
Maximum number of characters directly manipulable	window sees only one page at a time; number of pages in file varies with disk size	with 128K bytes, 58,570 characters; with 64K bytes, 15,370 characters	varies according to disk size	varies according to disk size and user-set size of swap file
Editing universe	window into one page of file	window into buffer (n RAM	window into buffer auto- matically paged to and from disk	window into buffer auto- matically paged to and from disk; supports two windows and multiple buffers
Command structure	mode-oriented; uses menus and special- and assign- able-function keys plus Alt and Shift keys	uses special- and assign- able-function keys plus Alt key	control keystrokes organized by two-level menus, limited function- key support	control keystrokes organized by three-level menus, user-definable function-key support; mode-oriented
Tutorial course for beginnera?	first chapter in user's manual	files for online tutorial provided on disk	separate stand-up begin- ner's workbook (intro- ductory textbooks avail- able from independent sources)	nine chapters of uset's manual, some chapters also provided on disk for online practice
Online help during editing?	separate screen displays explaining function keys and editing procedures, placed on screen after user types F2	brief descriptions of function keys placed on screen after user types F1	command menus appear- ing at top of screen after user types proper control character (menus may be suppressed by expert users)	command menus at top of screen appearing after user types Control-X, also brief messages on com- mand sequences and key- stroke functions

Nine Thousand Nine Hundred & Ninety Dollars.

3 USERS. 21 MBYTES WINCHESTER, 320K RAM.

AND YOU CAN ONLY GET IT FROM GIFFORD.

Look at that price again. We were a little skeptical at first, too. But after checking our totals we knew we'd finally done it: developed a multi-user, 8-16 bit obsolescence-proof hard-disk computer system, complete with dBase II,™ Super-Calc-86,™ and MP/M-86™ for under \$10,000. Expandability's a breakthrough, too. You can add four additional users for just \$600 each, plus terminal.

IS IT 8 BIT OR 16 BIT? YES.

Like you would expect of a Gifford computer system, it can run any combination of 8 and 16 bit CP/M programs simultaneously. So, on top of all the thousands of 8 bit CP/M programs available, you'll also be able

to take advantage of any of the more powerful 16 bit programs...and run them at the same time. And when we say it works, it really works. After all, we were the folks who invented 8-16 bit operating systems.

STOP LOOKING. AND START CUTTING.

Send us the coupon and we'll send you a brochure detailing all the advantages of going with Gifford. Such as, our exclusive networking and multi-tasking telecommunications packages, our two year warranty and the benefits of selecting an IEEE 696/S-100 bus-based system.

There's lots more to tell, but if you're a business or technical professional looking for an obsolescenceproof, multi-user hard-disk computer system that features expandability and dependability, plus complete service and support at an incredibly low price, stop looking and cut the coupon.

And by all means, wait for our brochure before

Gifford Computer System 321 Includes:

320K Static RAM Memory

Two 8" DS/DD Floppies 2.4Mb Formatted

Gifford F5-21 Winchester Drive 21Mb Formatted (27 Mb Unformatted)

CompuPro Enclosure 2 With: IEEE 696/S-100 bus 9 I/O Ports 20 bus Slots

dBASE II

SuperCalc-86

MP/M-86

Terminals not included. Compatible with all standard RS-232 terminals and printers.

MP/M 8-16 is a proprietary implementation of MP/M-86 and was configured for CompuPro by Gifford Computer Systems, CP/M and MP/M are registered trademarks of Digital Research. Super-Calc is a trademark of Sorcim. dBase II is a trademark of Ashton-Tate. CompuPro is a trademark of Godbout Electronics. Prices and specifications subject to change.



GIFFORD COMPUTER SYSTEMS CENTERS | SAN LEANDRO, CA 94577 (415) 895-0798 | SAN FRANCISCO, CA 94104 (415) 391-4570 | LOS ANGELES, CA 90064 (213) 477-3921 | OKLAHOMA CITY, OK 73112 (405) 840-1175 | HOUSTON, TX 77046 (713) 877-1212 |



We hereby certify that your purchase from Discount Software represents the lowest price sold anywhere. If you find a lower price on what you purchased within 30 days, send the ad and we'll refund the difference.

Disco	unt Price
CP/M	
ARTIFICIAL INTELLIGENCE Medical (PAS-3) Dental (PAS-3) ASHTON-TATE	
\$4?? dBASE II	
Financial Planner Bottom Line Strategist ASYST DESIGN/FRONTIER Prof Time Accounting General Subroutine Application Utilities DIGITAL RESEARCH CP/M 2.2 Intel MDS	\$349 \$549 \$269 \$439
\$149 Northstar \$159 TRS-80 Model II	
Micropolis	\$175
\$98 CBasic-2	
Display Manager	\$239
\$449 PL/1-80	
BT-80 MAC RMAC Sid	\$85
\$90 Z-Sid	
DeSpool CB-80 Link-80 FOX & GELLER Quickscreen	\$459 \$90
S65 DUtil	, v200
MICRO-AP	
S-Basic Selector IV Selector V MICRO DATA BASE SYSTEMS	\$295 \$495
HDBS	\$319
\$289 WordStar	
\$199 Mail Merge	

WordStar/Mailmerge \$399 WS/MM/SpellStar \$549 Customization Notes \$44
\$199 SpellStar
DataStar \$249 InfoStar \$349 ReportStar \$254 Wordmaster \$119 Supersort I \$199 Caic Star \$129 MICROSOFT
\$229 Basic-80
\$329 Basic Compiler
\$349 Fortran-80
\$549 Cobol-80
M-Sort\$175
\$159 Macro-80
MuSimp/MuMath\$224
MuLisp-80 \$174 ORGANIC SOFTWARE
Textwriter III
Milestone \$269 OSBORNE (Mcgraw/Hill)
OSBORNE (Mcgraw/Hill) G/L, or AR & AP, or PAY\$59
All 3. \$129
All 3 + CBASIC-2 \$199 Enhanced Osborne \$299
PEACHTREE
G/1, A/R, A/P, PAY, INV (each)\$399
P8 Version Add \$234
Peachcalc
Other Less 10% STAR COMPUTER SYSTEMS
G/L, A/R, A/P, Pay (each) \$349 All 4
Legal or Property Mgt \$849 STRUCTURED SYSTEMS
Business Packages (call)
SORCIM
\$249 SuperCalc
Act\$157 SUPERSOFT
Ada\$270 Diagnostic II\$89
Disk Doctor\$89 Forth (8080 or z80)\$149
Forth (8080 or z80)
Ratfor\$79
C Compiler
Scratch Pad\$266
StatsGraph\$174

Disk Edit
Encode/Decode II \$8
Optimizer
Term II\$17
Utilities t or II\$5
SOFTWARE DIMENSIONS/
ACCOUNTING PLUS
1 Module
4 Modules\$149
All 8\$279
All 8\$279
Mince or Scribble (each)\$14
Both\$24
The Final Word\$27
WHITESMITHS
"C" Compiler
Pascal (incl "C") \$85
"PASCAL"
Pennel/MT Plen
Pascal/MT+ Pkg\$42
Compiler
SP Prog\$17
Pascal Z\$34 Pascal/UCSD 4.0\$67
Pascal/UCSD 4.0\$67
DATA BASE
dBASE II Call 47
FMS-80\$79
FMS-81
Condor I & III
Superfile\$15
Superfile\$15 "WORD PROCESSING"
Portost Writer \$15
relieut willel
WordSearch\$17
Perfect Writer \$18 WordSearch \$17 SpellGuard \$19
SpellGuard
SpellGuard\$19 Peachtext\$28
SpellGuard\$19 Peachtext\$28 Spell Binder\$34
SpellGuard \$15 Peachtext \$28 Spell Binder \$34 Select \$49
SpellGuard \$19 Peachtext \$28 Spell Binder \$34 Select \$49 The Word \$6
SpellGuard \$19 Peachtext \$28 Spell Binder \$34 Select \$49 The Word \$6 \$1/45 The Word Plus
SpellGuard \$19 Peachtext \$28 Spell Binder \$34 Select \$49 The Word \$6 \$1/45 The Word Plus
SpellGuard \$19 Peachtext \$28 Spell Binder \$34 Select \$49 The Word \$6 \$1/45 The Word Plus
\$19
\$19
\$19
SpellGuard \$15 Peachtext \$26 Spell Binder \$3 Select \$4 The Word \$6 \$145 The Word Plus Palantier-1 (WP) \$36 "COMMUNICATIONS" Ascom \$14 BSTAM or BSTMS \$14
SpellGuard \$15 Peachtext \$26 Spell Binder \$3 Select \$4 The Word \$6 \$145 The Word Plus Palantier-1 (WP) \$36 "COMMUNICATIONS" Ascom \$14 BSTAM or BSTMS \$14
\$19 Peachtext \$28 \$28 \$29 Binder \$34 \$29 \$29 Binder \$34 \$29 \$39 Binder \$49 \$49 \$49 \$49 \$49 \$49 \$49 \$49 \$49 \$49
\$19 Peachtext \$28 \$28 \$29 Binder \$34 \$29 \$29 Binder \$34 \$29 \$39 Binder \$49 \$49 \$49 \$49 \$49 \$49 \$49 \$49 \$49 \$49
SpellGuard \$15 Peachtext \$26 Spell Binder \$3 Select \$4 The Word \$6 \$145 The Word Plus Palantier-1 (WP) \$36 "COMMUNICATIONS" Ascom \$14 BSTAM or BSTMS \$14
SpellGuard
\$19
\$19 Peachtext \$28 \$28 \$29 Binder \$32 \$29 Binder \$32 \$29 \$29 Binder \$32 \$29 \$29 \$29 \$29 \$29 \$29 \$29 \$29 \$29 \$2
\$19



\$299 ...\$299 ...\$229 ...\$224 ...\$130

\$449

Vedit MiniModel

Micro B+ . String/80 .

These remarkable savings represent only half the story of Discount Software. The other half is our reputation for prompt, courteous, and informative service. We are always available, always ready to help.

String/80 (source) \$279 ISIS CP/M Utility \$199 Lynx \$199 Supervyz \$95 ATI Power (tutorial) \$75 Mathe Magic \$95 CIS Cobol \$765 Forms II \$79 Graph Magic \$79 Basic \$249 Zip MBasic, CBasic \$129
APPLE II
ASHTON-TATE (See CP/M Ashton-Tate)
BRODERBUND G/L (with A/P)\$444 Payroll\$355 INFO UNLIMITED
EasyWriter (Prof)
Softcard (Z-80 CP/M)\$239 Fortran\$179 Cobol\$499
Tasc \$139 Premium Package \$549 RAM Card \$89 MICROPRO
(See CP/M Micropro) VISICORP
Visicalc 3.3 \$189 Desktop/Plan II \$219 Visiterm \$90
Visidex \$219 Visitrend/Visiplot \$259 Visifile \$219 Visischedule \$259

PEACHTREE G/L, A/R, A PeachPack P4 ACCOUNTING G/L, AR, AP, I	/ G	P.	þ	Ĺ	ů	15	3			,	*	۳	4	*	*	w	je		\$395
										ľ		•	-	,	•		•	-	
"OTHER GOO	,	u	Ш	E	a														
Super-Text II	4					6.	4	9		,	4	,	4				,	-	\$127
Data Factory		78	ir.	9	н	4	je.	4	e	,			*	,				-	\$269
Mini Factory.			4	·	ěi.	4	4	á	16-		4	4				p		4	\$269
DB Master	*	+	6		+		*				4	٠		ь		h			\$184
Versaform VS	1	9	4	,	7		e			÷	7	Ŧ		+	p.	*	+	4	\$350

IBM PC, 16 BIT 8. DISPLAYWRITER

WORD PROCESSING"

Wordstar	
Spellstar ,	. \$199
Mailmerge	. \$199
Easywriter	\$314
Easyspeller	\$159
Select/Superspell	
Write On	
Spellguard	
Textwriter III	
Spellbinder	. 4348
Final Word "LANGUAGES & UTILITIES"	.\$270
"LANGUAGES & UTILITIES"	
Crosstalk	.\$174
Move-it	. \$129
BSTAM or BSTMS	. \$149
Pascal MT+ /86, SPP	. \$679
CBasic 86	
Act 86	
Trans 86	
XLT 86	
MBasic (MSDOS)	
MBasic Compiler (MSDOS).	
Both.	
CBasic Compiler (MSDOS).	
Cobol (MSDOS)	
Pascal (MSDOS)	. \$429

Fortran (MSDC	OS:	١.													_	\$	42	29
"C" (MSDOS)	,			-	_		-						-		_	\$	45	00
CP/M 86			4	*	۰			٠		ь	2	•	*	*	*		2	20
					¥	P	ě	*	¥	36	ť	4	я	9		φ	۷,	25
"OTHER GOO																		
Lotus 1-2-3				à	á	į	į.				ı				4	\$	32	28
SuperCalc										Ī			Ī			S	26	89
VisiCalc		* *	۰	•	۰	۰	٠	٠	*		٠			*	4	\$	2	10
Visiplot/trend		* *	0	þ	*	ø		٠	o	*	ŀ	*	j#		d	9	۷:	25
Visidex		4 0	8	e	#	4	٠	÷	ø	4	4	8	ş	ě	÷	\$	2	18
Easyfiler						٠	à	*				10	÷	,		\$	3:	58
Mathemagic				ı											_		\$9	95
dBase II								Ė	-				1	2	8	11	4	22
Condor O & D	Oi	-			- 1	4						,	1			11	~	-1
Condor Q & R,	V	115	71	2	p	p	۰	4	þr	в	×	e	a	ij	4	-	-	di
Statpak		я г	,p	٩	η.	А	ø	Ŧ	ě	p	4	p	п	4	т	\$	44	18
Optimizer			·q	e	ø		91		,	,		,	۰	w		\$	17	14
Desktop Plan						_						4				\$	25	59
FORMA																		
				4	7	•			п			ь		4	1			-

Desktop Plan
FORMATS AVAIL
8" single density
8"OSI
Superbrain
Micropolis/Vector Graphic
NorthStar Horizon
NorthStar Advantage
Osborne
Heath/Zenith
Cromemco
Televideo
Xerox 820
Dynabyte
Hewlett-Packard 125
NEC
Eagle
Apple II/III
Otrona
TRS-80 Model I/II/III
DEC VT-180

Altos CP/M-86

IBM PC New formats added weekly. Call for

Confidential

BargainGrams

Software



Buyer's Guide \$5.00 value) Filled with facts and usable advice about scores and scores of software programs from accounting and business systems to word processing

Complete Software

Exclusive Service "Hotline"

Our reputation for courteous and knowledgeable service has resulted in calls from people who never purchased our products. Now a separate "hotline" is available to customers only.

Regular notices of insider's bargains not available to the general public.

1 800 421-4003 Calif: 1 800 252-4092

6520 Selma Avenue, Los Angeles, CA 90028

DISCOUNT SOFTWARE

Outside Continental U.S.-add \$10 plus Air Parcel Post. Add \$3,50 postage and handling per each item. California residents add 64% sales tax. Allow 2 weeks on checks. C.O.D. \$3,00 extra. Prices subject to change without notice. All items subject to availability. Mfr. trademark. Blue Label \$3,00 additional per item. CP/M is a registered trademark of DIGITAL RESEARCH, INC.







Property	Easywriter II	Volkswriter	Wordstar	The Final Word
Longest line length that can be set	255 characters (horizontal sorolling possible)	80 characters	240 characters (horizonta) scrolling possible)	65,535 characters (no horizontal scrolling; line is wrapped back onto screen for display only)
On-screen status information shown during text entry and editing	text-object mode in use; percentage of document disk used; current date; cursor position (column, line, page); document name; margins; tab stops; page center; right-hand word-wrap zone; other transient messages	disk drive being used for file accesses (logged drive); cursor line and column; percentage of buffer unused; cursor is enlarged during insert mode; additional transient messages	active file name; current page; cursor line and column; insert mode on or off; line spacing; margins and tab stops; page breaks; various line- ending codes; optional command menus; other transient messages	version of The Final Word in use; text insert/alignment mode; current buffer name; file name associated with current buffer; percentage of buffer contents behind cursor; "*" if buffer has been modified; "+" if new deletions will be appended to old; "H" if new text will be highlighted; current "verb" (actually adverb); transient messages
Screen location of status information	three lines at top, normal character attributes	bottom line, inverse video	top two lines (if menu suppressed) of rightmost column; menus occupy several lines at top of screen, in both normal and bright intensities	next-to-bottom line, inverse video; transient messages appear on bottom line; menus on several lines at top of screen
Use of IBM PC function keys	extensive, mandatory; uses Alt and Shift keys with assignable keys; function- key sticker provided	extensive, mandatory; Alt key doubles functions; on-screen key menu	optional; curious choice of key assignments	optional; uses Alt, Shift, and Control keys with assignable keys; key chart provided; assignments may be changed by user
Action of Del key	deletes current text object	deletes character to the right of cursor	deletes character to the left of cursor	deletes character at cursor
Action of back- arrow key	nondestructive backspace	destructive backspace (replaces character with a space)	nondestructive backspace	delete character backwards
Decimal tab stops?	yes	no	yes	no
Column-move capability?	na	no	yes	по
Possible insertion of nonprinting ASCII control characters?	no	yes	no	yes
Formatting scheme	on-screen	on-screen; some printing parameters stored in disk files	on-screen	both on-screen and embedded-command formatting possible
Transition time from edit mode to printing start (includes answering queries as fast as reasonably possible)	reviewed version: 25 sec- onds for 28,469-character (or 9-page) file	128K-version; 16 seconds for 28,469-character file printed directly out of buffer; 64K-version; 48 seconds for same file, includes saving to disk	60 seconds for 28,469- character document, includes saving to disk	for 28,167-character document, without embedded-character formatting: 1 minute, 35 seconds; for same docu- ment with formatting: 4 minutes
Print while editing?	not reliably	no	yes	yes
Obtain file directory without leaving program?	document files only	yes	yes	yes
Can user change default parameters?	some (with menu-driven utility program)	those in format (.FMT) files	only printer-support parameters	most print and edit defaults (with menu-drive utility program)



in QUALITY and PRICE!

Try A Box Of Kangaroos On Us!

mgaroo-the best disk at any price! CERTIFIED 100% ERROR FREE REINFORCED HUB RINGS

ALL **KANGAROO** DISKS ARE PACKAGED IN A HARD LÍBRARY CASE
10 YEAR WARRANTY

Suggested List Price

M inch Single Sided/Double Density \$29.95
M inch Double Sided/Double Density \$39.95

CASE

We are so convinced **Kangaroo** is the best disk you can buy that we make this offer. Buy a box of **Kangaroos**, if for any reason you are not satisfied with the quality of **Kangaroos**, return them within 30 days for a full refund—no questions asked.

EXCLUSIVE NORTH AMERICAN DISTRIBUTOR:

MICROCOMPUTER BUGINESS

INDUSTRIES

BTH STREET, GOLDEN, COLORADO 80401 (U.S.A.)

Circle 537 on inquiry card.

includes "tagged" sections of other document files	can include entire files	can include entire files; marked blocks of files may be written to disk	marked blocks of text may be transferred between two buffers
no documented method	can embed entire files in output	needs optional Mailmerge program at extra cost	can embed entire files in output
no	no	needs Mailmerge	yes
multiple-line headers and footers, alternating left and right	page formatting through .FMT files	single-line headers and footers	extensive and complex capabilities through embedded commands
flush-left (ragged-right margin)	flush-left (ragged-right margin)	fully justified	fully justified (as distributed; user can change)
yes	yes	no	no
difficult	easy	difficult	easy, requires use of formatter
no	yes	no	yes
IBM Parallel Printer; Epson MX-80; Diablo 1610*; Diablo 1650 (with sheet-feed); Diablo 630*; NEC 5510*; and C. Itoh Parallel* (others, without full capability	IBM Parallel Printer; Epson MX-80 (with and without Graffrax); Smith- Corona TP-1; Brother HR-1; Comrex CR-1; NEC 8023-A; and NEC 3550 (other printers, without full capability)	IBM Parallel Printer; Epson MX-80; Diablo 1610/1620; Diablo 1640/ 1650; Diablo 630; NEC 5510/5520; NEC 3550†; Qume Sprint 5; and C. Itoh Starwriter (others, without full capability)	iBM Parallel Printer; Epson MX-80 with Graftrax; C. Itoh 8510; Leading Edge Prowriter; Diablo 1610/1620; Diablo 1640/1650/630; NEC 8023A; NEC 3550; NEC 5510/5520; Qume Sprint
numeric parameters from chart		†partial support	9/35; IDS 440/460; IDS Prism; Centronics 737/739; and Radio Shac Daisywheel II (others, with varying capability)
nonstandard file format in tested version; file- conversion utility produced normal PC-DOS files; new version to use PC-DOS files	"¶" character (ASCII decimal 20) at hard returns, "§" character (ASCII decimal 21) at page ends; otherwise normal PC-DOS files	high bits of character bytes set at ends of words and at soft returns; soft (ghost) hyphens and other special attributes use nonprinting ASCII values	normal PC-DOS files; high bits of character bytes set only in highlighted text
no	no	yes (with optional pro- gram Spellstar at extra cost)	no
	no documented method no multiple-line headers and footers, alternating left and right flush-left (ragged-right margin) yes difficult no IBM Parallel Printer; Epson MX-80; Diablo 1610*; Diablo 1650 (with sheet-feed); Diablo 630*; NEC 5510*; and C. Itoh Parallel* (others, without full capability *requires adjustment of numeric parameters from chart nonstandard file format in tested version; file-conversion utility produced normal PC-DOS files; new version to use PC-DOS files	no documented method can embed entire files in output no n	no documented method can embed entire files in output needs optional Mailmerge program at extra cost needs Mailmerge needs Mailmerge program at extra cost needs Mailmerge program at ex

Interactive Videodisc Syste COMPLETE THE INTERNATIONAL INSTITUTE OF APPLIED TECHNOLOGY 2121 WISCONSIN AVENUE, NW WASHINGTON, D.C. 20007 (202) 965-7410 TOUCHÉ SYSTEM, including a fully assembled desk-top enclosure, housing: APPLE II motherboard with 64K Single floppy disk drive and controller card (256K) • IIAT touch sensitive color monitor (13) • PIONEER laser videodisc player • IIAT video touch interface circuitry Audio amplifier switcheox Course authoring language in ready to go with TOTAL The meets all our maining and Point of O information needs. And it costs all cons than any I've found. and start the IIAT system 0 APPLE II IS A REG-

Property	Easywriter II	Volkswriter	Wordstar	The Final Word
Most annoying characteristics	multiplicity of text-object modes; (in version tested) incompatible disk format, single-sided-disk use even on double-sided drives, necessity to change disks for routine functions; lack of ability to search text for printing attributes	block operations by groups of lines only; 80- character maximum line length; (to expert users) required use of function keys	unchangeable default conditions; tedious method of printing same text in two different formats; lack of planning in adaptation to IBM PC hardware; lack of ability to search for printing attributes	enslavement to forward and reverse modes for most editing operations; lack of single-line screen scrolling; inadequate differentiation in documentation between certain similar features; requirement of two return characters between paragraphs; inflexible tabsetting
Most pleasing characteristics	long, descriptive document names (30 characters in length); use of ordinary "cut-and-paste" terminol- ogy; accuracy in the reproduction of IBM's documentation binder	quickness of screen scrolling; simplicity of design; storage of canned formats; ability to insert almost any ASCH char- acter into text	efficient grouping of control characters for cursor movement and other often-used opera- tions; variable amounts of user prompting through repressible menus	extreme flexibility; pro- tection against inter- ruptions and system crashes; ability to view and edit two documents at once in two visible text windows; provision of Control-T command to correct two-character transposition typos
Miscellaneous comments	Special telephone-help service may be purchased for \$70 per year. Second serial port cannot be used for printer.	You purchase a version tailored to run on a 64K-byte system; when you send in the registration card, you are sent the 128K version. Owners of version 1.1 may receive an upgrade to 1.2 for \$20.	Wordstar has provision for helping hyphenate words during reforming of paragraphs. Text is displayed on screen in bright attribute, menus in normal attribute.	TFWINM (see text); does not use "meta" characters for commands. Uses Recover program to maintain swap file. Printer paper may be offset to save forms. Screen-highlighted text shows up in blue on a color monitor.

Co-owner Jack Abbott says, "I hope you've been reading my review series in Byte magazine on Database Management Systems. Please call me at (602) 842-1133 if I can be of help in solving your software requirements."

CALL TOLL FREE FOR ORDERS

MOST DISK FORMATS AVAILABLE: Program names prefaced with "" available also for IBM PC CP/M DATA BASE MANAGEMENT SYSTEMS: #Ashton-Tate DBase II Call #Condor III Call #T.I.M. S365 #Infostar Call CP/M UTILITIES Package Price, Wordstar, Mailmerge, Spell Checker, for CP/M 80 and for IBM PC	SILEVIALO	Piggyback Board — Expands multi function board by 256K (No Ram) \$150 64K Ram expansion \$75 4 Function Board, same as 7 function board without the RAM or the software \$250 64K RAM expandable to 256 w/Async port \$295 Tandon 100-2 D/S D/D Drives 320K for IBM PC \$250 Call 5MEG Winchester w/removable cartridge \$250 Call
Checker, for CP/M 80 and for IBM PC \$445 Above package with Spell Star \$495 #Wordstar \$285	#TCS AR, PAY, AP, GL Augmented Version . \$400 or \$125 each module	WAREHOUSE SOFTWARE
TITUIUSUI		

\$115 \$375

IBM PERIPHERALS

dBase II includes special extra disk of example programs including inventory, invoicing, and mail list at no extra charge. Also included is Everymans Data Base Primer, 300 pages on dBase II......Call

Warehouse software

Microsoft Basic 80 \$265

Microsoft Basic Compiler \$295

Accounting Plus Modules ... \$485 ea Peachtree Peach Pak, AR, AP, GL. . \$375 Peachtree Magic Wand, Spell Checker, Mail

IBM Disc Controller Adapter w/par. or serial port\$249

Seven Function Board -64K expandable to 256K, par. port, async port, realtime clock w/battery, game paddle port, print spool software, ramdisk software, 1 year warranty\$395

Orders-Call 1-800-421-3135 Technical Information — (602) 842-1133

4935 W. Glendale Ave. Suite 12 Glendale, Arizona 85301

ALL PROGRAMS GUARANTEED LATEST VERSION - FULL DOCUMENTATION

Prices reflect 3% cash discount. Please add \$5.00 per order for shipping. Price & availability subject to change without notice.

C-Basic ...

Lotus 1, 2, 3 (IBM Only)

#Wordstar & Mailmerge ..., \$395

#Spellstar......\$145

#Aspen 50K Spell Checker \$50

CALL TOLL FREE

ATARI
Special 800 System
800 w/48K, recorder, Pac Man or
Star Raiders, joysticks \$640
1200 Call
800 (48K) \$525
400 \$225
810 Disk Drive
410 Recorder
830 Modem \$155
COMMODORE
64\$395
AXLON
Rampower 48 for Atari \$140
Rampower 128 for Atari \$355 Ramdisk 128 for Apple \$355
Ramdisk 320 for Apple\$1035
Data Link
PRINTERS
Anadex
9620A\$1445
C-ltoh
F-10-Parallel
F-10-Serial
55 CPS-Series Call
8510 Parallel (Prowriter), Call
Computer International Daisywriter 2000 w/16K
Daisywriter 2000 w/48K \$1000
Comrex
CR-1-S \$675
CR-1-P \$775
Datasouth
DS 180
620 RO wo/Tractors \$920
630 RO wo/Tractors\$1730
IDS
Microprism 480
Epson
All modelsCall
NEC PC-8023A
3510 \$1375
3550
7710\$2050
7720 \$ 2425
Okidata
All models Call Smith-Corona
TP-1\$650
Star Micronics
Gemini-10Call
Gemini-15 Call
Tally \$44.55
1805/1802
MT 160L w/Tractors Call
MT 180Call
Texas instruments
810 Basic \$1260
Toshiba S1476
P1350 \$1475

SPECIAL OF THE MONTH

NEC 8023A \$435

DISK	D	R	IV	ES
Percom				

Percom	
Atari S/SS/D 1st Drive	S400
Atari S/S S/D 2nd Drive	
Atari S/S D/D 1st Drive	
Atari S/S D/D 2nd Drive	.\$330
Rana (Drives for Apple)	
Elite 1	\$265
Elite 2	\$420
Elite 3	\$550
Controller (w/Drive only)	\$75
1000 (For Atari)	
MONITORS	
7	

Controller (w/Drive only)	. \$75
1000 (For Atari)	Call
MONITORS	
Zenith	-
12" Green Screen	S95
Amdek	
Video 300	\$130
Video 300A	S145
Color I	S285
Color II	5610
Color III	\$360
BMC	
12" Green	. \$85
13" Color	S265
Comrex	
13" Color Composite	S290
13" RGB	\$455
NEC	
JB 1201	\$155
JB 1260	\$115
Taxan	
12" Amber	\$125
USI	
9" Amber	\$130
12" Amber	\$150
	4100
MODEMS	
Hayes Smartmodem	\$210
Novation	

Hayes Smartmodem	9				0-		0	0	\$2	10
Novation CAT	 20	,	,	*	ч	7			\$1	40





VIDEO TERMINALS

Quille	
QVT 102	50
Televideo	
910	70
910 Plus	70
920	35
925	30
950	115
970, S11	00
Zenith	
Z-19\$6	70
Z-29 \$6	40
ZT-1 Keyboard Only\$3	50
COMPUSEDO	

COMPUTERS

Altos

ACS 6000-13 333330
Series 15D
Series 5-5D\$3900
5-80-10
Eagle II\$2330
NEC
8001
8012\$470
8031 \$730
APC Call
Northstar
Advantage\$2800
Advantage w/5MB\$3600
Horizon II 64K QD \$2625
Sanvo
MBC-1000 w/Micropro Software,

S-Basic, CPM* Call Above w/2 Drives Call

Televideo Systems TS-802 TS-802H......\$4450

Zenith\$3100 Z-120 . . .


DISKETTES

Maxell											
MD-1 (Qty.	100)			ч	b						\$250
Scotch											
744-0 (Qty	100)	+ +	,	4	nì	*	p	æ		N	5225

Elephant S/S S/D (Qty 100) \$180

2222 E. Indian School Rd. Phoenix, Arizona 85016

Order Line: 1-800-528-1054 Other Information: 602-954-6109 Order Line Hours: Mon.-Fri. 10-5 MST Saturday 9-1 MST






Photo 5: Volkswriter consistently places the list of major menu choices at the top of the screen, with subsidiary information arranged underneath as required. Shown here is the main menu, which appears on the screen after a brief graphical diversion.

Text continued from page 186

are made unless you give explicit commands to cause it. No automatic-hyphenation functions are provided. A crude kind of "undo" command can, under most conditions, cancel changes to a page made since it was called up. Some other specific features are delineated in the comparison in table 1 (see pages 186-194).

Volkswriter

Volkswriter, or VW as its devotees call it, was one of the first alternatives to the original Easywriter. VW runs under PC-DOS and is one of the few word-processing programs for the IBM PC that can be run (although not at top performance) on a fairly small hardware configuration, i.e., 64K bytes of user memory and one 5½-inch floppy-disk drive. Lifetree Software provides two different sets of program files (see photo 5) for registered users of VW: one set, to be used in systems with 64K bytes, contains separate programs (linked in execution by batch files) for Volkswriter's editing and printing functions; the other set, to be used with 128K bytes or more, combines the two programs into one.

In keeping with its modest hardware demands, Volkswriter is moderately priced. With a suggested list price of \$195, VW is the least expensive of the four tools considered in this article. The program is simple in design, and I found it quite straightforward to use for modest writing projects. It's a no-frills piece of software: it has just enough features to get most jobs done.

Lifetree Software doesn't come as close as Information Unlimited Software in imitating IBM's user's manuals, but some thought was given to the matter, because the loose-leaf binder and box are roughly the same size as IBM's, although covered with slick paper instead of linen.

To initiate first-time users to the concepts of word processing and its peculiarities, VW depends less on the user's manual than on a series of interactive lessons. You take the lessons by editing a set of files that comes on the Volkswriter distribution disk. I found the lessons to be well done except for a couple of problems, such as a search-and-replace lesson that became unintentionally modified by being searched and replaced. (These glitches can be considered minor if a knowledgeable user can be consulted by the person taking the lesson.)

In contrast to Easywriter II's page orientation, Volkswriter treats the display screen like a window onto a large, continuous buffer, or storage area, containing the entire text you are editing. Both the buffer and the Volkswriter program itself must fit simultaneously in user memory, so that the amount of text you can work on in a 64K-byte system is limited to around 15,000 characters. But this limitation makes possible great speed in moving the window around in the buffer, You never have to wait for the word-processing program to read more text from a floppy disk; it's always immediately accessible. In a 128K-byte system, you can work on a buffer size of as many as 60,000 characters. The status line at the bottom of the screen tells you what percentage of the buffer is available for entering text, although for some reason it starts out at 93 percent empty instead of 100 percent.

Like Easywriter II, Volkswriter uses the 10 assignable-function keys heavily to invoke various commands; the Alt key is used to double the commands available with the assignable-function keys. Also as in Easywriter II, you must use these keys; there is no alternative for the expert user. The keys of the numeric/cursor-control keypad on the right side of the keyboard are used also as they are marked. My feelings about having to use the assignable-function keys in Easywriter also apply to VW, but I



Microline 93 (136 columns).....\$884.88

C. Itoh F-10 Starwriter ************* \$1379.88 UPS DELIVERED

- 40 characters per second, bi-directional, logic-seeking printhead action 136 column, friction fed, takes 15" paper & 3-part forms
- B6 character set, fully-formed letters on Diablo-compatible daisywheele for oplimum print quality
 Subscripts, superscripts, underlining, backspace, & forms control
 Centronics parallel or RS-232C interfacing (specify)







Information & Orders (603)-881-9855 Orders Only: (800)-343-0726

No Hidden Charges
FREE UPS shipping on all orders—No extra charge to use credit cards—All equipment shipped factory fresh with manufacturer's warranty—COD orders accepted (\$10 fee added)—No purchase orders accepted—No foreign or APO orders accepted—Minimum \$50 per order—This ad prepared in February: prices are subject to change.









NEC	PRINTE	RS
-	5 to 100 - 100	
NEC P	C-8023A (P).	\$499.88
	Ti-	
Oume :	Sprint 11+ Paralle	l or RS-232C.
-	h-Corona Corona TP-1 y either 10 or 12 c let or RS-232C into	
Trans		
GALL (south, i seonic,	FOR PRICES on Epson, Mennesma Ricoh, Silver Ree	Cennon, Dala- inn Tally, Pan- d, & others
PRASH IDS PK Paralle Grappil CBM/P TRS-80 Paralle VIC/Co	faces D card/cable ASO card/cable I Card w/cable er+ w/cable ET w/cable L w/cable L w/cable mmmodore 84 Serl /cable	\$00.06
Para IBM-PC TRS-80 TRS-80	Ilei Cables Model I/III Model II/18 Model II/II Model II/II Model II/II Model II/II Model II/II Model II/II Model I/II Model II/II Model II	939.88 929.88
Centro	nics male/male nics male/female.	\$39.00 \$39.00
RS-25 DB-25	32C Cables male/male male/female	\$20.88 \$20.08

HIGH TECHNOLOGY AT AFFORDABLE PRICES

I MILFORD, NH 03055-0423 🗆 TELEPHONE (603) 881-98551




Photo 6: Typical screen display in Volkwriter's edit mode. By hitting the FI key, you cause the reference guide to the assignable-function keys to appear at the top of the screen. This is the only online help available, however. The bottom line of the screen shows status information in inverse video.

didn't find editing with VW as objectionable as Easywriter II, perhaps because the effects of VW's commands are not modified by a lot of object modes.

Lifetree does not give you a reference sticker to look at, but by pressing the F1 key, you cause a menu of the assigned command functions to appear at the top of the display screen (see photo 6). (Incidentally, use of F1 makes more sense than Easywriter II's use of F2.) The legends are somewhat cryptic to the new user, but once you have become familiar with Volkswriter the display makes sense. Also, the F10 key is used as a kind of panic button; you can press it to halt an operation you did not intend. The system is kind to inexperienced users in that it asks you to confirm your intentions when you give it a command that could wipe out a large part of the text.

The printed output that Volkswriter produces is




Photo 7: Parameters of Volkswriter's printing format are stored in disk files given file name extensions of ".FMT". You can change the parameters using a simple, menu-driven procedure, illustrated here.

formed on the page according to parameters specified by special format files (given ".FMT" extensions). The parameters vary somewhat depending on what printer you are using, but they can include the character pitch to be used, the margins on the page, line spacing, justification, and starting page number. You can set up separate format files (see photo 7), automatically invoked, for each type of document that you produce, or you can use the default format. You can even change the formats during printing with a command embedded in the text.

In the document file, you can embed any number of header and footer lines, with justification specified to alternate between left and right pages. You can set temporary indentations for quoted paragraphs or other special material. You can embed almost any arbitrary character code in the text, perhaps to activate a special

Need More Serial Ports?



- Add a BTA smart multiport controller to your C.P.U.
- The MODEL 524 expands a single RS232 port to four individual ports with port selection and baud rate controlled by user software.
- Buffered inputs permit simultaneous operation increasing data exchange rate.
- 62K spooler model also available.

Price \$249.00

Bay Technical Associates

P. O. Box 387, Bay St. Louis, MS. 39520 601 - 467-8231

64K STATIC RAM MEMORY



S-100 STATIC MEMORY BREAKTHROUGH

Finally, you can buy state-of-the-art S-100/IEEE 696 static memory for your computer at an unprecedented savings.

Memory Merchant's memory boards provide the advanced features, quality and reliability you need for the kind of operational performance demanded by new high-speed

Completely Assembled.

These memory boards are not kits, nor skeletons - but top-quality, highperformance memories that are shipped to you completely assembled, burned-in, socketed, tested and insured with one of the industry's best warranties.

Superior Design & Quality.

Memory Merchant's boards are created by a designer, well known for his proven ability in advanced, cost-efficient memory design. Innovative circuitry provides you with highly desired features and incredible versatility.

Only first-quality components are used throughout, and each board is rigorously tested to assure perfect and dependable performance.

No Risk Trial.

We are so convinced that you will be absolutely delighted with our boards that we extend a no-risk trial offer. After purchasing one of our boards, you may return it (intact) for any reason within 15 days after shipment and we will refund the purchase price (less shipping).

NEW S-100 PRODUCTS COMING SOON:

- DUAL 8/16 BIT CPU BOARD
- 128K 8/16 BIT STATIC RAM
- 256K 8/16 BIT DYNAMIC RAM

48K PARTIALLY POPULATED \$519. 32K PARTIALLY POPULATED \$409.

64K RAM, MODEL MM65K16S

- 64K x 8-bit
- Speed in excess of 6 MHz
- Uses 150ns 16K (2K x 8) static RAMS
- Ultra-low power (435 Ma. max. loaded with 64K)
- Bank Select and Extended Addressing
- A 2K window which can be placed anywhere in the 64K memory map
- Four independently addressable 16K blocks organized as:
 - Two independent 32K banks or
 - One 64K Extended Address Page or One 48K and one 16K bank for use
- in MP/M1 (option)
- Each 32K bank responds
- independently to phantom
 2716 (5V) EPROMS may replace any or all of the RAM
- Field-proven operation in CROMEMCO CROMIX* and CDOS*.
 Compatible with latest IEEE 696
- systems such as Northstar, CompuPro, Morrow, IMS, IMSAI front panel, Altair and many others.

OEM and DEALER inquiries invited.

14666 Doolittle Drive San Leandro, CA 94577 (415) 483-1008

Circle 290 on inquiry card.

FULL TWO-YEAR WARRANTY.

The reliability of our boards, through quality-controlled production and proven performance, has enabled us to extend our warranty to a full two years. That's standard with us, not an option. This includes a 6-month exchange program for defective units.

Shipped direct from stock.

All Memory Merchant's boards are shipped direct from stock, normally within 48 hours of receipt of your order. Call us at (415) 483-1008 and we may be able to ship the same day.

16K RAM, Model MM16K14



16K STATIC RAM \$169.

16K × 8 Bit Bank Select & Extended Addressing Four independently addressable 4K blocks

One 4K segment equipped with 1K

windows Uses field-proven 2114 (1K x 4) RAMS Low Power (less than 1.2 Amps) Runs on any S-100 8080, 4 MHz Z-80 or 5 MHz 8085 system.

Prices, terms, specifications subject to change without notice.

- "Cromix and CDOS are trademarks of CROMEMCO.
- MP/M is a trademark of Digital Research

he Choice of

DEALERS WE BUY EXCESS NVENTORIES

Computer Exchange — The Supply Center for the IBM-PC

SOFTWARE TOT USE	
CULTIVIDE to the	
CARL TAIL DE 101 DIE	

	S. (Green	·Pu	
BUSINESS			
		LIST	PU
All the second s		PRICE	PRICE
ARMYBIR-TATE dBase II with User's Gorde by Softwar	ra Banc		
dBase II, requires CP/M-85 & 128%		\$ 730	243
dBase II, requires PC-DOS & 128K		# 730	343
APPLIER ROFTWARE TECRNOLOGY, Vacuatoriti	NEW	\$ 389	220
MATAMOST, Real Estate Investment Program	MEAN	B 130	
Write-On		B 130	
EAGLE GOFTWARE, Money Ducisions	HEWI	B 150	
HOWARDSDFT, Real Estate Analyzer N		\$ 250	118
INFORMATION UNLIMITED, Easywriter II (a WPS)		¥ 350	751
Easyspeller (BBK Words)		\$ 175	12
Easyliter (a OBMS)		E 400	\$39
"MROYATWE SOFTWARE, TIM III (11 DBMS)		8 495	\$36
WAGFT, Data Design (a powerful easy to use DBMS)	MEM	8 225	146
ISM MatheMagic		\$ 90	1 4
LOTUS, 1-2-3		\$ 495	237
MICROCHAFY, Requires CP/M-86			
Legal Billing & Firms Kesping — Verdict		£ 750	238
Professional Billing & Time Keeping — Billiceper		1 750	23/2
* MICRO LAD, The Tax Manager		1 250	3186
MICROPRO. WordStar=plus free WordStar Training	Manual	\$ 495	324
MadMerge		\$ 750	Call
Spellitur"		\$ 250	Cal
3 Pak, Word & Mini & Spell, above 3		8 845	Cal
infostar	NEWI	E 495	\$375
ReportStar	WEW	\$ 350	3238
MICROSOFT, Multiplan, in MSDOS		E 275	\$190
MORTH AMERICAN BUS. SYSTEM, The Answer		\$ 250	\$160
POL CORPORATION, Persipnal Levester	WEW	\$ 145	A
PEACHTHEE, PROCH Pak 4 (GL. AR & AP)		\$ 595	8390
PERFECT SOFTWARE, Portect Writer*		\$ 389	8230
Perfect Speller**		£ 189	\$130
SELECT INFO Select (a WPS)		\$ 595	\$33
SORCIM/IEA SuperCate		\$ 295	210
SuperWriter		1 35	3736
Spellguard		\$ 195	112
STC. The Creator	NEWI	\$ 300	\$100
SYNERBISTIC, Data Reporter	NEWI	\$ 750	\$100
* WEIGHT, VISIGNE* /258K		\$ 750	\$175
VisiDe or VisiSchedule each		\$ 250	FIRE
VessTrend/Plot		\$ 300	1211
Unalista or Best ton Diant such		£ 900	9770

UTILITY

*Copy iii PC by Central Point Software is the best CE software buy of 1993. It will copy more copy protected software and faster than any other bockup system. Unlike other copiers it makes anexact duplicates of your priginal and it does 100% verification of copy. Documentation is section.

**CEFFEAR PORTY Copy ii PC - Backup and Utility NEW Is 40 E 35

CENTRAL FORMY. Fastral RAM/Dish emulator		
and specier programs. Works on any PC DOS		11-0
version or RAM Card Monu driven	\$ 100	8 24
DIBITAL REBEARCH, Concurrent CCP/ M-88	\$ 360	1235
CBASIC 86	\$ 200	\$2.75
Mayor, Haves Terminal Program	\$ 100	3.0
MicroCom, Microterminal	E 100	1 10
Microlitel, Crosstalk	B 195	8129
WGMELL DATA, System Backup	E 50	E 36
MOSTON Marina liturales 14 november accordes 1 diche	8 80	2.00

HOME & EDUCATIONAL

HPYX/Settembed Standations, Tympic of Aprilal		8 40	13
Oil Salants	NEW	\$ 100	B 75
ADDRESS Apple Partic		\$ 30	8 22
CONTINENTAL, The Home Accountant Plus		\$ 150	\$112
· BATAMOST, Fig Pan or Space Strike, sach		\$ 30	B 22
BAYNESON, The Speed Reader		\$ 75	1 5
WFRCOM, Deadline		\$ 50	E 39
Zork I ar Zork II or Zork III. each		R 40	1 29
# IRROFT, WordTris	NEW	8 35	1 10
OvoTsta	MEMI	1 35	13
M-CROSOFT, Flight Simulator (by Sub-Logic)	NEW	8 50	13
88-LINE, Gall Challenge	NEWI	1 2	\$ III
Ulyanas & The Galden Fleece		\$ 35	\$ 75
PAL CORP., Personal Investor		\$ 145	4 90
SENTIENT, Cyberg	NEWI	1 35	1 2
BRINGS, Conquest or Call to Arms, each		\$ 30	4 23
RIB-TECH, Wizardry		# 60	1 4
SPIRRAKER, Snooper Troops, #1 or #2, each		\$ 45	13
Story Machine or Face Maker, each		8 35	1.75
STRATERIC, The Warp Factor		8 40	1 30

DISKETTES

-11-11-10-1-1			
Control Data Corporation 12 for 10 Special.	Limi	led	Timef
CDC, 120 each, 5%, with ring, SS, SD (Apple, IBM, etc.)	- 3	450	机带
12 each, 5% with ring, SS, SD (Apple, IBM, etc.)		40	\$ 22
12 each, 514 with ring, 55, 00 (IBM, H/P, etc.)	3	45	8 26
10 each 5's with ring DS. DO. (IBM. HTP etc.)	3	55	13
12 nach, Jr., SS. SD	3	45	3 14
VENEATINE, 16 each, 5%, with ring, 98, 50 or 88, 00		50	3 25
MADELL, 10 each, 5%, SS, 26 or \$5, 50		55	1 25
8Y\$AN: 10 rech. 5'x, 5S, 5D		55	1 30
40 and E DE MR		GE.	40.40

Means a BEST buy

64K IBM-PC

System Includes Two 320K Disk Drives 12° Greek Amdek Monitor

Call For Detaits And Other Configurations



(BM vs. a trademers of this Corporation

HARDWARE

MEMORY CHIP KITS, 644 added to your framery cards of chaps, 2004S, fested and buread-in 20 laby warranty. II 150 S M. Cambo Plus, 64K w/async para & clash/cal 8 565 8425 For ebove Combo Plus 81 1284 and 815 for 1904 acid 8192 for 2504 and 825

COM X 192K RAM Care with F	salest = 40 ft and associate		
AND SPOODS SOITWARD	Stare Manigora distribute	# 675	2250
CURTUS PC Pedestal" in Draphry n		1 80	1 15
9 Foot Cable for IEM Ke	ybolis textends 3 to 91	\$ 50	1.3
Mono Extension Cable	s. Power and Signal	1 55	1.46
1991-601, 6 Mil Hard Diek		E 1996	81485
MICROSOFT	64K RAM Gard w/Parily	\$ 350	\$750
MICKOSOFI	128K RAM Card w/Parrly	\$ 525	2380
MBI Hope Garle 64K Five	256K RAM Cant w/Pavily	\$ 475	1625
IVI D Monte Garle 64k Five	Function (to 1000K)	4 (25	\$365
OCC			
Q.C.S. on thus, 200 CP	U plus time fonctions	E 595	3440
CHIADDANA			
QUADRAM COP	PORALION:		
Quadboard 64K, expandable (c		1 595	2435
Quadboard, 128K, expandable		1 775	1566
Quadboard, 192K, expandable		E 895	3635
* Oundboard, 256K four function		£ 995	\$570
Owad \$12+ 64K plus serial por		8 475	1325
Osad 512+ 256K plus serral po		\$ 895	\$595
Quina 512+ 512K plus serial po		B1295	1895
Microfazer w/Copy Par/Par	SK HMPE	B 159	3119
Microfacer w/Copy. Par/Par		E 259	1125
Microfazer, w/Copy Pariffar		E 445	23-6
Microfazer, Spap-on, 8K, Paril Microfazer, Scap-on, 84K, Paril		\$ 159 \$ 299	\$165 \$736
Alt Microtazers are expandable			14.00
TE PROBUCTA, Javatich	a Lactock in a cert for the	1 65	3.0
	VIII T T-	- 00	

DRIVES MOLK I Dual Flagor DSI-501, 6 MB Hard Disk 11485

BISK BINES, Double Sided 360K/120K 5 ame as now pup-plied with 1684—PC & PC2, Tested, burnas-in With 1 each \$ 650 restablishen restructions, 90 day warranty by us 2 or more \$ 650

DRINTERS AND ACCESSORIES

LUILLI EUS WITH WCCESSOL	HES	
EPROD MIX or FI PRINTERS	GALL	CALL
MEG. Dot Matrix, 8023 Printer F/T	8 425	\$405
BTAN MICHORICS, 9x9 Get Matrix, 100cps, 2 3K, Germin) 10"	\$ 450	276
9c9 Doi Matrie, 100cms, 2 SK, Germini 15"	\$ 549	\$475
ANABEX, OP8000 Dol Matrix, 120cms, Serial & Cent. Para I/F	8 895	3495
IBM-PC to Epson or Star Micronics Cable	\$ 60	1 35
Apple Interface and Cable for Epson or Gomini	\$ 95	1.5
Grappier - by Orange Micro, specify printer	£ 105	\$118
Apole Graphics Oump Propram	# 15	8 9
MICROTEK, Apple Dumpling GX, Graphics Printer Interface		
with Cabie	E 249	110
Apole Dumphro 64, Buffered 64K Sensier		
with Cable	\$ 349	2730
LETTER QUALITY — BAIRY WHEEL PRINTERS		-
BLYMPIA, ES-100, Printer/Typewriter-complete with serial		
interfacing to the Apple It or IBM PC	\$1735	\$1295
COMMEN. Coverstay CR-1, RS232 Serial I/F 200 worn	\$1199	\$845
Committee Traction Food for CR-1	\$ 116	\$ 08
EMITS-CONOMA, TET Printer / Typerwriter, apocify ser/para	\$ 899	\$579
TPI Tractor Feed	\$ 149	\$129
BUPPLIEE Tractor Fried Pages Hibbons Heads Gume Daisy's	theels & I	

8" CP/M-80

ı		LIST	OUR
J		PRICE	PARCE
J	ARHTON TATE disage II with User's Guide by Software Bai	nc & 730	\$430
ı	INFOCOM Dandline	E 60	1 6
ı	Zork For Zork R or Zork R or Starcines, each	E 50	1.30
1	WICROCRAFT Legat Gilling & Time Resping - Verdict	\$ 750	2345
ı	Prof Billing & Time Reeping — Bullingener	£ 750	2365
d	WICKSPAD, WordStare plus free WordStar Training Manu	al \$ 495	124
ı	MailMerge"	\$ 250	\$150
ı	SpellStar*	\$ 250	Cath
١	3 Pak Word & Mosl & Spell 3 apove	B 845	Call
ı	IntoStar NEW!	8 495	2335
ı	ReportStar NEW!	\$ 350	1235
J	MICROSOFT Multiplan	8 275	\$100
ı	Fortran 80	\$ 500	\$325
ı	BASIC Compiler	2 305	3295
J	C080L-80	E 750	156
١	BASIC-80	2 350	2215
ı	muLis/muStar-80	8 200	1145
ı	M Sort-80	# 195	21-5
ı	Edit-80	11 120	10
ı	Macro-90	\$ 200	31-6
ı	PERCHTREE, Magic Wand	\$ 500	1195
ı	Series 4 GL, AJL, AP or byyentery, each	\$ 600	2305
ı	Series & GL. AR. AP, Inv or Pay sech	\$ 750	3495
١	Series 9 Peach Tour	8 500	1333
	Series 9 Spelling Pregireader	\$ 300	2125
ı	Series 9 Cale. Med List or Telecomm each	\$ 375	1245

MONITORS

MONITORS		
PRINCETON RGR 16 Res	\$ 795	36.39
NEC. 12" Green, Model JB1201M	\$ 249	1150
12" Color, Composite, Model JC 1212M	\$ 450	8349
TAXAN, RGB Vision I	\$ 309	8330
SANYO, 9" Green, Model OM5109	# 200	1130
12" Green, Model DM8112CX	1 260	\$199
13" Color Composite, Model DM6013	8 470	\$340
ZEMTH, 12' Green Model 2VM121	\$ 150	1 90
AMBEN, 12" Green #300	1 200	\$150
12" Amber, IGOOA	E 210	1150
13" Color I, Composite	3 449	1350
13" Color H. RGB, Hi Res (Ap. II, M. & (BM-PC)	\$ 899	3790
13" Color IN, RGB, Commercial (April, III)	# 560	1410
DYM Color II or III to Apple II Interface	E 199	1175
Note Color II and III come with cable for IBM-PC		

MODEMS

KAYES Micromodem II (for the Apple II)	3 379	1275
Apple Terminal Program for Micromodem II	\$ 98	1.00
MICRICON Micro Courser for Apple 11	\$ 250	E125
Micro Talegram for Apple N	\$ 250	3175
SSM. Transzonit I for Apple It Data Comm	R 103	5 60
NOVATION, Applicat It Modern	\$ 399	\$7 M
212 Aupte Cat	\$ 725	\$54E
MAYES, Stock Chronograph (RS 232)	\$ 249	2110
Stock Smartmodem (RS-232)	\$ 269	37(4)
Smartmodem (200 (RS-232)	\$ 2(9) \$ 656	15.35
Micromodem 100 (S-100 bes)	8 389	1275
\$16MALMAN, Modern MKI (RS-232)	8 99	1 70
IBM-PC to Modern Cable	# 39	13
AXLON, Dalalink 1000 Hand Held Communications Termina	\$ 399	1175

CODUITE EVETEME

A Silling Herd Dick, w/o Intertoon	B2395	1186
* 11 Mag Hard Etsk, w/a telerface	E3195	TAB
20 Mag Hard Blak, w/o Interface	\$4195	834E
IBM PC Interface (IBM DOS), Manual & Cable	8 300	7.0
Mirror built in for easy backup	\$ 790	\$565
Apple Interface Manual & Cable	\$ 300	\$2.TO
Omni Disk Server for Apple II	Special) \$ 990	\$465

Other Interfaces. Omni-Net. Constellation. Micror. All in Stack



M/P 75C Portable Computes, 48K, load to 168K 8 995
M/P 747DA Graphies Phytier 81950
M/P 41C Calculator with 2.2K Memory 8 195
Fell Nee of N/P 75C and N/P41 accessories and selfixine, Call.

Portland, DR Cash & Carry Builed. | 1507-0 SW Positio Pury. Terrors Eden-ping Conler. Purtland. OR. Over-the-quarter sales only. On SEW between the 217 and Internation S. Djum Hom.-Sul. (D-S. Call 265-1620.)

ORDERING INFORMATION AND TERMS: As items usually in stock. We immediately honor Cachiers Checks, Money Orders, Fosture 1000 Checks and Government Checks. Personal is Company Directs allow 20 days to clear. We immediately honor Cachiers Checks, Money Orders, Fosture 1000 Checks and Government Checks. Personal is Company Directs allow 20 days to clear. We immediately follow the company of the clear was a Company Checks allow 20 days to clear. We can of the Company Checks allow 20 days to clear. We can of the Checks and Checks and Checks allow 20 days to clear was a Company of the Checks and Checks an


OUR REFERENCES: We have been a computer dealer since 1970 and in mail order since 1980. Banks, 1st Interstate Bank. (303)643-4676, We below to the Chamber of Commerce (503)644-0123, or call Dunn and Bradstreet if you are a subscriber. Computer Eachange is a division of Direct Group line

Professionals

ICES TO PROFESSIONALS WHO KNOW WHAT THEY WANT AND KNOW HOW TO USE IT.

WE BUY EXCESS VENTORIE

apple 11+/11e supply center



APPLE IIO 54K. 40 CGLUMN	\$1,175
APPLE III 128K, 80 COLUMN	\$1,395
APPLE IIO. STARTER SYSTEM BY APPLE (System A)	
64K and 80 column	
1 Desk # with controller	
Apple Monitor III	
Monitor Stand	\$1,750
APPLE No STARTER SYSTEM BY COMPUTER EXCHANGE	
(SYSTEM B)	
129K and 80 column	
1 Micro-Sci Drive with controller	
Elles (Bibly and BBC 3.7 Binkelte	

Sanyo 9" Green Monitor RF Modulator (for color TV) Game Paddles Game with color graphics and sound WARRANTY is 100° Parts and Labor for 90 days by us

To substitute or delete drive on System 8, subtract \$245 and and drive price (System D) To add on Micro-Sci AZ Drive to above, add \$245. (System DD) To substitute or delete monitor on System (It subtract \$130 and add other monitor price (System M)

DISK DRIVES for ADDI E II. /II.

	APPLE IIT/IIE	3			
MICRO-SCI	A2, 5%*, 143K Disk Drive Centroller Card for A2 Drive A40, 51/2, 168K Disk Drive		479 100 449	\$250 \$ 75 \$250	
	A70. 5's" 285K Disk Drive Controller for A40 or A70 Files, Disk Littley Software	3	589 190 20	3 78 3 78 3 15	
VISTA	Solo, 5" 143K Disk Drive, Std. Height Duet, 5" Double Sided, 320K,		300	24	
	Heft Height Quartet, 5". 2 Duets Sade by Side	Ū	420	2329	
	or Standard Cabinet Controller Card V1000 Dual 8", Std. Formal		715	878 87 8	
	W/Controller, Complete V1200, 5", 6MB Desk Pack System	\$1	195 549	\$1495 31198	
TEAC		3	88	8 00	
	GP. Sellivers. File: Utility and DOS 3.3	3	20	4 15	

HARDWARE

RAM EXPANSION (II.)T_ +0	nty)
	LIST	GUR PRICE
Comit RAM Card, 2 Yr Wily 16K	3 179	\$ 30
ALE, ACORDO 16K	1 99	1 00
a Microsoft, RAMCard 16K	\$ 100	2 79
. Solure Systems, RAM Card 32%	\$ 249	\$100
RAM Card 64K	1 425	8318
RAM Gard 128K	\$ 599	3450
Asian RAM Olsk System 320K	\$1395	\$005

80 COLUMN VIDEO III	or II+	anly)	
# ALS, Smarter m III	\$ 179	\$130	
Oirt Chasp Vides 64 cpl	1 89	2 10	
Videx, Videolerm 80 col	8 345	122	
Soft Video Switch	1 35	5 Z5	
Enhancer II	\$ 149	2 MB	
Function Strip	1 79	3 50	
PSID, Para/Ser Interface	\$ 729	\$100	
Full Viden Line Call Up to	35% off		
Vista Vision 80	\$ 395	3130	
MISCELLANEO	118		ı

	1 729	\$100
Full Videx Line Call Up to: Vista Vision 80	1 395	2130
MISCELLANEOL		-
ALS. The CP/M Card	1 399	2799
7-Care	1 160	\$129
Color H	£ 179	2139
ASTAB. RF Modulator	1 35	1 25
CCS. Serval Interface 7710A	\$ 150	E129
Other CCS Cards in stock	Call	Call
Dan Paymer, Lower Case Chips	1 50	\$ 39
Con I Act. DAD 003 5 A. Mouth	\$ 125	\$ 85
a Eastelda Wild Card, engier	\$ 130	1 99
Kensington, System Saver	\$ 90	1 66
Kraff Jaystock (Ap H/H+)	\$ 65	E 49
Paddle (Ap II/II-)	\$ 50	2 38
MAIL Sup R tan	\$ 50	\$ 39
· Microsoft 289 Soltcard	\$ 345	起毛
Solicard Premium Pack	1 195	\$495
280 Softcard Plus	\$ 545	\$450
MicreTek Dumpling GX Graphics		
Printer I/F	\$ 249	\$140
Bumpling 64. Buttered		
64K Spooler	1 349	22.30
Mountain CPS Multifunction Card		E0 12
Ma. 9. Geoster 3.6 Mily	1 895	5546
Grange Micro, Grappier Plus	E 165	\$110
Practical Peripherals.		ati ta a
MB5 8K Serial (Epson)	8 159	\$125
MBP 16K Para (Episan)	\$ 150	1125
Microballer II 16% (specify)	\$ 259	2200
Microbatter II 32% (specify)	2 299	22.50
PCP1 Appli-Card 14 lealures		
4Mh.	\$ 295	\$ 235
6 Mhr	1 375	\$275
Rt Electronice, Super Fan II	\$ 15	8 54
SSM A10 (I Serval/Para Interface	1 285	1100
TG Products Game Patidles (II+)	1 40	1 3
Joystich (N+1	1 60	145
Select A Port (N+) Trak Buil (N+)	1 60	14
WICH Frackball (Ap II (II+)	1 60	1 55
MATERIAL (WOULDS)	E 80	4 50

	UST	(Un)
	PRICE	PRICE
Apple Computer, Inc.	1 1000) diebe
Apole Fortran	\$ 200	3150
Apple Writer II	8 150	2119
How to! (Educational)	£ 50	1 25
Apple Logo	1 (75	\$149
50% all other Apple Inc. setting	179	Call
Applied Sell Tech., VersaForm	1 309	8206
Artscl, MagicWindow II NEWS	8 150	8 90
Ashten-Tate, dBase II (CP/M) with		
User's Guide by Software Banc		8436
Continental, GL, AR AP or PR va	\$ 250	3100
1st Class Mail	1 75	3 40
Home Accountant	\$ 75	1 40
Mayden Pre Writer (Specify brd)		3 80
 High Tech., Job Gost Control 	\$ 750	\$350
Info Master	E 189	E113
Heward Selt.		
Real Estate Analyzor II	E 195	\$129
Tax Preparer	£ 225	II 40
Inta Unitm., Eanyweister (PRO)	\$ 175	3119
Lik, Letter Perfect w/Mail Merge	E 100	\$ 99
* Micra Craft, (CP/M)	. 350	13.05
Frolessional Billheeper Verdict, (Lagai Billhoe)	3 750 8 750	1395
	E 180	2112
# Migre Lab, Tax Manager Migre Pre, (all CP/M)	8 10Q	*11.0
InfoStar	1 495	1329
Report Star	350	22
WordStare - Training Manual		E1 100
Mad Merse"	\$ 250	Curt
Soet/Star*	1 250	Call
SPECIAL! All 3 above	A 895	Call
Data Star	E 295	Call
Microsoft, Multi Plan (CP/M)	8 275	8175
Multi-Plan (DOS 3 3) New!	1 2/5	8175
Mass. Super Text 40/80	\$ 175	\$129
Super Text 40/56/70 New!	\$ 125	# 95
On-Line, ScreenWyner II	\$ 130	\$ 100
The Distionary New		\$ 000
General Manager II New	\$ 230	\$155
fisherus/E.P. Sell, (Dish and Book)		
Some Common Basic Programs		
75 Business Statistics and Math		
programs for the Apple II	4 100	2 40
Practical Basic Programs		
Tomore very valuable programs		0.40
beyond "Some Com BasicProg" Factions, Requires CP/M & MBAS		\$ 40
Series 40 GL & AR & AP. all 3		2395
Series 40 liny or Pay, ea	£ 400	1212
Series 9 Text & Spell & Mail, all 3		2395
SELINE S LEWI W OLDER WINNERS	. 484	

	LIST	SPRICE
Perfect, Perfect Writer	3 495	8230
Perfect Speller	1 285	23.30
Perfect Filet	8 585	3290
Quality, GBS w/3 gen (a DBMS)	E 650	3475
Samilite, Sons Speller, specify	E 125	2 25
* Sitom Valley, Word Handler	E 250	21 10
Sal /Bys , Executive Secretary	E 250	2140
Executive Souther	75	1.5
Sallware Stantonieux/System Phys.		
Aprily Plus General Ledger	\$ 425	1795
Applie Plus, GL. AP and A/R	£ 995	2545
Accig Plus above + Inventory	\$1395	6778
Rollware Publishing, PFS File	\$ 140	2 95
PFS Report	\$ 125	1 65
PFS Graph	£ 140	1 95
Sustanture Date Capture, call to s		
STC. The Creator NEW!	1 200	2139
Shooware OB Master	1 229	\$155
DB UNIMPLY OF BI	1 99	2 80
Videa		
Applewriter II preboot disk	9 20	2 15
Visicale 80 cot preboot disk	8 50	1 3
Visicale 80 col. to 176K disk	# 90	16.5
ViziCtru/Personal Enthwern.	4 30	
Visicale 3.3	# 250	8178
VisiCorp/Personal Software.	4 600	6119
Visicale 3.3	\$ 250	\$179
VisiFits or VisiBex, each	\$ 250	\$179
A 1241 INS OF BESTERS OF SHIPS	A 500	4118

Visicale 80 col. to 176K disk	19		
WatCarn/Personal Software.			
Visicaic 3.3	1 25	0 8179	
VisiCorn/Personal Software.			
Visicale 3.3	\$ 25	0 \$179	
VisiFile or VisiBex, each	\$ 25		
UTILITY & DEVEL	орм	ENT	
Brogle, Unity City	\$ X		
DOS 8044	8 24	E 18	
Apple Mechanic	\$ 30	\$ 22	
Control Paint Beltware			
# Filer DOS Utility	\$ 20	1 15	
Copy II Plus (bit copies)	\$ 40	\$ 35	
* Enean, Graphics Dump	8 15		
(axell,			
GrafORTH by Paul Lutus	8 75		
TransFORTH H by Paul Lutus	\$ 125	3 99	
Micreselt.			
ALDS	\$ 12	8 75	
BASIC Compiler	\$ 395		
Cobal 80	8 750		
Fertran 80	\$ 190		
TASC Compiler	\$ 175	115B	
Gmega Locksmith (bit copier)	\$ 100		
Pangula, Comp Graphics Sys New			
Graphics Magician New			
Phoenia, Zonm Grafix	E 40		

Continental Home Accountant \$ 75 8 49 OTHER BRANDS AND PROGRAMS IN STOCK, CALL

WHILE THEY LAST **OVERSTOCK SPECIALS** • FOR APPLE II/N+/IIo

Comit NEC RAM Card 2Yr Warranty		1 30
Microcolt 16K RAMCard	\$ 100	8 00
Saturn Systems, 32K RAM Card	\$ 249	2185
M&II, SupRterm 80 col	\$ 375	2290
Wides Videoterm, 80 column card	1 36	\$2778
CCB, Serial Interface 7710A	\$ 150	\$129
Centronics Interface 7726	\$ 110	1 66
Calender Clock 7424A	\$ 120	1 16
Centronics Interface 77208	\$ 120	\$ BG
More Fra, WordStare (CF/M)	\$ 495	3199
BloreCorp, Micro Courier	\$ 250	\$125
Micro Telegram	\$ 250	8725
Center, Conder Jr. let ALS Smart	lerm.	
ICP/MS	2 195	2 50

The Mouth 50% OFF When They Last

O DETEC	24	1115		
ily Cily	8	30	1 22	
3044	8	24	E 10	
le Mochanic	i	30	1 22	
1 Ballwara	-	-		
Stilling	1	20	1 15	
fus (bit conier)	i	40	1 35	
hics Dump	i		1 3	
unitz Dristilb		13		
H by Paul Lutus	8	75	£ 50	
RTH II by Paul Lutus		125	1 99	
		125	8 75	
Desthige	1	396	2799	
	1	750	1550	
10	3	195	\$148	
mpilet		175	RISB	
ksmith (bit copier)		100	8 75	
mp Graphics Sys New			1 53	
aphics Magician New			141	
om Grafks	1	40	5 29	
		40	1 29	
ms VC-Expand			1 49	
			-	
	1			
set it tio (bit contact)	2	RD	2 49	

HOME & EDUCATION

AXLON The Leader on Alan Add on's





* Means a BEST buy

AD #965

NATIONAL TOLL FREE (800) 547-1289

All Other Orders Including Oregon: 245-6200 Hot Unes For Information On Your Order [503] 245-7404

THE WORLD'S LARGEST COMPUTER MAIL ORDER FIRM

ALL MAIL: P.O. Box 23068, Portland, OR 97223 SHOWROOM AT 11507D SW PACIFIC HWY., PORTLAND, OR, OPEN M-SAT 10-5

Circle 505 for IBM Paripherals, Circle 506 for Apple. Circle 507 for all others.

At a Glance

Name

Wordstan

Word-processing program

Manufacturer

Micropro International Corporation 33 San Pablo Ave. San Rafael, CA 94903 (415) 499-1200

\$495

Format

514-inch floppy disk, PC-DOS (MS-DOS)

Language

Translation from 8080 machine language to 8086/8088 machine language (listing provided of some sections that may be customized by the user)

IBM Personal Computer (as reviewed)

Documentation

Tutorial workbook Wordstar Training Guide, 230-page user's manual in large loose-leaf binder, printed with letter-quality computér printer

Users of word-processing software who require advanced features



Photo 8: If no file name is specified in the command line when Wordstar is started, the program places this "no-file" menu on the screen. Menu options are selected when you type a single character. In this mode, you can perform various utility operations and even run a system utility program like CHKDSK (to find out how much room is left on a disk) without exiting Wordstar. The optional Mailmerge and Spellstar programs cost extra.

function supported by your printer or to use one of the IBM PC's special display characters. Or you can generate certain printing attributes (such as boldface, underlined, or accented characters) by brute force, by explicitly causing two or more lines of text to be printed on top of each other.

Volkswriter has been around long enough to have already undergone some changes from its original design.

One change applauded by many users has been the discontinuation of the copy protection of the VW distribution disks; other changes are not as obvious: reassignment of the F3 key, inclusion of conditional page breaks, provision for sub- and superscripting, and support for more printers. One change that has not been made is to provide for placement of block markers to allow blockmove operations on pieces of text other than mere groups of lines (such as a sentence partly on one line and partly on another).

Volkswriter is a basic, functional tool for working with words. If your major use of the IBM Personal Computer is for some purpose other than word processing, Volkswriter would be a good, moderately priced software purchase to extend the capabilities of your system.

But if your needs are like mine, you'll want to explore more versatile (and, alas, more expensive) word-processing programs like . . .

Wordstar

This product of Micropro International Corporation is without doubt the best-known and probably the most widely used personal computer word-processing program. Wordstar was developed for use on 8080A- or Z80-based CP/M-80 systems and was first sold in June 1979. It has become a point of reference for wordprocessing capabilities; whenever a new word-processing program comes on the market, people ask, "How does it compare to Wordstar?"

Wordstar really is a very versatile tool, well suited for many types of document composition and editing, but it is not flawless, and the \$495 list price may seem high to many potential buyers. Dr. Larry Press reviewed it in onComputing, along with three other programs (see reference 8). He rated it best of the four in certain kinds of work.

The version of Wordstar that I tested was 3.2, which seems to be a translation to the 8086/8088 processor and PC-DOS from the CP/M-80 version. The programmers at Micropro who adapted Wordstar to the IBM PC evidently did a lackluster job. The documentation supplied, contained in a large loose-leaf binder, was that written for the CP/M-80 product, plus a 14-page addendum on features unique to the IBM PC program that contained some confusing typographical misinterpretations. The Wordstar package also contains a self-standing tutorial workbook.

One of Wordstar's hallmark characteristics is its multiple-menu-oriented command structure. When you begin execution of the program, a "no-file" menu appears on the display screen (see photo 8). You select one of the activities listed among the menu items by typing a single alphabetic character. Included in the menu choices are running the optional, extra-cost Spellstar spelling-check program and the Mailmerge form-letter program. If you type a "D" from this menu, you will be asked for a document file name; after you respond, Wordstar will load the file into its working text buffer and go into edit mode (see photos 9 and 10 on page 204).

Full Use of the Epson MX-80 Under Wordstar

Neil G. Wallace 11306 Concho Lane Houston, TX 77072

You can't take advantage of many of the printing capabilities of the Epson MX-80 (or the similar MX-100) printer when you use Wordstar, as distributed by Micropro International for the IBM Personal Computer, unless you change the user-addressable printer-driver routine. This can be done easily using the PC-DOS DEBUG utility program.

Following the procedure given here, you can upgrade Version 3.2 of Wordstar so it can use more of the capabilities built into the Epson MX-80 equipped with Graftrax-Plus. These modifications will enable printing of double-width, italic, and compressed characters, along with super- and subscripts.

Here's how to do it, as derived from information in Appendix C of the Wordstar reference manual and Appendix B of the Epson user's manual:

- 1. Copy the Wordstar file WS.COM onto a disk that you can use for experimentation (in case something goes wrong). Also copy the PC-DOS file DEBUG.COM onto the disk. Don't make these changes to your master copy of Wordstar.
- 2. Put the experimental disk into disk drive A of your IBM Personal Computer.
- 3. From the PC-DOS command prompt A>, enter the command: DEBUG WS.COM

This begins the process of modifying the program.

4. Type the characters E 0784

and press the Enter (Return) key. The computer's display should now show

-E 0784 04B5:0784 00

Now type in a "1" and press Enter. The screen will show

-E 0784

04B5:0784 00.1

Enter "Q" and start over if the screen shows something different.

5. Now type E 0785

(and Enter). After the "00." in the computer's response, type "8E" and press Enter. The screen will look like this: -E 0785

04B5:0785 00.8E

6. Now type E 0789

> After the computer prints the "00." type "1". The display will show

-E 0789

0485:0789 00.1

7. And finish this stage by entering E 078A

After the "00.", put "94". The display will show

-E 078A

04B5:078A 00.94

You have just given Wordstar the ability to tell your MX-80 to print double-width characters. After these instructions have been put into Wordstar, you can use the embedded command 'PW (Control-P, W) to start double-width output and PE to turn it off. (Double width will also be turned off automatically at the end of the line.)

But you've just started. The remainder of the changes to Wordstar are done in much the same way. Perform the following summarized steps:

E0793 04B5:0793 00.2 turn on italics 04B5:0794 00.1B with 'PY E0795 04B5:0795 00.34

E0798 04B5:0798 00.2

04B5:0799 00.1B

E079A 04B5:079A 00.35

E076B

04B5:076B 00.1

turn on

turn off italics

with 'PY

E076C compressed mode 04B5:076C 00.8F with PA

F0770

04B5:0770 00.1 turn off compressed mode E0771 with *PN 04B5:0771 00.92

E0775

04B5:0775 00.3

E0776 Turn 04B5:0776 00.9B superscripts on with PT E0777 04B5:0777 00.53

04B5:0778 00.0

E077A

04B5:077A 00.3 E077B Turn subscripts 04B5:077B 00.9B

on with PV E077C

04B5:077C 00.53

04B5:077D 00.1

E077F

04B5:077F 00.2

E0780 04B5:0780 00.9B F0781

turns off superand subscripts with PO

04B5:0781 00.48

Now this is important: you must, after entering all the preceding commands in DEBUG, do one more thing. Enter the following:

W04B5:0100

Your computer will come back with Writing 5000 Bytes

as it makes your changes to your experimental copy of Wordstar. Then exit DEBUG by typing "Q" and pressing Enter.

You're now through and can try out Wordstar's new capabilities. Use superscript commands in text in the following way: "5"T2"T"Q" will print "52", Use subscripts this way: E"V3-x"V"Q will print "E3-"

Have fun.




Photo 9: A typical editing screen display produced by Wordstar. Status information is displayed on the top line of the screen; the menu occupies the next several lines. Below the menu is the tab and margin ruler.

The text being edited and the category headings in the menus appear on the screen in bright intensity, while menu items and status information appear in normal intensity. Because this practice differs from most IBM PC programs, you may need to readjust the contrast and brightness of your video monitor to find a comfortable brightness level. At the right side of the screen, line-ending markers ("<") show that two of the lines (at the ends of paragraphs) end with "hard" return characters; the other lines end with "soft" returns, which can be removed when paragraphs are reformed (realigned).

state-grouted land. UT Lands Essenarch director Charles McKlimey in Hidland last week estimated it will be another two months hafore an agreement is finalized.

UT has been making wine at its experimental wine facility since 1978 and also is engaged in a cooperative research project with Texas Tech in Lukhoch. A 1961 French Colembard, produced through the UTCrass-Tech research project, wen top prize at the state fair in balias last year.

The school has spent more than use million dollars on the project since 1975, when it began experimenting with grape-growing mark the town of Van Horn in Celbarson County and Enhardfuld in Fecos County.

Elemey said the negotiations are at a staps which procledes him from identifying any of the prospective hidders. However, mariler published reports have judicated the university in engaged in intensa negotiations with a subsidiary of Joseph Seagrams and a group of Texas investors.

It's a complex issue, particularly in view of the fact that the now university is near the 1984 croy at short one thousand tous, and the university is intent on having a winney apprention set up to handlin the crush of praper.

Photo 10: Wordstar's editing display with the main menu removed. (The main menu shows operations invoked by typing only a single control character.) You can choose one of four different degrees of user-prompting, ranging from continuous display of all menus through display of only subsidiary menus down to no user-prompting at all.

The text here has been reformed into Wordstar's default mode, full right and left justification. On the screen, text is justified by insertion of full character-size spaces; on the printed output, from printers that can perform microspace incrementation, the text will be justified character by character.

Once in the edit mode, a new, main menu appears on the screen. Because typing ordinary characters inserts them into the text buffer, you access items on this menu by typing control characters—requiring two keystrokes, one to hold down the Control (Ctrl) key and the other to hit the letter key. Four of the command items in the main menu activate other menus containing less frequently used commands, so some functions (for instance, "move cursor to beginning of buffer") require striking three separate keys (including the Control key). The four submenus are called Quick, Print, Block, and On-Screen. If you have memorized which commands go with which combination of keys, you can type the keys fast enough so that the secondary menus never have time to appear on the screen, or you can give a command to prevent the menus from appearing on the screen at all. The cursormovement control keys are grouped in an efficient arrangement around the left hand's home position; you can take the cursor anywhere without lifting your arm. (If you want to lift your arm, you can use the IBM's special cursor keys on the right.)

This structure makes a lot of sense to me and suits my working style (although my left little finger does get tired from pressing the Control key). But a lot of people complain that all those menus are confusing. If menus and control characters bother you, you'd better stay clear of Wordstar.

Part of the adaptation from CP/M-80 to the IBM PC was the assignment of many of the multikeystroke commands to the special-purpose or assignable-function keys on the IBM PC's keyboard. The cursor-pad keys were sensibly assigned, but I don't understand some of the assignments of F1 through F10. Keys are dedicated to functions like "set help level" and "set left margin" when functions that you need all the time, like "reform paragraph," are left out in the cold (or out in the menu). And there is no way I know of to change these assignments. Micropro doesn't even give you a function-key sticker.

The other famous characteristic of Wordstar is its screen-oriented print formatting. The popular description of this feature is "what you see is what you get," but in most cases this is not strictly true. The IBM PC's display adapters are not capable of replicating many of the variations of printing styles that a lot of today's printers are capable of producing, including 132-column output, microspace justification, expanded character sizes, italic fonts, and sub- and superscripts. So what you see is sometimes only a hint of what you get, and these hints often show up in the displays as embedded extraneous characters. (Wordstar does have a command to make these temporarily disappear.)

Screen-oriented print formatting is nice if you are doing short business letters, reproducible newsletters, and other documents that you will always want to print in exactly the same format you entered the text. However, if you have an article manuscript, as I often do, that you want to print in both single- and double-spaced versions, Wordstar's style of print formatting is a bother; you have to print one version and then go back into edit mode to

16 Bit software for IBM PC, Victor 9000, CP/M-86 and MSDOS.

Westico has good news for owners of the new 16 bit microcomputers — a full selection of quality software. Programs for businesses, professionals, and software developers. Westico can provide its CP/M-80 programs for "Baby Blue" and similar 8 bit hardware options. And there's more good news. We deliver more than quality software fast. We deliver Westico. That means you receive Westico's outstanding technical support and expertise when you need it. MicroGANIT — Sophisticated project planning system which uses Critical Path Method analysis. Visually oriented system makes it easy to interactively define task and project parameters. Budget costs and work hours are also calculated and dis-

hours are also calculated and displayed. Percentage allocation of resources to tasks and partial completion of tasks on the critical path are other features. \$395/\$25.

STATPAK — Statistics software library In Microsoft BASIC designed to give users an effective alternative to timesharing. Performs probability calculations, independent variable statistics, discrete & continuous distribution functions, regression analysis, means testing, survey data/contingency tables and more. Includes plotting and data management. \$500/\$40. MINIMODEL — Does big financial planning jobs at micro prices for cash flow projections, financial forecasting, venture analysis, and risk analysis. Model limited to 32,000 by 32,000 cells. Report content and format totally under user control. \$495/\$50. VERDICT - For law offices with up to 25 attorneys and a total of 35 timekeepers (including paralegals, secretaries, etc.). All time and expenses are distributed to client or other designated overhead accounts. Analysis of

bills. \$995/\$50.

BILLKEEPER — For professional offices
— architects, accountants, engineers, consultants, ad agencies — with all of the features of VERDICT. \$995/\$50.

billings, aging of receivables, and

analysis of each timekeeper's work

sheets and ready to mail itemized

effort. Produces monthly client review

MICRO-149 — Accepts information, summarizes data, computes tax, and prints returns required by the Internal Revenue Service. LEVEL 1 for individuals produces 14 schedules and forms. \$195. LEVEL 2 for professionals produces 33 schedules and forms. Includes depreciation, state tax Interface, integrated data base for year to year data storage. \$1000. LEVEL 3 is a Partnership & Corporate package which produces 19 schedules and forms. \$1000.

POSTMASTER — Mailing list system to maintain name and address files. Produces everything from mailing labels to customized letters. \$150/\$25.

FINALWORD Full screen interactive word processor with tables of contents, automatic indexes, simultaneous printing and editing, \$300/\$40.

For telecommunications between micros or micro to main frame. Easy to use full menu mode or expert command mode. Built-in commands for auto-dialing moderns and tables for character translation, and suppression. Remote mode for controlling other micros. \$175/\$30.

C language compiler for 8088/8086 machines, \$395/\$35.
Standard microcomputer BASIC language, \$325/\$30.
Compiler for useful subset of ADA language, \$650/\$75,
MT — Compiler generates machine language, \$800/\$40.

Symbolic debugging tool for CP/M-86. \$150/\$15.

EMIST 48 — Emulates execution of CP/M-80 programs. \$100/\$10.

UT-8 — Utility programs for PC DOS and MS DOS, \$180/\$20.

The Westico 24-Hour Computer Hotline for 300 baud modems (203) 853-0816 for detailed information and quick access ordering.



●Westico has more than 250 programs that work on a wide variety of microcomputers including ADDS Multivision, Altos, CPT, Cromemco, DEC, Dynabyte, Eagle, Exxon, Facit, Hewlett-Packard, IBM, Intertec, Kaycomp, Monroe, NEC, North Star, Northem Telecom, Ohio Scientific, Otrona Attache, Radio Shack, Sirius, Televideo, Vector Graphic, Victor, Xerox, Zenith, We're working hard to be your software company.

Call for FREE calcing.

4 Ways to order

- Wille Westico, Inc., 25 Van Zant Street, Norwalk, CT 06855.
- (203) 853-6880.
- 643-788
- baud) (203) 853-0816.

COD, MasterCard and VISA accepted.

Prices do not include shipping and are subject to change. In CT add 71/2% sales tax. All sales final.

Manual price may be credited toward purchase of software.

Dealer inquiries invited.

WES-61

Copyright @ 1982 Westico, Inc.



25 Van Zant Street • Norwalk, Connecticut 06855 (203) 853-6880 • Telex 643-788

BYTE Books Carry Waite

A New Primer Series

Computer Animation Primer by Mitchell Waite and David Fox



JUST PUBLISHED!

Illustrated in full color this lively guide to the exciting world of computer-animated graphics is virtually "2-books-in-t." The first part covers the theory and products of high-resolution computer graphics, from frame buffer technology to shading algorithms; the second part shows you how to unlock the power of the Alari computer for true color animation. Features include program listings in Atari BASIC and 6502 Assembly Language, a source catalog of hardware and software for both Apple and Atari computers, and examples of today's best animation efforts.

Apple Backpack by Scot Kamins and Mitchell Waite

Concrete methods for developing "user-friendly" software are at your fingertips in this useful course in humanized programming. Written in readable and often witty style, and with complete details on everything from screen formatting to writing clear documentation.

8086/8088 16-bit Microprocessor Primer by Christopher L. Morgan and Mitchell Waite

You don't have to be a hardware engineer to follow the author's clear crisp descriptions of the vastly more powerful new Intel 8086/8088 16-bit microprocessors. Covers design, capabilities, potential, currently available software, and new products based on the 8088, with emphasis on the IBM Personal Computer.

Word Processing Primer by Mitchell Waite and Julie Arca

Focusing primarily on inexpensive microcomputer-based text-editing products, this book gives you a thorough rundown on a powerful new way to electronically generate, correct, and manage all kinds of typewritten documents. Coverage includes controlling copy appearance, and selecting equipment and programs.



Ripple Backpack

Byte/McGraw-Hill P.O. Box 400	days' FRÈE examination! Jiji Grew
approval. At the end of t	Dook(s) checked for 15 days of that time I will pay for the book(s) age, and handling, and return an aid.
	outer Animation Primer \$18.95 Backpack \$14.95
067761-1 Word	Processing Primer \$14.95
Name	
Address/Apt	
City/State/Zip	23-D191-2144-

reform all the paragraphs, then print the second version. And even if you want only a double-spaced version to be printed, you might want to type in the text in single-spaced mode so that you can see more of it on the screen at once

Another defect in Wordstar that shows up in similar circumstances is that you cannot use the search function to locate embedded printing-attribute characters. If you want to change all your underscored text to boldface, you have to search for it the hard way—by eye.

Wordstar encourages printing with even right and left margins (producing fully justified output) even on printers that cannot perform proportional spacing according to the width of characters (such printers are properly called "fixed-escapement," although Micropro calls them "Teletype-like"). As a result, a lot of Wordstar users routinely produce printed output that has been justified only by insertion of multiple full spaces between words. Such printouts look impressive at first glance, but they are actually harder to read than text that is printed flush-left, with a ragged right margin. Full justification should be set as a default condition only when the program has been customized to use a printer that can print in microspace increments. (This could form part of Wordstar's installation process.)

For all its versatility, Wordstar does not have some functions that would be useful. As distributed, it does not support the special printing attributes of the popular Epson MX-80 printer, (The MX-80's alter ego, the IBM Parallel Printer, can do the fancy printing only if the Graftrax-Plus option has been installed. There do exist ways to use the Epson attributes; see page 203.) Most of Wordstar's built-in printer options are for expensive formed-character (usually daisywheel) printers.

The default settings of most parameters cannot be changed by users. The program cannot use all the memory space available to the 8088 microprocessor—it must swap portions of the text of a long file to and from the disk. And to do any combining of files and interactive defining of the output text during printing, you must have the Mailmerge program at an additional cost.

The Final Word

This program is a product of Mark of the Unicorn, a software house that established its reputation with a product called MINCE, which gave to microcomputer systems an editor with most of the capabilities of the bigcomputer editor EMACS. (The name is a recursive acronym: MINCE Is Not Complete EMACS.) One of my discoveries in this project has been TFWINM: The Final Word Is Not MINCE. The two programs share a common heritage, many similar features, and even some code (in the C language), but there are differences in the organization of editing commands and in output facilities. (MINCE for CP/M-80 systems was reviewed in BYTE by Christopher Kern; see reference 4.)

The Final Word is an extremely flexible word-processing system. You can use it to effortlessly produce types of output that would possibly require great effort using any

Text continued on page 210

2nd Generation Spreadsheet for Apple II and IIa





MAGICALC"

EXPAND-A-RAM[™]

Everything VisiCalc can do and much more. Plus 64K or 128K RAM. Plus 80-column display for Apple //c at no extra cost.

MAGICALC is a completely new second generation spreadsheet program for Apple II. This state-of-the-art system includes 70-column upper and lower case video, full 80-column board display, hard disk compatibility, individual column widths, invisible columns for confidential data, and full compatibility with VisiCalc that lets you utilize existing VisiCalc models. Refer to the box below for a comparison of MAGICALC and VISICALC.

EXPAND-A-RAM 64K or 128K of additional RAM memory for expanded MAGICALC worksheets. Includes MEMORY MANAGEMENT SYSTEM — relocates DOS for more free memory in BASIC. You also get RAMDISK emulators for APPLE DOS, APPLE PASCAL, Mand CP/MM— a software package that emulates a standard Apple floppy disk drive but is 2 to 10 times faster. Plus more.

Registered trade marks: Apple... belongs to Apple Computer, Inc., Magicalc to Artsci, Inc., Expand-A-Ram to Prometheus Products, Inc., VisiCalc to Visicorp, CP/M to Digital Research, Inc. EXPAND-A-RAM for Apple II plugs into any slot and works with the many software programs that use 16K of RAM in slot 0 – including CP/M, APPLE PASCAL, LISA, MERLIN . . . and many others. EXPAND-A-RAM/80 for Apple IIe, which includes the 80-column display, goes into the auxiliary slot. No modification of your Apple is required.

SPECIAL LOW INTRODUCTORY PRICES for the combination MAGICALC plus EXPAND-A-RAM are \$399 with 64K RAM and \$499 with 128K RAM. Apple Ile users (only), please specify your choice of the standard EXPAND-A-RAM or EXPAND-A-RAM/80 with 80-column Display at no additional charge.

See your local dealer for details:

ARTSCI, INC.

5547 Satsuma Ave., North Hollywood, CA 91601, (213) 985-2922

PROMETHEUS PRODUCTS, INC.

45277 Fremont Blvd., Fremont, CA 94538, (415) 490-2370

COMPARE	MAGI- CALC	VISI- CALC
Preboot required	NO	YES
70 column upper and lower case video display	YES	NO
Full 80 column board display	YES	NO
Individual column widths	YES	NO
Invisible columns for confidential data	YES	NO
Hard disk compatibility	YES	NO
Full compatibility with VisiCalc	YES	YES
Program plus 128K RAM	\$499	\$745

From





PROMERLEUS

How to get the best out of (and into) your computer.

You've invested in your computer to get data accurately, intelligibly. The modem is no place to compromise and slip in a weak link.

With Novation Cat® modems you don't. Our Cat line is a full one. At one end—our small, handy J-Cat. It purrs along at 300 bps, excellent for home use. At the other end, with all the features and conveniences you want for business—our full blown smart, automatic communication systems that can roar along at 1200 bps.

All have one thing in common—unique, highly advanced LSI chips. Our engineers have designed these little marvels, eliminating

the complexity and costs of typical modems, and producing instead modems elegantly simple in execution with absolutely state-of-the-art reliability and features.

There's nothing quite like working with the latest and the best. Come see.

The Cats are at leading computer stores.


There's another good reason to buy right now.

Tucked inside every Cat package, you'll now see a special "get acquainted" subscription to The Source. You might as well get started right.

J-CAT™ MODEM

It's smaller. 1/5th the size of an ordinary modem. Easy to stick-on, tuck-in, put anywhere you want. Auto-answer. Also, no fussing to get into the right mode, answer or originate—

I-Cat does it automatically.



103 AND 103/212 SMART-CAT™ MODEMS



They do more, do it easier and do it in less space. And with LSI technology they run better and cooler—and will for years. Built-in dialer, redialing on busy signal, auto answer, plus extensive software command set.

103 Smart-Cat (300 BAUD, full duplex) \$249° 103/212 Smart-Cat (300 or 1200 BAUD

full duplex) \$595*

212 AUTO-CAT™ MODEM



You get all the options of a full duplex Bell 212A compatible modem and more. It's an advanced modem with custom microprocessors and LSI circuits that have let us cut parts count and costs drastically—while improving performance in every way. Auto-answer and auto selection of 1200 bps or lower speed. Both synchronous and asynchronous. \$695*

APPLE®CAT™ II WITH 212 OPTION

Complete communication system for Apple owners.

Modular design lets you grow into—not out of—the system. Comes with excellent software—our own Com-Ware™ is a simple-to-use, menu driven terminal program. Full range of speeds up to 1200 bps. All auto functions—phone directory with auto configuration and auto dial, redial, answer, disconnect. Binary or text modes. VisiCalc™ and CP/M™ compatibility—and the list is growing. Installation can still be just one slot in your Apple II, even with optional 212 card. \$389* and up.

Novation



recognized leader in personal communications.

Novation, Inc., 18664 Oxnard Street, Tarzana, CA 91356 (800) 423-5419 · In California: (213) 996-5060

Cat is a registered trademark of Novation. VisiCalc is a trademark of Personal Software, Inc.
CP/M is a trademark of Digital Research Inc. Apple is a registered trademark of Apple
Computer Inc. *Suggested retail

Circle 334 on inquiry card.





Photo 11: One of The Final Word's unusual features is the possibility of setting up two separate editing windows on the screen, with each window opening onto a different text buffer. Here the top window shows a portion of this article, while the bottom window shows a special buffer that contains the directory of one of the disks in the system. The white bar separates the two windows; the windows' relative sizes can be varied. You can also have as many as 12 buffers set up at once and switch between them with buffer commands.



Photo 12: The Final Word's normal editing display. Status information is shown in the next-to-bottom line in inverse video, with transient messages and user-command input on the bottom line. The text is displayed in normal intensity. (You can change the character video attributes by using the system-configuration utility program.)

The five text lines at the top of the screen illustrate some of the embedded formatting commands used by The Final Word. These are interpreted by the formatting program and do not appear in the final output in this form.

Text continued from page 206:

other program. But with this great flexibility comes an extra measure of complexity. This program is more complicated than even Wordstar, but fortunately you don't have to learn every command and feature to productively use The Final Word. (One of the programmers for Mark of the Unicorn, Craig Finseth, described the concerns of the designers of the program in a BYTE article last year; see reference 2.)

At a Glance

Name

The Final Word

Гуре

Word-processing program

Manufacturer

Mark of the Unicorn Inc. POB 423 Arlington, MA 02174 (617) 489-1387

Price

5300

Format

Two 514-inch floppy disks, PC-DOS [MS-DOS]

Language

C (source code not available)

Computer

IBM Personal Computer (as reviewed)

Documentation

User's manual: 402 pages printed with letter-quality printer in large loose-leaf binder; tutorial files on distribution disks; reference card, function-key chart

Audlence

Users of word processing who need advanced features and extensive formatting capabilities

The Final Word has several unusual features including the following: You can view and edit two separate active documents (see photo 11), each in its own buffer and half-screen window, and you can transfer sections of text between the buffers. You can restore ("undelete") small segments or even large chunks of text that you have inadvertently or purposefully deleted. You can create files containing disk directories. And you can terminate execution of the program, do some other task with the computer, and then reactivate The Final Word to find your text buffers and even editing modes in place just as they were when you quit. This last capability is provided through information stored in the buffer-swap disk file, which also provides automatic protection against system crashes and interruptions. (Mark of the Unicorn calls this feature State Save.)

During editing, one special disk file, called FW.SWP, holds the swapped-out text from the currently used set of buffers. After you have stopped typing for seven seconds (or a duration you set), The Final Word automatically saves the segments of text you have changed and stores them on disk. This storage allows you to return to where you were after a power outage or other interruption with little trouble. You can set the size of this file according to your needs.

Some of the characteristics of The Final Word will seem strange to people who have been accustomed to some other editing system. For instance, block moves of text are accomplished by deleting the block, moving the cursor to where you want it to go, and then "undeleting"

ESPRIT II

goes TVI-950 one better.

Our new Esprit III™ is a plug-to-plug replacement for the TeleVideo TVI-950. Same command set. Same keyboard layout. The same features, Even the same user-PROM capability.


same user-PROM capability.
But Esprit III goes TVI-950 one better.
And that one important difference is price. Esprit III costs \$300 less. In fact, it costs \$100 less than TeleVideo's far less capable TVI-925.

Look at the numbers. TVI-950 performance for less than TVI-925 cost. You'll agree. Esprit III is the best one.

	Esprit	TVI 925*	TVI 950*
Buffered mode	Yes	Yes	Yes
Programmable function keys	Yes	No	Yes
Line graphics	Yes	No	Yes
Page/line transmit	Yes	Yes	Yes
Smooth scrolling	Yes	No	Yes
Price	\$895	\$995	\$1,195

*Trademarks of TeleVideo Systems, Inc.

Esprit Systems, Inc., Hazeltine Terminals Division, 500 Commack Road, Commack, NY 11725 (516) 462-5598



Booth W6288

BYTE May 1983 21

the block. Anyone who has ever lost several hours' work on a computer system because of a careless erasure command will become quite nervous performing The Final Word's block-move procedure. (And you do have to be careful, because you can't do any further deletions to make room for the block at its intended destination without destroying it.)

In any attempt to rate word-processing programs by counting the number of commands, The Final Word would win hands down, at least in the group of programs reviewed here; there are nearly 160 different commands. It sounds like you could sink into a morass of control possibilities, but the program uses a logical series of menus to organize them. The structure of menu use seems somewhat akin to Wordstar's system, except that The Final Word goes one step further: three levels of menus for most commands, instead of two.

The most frequently used commands are assigned to single control characters (which you type with two keystrokes, of course). The two commands I used the most were the ones that change the direction of operation, either forward or backward. Most of the operations available in The Final Word proceed relentlessly in the selected direction. A set of commands select the operation that is to be performed, such as search for a string, delete an object forward, and delete ("kill") an object backward. Other commands select the text objects on which other commands operate. The objects are characters, words, sentences, lines, paragraphs, edges of lines, viewscreens, and buffers. (Does this remind you of Easywriter II7 It's superficially similar, but the syntax is much more usable.) And some single control-character commands activate miscellaneous functions, such as "do the last operation again," "change the capitalization style of the word after the cursor," and "transpose the last two characters typed." This last command I found handy in correcting a common typographical error.

You type Control-X to cause a menu of menus to be displayed on the top section of the screen (see photo 13). You then type a character to select one of the submenus; when the submenu shows up, you type another character to activate the desired function. For instance, you can type Control-X to obtain the list of menus, then type "M" to select the Miscellaneous menu, and then type "Q" to select the Query Replace operation. As in Wordstar, if you type the commands fast enough, the menus don't show up on the screen. (The list of menus includes Buffers, Capitalization, Files, Help, Layout, Miscellaneous, Regions, Set, and Windows.)

If you don't like using the menus, you can use the function keys instead. And The Final Word has these in abundance, too. The directional cursor keys on the right work as you would expect (actually providing a mode of cursor movement not available through the Control-character functions). The Ins (insert) key works according to The Final Word's current mode.

Over on the left side of the keyboard, the assignablefunction keys are used, consistent with the rest of The Final Word, in an exhaustive manner. First, ten functions are assigned to the unaided keys F1 through F10. Ten more functions can be invoked by holding down a Shift key while pressing F1 through F10. Ten more are available through combinations with the Control key, and ten more by using the Alt key. These 40 functions have been reasonably assigned by Mark of the Unicorn, but if you don't like the assignments you can change them yourself. If you like to use function keys, this surely gives you as many as are practical on the IBM PC.

But this is not for me. I can remember mnemonically assigned control-character functions, even through three levels of menus, much better than I can remember arbitrary associations of numbered keys. ("Hmm., , ,let me see; Alt-F2 is 'turn fill mode on or off,' but Shift-F2 is 'place cursor at marker,' or was it the other way around?") You do get a reference chart describing the uses of all 40 functions, but I think very few people will bother to learn more than the unaugmented set of 10.

The documentation for The Final Word is more than 400 pages in a large loose-leaf binder. Most of these pages are a reference and installation guide, but the first 10 chapters are a comfortably paced set of lessons for inexperienced users. Some of the lessons use tutorial text files, provided on one of the distribution disks, to enable you to practice using a basic subset of the editing and formatting commands. And if you forget a command during an editing session, you can obtain an explanation of the use of most commands from an online help file.

In formatting output, you can use The Final Word the same way you use the other three programs we've discussed: make the text look the way you want on the video-display screen and transfer the document to the printer in that format. But there is another choice,

The Final Word has a powerful advanced-formatting facility that can be invoked through an advanced-print command. You can embed any number of special formatting commands in the text to obtain perfect formal output arranged spatially and typographically into chapter titles, enumerated indented lists, subheads, tables of contents, indexes, and even cross-references. The formatter can rejustify text according to specifications given at print time, automatically number items, produce headers and footers with section and page numbers, and print numbered footnotes. Character attributes may be switched easily, and proportional spacing can be obtained via microspace justification on printers capable of it. (A large number of printers are supported by the output routine.) The formatter can even invoke the inclusion of sections of text not in the active document, but stored in a disk file, and you can type in text from the keyboard during printing for inclusion in the output. Page breaks are not normally shown on the video-display screen, but you can request a "view" output from the formatter.

There are two prices to be paid for all this wonderful capability (besides the cost of the program). The first price is learning the complications arising from inserting format commands into the text. It will probably take you many hours and much experimentation to become proficient in using the embedded commands. Fortunately, the

MVP-FORTH - A Public De	main Product	
MVP Forth is fig-FORTH updated word Set. The source is public assembler, tools and utilities, a book, Starting FORTH. Except FORTH is transportable betweens can be simplified through and the summer of the summer	ad to the FORTH-79 Standard Required domain. Included are an editor, FORTH aking it compatible with the instructional or hardware dependencies, all high level en all systems. Modifications and extending the use of MVP-FORTH Programming pilers. Les by Haydon. MVP-FORTH as to fig-FORTH, Statting hadrd, 2nd Ed. \$25 sembly Source Code Includes \$20 th & Floating Point Extensions \$20 th & Floating Point Extensions \$20	■ MVP-FORTH Meta Compiler for CP/M Programmer's kit Use for applicators on CP/M based computer includes public domain source \$150 ■ MVP-FORTH Fast Floating Point for APPLE Programmer's Kit. Includes 9511 math chip on board with disk and documentation. \$400 ■ MVP-FORTH Programming Aids for CP/M, IBM or APPLE Programmer's Kit. Extremely useful tool for decompiling, callfinding, and translating \$150 ■ MVP-FORTH by ECS Software for IBM-PC or ATARIP 400/B00. Standalone with screen editor. License required. Upgradeable \$90 ■ MVP-FORTH by ECS Software for IBM-PC or ATARIP 400/B00. Enhanced with color animation, multitasking, sound, utilities, and unlimited run time therese. \$175 ■ MVP-FORTH Professional Application Development System (PAOS) for CP/M, IBM-PC, or APPLE A three level integrated system with complete documentation. Complete system for IBM, CP/M, or APPLE \$400 ■ MVP-FORTH PADS enhanced virtual system \$150
tation, Volumes 1 & 2 of M	P-FORTH Series (All About	MVP-FORTH PADS Programming Aids \$150
	y Source Code), and Starting PC, TRS-80/1° or 3, TRS	MVP-FORTH PADS Meta Compiler \$150
Color Computer or APPLE	\$150 er for CP/M Programmer's Kit	** MVP-FORTH operales under a variety of CPU's, computers, and operating systems, CPI/M® disks can be supplied 8", SS/SD, 3740 format or 5'/4 for Osborne® Northstar® Micro Decisions® Kaypro® or H89/Z89® Specify your computer and operating system. ***
FORTH DISKS		FORTH MANUALS, GUIDES & DOCUMENTS
ORTH with editor, assembler,	and manual	☐ ALL ABOUT FORTH by ☐ 1982 Rochester FORTH
	00 NOVA by CCI \$100	Haydon, See above. \$25 Proc. \$15
☐ APPLE by Kunize :	00 TRS-60/1 by N.S. \$90	☐ FORTH Encyclopedia by ☐ A FORTH Primer \$25 Derick & Baker, A complete ☐ Threaded interpreting
ATARI* ValFORTH	50 🗆 280 by LM \$50	Derick & Baker. A complete Threaded Interpretive programmer's manual to fig- Languages \$21
	00 D 8086/88 by L.M \$100	FORTH with FORTH-79 TO AIM FORTH User Man \$12
	00 VIC FORTH byHES, VIC20	references. How charled, 2nd in Apple Clearly Manual
	00 cartridge \$60	MicroMotion \$20
	ding Point, G-Graphics, T-Tutorial. Support, MT-Multi-Tasking, X-Other	Pocket Guide \$7 And So FORTH by Huang. A code \$30
APPLE by M.M.	□ Extensions for L.M.	college level lext. \$25
F, G, & 79	40 IBM,Z80, and 8086	LI FORTH Programming by FORTH \$25
ATARI by PNS, F,G, & X.		Scanion \$17 Caltech FORTH Manual \$12
□ CP/M by M.M., F & 79 \$	40 Point \$100 D 8087 Support	Floegel S8 D Invitation to FORTH \$20
	(IBM-PC or 8086) \$100 © 9511 Support	Starting FORTH by Brodle. Best Instructional manual CP/M User's Manual,
F, G, S, M, MT, & X	1200 01 2002)	available (soft cover) \$16 MicroMotion \$20
Multi-Tasking FORTH by	UC Color Graphics (IBM-PC) \$100	☐ Starting FORTH (hard ☐ FORTH-79 Standard \$15
	95 🖸 Data Base	cover) \$20 🗇 FORTH-79 Standard
TRS-80/1 or III by M.M.S	Management \$200	☐ 1980 FORML Proc. \$25 Conversion \$10 ☐ 1981 FORML Proc 2 Vol \$40 ☐ Tiny Pascal fig-FORTH \$10
	30 Requires LM FORTH disk, specify IBM, Z80, or 8066	☐ 1982 FORML Proc. \$25 ☐ NOVA fig-FORTH CCI \$15
Includes Starting FORTH		☐ 1981 Rochester FORTH ☐ Installation Manual
CROSS COMPILERS Allow &	ending, modifying and compiling for n also produce ROMable code.	Proc. \$25 fig-FORTH \$15
Requires FORTH disk		Source Listings of lig-FORTH, for specific CPU's and computers. The Installation Manual is required for Implementation. Each \$
D CP/M \$300	□ IBM• \$300	□ 1802 □ 6802 □ 6800 □ AlphaMicro
☐ TRS-80/I 5300	□ Z80+ \$300	□ 8080 □ 8086/88 □ 9900 □ APPLE II
□ Northstar® \$300 □ 8086	CI Apple II/II + \$300	□ PACE □ 6809 □ NOVA □ PDP-11/LSI-11
	ids for decompiling, callfinding,	☐ 68000 ☐ Eclipse ☐ VAX ☐ Z80
and translating. Specify CF Apple		Ordering Information: Check, Money Order (payable to MOUNTAIN VIEW PRES INC.), VISA, MasterCard or COD's accepted. No billing or unpaid PO's. Californ
Key to vendors: F.I. FORTH Inc. L & H Laxen and Harris L.M. Laboratory Microsyst	M.M. MicroMolion M.M.S. Miller Microcomputer Services N.S. Nauticus Systems ms 8,L. Shaw Labs	residents add sales tax. Shipping costs in US included in price. Poreign orders, p. in US lands on US bank, include for handling and shipping by Air. \$5 for each ite under \$25, \$10 for each item between \$25 and \$99 and \$20 for each item of \$100. Minimum order \$10. All prices and products subject to change or withdray without notice. Single system and/or single user license agreement required.
	· · · · · · · · · · · · · · · · · · ·	some bloducis.
lunitar Ass Commutes	Z80 FORTH micro code - \$150	DEALER & AUTHOR INQUIRIES INVITED

Circle 316 on inquiry card.



commands are plainly recognizable in function: some typical commands are:

@Address[text]
@Majorheading[text]
@Style[Topmargin 6 lines]

There is even a @Verse format for those who are inclined to write poetry. Nonetheless, learning to write proper formatting commands is like learning to write programs for a FORTRAN compiler—error messages can suddenly come after the formatter has been running for three minutes, and you have to edit the file and start over.

The second price is the time required for the software to recognize and interpret all those embedded commands and the time needed by the formatter routine to process them. The time taken for The Final Word to do its housekeeping and begin printing a large document after you give the command can increase greatly when the formatter routine is called as part of the process. For instance, a 28.167-character file (last month's Ciarcia's Circuit Cellar) required 1 minute, 35 seconds for printing to begin without formatting; the duration jumped to 4 minutes with advanced formatting. If you want to format a lot of long documents, you'll find yourself taking a lot of enforced coffee breaks. But once the file has been formatted, you can start editing again as it prints. If most of your writing work involves producing documents with complicated structures, I think you'll gladly wait while the computer sorts it all out for you.

In addition to taking up time, the operation of the formatting routine also consumes a great deal of disk space. Unless you severely restrict your use of The Final Word, you'll need at least the disk space provided by two double-sided 51/4-inch floppy-disk drives.

Mark of the Unicorn, in contrast to Micropro International, allows you to customize your copy of The Final Word in a simple, menu-driven fashion. You can set up your preferred default conditions for editing and formatting parameters (such as indentation, tabs, preferred justification style, and page margins). You can define your own keyboard usage, binding functions to keys as you please. And if you need help, you can call or write Mark of the Unicorn.

Conclusions

The four programs I've discussed here are a representative sample of the word-processing programs available for the IBM Personal Computer.


Two of them are important because of their wide commercial success: the February 1983 issue of Softalk for the IBM Personal Computer (reference 9) ranked Wordstar as the best-selling IBM PC program during December 1982, with Easywriter II ranked eighth in the same survey. (Wordstar is also important because of its many good features. I can't speak so highly of Easywriter II.)

The other two programs are significant because of the value they offer in functionality: Volkswriter provides simple, easily understood word-processing capability at a

TIME SPECIRUM®

AN INNOVATIVE CONCEPT IN MODULAR EXPANSION

Only the new TIME SPECTRUM brings you a galaxy of expansion options for your IBM-PC°...with VERSAPAK°.



VERSAPAK SYNCHRONOUS EXPANSION MODULE - Adds two standalone serial synchronous ports with SYNCPAK.

VERSAPAK MEMORY
MODULE - Memory
expansion from 256KB to
512KB in 64KB increments,
with optional second
serial asynchronous port
with RAMPAK

CLIFFHANGER® Proprietary connector mounting hardware simplifies installation of I/O lines.

PERSYST

TIME SPECTRUM FOUNDATION MODULE -

Contains a Real Time Clock, 64KB RAM (expandable to 256KB),

serial asynchronous port, and optional parallel printer port.

Watch for new VERSAPAR modules to be introduced soon.

For more information on the revolutionary new TIME SPECTRUM and VERSAPAK expansion modules, see your nearest IBM-PC authorized dealer or contact:

PERSYST

15801 Rockfield, Ste. A, Irvine, CA 92714 714-859-8871



S-100 64K STATIC RAM



ECT's 64K STATIC RAM is a low power fully static 64K x 8 bit S-100 Bus Memory Board. 2716 EPROM's can be intermixed with the RAM's.

\$399.00

Specializing in Quality Microcomputer Hardware Industrial • Educational • Small Business • Personal Card Cages, Power Supplies, Maintrames, CPU's, Memory, 110, OEM Variations

ECTRONIC CONTROL TECHNOLOGY, INC.

763 Ramsey Ave., Hillside, NJ 07205 (201) 686-8080

OLIVETTI'S PRAXIS 30 PERSONAL PRINTER

PRAXIS MAKES **PERFECT**TM

AT THE PERFECT PRICE:



- PORTABLE DAISY WHEEL PRINTER
- * CENTRONICS AND WORDSTAR COMPATIBLE
- * SERVICE FROM OLIVETTI DEALERS
- OLIVETTI APPROVED
- * VARIABLE PITCH ON PRAXIS 35, ADD \$100

TO ORDER SEE YOUR LOCAL DEALER, OR SEND CHECK OR MONEY ORDER TO:



ARK MICROSYSTEMS P.O. BOX 4190 ANN ARBOR, MI 48106 (313) 769-7253





Photo 13: When you type Control-X, a top-level menu of menus appears at the top of the screen. You then type a character (control or regular) to select one of the menu choices, such as the menu of Capitalization commands shown here. You then hit one more key to invoke the desired operation.

This display, produced on an Amdek Color-II RGB (redgreen-blue) video monitor, shows that portions of text designated to be highlighted on the screen show up in blue. Such highlighted text is underlined when the Monochrome Display Adapter is used.

relatively low price, while The Final Word, selling at a higher price, offers an amazing amount of flexibility for writing complex documents.

If I had to choose one of the four, I would probably buy The Final Word, because of its great flexibility, and yet there are things I don't like about the Mark of the Unicorn product. So I am still looking for the word-processing program of my dreams. In fact, I wrote most of this article using a fifth program I received too late to include in the project. So perhaps I'll be writing another review soon. In the meantime, consider your needs when you are choosing a word-processing program, and try before you buy.

References

- 1. Cooper, Robert G. Jr., Paul Thain Marston, John Durrett, and Theron Stimmel. "A Human-Factors Case Study Based on the IBM Personal Computer," April 1982 BYTE, page 56.
- 2. Finseth, Craig A. "Managing Words: What Capabilities Should You Have with a Text Editor?" April 1982 BYTE, page 302.
- 3. Jong, Steven. "Designing a Text Editor? The User Comes First." April 1982 BYTE, page 284.
- 4. Kern, Christopher O. "MINCE, A Text Editor." September 1981 BYTE, page 150.
- 5. Kern, Christopher O. "The Scribble Text Processor." February 1983 BYTE, page 302.
- Lemmons, Phil. "The IBM Personal Computer: First Impressions." October 1981 BYTE, page 26.
- 7. Press, Laurence I. (Larry). "Newest Easywriter Still in the Slow Lane: Version 1.0 a Lemon; 1.1 a Little Bit Sweeter." Business Computer Systems, November 1982, page 103.
- 8. Press, Larry. "Word Processors: A Look at Four Popular Programs." onComputing, Summer 1980, page 38.
- "Softalk Presents the Bestsellers." Softalk for the IBM Personal Computer, February 1983, page 115.

BASIC VS. JRT PASCA

A NO-HOLDS-BARRED COMPARISON.

EASE-OF-USE By dividing programs into modules, JRT Pascal makes even very complex programsof nearly any size-a breeze to manage. Pascal code is self-documenting; program sections are identified by meaningful names, not line numbers. Error messages are verbal, not number codes. JRT offers 12 data types (to Basic's 2 or 3), and it has both regular and hex numbers.

POWER For power—the ability to write better, clearer programs, faster-Pascal is the run-away winner. Example: JRT simplifies programming by accomplishing complicated operations (for Basic) with one command:

IF AS = "V" OR

IF A IN ['V'.:'Z') THEN ...

JRT Pascal

A\$ = "W" OR AS = "X" OR

A\$ = "Y" OR AS = "Z" THEN ...

JRT's wide variety of data types reduces programming restrictions. And the data types are not all fixed in size.

There are 3 looping statements (Basic has 1), With JRT, very large programs can be created and run, because program modules can be spread over many diskettes. Common modules can be used for several programs. Basic generally limits strings to 255 bytes; JRT strings go up to 64K.

EFFICIENCY Whereas Basic relies on a static, inefficient memory map to allocate storage. JRT's dynamic storage fills every available main storage area; there's no waste. With Basic, sub-routine modules must be linked together; with JRT, they can be linkedbut don't have to be. JRT's more powerful commands run faster; typically, you'll write Pascal programs 3 to 10 times faster than in Basic. Exclusive: JRT lets you directly access the CP/M® operating system for better total system control.

Consider our copy policy. (If you want to make copies, it's OK with us—so long as they're not for re-sale.) Check our astounding price: \$29.95! and satisfaction is guaranteed -or your money back. Basic versus JRT Pascal: which comes out on top? Right! The coupon below is for your convenience. Or call. Today.

Here's ti	he real shoc	ker!
Features	Basic	JRT Pascal
Structured programs	No	Yes
Separate compiled modules	"Chaining"	Structured procedures with auto-loading & purging
Arithmetic precision	Usually 6 or 7 digits	14 digits
Indexed files	No	Yes
Maximum string size	255 characters	64,000 characters
Loop statements	1	3
Data types	Usually 2 or 3	12
CASE statement	No	Yes
Introduced	1965	1980
Price	777	\$29.951

Full support for indexed files

CRT screen formatting & full cursor control

Facilities for formatting printed reports

File variables & GET/PUT

Dynamic arrays

SEARCH procedures for fast table look-up

Extended CASE statements

Random files to 8 megabytes with variable length records

dynamic strings

Activity analyzer prints program use histogram

14 digit BCD FLOATING POINT arithmetic

True dynamic storage

Advanced assembly interface

Fast one-step compiler: no link needed

Efficient compiler needs only 85K diskette space

Maximum program size: more than 200,000 lines

More than 200 verbal error messages

Separate compliation of auto-loading external procedures

No limits on procedure size, nesting or recursion

175-page user manual with 3-ring protective plastic binder & 514" or 8" diskettes

Handy JRT Pascal reference card



THE COMPLETE PASCAL FOR CP/M.

RT/PNSCNL3

JRT SYSTEMS Send 45 Camino Alto/A21 Mill Valley, CA 94941

phone

415/388-0530

Here's my \$29.95; please send me JRT Pascal. I understand that if I'm not completely satisfied, I can return it within 30 days-with the sealed diskettes unopened—for a full refund. (Allow 4-6 weeks for shipping.)

I need the 5-1/4" diskettes for □ Apple CP/M; □ Heath, Hard Sector; ☐ Heath, Soft Sector: ☐ Northstar: ☐ Osborne: ☐ Superbrain;

□ Televideo; □ Xerox 820. I need

8" SSSD diskettes. Name Address

State_ City. □ Check □ C.O.D. ☐ MasterCard □ VISA

(CA residents add sales tax. Add \$6 for shipping outside North A

Signature _______
*CP/M is a Digital Research TM. A 56K CP/M system is required.

Victor has delivered more advanced 16-bit microcomputers than any other manufacturer save one.

Here's why: Unsurpassed price/ performance value.

One look at the prices and capacities of these three popular Victor 9000 configurations and you'll understand why the Victor has quickly become the world's 2nd most popular advanced 16-bit microcomputer.

The Victor 9000 quite simply offers the best price/performance combination available on the market today.

The powerful memory and storage capacities of the Victor 9000 are only part of the Victor performance story.

Designed to be a hardworking, hands-on computer, the Victor 9000 gives new meaning to the term "user-friendly." From the human size, detached keyboard to the tilting, turning, high resolution display screen, the Victor 9000 makes complex business computing easy. And with scores of proven business application software packages available right now, plus networking, complete communications capabilities, and a complete line of high performance peripherals, the Victor 9000 is the class of its class.

To get the complete story on the powerful, friendly and very affordable Victor 9000, just call the Victor office nearest you or call 1-800-VIC-9000.



\$3,995.00

The 16-bit Victor 9000 Personal Business Computer with two single-sided floppy disks.

Includes two single-sided floppy disks providing 1.2 megabytes storage; central processing unit, CRT and detached keyboard; communications and networking capabilities.

The 16-bit Victor 9000 Personal Business Computer with two double-sided floppy disks.

Includes two double-sided floppy disks with 2.4 megabyte storage; central processing unit, CRT and detached keyboard; communications and networking capabilities.

\$4,745.00





\$5,995.00

The 16-bit Victor 9000 Personal Business Computer with internal hard disk.

Includes fixed/removable storage device featuring 10.6 megabyte fixed/ and 1.2 megabyte removable storage; central processing unit. CRT and detached keyboard; communications and networking capabilities.



I-800-VIC-9000

Victor has delivered more advanced 16-bit microcomputers than any other manufacturer save one.

Here's how: Unsurpassed local distribution, support and service nationwide.

The Victor 9000 personal business computer system has the hardware and the software you need. But, equally important, Victor has the human ware. Our

DISTRICT 1: ATLANTA District Office 328 Research Court Technology Park Notorose, GA 30092 (404) 449-7950

> Includes 7 branches and 70 declars in 5 states.

Branch Offices Alabema 601 S. 37th Street Birmingham 35222 (205) 252-2176

Florida 5228 Beach Boulevard Jacksonville 32207 (904) 396-7751

3000 W. Hallandulo Beh. Blvd. Hallandalo 33009 (Mlami) (205) 458-3356 (205) 498-4246 (Mlami) (205) 421-8583 (Deerfield Beh.)

649 W. Vasaar Street Orlando 32804 (305) 841-9251

Georgia 5802 Peachtree-Dunwoody Rd. Suite 102 Atlenta 30342 (404) 258-1044

Tenessee
Tenessee
Tenessee
Memphia 38111
[901] 324-5554

702 Melperk Urive, P.O. Box 40644 Nashville 37204-0644 (N15) 382-0151

•DISTRICT 2: CHICAGO District Office 3 O'Hare Tower 8420 W. Bryn Mawr Ave. Chicago, H. 60631 [312] 388-1500

> Includes 8 branches and 93 dealers in 7 states.

Branch Offices Hilnois 59 W. Grand Avenue Chicago 66618 (Central) (312) 527-0880

1351 Brummel Kik Gravo Villaga - 60007 (North) (312) 956-8190 Indiana 1401 E. Riverside Drive Indianapolis 46202 (317) 635-1236

Minnesota 790 S. Plaza Dr., Mandota Hights-55120-1572 (Minnespolis) (512) 454-8600

Misconci 200 N. Leffingwell at Pine St. Lauís 63103-2295 (314) 535-9900

Wisconsin 8028 W. Capitol Drive Milwaukee 53222 (414) 438-0305

 DISTRICT 3: CLEVELAND District Office
 6133 Ruckaide Road, Suits 302 Independence, OH 44134
 [218] 447-8590

> Includes 7 branches and 95 dealers in 5 states.

Branch Offices Kentucky 2460 Bardstown Road Louisville 40205 (502) 458-5281

Michigan 23200 Telegraph Road P.O. Box 2165 (48037) Southfield 48034 (Detroil) (333) 365-5230

New York 1435 Harlem Road Cheeklowage 14225 (Buffele) (716) 838-5100

Ohio 5621 Creek Road Blue Ash Industrial Park Cincinnati 45242 [513] 984-1060

3201 E. Royalton Road Broadview Hights, 44147 (Cleve.) [216] 526-0200

3972 Indianola Avenus P.O. Box 14405 Columbus 43214 [614] 253-8806

Pennsylvania (Includes W. Virginia) 108 Rosalya Rosd Carnegie 15100 (Pittsburgh) (412) 276-5100 • DISTRICT 4: DALLAS District Office 1404 Walbut Hill Lane Irving, TX 75082 [214] 258-5000

Includes 7 branches and

Branch Offices Arkenses 1000 W. 3rd Street Little Rock 72205 [501] 376-0505

Missouri (Includes Nebraska) 1535 Broadway Kansas City 54108 (816) 842-7956

Lunislana 1805 Dallas Drive Beton Rouge 70805 (504) 927-4180

3230 Interestate 10 Service Rd. Metairie 70001 (New Orloans) (504) 831-2601

Texas 3019 Diamond Park Drive P.O. Box 47746 Dellas 75247 17141 631-5430

5918 Southwest Freeway Houston 77057 [713] 782-8964

2201 Cee Gee Street San Antonio 78217 (512) 828-8471

DISTRICT 5: LOS ANGELES District Office 17744 Skyperk Circle Suite 274 Irvine, CA 92714 [714) 859-9944

> Includes 4 branches and 81 desiers in 4 states.

Branch Offices Arizons (Includes New Mexico) 8126 N. 23rd Avanue Sulte D Phoenix 85021 (802) 249-4807

California (Includes Navada) 1202 Olympic Boulevard Santa Monica 90404 (L.A.) [213] 450-1559

Rear you.

LAS 17241 Murphy Avenue
P.O. Box 18528
Itvine \$2713 (Orange County)
(714) 680-0363

new network of 8 districts, 50 branch offices and over

650 highly trained Victor dealers guarantees you

superb day-in, day-out service and support. Locally, where you need it, when you need it. Which is what you should expect from a company with 66 years of

experience in solving business application problems.

Here's how the Victor service/support network

breaks down. As you can see, there's a Victor dealer

3661 Camino Del Rio S. San Diego 92108 [714] 283-7001

DISTRICT 6: NEW YORK District Office 2005 Rt. 22 P.O. Box 1463 Union. NJ 07083 (201) 887-4700

> Includes 7 branches and 95 dealers in 8 states.

Branch Offices Connecticut West Hill Conter 23 New Britain Avenue Rocky Hill 06067 (203) 583-5388

581 W. Pulnam Avenue Greenwich 06830 (203) 629-9091

Massachusetts (Includes Meine. Varmont, New Hempshire) 335 Bear Hill Road Waltham 02154 (Boston) (617) 890-3800

New Jersey 2005 Route 22, P.O. Box 1463 Union 07083 (201) 587-4700

New York (Includes Rhode Island) Three Corporate Plaza Washington Ave. Extension Albany 12203 (518) 689-8446

99 Jericho Turnpike Jericho 11783 (Long Island) (518) 334-7715

355 Lexington Avenue New York City 10017 [212] 597-8980

 DISTRICT 7: WASHINGTON District Office 6260 Greensboro Drive Suite 510, McLeen, VA 22102 17031 448-1138

Includes 6 branches and 88 dealers in 7 slates and the District of Columbia. Branch Offices Maryland (Includes Delaware) 1031 Cromwell Bridge Road Towson 21204 (Baltimore) [301] 821-6710 North Carolina

North Carolina (Includes So. Carolina) 1611 S. Seventh Street P.O. Bex 9546 (20289) Charlotts 28204 (704) 375-7768 Ponnsylvanta 3558 Mesdow Lane, P.O.

Pennsylventa 3558 Masdow Lane, P.O. Box 548 Bensslem 19020 (Philadelphia; [213] 539-9510 Virginia (Includes Wash. D.C.) 2110 Dabney Road, P.O. Box 6818 Richmond 23220

(804) 359-4081 7635 Sewells Point Road Norfolk 23513 [804] 583-4511 8112 Catchosso Road

8112 Galahouse Road Falls Church 22042 (703) 573-0550 •DISTRICT 8:

SAN FRANCISCO District Office 101 Celifornie St. San Francisco, CA 94111 (415) 382-1981

Includes 6 branches and 87 dealers in 9 states.

Branch Offices California 2718 | Street Sacramento 95816 (916) 441-3158

5 Dorman Avenue San Francisco D4124 (415) 826-8876

Colorado (Includes Nebraska, Montana, Wyoming) Watervluit Bustness Park 7100 N. Broadway. Bldg. 4A Denver 80221 (202) 428-4950

Oregon (Includes Idaho) 14215 N.W. Science Park Dr. Portland 07228 (503) 646-0535

Utah (Includes Idaho) 537 E. Third, South Salt Lake City 84102 (801) 363-0535

Washington (Includes Montana, Hawall, and Alaska) 13400 Northrup Way 18003 (Seattle) 1206) 824-7900

To get the complete story on the powerful, friendly and very affordable Victor 9000, just call the Victor office nearest you or call 1-800-VIC-9000.



Software Review

A Comparison of Five Database Management Programs

Actual field use uncovers surprising results.

Jack L. Abbott 8525 North 10th Ave. Peoria, AZ 85345

Database management systems, or DBMSs, are generalpurpose programs that accept data in a format that you determine, process the data according to your requirements, and then output the data in the report format that you specify. While a review of such a program may tell you about its major features, only by comparing several DBMSs can you determine which program best fits your needs.

A good DBMS should fill the gap between a customdesigned application program and an off-the-shelf general-purpose package. I designed a comparison test of five DBMSs around that specification, I looked at the Selector V by Micro-Ap Inc., dBASE II by Ashton-Tate, FMS-80 by Systems Plus, Condor III by Condor Computer Corporation, and Analyst and Osort by Structured Systems Group, By using an actual inventory file maintained by two jewelry stores as test data, I uncovered some significant differences in these programs.

Essentially, DBMSs perform four functions; data input, selection and sorting, processing, and report output, The comparison test included all these functions. In table 1, you see a typical example of the data-input format used to maintain the inventory for the two jewelry stores. The two stores have a total of 1007 different types of jewelry pieces with varying quantities of each type. The datainput format consists of 15 descriptive items or fields about each different piece of jewelry. The complete description of one piece of jewelry requires a total of 128 characters (bytes) and is called a record. The 1007 records make up the inventory file. This file occupies between

135K and 155K bytes of disk storage depending on the storage method used by the particular DBMS.

After establishing the input format, I displayed this information on the screen. The display is similar to that of table 1, except that blank spaces are provided after each field name so the inventory data can be typed in for each record. After entering the jewelry stores' inventory data, I translated the jewelry-store file to the individual formats of the five DBMSs. I used the file as a benchmark to compare these programs.


Data-input functions include defining the structure of the records as shown in table 1. Custom input screens may also be generated by some of the DBMS programs. Instead of the columnar input format, a custom screen permits placement of identifying labels and adjacent blank spaces where you can type in the field information. An example is a screen display of a purchase-order form. You enter the order data into the blank spaces of that form for each field in the record. The DBMS then saves the data for subsequent processing.

The second function is selection and sorting. Let's assume that, after all the jewelry store inventory data has been entered, you want to find all individual records that pertain to rings. The most effective way is to first either sort or index records on one or more selected fields. Sorting a file aligns all the records in ascending or descending order based on the alphabetical or numeric values in one field. Indexing a file accomplishes almost the same result but requires much less disk storage space because only a single selected field of a record (with an index pointer to the full record) is sorted.

In my example, the CATEG (category) field of each jewelry-file record tells whether the record pertains to chains, rings, watches, brooches, etc. To find all the ring records, you ask the DBMS to sort or index the file, placing each record in alphabetical ascending order based on

About the Author

lack L. Abbott was previously manager of systems programming at Philca Western Programming Development Laboratories in Pala Alto, California. He is now a consultant and owner of the Software Center, a software store, in Glendale, Arizona.



The Well-Tempered Cross-Assembler

Before Johann Sebastian Bach developed a new method of tuning, you had to change instruments practically every time you wanted to change keys. Very difficult.

Before Avocet introduced its family of cross-assemblers, developing micro-processor software was much the same. You needed a separate development system for practically every type of processor. Very difficult and very expensive.

But with Avocet's cross-assemblers, a single computer can develop software for virtually any microprocessor! Does that put us in a league with Bach? You decide

Development Tools That Work

Avocet cross-assemblers are fast, reliable and user-proven in over 3 years of actual use. Ask NASA, IBM, XEROX or the hundreds of other organizations that use them. Every time you see a new microprocessor-based product, there's a good chance it was developed with Avocet cross-assemblers.

Avocet cross-assemblers are easy to use. They run on any computer with CP/M* and process assembly language for the most popular microprocessor families.

XASMO5 6805 XASMO9 6809 XASM18 1802 XASM48 8048/8041 XASM51 8051 XASM65 6502 XASM68 6800/01 XASMF8 F8/3870 XASM28 28	\$200 each
XASM400 COP400/	
XASM75 , NEC 7500	\$500
(Coming soon: XASM68K	68000)

Turn Your Computer Into A Complete Development System

Of course, there's more. Avocet has the tools you need from start to finish to enter, assemble and test your software and finally cast it in EPROM:

Text Editor VEDIT -- full-screen text editor by CompuView. Makes source code entry a snap. Full-screen text editing, plus TECO-like macro facility for repetitive tasks. Pre-configured for over 40 terminals and personal computers as well as in user-configurable form,

CP/M-80 version	\$150
CP/M-86 or MDOS version ,,,,,,	\$195
(when ordered with any Avocet pro	duct)

ROM Simulator -- ROMSIM by Inner Access eliminates need to erase and reprogram EPROM. Installed in an S-100 host, ROMSIM substitutes RAM for EPROM in external target system. 16K memory can be configured to simulate the 2708, 2758, 2716, 2516, 2732, 2532, 2764, 2564 in either byte or word organization. Avocet's configurable driver makes loading of HEX or COM files fast and easy.

From \$495 depending on cabling and RAM installed.

EPROM Programmer - Model 7128 EPROM Programmer by GTek programs most EPROMS without the need for personality modules. Self-contained power supply ... accepts ASCII commands and data from any computer through RS 232 serial interface. Cross-assembler hex object files can be down-loaded directly. Commands include verify and read, as well as partial programming.

PROM types supported; 2508, 2758, 2516, 2716, 2532, 2732, 2732A, 27C32, MCM8766, 2564, 2764, 27C64, 27128, 8748, 8741, 8749, 8742, 8751, 8755, plus Seeq and Xicor EEPROMS.

(Upgrade kits will be available for new PROM types as they are introduced.)

Programmer	\$389
Options include:	
Software Driver Package	\$ 30
RS 232 Cable	
8748 family socket adaptor .,	\$ 98
8751 family socket adaptor	\$174

Call Us

If you're thinking about development systems, call us for some straight talk. If we don't have what you need, we'll help you find out who does. If you like, we'll even talk about Bach.

VISA and Mastercard accepted. All popular disc formats now available -- please specify. Prices do not include shipping and handling -- call for exact quotes. OEM INQUIRIES INVITED.

*Trademark of Digital Research



804 SOUTH STATE STREET DOVER, DELAWARE 19901 302-734-0151 TLX 467210

NUMB DATE (TURE FOR FILE: ER OF RECORDS OF LAST UPDATE RY USE DATABA	; 00000 : 00/00/00	DBF		
FLD	NAME	TYPE	WIDTH	DEC	Explanatory note:
DO1	STOCKNBR	C	010		STOCKNUMBER
002	CATEG	C	800		CATEGORY (RINGS, BROOCHES, ETC.)
003	STYLE	C	010		STYLE (LADIES, MENS, GOLD, ETC.)
004	QTY	N	004		QUANTITY
005	COSTGM	N	010	002	COST PER GRAM
006	COSTCT	N	010	002	COST PER CARAT
007	TOGWT	N	010	002	TOTAL GRAM WEIGHT
008	TOTCWT	N	010	002	TOTAL CARAT WEIGHT
009	STNWTEA	N	010	002	STONE WEIGHT EACH
010	STNWTTOT	N	010	002	STONE WEIGHT TOTAL
011	COSTEA	N	009	002	COST EACH
012	TOTOST	N	010	002	TOTAL COST
013	STORE	N	001		STORE
014	VENDOR	C	007		VENDOR
015	ENTDATE	C	008		ENTRY DATE

Table 1: Example of data-input format used for the jewelry-store inventory. FLD is the field number, NAME is field description, TYPE describes whether the entry is alphabetical or numeric, WIDTH is the number of characters in the field, and DEC is the number of decimal places used in the field.

00128

a comparison of the alphabetical values in the CATEG field.

** TOTAL **

After the data file has been sorted or indexed at your typed-in request, the DBMS will rapidly run through the file or the index and select all the records in the rings category. At your option the selected records are then either displayed, printed, or placed in a separate file for further processing.

For the third function, processing, you tell the DBMS to perform specific operations on the selected records. Using the ring example, let's say you want to record a 20 percent price increase for all rings. First, you ask the DBMS to divide the COSTEA (cost each) field of every ring record by .80 to reflect the 20 percent price increase. You then multiply the QTY (quantity) value by the COSTEA value and store the result in the TOTCST (total cost) field. You can perform similar mathematical operations on any fields in the record,

The fourth function, output, may be a simple listing of the selected data or a more elaborate presentation, including statistical summaries, subtotals, and totals on a formatted page report. The more sophisticated DBMSs include report output generators that make it possible for you to print your data output as mailing lists, checks, purchase orders, invoices, or in any desired format.

DBMS designers use two general methods for function selection. One method displays a list of general functions as soon as the DBMS starts to run on the computer. From this list, or menu, you select a submenu that expands your selected function into a detailed list of tasks. The second method presents you with a blank screen after the DBMS is loaded. You must initiate the DBMS directly, using its commands individually, or through a command file. A command file is simply a series of DBMS commands written in sequence. You use a single initiating

command to execute that entire sequence of commands. The sequence may include commands to accomplish specific tasks or to display Help information and menu selections.

Ideally a DBMS should handle any application. In actuality design trade-offs occur, making some DBMSs more effective than others for a given application. The jewelry-store inventory, for example, has only one relatively short data file, but it must be accessed and updated as quickly as possible. An important characteristic of a DBMS for a jewelry-store inventory would be speed. In another application (for example, when processing personnel records), the DBMS must readily access several different files (such as payroll, hiring, and job performance information). Information may be required about one person from many files, a number of people from one file, or a number of different people from a number of different files. The DBMS must provide data from all these files with reasonable speeds, but definitely not the rapid access required by the inventory application. Additionally, the DBMS that processes personnel records must handle longer record lengths and a larger number of files than a DBMS that handles inventory data. Hierarchical or network DBMSs are better for simultaneous. multiple-file access while relational DBMSs are most efficient when extracting data from one file at a time.

Data Storage Requirements

For each of the five DBMSs discussed here, you should have available two disk drives with (depending on your application) a minimum capacity of at least 300K bytes per drive. (Table 2 presents the system requirements for each of the DBMSs plus the maximum number of records, file size, and record length that each DBMS will handle.) As I mentioned earlier, the example jewelry-



The QX-10. No ad can do it justice.

Epson.

There's an awful lot of computer hype these days. And we think it's time for a little old-fashioned honesty.

So we're going to give you a few solid reasons why — even if you look at nothing else — you should go to your dealer and take a close look at the new Epson QX-10.

Anybody can use it.

What makes the QX-10 the most remarkably usable computer to date is a unique software system called VALDOCS, coupled with a new keyboard design called HASCI. VALDOCS reduces the time it takes to master the QX-10 from hours to minutes by displaying exactly what your options are, while the straightforward, detachable HASCI keyboard places all the most-used functions right in front of you, grouped logically and labeled in plain English.

You may never buy software again.

VALDOCS may be all the software you'll ever need. Right out of the box it's a sophisticated word processor; an information indexer for easy access to files; an electronic mail system; a calcula-

tor; an appointment book and notepad; and a high resolution business graph drawing system.

A little price tag.

Mere words are not enough. To fully appreciate the powers of this machine, you must experience it for yourself. So visit your dealer and see what it can do. And if that doesn't sell

you, the comfortable price tag will. It sells for under \$3000. And that's no hype.





Call (800) 421-5426 for the Epson dealer in your area.

Circle 193 on Inquiry card. BYTE May 1963 223

DBMS	Program Version	Operating System (8 bit)	Operating System (16 bit)	Memory Requirements (in bytes)	Maximum Records Per File	Meximum Record Length (in bytes)
Analyst and Qsort	2.0	CP/M and MP/M	not available	48K	65,535	255
Condor III	2.09	CP/M and MP/M	MS-DOS and CP/M 86	58K	32,767	1024
dBASE II	2.3B	CP/M and MP/M	MS-DOS and CP/M 86	48K (16-bit yersion: 128K)	65,535	1000
FMS-80	2.21D	CP/M and MP/M	not available	56K	85,535	20K+
Selector V	1.04	CP/M and MP/M	MS-DOS and CP/M 86	56K	65,535	25,245

Table 2: Statistical information about each database management system. Figures in the table list the maximum length and number of possible records, but the disk configuration of your system will determine the maximum number of files.

store database file of 1007 records occupies from 135K bytes to 155K bytes of storage on a disk depending on the disk storage format. Each time you sort the file on a different field, an additional equal amount of storage is required. Indexing a file is similar to sorting but requires much less disk storage space. In the jewelry-store example, a median disk storage requirement for an index file on the CATEG field is 35K bytes. This figure will vary depending on the number of characters in the indexed field.

While not absolutely necessary, it is desirable to have the DBMS and required CP/M utilities on one drive and the data file on another. Compare my example file with your own intended application. Consider that if I keep all the jewelry file data on one drive, the example file will occupy 135K bytes, and with one additional sort the files will occupy a total of 270K bytes on a typical 320K-byte system drive.

Analyst and Qsort are written in CBASIC2, but a runtime interpreter is furnished and need not be purchased separately. FMS-80, dBASE II, and Condor are written in assembly language. Selector V is written in compiled CBASIC2. Assembly-language coding is the fastest and most efficient, followed by compiled CBASIC, with interpreted CBASIC the slowest. The compiled CBASIC program Selector V performs some functions more rapidly than assembly-language-coded programs. However, assembly-language-coded programs require less memory and disk storage space.

Timing Comparison

Table 3 shows how the five DBMSs fared in timing tests that were run on a Dynabyte 8/1 8/4 Z80 microcomputer running at 4 megahertz with 64K bytes of RAM (random-access read/write memory), two 8-inch drives, and a Televideo 925 terminal. Benchmark tests on this machine place it as average or a little better in comparison to the processing times of most popular microcomputers. Significantly better times will be obtained if you have a hard-disk drive or use a RAM drive. (A RAM drive is a program and additional RAM that look to the computer like a very fast simulated disk drive and speed up processing greatly.)

Now let's consider some of the factors influencing the

test results for each of the five DBMSs:

Analyst and Qsort (\$350 from Structured Systems Group, 5204 Claremont, Oakland, CA 94618; (415) 547-1567): The longer times required for this DBMS to load individual menus are a result of its being written in interpreted CBASIC2. Once the menus are reached, processing times are very fast. This program does not have file indexing. A sequenced file is obtained by sorting. The disadvantage is that a sorted file takes up as much disk storage space as the original file. Its file-sort time is the best of the five DBMSs. Times to locate a record after the sort is finished are comparable to indexed files.

Condor III (\$995 from Condor Computer Corp., POB 8318, Ann Arbor, MI 48107; (313) 769-3988): Because this DBMS is written in assembly language, the time required to bring up the program or to switch from one function to another is 2 or 3 seconds. There is no menu, but you can easily construct one using a command file and the supplied screen-display generator. Condor will sort a 128K-byte file in 3 minutes and 30 seconds. By chance, the jewelry file is 128K bytes. To sort a file over 128K bytes in length, you must split the file into sections and then sort each section. The individual sections must then be recombined. This is a time-consuming and somewhat complex procedure and is a serious deficiency if you plan to generate large files. (The latest version of Condor is now able to sort files larger that 128K bytes.)

dBASE II (\$700 from Ashton-Tate, 10150 West Jefferson Blvd., Culver City, CA 90230; (213) 204-5570): Like Condor, this DBMS does not have menus for the individual processing tasks. The program will load and be ready for operation in 2 or 3 seconds. You must remember the commands to implement the program's functions. As an alternative, it is a simple matter to use the supplied screen display generator to construct a command file help menu. You can request the help menu to be displayed at the outset. Command file menus can also be generated to select groups of sequenced commands.

The most significant deviation from the other four DBMS processing times is listed in comment 5 of table 3. It took 1 hour and 21 minutes to delete 50 records from the database and re-index the file on one field. This is not as serious as it might first appear because records are first marked for deletion but are not permanently erased until

Maximum Fields Per Record	Maximum Field Length	Digits of Accuracy	
50	255	14	line oriented
127	127	10	fully addressable cursor
32	254	10	fully addressable oursor
255	255	10	fully addressable cursor
99	255	14	fully addressable cursor

a pack operation is accomplished. Marking the record for deletion takes little time. It is simply a matter of finding the record in the file and then marking it. Records can generally be located within a few seconds. After the record is marked it will be ignored by the program for most processing or selection tasks. To complete the process and regain the disk storage space used by the deleted records you must then execute a pack command. Next the file must be rewritten to the disk to condense the CP/M disk file. The records can be marked for deletion during normal operations and then at night or during a slack period the pack operation and file rewrite can be performed.

FMS-80 (\$990 from Systems Plus, 3975 East Bayshore, Palo Alto, CA 94003; (415) 969-7047); This DBMS has menus for each function. It is written in machine language and the times to bring up the various menus are short. It took 15 minutes to merge and re-index the file after entering 50 new records. This is longer than the time taken by the other DBMS programs to perform this function. In addition, each time you first ask FMS-80 to find a record by searching the index file, it responds, "please be patient, re-establishing index file." This took another 25 seconds with the jewelry file. Subsequent searches take only 2 or 3 seconds to find a record. A very good feature not reflected in the timing charts is the capability to modify (but not delete) records directly from the index file. This can be accomplished in seconds. This may explain why the file must be reestablished each time it is used.

Selector V (\$495 from Micro-Ap Inc., 7033 Village Parkway, Suite 206, Dublin, CA 94568; (415) 828-6697): The times for Selector V, a compiled CBASIC2 program, to bring up its menus are much shorter than those required for Analyst and Qsort, an interpreted CBASIC2 program, and are comparable to those of FMS-80, a machine-language program. The times to go to the different functions of Selector V are very good indeed.

Distinguishing Features

Of course, there's more to a database management system than storage requirements and execution times. Now I'll discuss the individual systems in terms of those features that set each DBMS apart from the rest.

Analyst and Qsort: Program functions are selected from menus. Times to load program modules to accomplish different functions are slower than for the other DBMSs. This may not be a handicap if a number of records are processed at a time. After a function menu has been displayed and the program module loaded, processing execution times are excellent. File indexing is not available. The same results are obtained by sorting the file. Logical selection times for individual records or groups of records are as short as for indexed files. Osort can be used as a stand-alone program to sort data generated by other programs. Report outputs are limited to six lines for each record unless the program structure is modified. This permits mailing-label generation but limits the output formats available to forms less than six lines in length. Analyst always puts in a form-feed prior to starting a report.

Command-file generation procedures are not available. Report output procedures are complex to establish, but the descriptive documentation is excellent. To use any of the CP/M operating-system commands, you must exit the Analyst program. This is the lowest-priced of the DBMSs reviewed and should be considered if it can accomplish your application.

Condor III: This DBMS has an excellent screen and report generator. Although Condor, dBASE II, and FMS-80 all include a programming language for generating command files, the Condor programming language is the easiest of the three to learn. Indexing can be automatically accomplished on one field after new records are entered. Condor is especially well suited for accounting applications because a number of commands are tailored specifically for that use. Every time that you bring up Condor, you must enter a six-digit serial number, otherwise the program will not perform properly. I don't like this feature because it takes time and is nonproductive. A major drawback of this DBMS is the limitation of not being able to sort files over 128K bytes in length without dividing and then recombining them. This is particularly annoying because it is necessary to sort a file to permanently remove deleted records. An outstanding interface is maintained with CP/M, and any required operating-system commands, including calling up disk directories, are available without leaving the DBMS. Command files can be generated that enable the program to perform sequenced commands or display a user-designed menu with only one command entry. In the processing area, Condor DBMS has no mathematical precedence established and does mathematical operations in the same order they are entered. Fractional results will always be rounded off to two decimal places. The Condor documentation is good, but it would be helpful if examples of more applications were included.

dBASE II: One of dBASE II's strongest points is its ability to access a data file rapidly and to find and display or print out single or groups of logically selected records with a minimum of operator direction. Simple application programs can be easily generated by the newcomer to computing. For more complex applications, the

	Program Operation or Function	Analyst and Qsort	Condor III	dBASE II	FMS-80	Selector V
1	Time from when initiating command is typed in until database main menu is displayed or until the database is ready to accept commands if there is no menu.	35 sec.	3 sec.	3 sec.	28 sec.	18 sec.
2	Time to go from main menu, or time until database program is ready to accept commands to examine, edit, or enter data.	30 sec.	3 sec.	3 sec.	5 sec.	5 sec.
3.	Length of time to return to the main menu from data examine, adil, or enter-data function.	15 sec.	3 sec.	3 sec.	5 sec.	5 sec.
4.	Time required to accept, merge, and sort or (where applicable) re-index on one field 50 records into the 1007-record test inventory file. Does not include time required to type in the record data.	2 min. & 50 sec.	3 min. & 45 sec.	3 mln. & 25 sec.	15 mîn.	1 min.
5.	Time required to delete 50 records from the 1007-record test file. This includes cleaning up and compacting the file after the records have been marked for deletion but does not include the time required to mark or select the records for deletion.	20 mln.	7 min. & 30 sec.	1 hour & 21 min.	11 min. & 40 sec.	1 min & 20 sec.
6.	Time required to sort the 1007-record inventory example file on one field. All the records are aligned in alphabetical order based on the information contained in one field.	2 min. & 46 sec.	3 min. & 30 sec.	14 min. & 30 sec.	12 min	3 min.
7.	Time required to index the 1007-record file on one field.	not applicable	3 min, & 30 sec.	3 min.	4 mln.	4 min.
8.	Time to find a single record by key search with the record located at the other end of the 1007-record file from where the search is started.	3 sec.	3 sec.	3 sec.	3 sec.	3 sec
9.		6 min. & 30 sec.	20 sec.	3 mln.	4 min.	2 mln & 30 sec.
10.		25 sec.	3 sec.	3 sec.	6 sec.	18 sec.
11-	Time required to return to the main menu after the report is printed.	15 sec.	3 sec.	3 sec.	6 sec.	8 sec.

Table 3: Comparison of times required for the Dynabyte 8/1 8/4 microcomputer to perform the tasks listed in the left column. Don't place too much emphasis on speed. It is only one of the criteria involved in choosing a database management system for your needs.

dBASE II programming language is flexible enough to accomplish almost any application. This may sometimes cause problems for the new user. Because so many options are available, learning the program commands can be difficult. For most applications this is preferable to sacrificing capability in favor of a less complicated program. Command files can be generated using the programming language. The current version of dBASE II includes a screen-display and report generator subprogram called ZIP. ZIP works well but has the annoying attribute of sounding the terminal alarm whenever a command is entered to tell the program to do something.

With the exception of the length of time required to pack the data file after deletion of records, this DBMS accomplishes all applications very well. Like Condor, it interfaces well with CP/M. Command files can be generated as well as custom menus.


All DBMSs should be able to use files generated by other programs: dBASE II transfer procedures for files with different formats are easier to use and more effective than any of the other DBMS programs. This transfer procedure is used so that data to be processed by dBASE II can be transferred to or from other programs running under CP/M such as Wordstar or CBASIC2. Its datahandling capabilities make dBASE II the most nearly satisfactory of the five DBMS programs for a real-time application.

The documentation is reasonably well done. If you are a new user I recommend you obtain Robert A. Byers's Everyman's Data Base Primer Including dBASEII (available for \$16.95 from Ashton-Tate, 10150 West Jefferson Blvd., Culver City, CA 90230). It lists several programs, including a mailing-label program. Simple step-bystep instructions on how to design and use the programs are included.

FMS-80: Like Condor and dBASEII, this DBMS is written in assembly code, but unlike the others, it has menu selections for the different functions. Command files can also be generated. The CP/M interface to run CP/M commands is limited when compared with Condor or dBASE II. A formatted report capability is available but it is complex to set up. Initial setup of the applications programs developed with FMS-80 should be done by someone with a programming background. Adding new records to a file is time consuming in comparison with the other DBMSs. The documentation should be expanded to better explain a number of program functions, including report generation,

Selector V: This DBMS and Analyst each come close to the classic definition of a network or hierarchical DBMS. as opposed to the other three, which may be loosely defined as relational. Data can be extracted from multiple files more easily with a hierarchal than with a relational DBMS. Accessing multiple files with a relational data-

INTRODUCING 1-2-3. IT'LL HAVE YOUR IBM/PC JUMPING THROUGH HOOPS.



Meet 1-2-3 — the remarkable new software package that puts more raw power at your finger tips than anything yet created for the IBM PC. 1-2-3 actually combines information management, spreadsheet, and graphing in one program that can perform all three functions interchangeably and instantly at the couch of a key. That's power.

PARTICIPATION

MANAGEMENT

GRAPHS

Spreaklines, prophase

To explain: since
1-2-3's information
management,
spreadsheet and
graphing functions reside in
memory simultaneously, you can

go from retrieval to spreadsheet calculation to graphing instantly, just by pressing a few keys. So now you can experiment and recalculate and look at data in an endless variety of ways. As fast as your mind can think up new possibilities. There's no lag between you and the computer. And instant's a new kind of power — power that's

greater than the sum of its programs. The spreadsheet function.

If 1-2-3 were just a spreadsheet, you'd want it because it has the largest workspace on the market (2048 rows by 256 columns). To give you a quick idea of 1-2-3's spreadsheet capabilities: VisiCalc's spreadsheet for the IBM PC offers 15 arithmetic, logical and relational operators, 28 functions and 32 spreadsheet-related commands. 1-2-3 has 15 operators,

41 functions and 66 commands. And if you include data hase and graphing commands, it actually has 110!

In addition, 1-2-3 is up to 50 times as fast as established spreadsheets. With all the features you've ever seen on spreadsheets. 1-2-3 also gives you the capability to develop customized applications (with 26 macro keys) and lets you perform

repetitive tasks automatically with one keysucoke. If 1-2-3 were just a spreadsheet, it would be a very powerful tool. But it's much, much more.

The information management function.

Add to 1-2-3's spreadsheet a selective information management function, and the power curve rises at an awesome rate. Particularly since 1-2-3's information management capability reads files from other programs such as Word-

Star, VisiCalc and dBase II. So you can accumulate information on a limitless variety of topics and extract all or pieces of it for instant spreadsheet analysis. Unheard of before. Specific 1-2-3 information management features include sorting with primary and secondary keys. Retrieval using up to 32 criteria. 1-2-3 performs statistical functions such as mean, count, standard deviation and variance. It can produce histograms on part or all of the data base. 1-2-3 also

allows for the maintenance of multiple data bases and multiple criteria.

The graphing function.

1-2-3 enables you to create graphs of up to six variables using information already on the spreadsheet. And have it on screen in less than two seconds! Once you've made a graph, three keystrokes will display it in a different form. If data on the spreadsheet changes, you can display a revised graph with one keystroke. This instant relationship of one format to another opens up a whole new application area. For the first time graphics can be used as a "what if" thinking too!!

For a full demonstration of 1-2-3's remarkable power, visit your nearby 1-2-3 dealer. For his name and address, call 1-800-343-5414 (in Mass. call 617-492-7171).

Lotus Development Corporation, 55 Wheeler Street, Cambridge, MA 02138.



Circle 266 on inquiry card.

base can be done easily only by using command files. Even so, most of the newer DBMSs are relational due to the added complexity of the hierarchical or network type.

As indicated on the timing charts, Selector V, written in CBASIC2 and then compiled, compares favorably with the machine-language DBMS in running time. Report generation using Selector V is complex, even though the documentation is, for the most part, well written. It is time consuming to find a record not in sequence in a file. You must generate a select definition that defines the characteristics of the wanted record and run a search subprogram.

There is no interface with CP/M commands, and it is necessary to leave Selector V and return to CP/M to list the directory. When using a mailing list generated by Selector V, there is no way to start at any position on the mailing list other than at the beginning, or to pick out and print individual names and addresses other than generating a separate individual report. Command files cannot be generated.

Summary

After doing the tests on these DBMSs, which one do I prefer? This is a tough question to answer because each individual DBMS has some very good features not found in the others.

Analyst and Qsort are inexpensive, work well, and have excellent documentation, but they are slow in bring-

WINTERHALTER & ASSOCIATES, INC.

SOFTWARE FOR YOUR MICROCOMPUTER SOFTWARE FOR YOUR MICROCOMPUT

ing up program menus and have limited report-output capability. Qsort can be used as a stand-alone program to sort any type of file.

The dBASE II system can select, edit, manipulate, and display or print any record or groups of records in a file easily and quickly. Simple application programs are very easy to accomplish even for an inexperienced computer user. The dBASE II programming language is somewhat complex and not too easy to learn, but it is very comprehensive and will accomplish almost any programming task.

Condor has excellent capabilities for accounting or personnel processing functions, an outstanding screen and report generator capability, and is easy to learn. However, it cannot carry mathematical operations to beyond two decimal places or sort files longer than 128K bytes without extra programming effort.

FMS-80 works well, but is quite complex to use even for an experienced programmer.

Selector V runs as fast or faster than the assembly-language-coded DBMSs and has definite strengths in multiple file accesses, but the current version cannot easily select and display or print groups of records. Formatted report outputs are complex to generate.

Representatives of Micro-Ap, the producer of Selector V, say that a new version will soon be released that will speed up and simplify selection and display of individual or groups of database records.

If cost were not a limiting factor I would prefer Condor for accounting applications and dBASE II for other programs. For overall effectiveness, my selection is dBASE II. I would accompany it with Quick Code, a screen-display, report, and automatic-code generator (available for \$295 from Fox and Geller, POB 1053, Teaneck, NJ 07666). Designed specifically to supplement dBASE II, Quick Code greatly simplifies the use of the programming language and furnishes an effective screen and report generator.

I have spent many hours working with these DBMS programs. A lot of effort has gone into their development, and it shows. The combined documentation for the five DBMSs totals well over 1000 pages. I have pointed out some weak points in all of these systems, but if you compare the expense of buying a DBMS with the effort and study required to write your own application program in assembly language or a high-level language (BASIC, Pascal, etc.), you'll find that any of these DBMSs can provide good value for the price.

For more information on the database management systems (or their predecessors) discussed in this article, see the following reviews by lack L. Abbott: "Analyst and Qsort by Structured Systems Group" (January 1983 BYTE, page 346), "Condor Series 20 DBMS" (December 1982 BYTE, page 404), "Database Management with Ashton-Tate's dBASE II" (July 1982 BYTE, page 412), "Selector IV by Micro-Ap) An Information-Management Program" (April 1982 BYTE, page 371), and "Systems Plus: FMS-80" (October 1982 BYTE, page 446).

FROM THE CREATORS OF THE DATA DRIVE® COMES APPLETTE 1® AND APPLETTE 2® SLIMLINE DRIVES



Available At CompuShack Stores

Applette 1° and Applette 2° are 100% Apple II compatible. Halftracking, DOS, PASCAL, and CP/M° 300% faster track to track speed with 15% greater storage capacity on a 40 track mode with enhancer diskette TEAC° mechanism and read/write electronics. Direct shaft drive, metal band positioner, photo coupler write-protected sensor. 10,000 lifetime hours, and more One year warranty on all parts and labor.

Headquarters Telex: 18-3511

TAVA TA, CORP.

Answer Back

CSMA

(714) 730-6772

*TEAC is a registered trademark of TEAC Corp.
Circle 371 on Inquiry card.

* CP/M is a registered trademark of Digital Research, Inc.



At \$1790, this computer was selling like hotcakes. So we dropped the price.

Crazy? No, not really. You see in order to meet the demand for the Micro Decision™ we increased our production. When we did that, our costs dropped. We're passing our savings on to you, because that's our philosophy.

More for less.

So now it only takes \$1590 to buy a Micro Decision with 64K of memory, a 200K double density floppy drive and a full-size Morrow smart terminal with detachable keyboard. Not bad. But there's more.

The Micro Decision also includes a package of business The Micro Decision also includes a package of business and professional software worth well over \$2000. The WordStar® word processor. A 36,000 word spelling checker. The LogiCalc™ electronic spreadsheet. And both Microsoft BASIC-80® and NorthStar-compatible BAZIC.® Plus, the CP/M® 2.2 Operating System that gives you access to thousands of other software programs. And, we take the mystery out of CP/M with plain English commands and single-key operation.

If you have your own terminal, you can buy the complete

computer and software package for \$995. That's the Micro Decision MD1™ The MD2™ includes another double-density disk drive, plus Personal PEARL, the relational data base manager. Price? Only \$1395.


More memory? No problem. The Micro Decision MD3[™] gives you two double-sided, double-density disk drives with 768K of storage and Personal PEARL for only \$2290. Without the terminal, \$1695.

Come in for a complete demonstration at your nearest Morrow Designs dealer. If you don't know who that is, call us toll-free at (800) 521-3493. In California, call (415) 430-1970. At \$1790, the Micro Decision sold like hotcakes. At \$1590, we've just sweetened the deal.

More computer, for less.

MORROW DESIGNS 600 McCormick Street Cl San Leandro, CA 94577 (900) 521-3493 Cl (415) 430-1970 In California

Circle 314 on inquiry card.



Stalking the East-Asian Microcomputer

Phil Lemmons West Coast Editor McGraw-Hill Publications 425 Battery St. San Francisco, CA 94111

Although the products of Asia's modern technologies do not yet rival its ancient treasures, they soon will. The five-nation Far East Electronics Tour in October and November 1982 delivered this message to one group of Americans through a series of six electronics trade shows: the Japan Data Show and the Japan Electronics Show (both covered in the first part of this article, 'New Japanese Microcomputers," April BYTE 1983, page 110), the Korea Electronics Show, the Taiwan Electronics Show, the Hong Kong Consumer Electronics Show, and China

Comm 1982, in Beijing. Firms in all these countries except China manufacture microcomputers of local design.

The first stop on the tour was Japan, where the trade shows exhibited the most significant new microcomputers and where a remarkable Tokyo neighborhood showcases the vigor of the domestic Japanese microcomputer market. The rest of the tour revealed interesting developments in the other countries as well. (For those who are thinking of joining the 1983 Far East Electronics Tour, the organizer is Commerce Tours International, 870 Market St., San Francisco, CA 94102, telephone (415) 433-3072.)



Photo 1: Yamagiwa Tecnica, a six-floor store in Akihabara, Tokyo, sells only microcomputers and associated products.

Akihabara, Tokyo, Japan

If the object is electronics, then every tour of Asia should begin and end in Akihabara, This remarkable neighborhood in Tokyo is as interesting as the Japanese electronics shows. Akihabara (pronounced with the accent on the third syllable) covers an area of several square blocks. More than 400 electronic shops of varying size are packed into buildings about five to eight stories high. Escalators take you from the middle of one shop and drop you into the middle of another. There are

probably more shops selling microcomputers and related products in Akihabara than in any other neighborhood in the world, except perhaps in Osaka, the great industrial city that boasts a neighborhood called Nipponbashi said to rival Akihabara.

Many scenes in Akihabara strike the Western eye as improbable: a man riding a bicycle with an NEC PC-9801 16-bit computer strapped on the back fender; a shop with bins full of a remarkable hybrid device, a combination electronic calculator and mechanical abacus; integratedcircuit shops packed with customers of all ages and pocketbooks standing side by side poring over the latest chips; a



Photo 2: A no-frills electronics store in Akihabara.



Photo 3: Typical Akihabara store display.



Photo 4: The Samsung SPC-1000 Z80A-based home computer from Korea.



Photo 5: The thronged exhibit booth of the Multitech Industrial Corporation at the Taiwan Electronics Show.

storefront full of oscilloscopes and logic analyzers arranged to grab the eyes of potential customers.

Some of Akihabara's larger stores sell all kinds of Japanese-made electronics-audio, video, music, home appliances. Each devotes an entire department to microcomputers; often a whole floor is packed with machines from most of the major Japanese manufacturers.

Some large stores—notably Yamagiwa Tecnica, shown in photo 1-sell microcomputers only. Yamagiwa Tecnica has six floors: one devoted to software, another to home computers. another to more powerful computers (mostly 16-bit), word processors, and so on. The one-floor NEC Bit-Inn has nothing but NEC machines ranging from the PC-2001 hand-held computer to the N5200 (known in the U.S. as the Advanced Personal Computer) and the PC-9801, both 16-bit computers. Expansion boards and accessories for these computers are in stock. Another store, shown in photo 2, offers no frills but good prices on boxed computer products, mostly from NEC. Customers walk where they can, mostly behind the rows of boxes. Typically, the interiors of the retail computer stores are packed with equipment on display. Photo 3 shows a section of a typical store interior.

Many small stores in Akihabara specialize in various kinds of components. One storefront devoted to semiconductors was selling 64K-bit dynamic RAM chips at 8 for 9000 yen, or about \$4.25 per chip, (The lowest price I've seen in this country is \$5.50 per chip, from a mail-order firm.) Customers had the choice of NEC. Mitsubishi, or Toshiba RAMs. The man behind the counter complained that 64K-bit RAMs were in short supply, which led me to believe that the prices were probably no lower than usual. Another small shop sold disk drives, power supplies, single-board computers, circuit cabinets, and the like.

Many of us foreign shoppers were concerned about the reliability of these low-priced goods. Were we being offered factory rejects? A Japanese businessman allayed our fears, saying there was no need to worry about getting defective goods in Akihabara. If a

Japanese electronics manufacturer discovered that defective goods bearing its name were being sold by any shop, the company would never again deal with that shop. In effect, the manufacturers police the retail trade.

The neighborhood was so much like a bazaar that I found the impulse to haggle irresistible. But I was worried: Would haggling be possible when I spoke no Japanese and the shopkeeper spoke almost no English? Would the concept of bargaining be clear? Would the shopkeeper find bargaining offensive? Could he recognize the English words for numbers? At last I ventured to ask, "Discount?"

The shopkeeper replied, 'Target price?" and handed me a pad and pencil. The list price was 120,000 yen, then worth about \$450. I wrote,

A NEC memory board costs \$700 in the United States but sells for \$362 in Akihabara.

"90,000." The shopkeeper laughed pleasantly and wrote, "100,000." We soon reached agreement on a price of 96,000 yen. A NEC memory board for the Advanced Personal Computer with a list price in the United States of \$700 then changed hands in Akihabara for only \$362.

The flourishing electronics industry that makes Akihabara possible has in part resulted from efforts of the Ministry of International Trade and Industry (MITI). Because MITI's Industrial Electronics Division funds research, some Americans have charged that Japan's electronics manufacturers enjoy an unfair advantage in competing with American manufacturers. Toshio Takai, who worked in MITI for 25 years before becoming executive vice-president of the Electronic Industries Association of Japan, denies the charge. He says, 'MITI funds only basic research, and MITI's research money cannot be used for development of commercial products." Takai also points out that there is nothing to stop the government of the United States from funding research in electronics as MITI does in Japan.

Seoul. Korea

Our introduction to the Korea Electronics Show was unlike what we encountered elsewhere on our journey. As my group arrived at the trade center, we saw dozens of black sedans that formed a semicircular barricade in front of the exhibition hall. Perhaps a hundred men in dark business suits, some holding handguns, arrayed themselves behind the barricade. All the Koreans who approached the exhibition hall were stopped by these guards, but Westerners could pass through. In addition to the guards, the only Koreans inside the barricade were old women stooping over crude shorthandled brooms, sweeping every speck of dust from a wide path leading to the entrance of the hall. As we watched, several more black sedans arrived and passed through the barricade to park in the protected semicircle. More guards emerged from the newly arrived cars. All the guards now appeared poised for action, their eyes watchful. One guard opened the rear door of a car and out stepped a lone man in a dark business suit. All eyes followed that lone man as he walked down the clean-swept path and disappeared into the hall, "The President," someone said.


Inside, exhibits of consumer electronics and components and a few Korean microcomputers vied for our attention. Photo 4 shows the Samsung SPC-1000 home computer, a Z80Abased machine with a 32K-byte ROM containing Samsung-HuBASIC, 70K bytes of RAM, a music and sound generator, and an audio cassette built in for mass storage. Samsung also makes the Samsung Personal Computer, the SPC-2000. It is a 64K-byte CP/M-based system with dual 54-inch floppy disks, a detached keyboard with programmmable keys, and a video monitor that tilts and swivels. Gold Star, Taihan, DMS, Trigem Computer, and a few other companies also displayed microcomputers.

The Trigem 20 is a 64K-byte Apple look-alike with a 12K-byte BASIC in ROM (read-only memory). The Trigem 20 has sound and color-graphics capabilities, game input/output, and eight empty expansion slots as standard equipment. Company spokesLOW PRICES AND HIGH PROFITS. THE ACCOUNTING PARTNER. is an easy-to-use, professional software package designed for companies with sales up to \$5 million. All for less than \$400.00 And it was created by people who design the most sophisticated systems around

Why not help your customer perform efficiently and save money, while helping yourself to a decent profit? Our ambitious consumer advertising program will help. Plus newly available toll-free (800) number support. So please call us now!

STAR SOFTWARE SYSTEMS
20600 Gramercy Place, Suite 103
Torrance, CA 90501/{213} 538-2511

Circle 526 on inquiry card.



The Japanese Microcomputer Marketplace

Kurt Veggeberg 5702 Ave. C Austin, TX 78752

Over the past four years Japanese microcomputer manufacturers have seen their share of Japan's domestic market increase from 10 to 75 percent. Clearly, advances in technology and marketing techniques make this the market to watch throughout the decade.

Almost every Japanese electronics company, large and small, is in the personal computer business. Fierce competition is seen in all price ranges as each firm attempts to carve its own market niche. A great boon to consumers, the lively market is producing microcomputers that come fully equipped with features hardly imaginable just a few years ago when Apple and Radio Shack dominated the Japanese market. By following the competition's footsteps, the Japanese are able to offer compatibility with existing hardware and software plus improvements in reliability, service, features, and price. As an added advantage, many companies supply themselves with semiconductor chips and have their own well-established distribution networks.

Today's typical Japanese microcomputer usually has a Z80 microprocessor and offers a variety of standard features such as separate numeric keyboards, programmable function keys, selectable 40- or 80-character displays

About the Author

Kurt Veggeberg worked for four years as the director of the Information Center at Nagova University of Commerce in Nagoya, Japan. He is presently working on an MBA at the University of Texas.

and Japanese or graphics character sets. Each company tries to include a feature in its machine that sets it apart from the competition, For example, some of the newer VLSI chips like the 64K-bit RAMs are appearing in many computers. Additional features seen recently include bubble memory, plugin ROM packs, built-in terminal functions, and Japanese character sets with 3000-7000 characters. The 16-bit microprocessors are generating a lot of excitement as well. The 8088 appears to be winning the 16-bit popularity contest. One of the earlier 8-bit systems already offers an 8088 plug-in card.

Traditional excellence in miniaturization is evident in the current crop of Japanese pocket and portable computers. Even though the Japanese have little outside competition, the domestic market is characterized by fierce scrambling.

A move toward office automation is keeping the domestic microcomputer market booming. Despite the initial high cost of dedicated word-processing systems (around \$12,000), they quickly became essential office equipment. These word processors use one of several methods to enter and manipulate the Japanese language, which consists of two syllabaries, or kana, and thousands of individual characters. One entry method uses a board with several thousand characters printed on it. A stylus helps the user select the characters to enter. A more popular method uses a keyboard with the syllabaries. Using about 50 characters only, this method is easily implemented on a querty-style keyboard. The user simply types the symbols for the sound of a character and then presses a button. The machine decodes the input and produces a character. Most systems can even determine the character you want from the context in which it's being used. This capability is essential with a language in which many characters have the same sound. These word-processing systems are usually sold complete with dot-matrix printers (24 by 24 dots) that produce good-quality printouts. Hardware and software advances have brought the prices for these systems down to around \$3000 and the low cost is a factor in the growing strength of the domestic market.

The Software Scene

While Japanese hardware distinguishes itself with special advanced features, several problems plague the software development effort.

With the two syllabaries and thousands of characters, the Japanese language is much more difficult than English to manipulate electronically. Few of the current microcomputers can easily be used for word processing, although some progress is evident. Another factor in the software industry's slow growth is that use of disk drives is not as widespread as it is in the U.S. This places a severe limitation on the type of software that can be marketed to a wide audience. Additionally, the use of computers in business applications lags far behind that in the United States. Electronic spreadsheets such as Visicalc are having an effect on the use of microcomputers in lapan, but this is a recent develop-

Availability of software is another important issue. The number of domestic private software houses remains small and premium prices are charged for imported software—usually a 100 percent markup over the U.S. list price. However, the situation could

men say that the Trigem 20 differs from the Apple II in the video color signals, ROM software, and power supply. According to Trigem, the government of Korea is distributing 5000 microcomputers to the country's high schools, 1000 of which will be Trigem 20s. The export price of the Trigem 20 is \$350 in quantities of

3000, with a 9-inch green-phosphor video monitor selling for \$68 in the same quantities.

The Korean electronics industry developed rapidly, and by 1981 consisted of almost 800 companies employing 270,000 people. Two-thirds of the \$3.8 billion annual production is components, with another one-fifth

devoted to consumer electronics. The Korea Institute of Electronics Technology and the Korea Electro-technology and Telecommunications Research Institute have concentrated on digesting and improving imported technologies. The Electronic Industries Association of Korea expects these research institutes to generate advanced technol-

change soon because most lapanese microcomputer manufacturers are concentrating their efforts on standard operating systems. This should encourage the development of software in lapan and also encourage the importation of American software with a corresponding increase in the exportation of Japanese hardware.

Both production and distribution of software are rapidly becoming part of the book publishing domain. Simple cassette programs appear alongside magazines and other printed materials in bookstores across Japan. Most of the stores provide microcomputers so potential software buyers can try programs before purchasing. As you might expect, this attracts a lot of attention and so far I have been unable to push past the children to try any programs myself.

Intense Interest

The lapanese express a great deal of interest in microcomputers and appear to be welcoming them into their lives. A current television series on microcomputer programming is aimed at beginners and more conventional instruction is offered in a variety of places from computer stores to private schools. These courses target every possible group of future computer users. Japanese computer magazines reflect the growing demand for computer information with their multiplying numbers and rapid increases in size.

Although the Japanese have not yet made a strong showing in American markets, they're fully aware of the potential for profit in the U.S. Japanese domestic products are well designed and competitively priced and their success with low-cost printers and video displays indicates their ability to play a strong role in the American personal computer market. While this competition may bring difficulties for manufacturers, the benefits for end users should be plentiful.

ogies for integrated circuits, computers, and telecommunications. One goal mentioned at the electronics show is to produce 64K-bit dynamic RAM chips in 1984 using home-grown technology.

Taipei, Taiwan

The Taiwan Electronics Show, held

at the China External Trade Development Council Exhibition Complex in Taipei, had 511 exhibitors. While most products displayed were consumer electronics or components. I saw a lot of computer products too.

The most common microcomputers made in Taiwan are blatant copies of the Apple II. Also shown were an apparent copy of the Radio Shack TRS-80 Color Computer and two copies of the Osborne 1. An Osborne 1 copy called the Datatree Portable Business Computer had a 9-inch screen, two double-density floppydisk drives, and all the software usually bundled with the Osborne I; this machine cost \$800. The second Osborne-like portable, made by GRE Rong Electronics, includes a 6502 processor, as well as a Z80, and claims compatibility with both the Apple II and the Osborne 1.

I didn't get to see, as promised, a third Osborne look-alike. Its designer refused to bring his prototype to the Taiwan Electronics Show and insisted on a private meeting with me miles away at the office of one of his friends. When the designer arrived, more than an hour late, his appearance presented quite a contrast to the usual conservatively dressed Taiwan businessman. Half-inch-long white stitches left me no doubt about how his purple suit was put together. His purple and orange floral print shirt and inch-wide white polkadots in his purple tie set up a high-frequency oscillation with the seams of the suit

Under the circumstances, there was real danger of my overlooking the business of the meeting, But, I asked, "Where's your Osborne look-alike?"

His eyes shifted from place to place as if looking for assassins. 'If anyone saw it," he said earnestly, "they might copy my design."

If it happened to Adam Osborne, it could happen to him.

Some businessmen on the island explain the epidemic of Apple II copies as a response to the Nationalist Chinese government's ban of video games. Many companies in Taiwan had bought great quantities of discrete logic circuits and 6502 microprocessors in preparation for an expected boom in the game-machine market.

The government's ban left these companies with huge inventories of chips useful for building Apples. That might explain the Apple copies, but what about the bastard Osbornes?

Because U.S. Customs officials are watching for products from Taiwan that infringe upon American patents and copyrights, Americans would be ill-advised to rush off to Taipei to pick up a \$245 Apple or an \$800 Osborne clone. Furthermore, some local insiders told me during the show that many electronics firms in Taiwan are pushing the government there to ban the export of these illicit products. Many in Taiwan believe that copyright and patent infringements in electronics damage the reputation of the entire electronics industry in the Republic of China and injure the island nation's trade. Despite great economic advantages, some foreign companies are reluctant to manufacture in Taiwan for fear that designs will be copied by local entrepreneurs and sold on the open market at unbeatable prices.

Some respectable Taiwan firms that make legal Apple-compatible products are tired of having to defend themselves against charges inspired by illicit Apple-clones made by other firms. For instance, Stan Shih's Multitech Industrial Corporation produces the successful and lawful 6502-based Micro-Professor II. and Shih is incensed when people call that compact machine a copy of the Apple. The Micro-Professor II packs 64K bytes of RAM and a 16K-byte ROM BASIC into a unit slightly larger than an average modem. The computer will execute most Apple II software because its own software uses system calls compatible with those in the Apple's operating system. Priced in Taiwan at around \$200, the Micro-Professor II is not an imitation of an Apple but an improvement on it. The Micro-Professor II accepts software cartridges as well as audio-cassettebased software (the audio recorder and a disk-drive controller are optional). According to Shih, the Multitech BASIC interpreter has 90 instructions more than Applesoft BASIC.

Micro-Professor II has enjoyed great success in Taiwan (see the thronged



Н SOFTWARE PRODUCERS **CUT YOUR COSTS!** If you are a microcomputer software producer, check the following to see how your requirements and Holfman's services match up. Using one source for these activities can save you valuable time and money. H □ SPECIAL PACKAGING TI DUPLICATION □ EDITORIAL/PRINTING ☐ DISKETTES ☐ LABELS □ COMPONENT ASSEMBLY ☐ SLEEVES ☐ WAREHOUSING/DROP SHIPPING We know you will be pleased with our high quality and low prices. Quantities from 10 to 10 million. Please call, write or return this ad for more information. tman computer products 720 FLOWER AVENUE, DEPT BY 10 - DUARTE, CALIFORNIA 91010 (213) 303 1571 Company Address Telephone (

Multitech show booth in photo 5) not only because of its compactness and low price, but also because of its optional Chinese character controller (CCC). The Z80-based CCC adds another 64K bytes of ROM and 2K bytes of RAM to the little Micro-Professor II. and gives the user access to 22,000 Chinese characters, each displayed in a 16 by 16 matrix. With the CCC installed, the Micro-Professor permits the user to enter BASIC programs in either Chinese or English. Multitech recently remedied the only obvious deficiency of Micro-Professor II—its small keyboard—by offering a full-size typewriter keyboard as an inexpensive option. The optional keyboard has cursor keys and two "fire" keys, the latter for games. At least one member of the Far East Electronics Tour left Taiwan with a Micro-Professor II in his luggage.

Multitech now has more than 250 employees and annual revenues of \$20 million. The company's future products will include a portable computer.

Tony Jwang of J. E. Computer Company says that the only way for Taiwan's microcomputer companies to survive is to stop copying foreign machines and design their own. However, J. E. Computer now produces computers compatible with the Radio Shack TRS-80 Color Computer and the Apple II.

Taiwan's answer to Japan's MITI is ERSO, the Electronics Research and Service Organization of the Taiwan Industrial Technological Research Institute. Since 1974, ERSO has been transferring electronics technologies to local industry. ERSO develops electronic products more advanced than those of local industry and then assigns the manufacturing rights to a private Taiwan company, Recent ERSO products include the EMB86/01, an 8086-based singleboard computer for the Multibus. ERSO also developed the BC-1000, a multiuser Z80A-based computer running the MP/M multiuser operating system, and turned manufacturing and marketing over to PECOR (President Enterprises Corporation), a private company in Taipei. ERSO's highest priorities now include development by 1984 of VLSI (very large-scale integra-

tion) technology capable of producing 64K-bit RAMs and development of microcomputers and minicomputers. One of ERSO's goals is to foster the computerization of Taiwan.

Hong Kong

The Hong Kong Consumer Electronics Show revealed several microcomputers made locally. Video Technology makes two home computers. The Creativision uses a 6502A microprocessor running at 2 MHz and has 16K bytes of user RAM and a 12K-byte BASIC in ROM. The system serves as a game machine as well as a computer. The compact VZ100 Personal Computer has a Z80A running at 3.58 MHz, up to 35K bytes of RAM, 8K bytes of ROM containing system software and a BASIC interpreter, and a 45-key rubber keyboard.

Eaca International Ltd, has been making microcomputers in Hong Kong since 1979. The product line includes four different Z80-based microcomputers, the Genies I through IV. The Genie III is an all-in-one desktop computer that has a 4-MHz Z80A, 64K bytes of RAM, two 51/4-inch floppy-disk drives, and runs CP/M version 2.2. Two exhibitors in the Hong Kong Consumer Electronics Show said that the Crown Colony has set a goal of becoming a net exporter of computers by 1985.

Beijing, China

For the 20 members of the American Electronics Association trade mission to Beijing, the Chinese capital held several surprises. The first was the Chinese-language NEC PC-8001B used behind the desk at the Yanjing Hotel. The second was the amount of attention devoted to the trade mission by officials of the Fourth Ministry of Machine Building of the People's Republic of China, also known as the Ministry of the Electronics Industry. Three representatives, Huang Zhao Ming (seen in the dark gray coat at center in photo 6), president of the China Electronics Import and Export Corporation (CEIEC), and Li De Guang and Sun Shunxing, respectively vice-president of the corporation and director of the corporation's Department of Trade Relations, met with members of the trade mission for several hours.

While some discussions centered on the particular trading interests of the members of the trade mission, the Chinese emphasized their desire for the relaxation of export restrictions on American technology. At dinner one

Handley briefed the trade mission on the current state of electronics in China: 'The Chinese electronics industry is still working in the late 1960s or early 1970s. They have a few research institutes that can produce a few advanced semiconductors. They make a few microprocessors."



Photo 6: The American Electronics Association trade mission met with representatives of the People's Republic of China Electronics Import and Export Corporation (CEIEC), including its president, Huang Zhao Ming (in dark gray coat at center).

night at Beijing's International Club, the tour members joined the Chinese officials in repeated moutai toasts to the easing of restrictions on LSI and VLSI technology. (Moutai looks like vodka and tastes like death.) To date, the United States government has turned down export licenses for all integrated-circuit technology more complex than that of 2K-bit RAMs.

According to Peter Handley, a commercial officer in the United States Embassy in Beijing, CEIEC has in recent years imported about \$160 million in electronic equipment annually, including computers from Hewlett-Packard, DEC, IBM, Apple, Intel. and Cromemco. Photo 7 shows the crowded Osborne Computer booth at China Comm 1982, an exhibition of Western communications and computer equipment. The Stalin-Gothic-architecture Beijing Exhibition Center was packed with Chinese visitors; the only free space was inside the booths, as shown in Hewlett-Packard's large and popular booth (see photo 8). Other exhibitors included California Computer Products, Burroughs, Cromemco, Honeywell, IBM, Perkin-Elmer, Prime, and Wang,

CEIEC prefers importing entire production lines rather than products. France recently sold China a complete plant for making minicomputers, magnetic disks, and printers. Four Japanese firms have sold China complete production lines for electronic components. West Germany and the United Kingdom have made similar deals. In the past two years, the United States has sold China only one electronics factory, valued at \$8 million.

Handley says that China's main goals for electronics imports are fieldeffect transistors, acoustic wave filters, integrated circuits and LSI manufacturing equipment, magnetic recording heads, and satellite earth stations. China wants to buy 15 satellites and the technology required for manufacturing its own.

The CEIEC arranged a tour for our group of the Beijing Wire Communications Factory, which makes telephone exchanges and 32-bit and 48-bit minicomputers. Photo 9 shows the front panel of one of these minicomputers. The 32-bit machine comes with 64K bytes of RAM: the 48-bit machine has 32K bytes of RAM expandable to 128K bytes and runs FOR-



Photo 7: Osborne Computer Corporation's booth at China Comm 1982 was crowded with computer enthusiasts.



Photo 8: It was standing room only at China Comm 1982. The only free space was inside the booths, such as Hewlett-Packard's, shown here.

TRAN, ALGOL, and BASIC. The factory has been working in cooperation with Honeywell for about a year and several of its staff members are currently living in Minnesota for training.

Many members of the tour were surprised by the level of poverty in the Chinese capital. Since no one has refrigeration, in late fall the Chinese pile bok choi (Chinese cabbage) high in vacant lots and on roofs and balconies in the hope that nature will preserve it as the only green vegetable for the winter months. Everywhere men and women are engaged in brute, physical labor, and the sight of a woman pulling a cart full of rocks or bricks is all too common.

China is seeking to quadruple its annual industrial and agricultural output by the year 2000. During the trade mission's visit, the English-language Beijing Review quoted Premier Zhao Ziyang as saying that meeting the country's production goals depends on progress in science and technology. To quote that publication:

Addressing a national science and technology awards conference held in late October, Premier Zhao specified a guiding principle for China's economic construction: develop science and technology in order to boost the national economy. He said that every department engaged in national economy must stress achieving technical progress so as to gradually shift production to a new technological basis.



Photo 9: Front panel of a 32-bit minicomputer made at the Beijing Wire Communications Factory.

Zhao went on to say that building new factories would not be enough; old factories must be technically transformed as well. In the same issue of the Beijing Review (November 1, 1982, volume 25, number 44), Hi Oiamou, honorary president of the Chinese Academy of Social Sciences, was reported to have endorsed the maxim "Let a hundred flowers blossom and a hundred schools of thought contend" in scientific and cultural work.

During the trade mission's days in Beijing, the Chinese made no effort to hide the backwardness of their industry; instead, they appealed for help. Most members of the trade mission felt sympathy and expressed hope for wider trade, but a few raised concerns about possible military uses of microprocessor technology if the Chinese leaders once again come to regard the United States as an arch-enemy,

The impression of centralized power is so forceful in Beijing that I believe no action by the Chinese government can be ruled out. The Chinese tour guide denounced the emperors for denying the common people even the right to use colors other than gray and dark blue, reserving brighter colors for the nobility and yellow for the emperor alone. But almost all the people of Beijing still wear gray or dark blue. When the guide pointed out the building from which the premier now governs the People's Republic, Americans noticed that the roof is the same vellow as the tiles on the roof of the Imperial Palace. Americans can hardly predict the ultimate uses of microprocessors in a land that still thinks in such terms.

For background information on the Japanese microcomputer industry see "The Japanese Computer Invasion" by Stan Miastkowski, August 1981 BYTE, page 200. The May 1982 issue of BYTE also contains several articles on Japanese microcomputers, the state of the industry, and the manufacturers themselves.

Taxan monitors when precision counts

Dedicated to quality and precision, TAXAN offers a complete line of monitors including green and amber, ultra-high resolution monochrome, plus medium and high resolution RGB monitors.

ROB vision-II

TAXAN

TAXAN also offers the 410-80, 80 column and RGB card to interface with the Apple IIe.

TAXAN monitors stand alone.

See your local & TAXAN dealer, or call us for details!



TSK Electronics Corporation 18005 Cortney Court City of Industry, CA 91748 (213) 810-1291

Gircle 485 on inquiry card.

An Inexpensive Letter-Quality Printer

Stuart Brown
Bell Labs
600 Mountain Ave. 3D-420
Murray Hill, NJ 07974

The desire to have letter-quality printing for the output of programs such as word processors is common among computer hobbyists. Purchasing a letter-quality printer, such as a Diablo terminal, is usually out of the question because of the high cost—\$1500 to \$3000. One option is to buy a used IBM Selectric typewriter and install a commercially available computer interface. This process does have drawbacks, however. It ends up costing more than \$1000 and can require major modifications to the typewriter.

Another option is the solenoidactivated key-pusher, a unit that fits over a standard typewriter keyboard and emulates a human typist. This method has two major drawbacks. First, because the key-pusher is mechanical, it tends to decay with time; second, the quality of the text is limited to the quality of the typewriter itself.

These two forms of typewriter conversion share the same goal: translating a computer's digital-control signals into the mechanical actions necessary for printing. With the recent introduction of the low-cost Olivetti electronic typewriter (see photo 1), the manufacturer has tackled this problem for you. The question now becomes: How can the hobbyist interface a home computer to

About the Author

Stuart Brown received a B.S. degree in electrical engineering technology from Purdue with a minor in computer science. He has worked for five years at Bell Labs in the Interactive Digital Systems Research department. He is currently attending Rutgers for an M.S. in electrical engineering.



Photo 1: The Olivetti Praxis 30 electronic typewriter. The two cables in the rear connect to a parallel port on a microcomputer.

the electronics? This article describes a low-cost interface between a typical hobbyist computer or small business computer and the Olivetti Praxis 30 electronic typewriter.

The Typewriter

The Olivetti Praxis 30 is a portable electronic typewriter with highquality print. Its retail price is about \$250. Like the popular Diablo terminal, it uses a carbon ribbon cartridge (\$4 each) for crisp type and has interchangeable print wheels (\$30 each) for variations in style. The Praxis typewriter is controlled internally by two mask-programmed Fairchild F8 microprocessors. All functions-such as tab stops, margins, carriage movements, printing, and keyboard scanning—are controlled by these two chips, with some help from SSI (small-scale integration) interface chips. This electronic control makes the Praxis typewriter ideal for interfacing to a computer.

Interfacing the Praxis Typewriter

It is possible to interface the Praxis typewriter to a typical home computer in two obvious ways. The first method requires that the F8 microprocessors be removed and their functions emulated by your computer. These functions include control of the carriage stepper motor, print-wheel motor, type motor, and other motors and sensors. This approach offers the most versatility in determining interletter spacing and print speed. (The interletter resolution determines the output quality of most word processors.) I tried this way first and failed miserably. While controlling the carriage stepper motor is relatively easy, controlling the print wheel is not because the printwheel motor is a standard DC motor. not a stepper.

After many hours of observation using a logic analyzer, I determined that the Praxis typewriter microprocessors position a character for typing by carefully pulsing the print-wheel motor in one direction, causing the character to pass beyond the print hammer, and then reversing the motor with timed pulses until the character is properly aligned under the hammer. This timing varies with the character positions on the print wheel, and I was unable to determine the algorithm. Because Olivetti considers this timing information proprietary, calling its engineering department led to a dead end.

I chose the second and easier interface option: working with the micro-

1 SUPER WAREHOUSE

PHONE ORDERS FREE

(ONE DOLLAR CREDIT FOR PHONE ORDERS)

203-265-1223

PRINTERS

-
MFG. LIST
\$1625.
725.
1845.
1995.
3250
\$ 1595.
1995.
, 1
\$2995.
300.
1
\$ 695.
1295.
1895.
3296.
1595
.Υ
\$ 930.
1075.
1 1,90.
1335.
(693)
1695.
2295.
1945
1995.
1995.
, 1
\$ 1695.
1995.
2195.
, ,
\$ 8\$0.

VIDEO TERMINALS

LEAD SIECLED

CWK SIEGLEK	
ADM3A	\$ 595.
ADM5	645.
ADM21	è 95.
ADM22	696.
ADM24	,1195
ADM31	1095.
ADM32	1295.
ADM36 (DEC)	1196,
ADM42	2195
VECTOR GRAPHICS	1050.
MODEMS	925.
PRINTERS 310	2045.
PRINTERS 500	1693

INN ARBOR	
GENIE	₹195.
GENIE+PLUS	1395.
AMBASSADOR	1535.
META MODE	50,
DEC MODE	100.

DUAL MATRIX/LETTER QUALITY

IF YOU REALLY WANT IT - CALL US -**BEST AND LOWEST PRICES**

APPLE II+ COMPATIBLE COMPUTERS

INCLUDES - FAN, 64K, UPPER/LOWER CASE, + + +

Special \$995

- DATA SWITCH BOXES
 BUFFER BOXES
- INTERFACE CARDS
 GRAPHIC BOARDS
- SHEET FEEDERS PRINT SPOOLING
- DS120 CONTROLLER CARDS
- ANDERSON JACOBSON MODEMS
- FLOPPY & WINCHESTER DRIVES

In addition, we can make EIA RS 232 cables to your order, and supply you with ribbons, printer stands, print wheels, thimbles for all printers listed. And many, many more items. CALL NOW.

All items shipped freight collect either motor freight or UPS unless otherwise specified. All prices already include 5% cash discount. Purchase with credit card does not include discount. Connecticut residents, add 71/4% Sales Tax. For fastest delivery send certified check, money order or bank-wire transfer. Sorry, no C.O.D. orders. All equipment is in factory cartons with manufacturers' warranty. Prices subject to change without notice. Most Items in stock or shapped as received.

NATIONWIDE SERVICE. MOST PRODUCTS

P.O. BOX 373 WALLINGFORD, CONNECTICUT 06492 **ORDER LINE ORDER HOURS**

> 9:00 AM - 5:00 PM-EST MONDAY-FRIDAY

203-265-1223

Circle 1 on Inquiry card.



Use your computer to interact with the world around youl

NOW AVAILABLE - An affordable analog to digital conversion board PLUS both direct wire and AC line carrier remote device control.

Attaches to the RS-232C serial interface of your computer and/or modem!!

Now you can measure the temperature, energy consumption, light levels, humidity, etc. of your home or office. With the same device you can monitor the status of window, door, fire, and smoke sensors for security protection. Control your lights, siren, stereo, or heating system in response to sensed inputs.

ADC-1 features include:

- 16 Analog to Digital Inputs (12 bits plus sign - Resolution 1 part in 8096).
- 4 Digital (on/off) Inputs
- 6 TTL Switched Outputs Connects directly to solid state AC relay or other TTL circults
- Controls 32 Possible Devices via BSR, Levitron, Radio Shack AC line carrier appliance and lamp remote control modules.
- Analog to Digital conversion at 7 Hz. Display 20 sensor array in 2.5 seconds.
- 6 User selectable baud rates from 300 to 9600
- AFFORDABLE both measurement and control functions for ONLY \$329.
- Includes protective enclosure with easyto-use terminals for sensor attachment.
- Sensors available from Remote Measurement Systems include: light, temperature, wind, moisture, electrical energy consumption, security system switches.

Automate and protect your home. Monitor energy consumption and heat loss. Construct your own weather station. Control scientific experiments and log data. Uses limited only by your imagination!



		10	11	12	13	14	15	16	17
		B33	B32	B 31	B30	B29	B28	B27	B26
O0	AB		1	2	3	4	6	5	Tab
01	A9	Reloc		-	1	k	1	h	Marg Bypass
02	A10	Corr	7			m	η	Ь	Half Space
03	A11		q	w	6	r	1	7	Marg
04	A12		B	S	d	1	У		Marg
O5	A13	Shill Lock	1/2	p	0	T	ù	Back- space	Tab Sel
06	A14	Repeal	=	-	O	9	8	Return	Expr
07	A15		Z	Ж	С	¥	g	Space	Tab Clear

Table 1: The columns of this scan matrix are the bits (and corresponding pins) that are individually pulled low by Processor B for keyboard scanning. The rows are the bits (and pins) that are sensed by Processor A. Blanks in the matrix are either unassigned or unidentified scan positions.

processors rather than without them. This involves emulating the keyboard action, that is, making the microprocessors think that someone is typing.

I first observed how the keyboard is scanned. One of the typewriter's two F8 microprocessors, which I call Processor B, is responsible for asserting, by pulling low, one of eight scan lines that form the columns of a key matrix. The other F8 (Processor A) senses which line connected to the key rows goes low when a key is closed. This key is then identified by the F8 software through its position in the matrix. Using an ohmmeter, 1 traced the keys to identify their positions in the 8 by 8 scan matrix (see table 1). The shift function is not part of the scan matrix; it is a special input to Processor A.

To print a character (or perform a nonprinting function such as a margin set) with the cooperation of the typewriter's microprocessors, you sense the row scan lines until the appropriate one-of-eight code is transmitted by Processor B. You then emulate a key closure by pulling low the Processor A line corresponding to the desired key's matrix row position, For example, to type the letter "s," wait for pin 31 of Processor B (bit 2) to go low. For as long as it is low, bring pin 12 of Processor A (bit 4) low. As mentioned, the shift function has a dedicated input line of its own. To shift to uppercase, pin 17 on Pro-

cessor A is held low during the sense/assert operation for the character to be shifted.

The keyboard is software debounced by the Praxis typewriter's microprocessors, which means that a key must remain closed during four scans to be recognized as a valid entry. In the controlling program, the action of sensing and pulling low is repeated four times.

The advantage of this sense/assert interface is that the typewriter keyboard can still be used for normal typing without disconnecting anything. The resolution of your wordprocessing program is limited by the resolution of the typewriter (one-half space). The only required modification to the typewriter is to solder 19 wires to the pins of the two microprocessors.

Hardware Configuration

To interface the Praxis typewriter to your computer, you need nine output, or assert, lines (eight as part of the scan and one for the shift function); eight input, or sense, lines; and a couple of grounds. These usually come from a parallel-port board or chip. A good choice is the Intel 8255 parallel-interface chip, which has 24 I/O (input/output) lines, Ideally, your port's output lines should go through an open collector buffer to allow the keyboard to bring Processor A's inputs low when a key is

INTRODUCES THE TRUMP CARD® FULLY POPULATED 256K RAM + SERIAL I/O + GAME I/O. \$499 TRUMP CARD . 2 los eres Star Run and an Asynchronus (RS-232C) sered pon on one lully TRUMP CARD - 1 is the **256K RAM**

A 64K to 256K parity checking RAM is fully socketed for easy memory expansion. The memory address is switch selectable, using up only the required memory space

GAME I/O

Interface consisting of two joy-sticks and four switch inputs are IBM BASIC compatible. A standard GAME I/O DB 15 connector provides connection to the rear plate of the IBM computer.

GOLD IBM INTERFACE

Gold connectors as well as glass epoxy PCB will provide years of reliable service, with all hardware interface meeting the IBM specification

ASYNCHRONOUS COMMUNICATION

A R\$232 and 20Ma (TTY) interface supports software programable baud rates, parity, stop bits, and character Modem and serial printer are fully supported by the IBM communication software Astandard DB25 connector allows for the easy connection to serial devices



QUALITY AT AFFORDABLE PRICES!



For Further Information Contact:

Tava Corp.

1711 Corinthian Way Suite 1011 Newport Beach, CA 92660

(714) 261-0200

Headquarters Telex: 18-3511 Answer Back CSMA

THIMP CARLLY I recultioned to the energy of TAVA their delices

Circle 372 on inquiry card. BYTE May 1983 245

^{*}IBM is a registered trademark of IBM Corporation.

pressed. However, the 8255's totempole outputs don't seem to mind the brief short circuit to ground. I built a minimum-configuration, 4-MHz Z80 system whose sole purpose is to run the typewriter. It sits in-line between the host computer or modem and my terminal. You will probably want to use your microcomputer to do the job and save money.

The first step in connecting your port to the Praxis typewriter's processors is to disassemble the typewriter and remove the computer control board. The step-by-step procedure is as follows:


- 1. Turn off and unplug the typewriter. With it facing you, lift the hinged cover that protects the print mechanism. It hinges on a rod that runs horizontally through the platen. Gently pull the right end of the cover until the plastic hinge clears the rod. Then slide the left side of the cover off the rod.
- 2. Twist off the plastic platen handgrips by rotating each one counter-

- clockwise. Also, it is a good idea to remove the ribbon cartridge.
- Turn the typewriter over and remove the four screws that hold the plastic base on—two at the front edge and two at the rear.
- Right the typewriter and lift off the plastic case. The keyboard remains mounted to the base.
- 5. Remove the two screws that hold the keyboard assembly to the base and lift the keyboard up slightly. Five cables must be unplugged from sockets on the rear of the keyboard assembly. Remember their orientation, Photo 2 shows the keyboard assembly with the Praxis typewriter cables removed. The two cables at the bottom are from the parallel port.
- The keyboard can now be removed from the base. Turning it upside down, you discover that the circuit card is held to the keyboard card by three nuts. Remove these nuts and save the two grounding flanges (remembering the orientation of the flanges).

7. The processor card can now be separated from the keyboard card with the flexible ribbon cable acting as a hinge. Orient the boards as shown in photo 3. Note the locations of Processors A and B and the new cable wiring.

I suggest using a ribbon cable to attach your parallel port to the circuit card. Figure 1 is an interconnection diagram between an Intel 8255 port chip and the Praxis typewriter microprocessors. Solder the cable wires to the pins of Processors A and B on the foil side of the printed-circuit card. Use the same caution you would to solder a microprocessor into a board. Editor's Note: Unless you have had some kit-building or soldering experience, you should not attempt to solder wires to a printed-circuit board. Plug the other end of the cables into your parallel port and use an ohmmeter to check for proper wiring. The cables can be brought out of the typewriter by cutting slots in the ventilation holes in the case under the

The ACTION Solution For Expanding Businesses...



Action Computer Enterprise, Inc. 430 N. Halstead St., Pasadena, CA 91107 O USA TWX 910-588-1201 ACTION PSD O (213) 351-5451

In Europe: A.C.E.(Europe)Eindhoven, Netherlands TELEX \$1787 ACE E.N.L.Tel. 040-452658
In Canada: CESCO Electronique LTEE O Montreal, Canada O (514) 735-5511
In Asia: Action Computer Enterprise (Asia) Hong Kong TWX 75332 PACIC HX Tel. 5-440071

End Users circle number 10 on inquiry card. Dealers circle number 11 on inquiry card.

SAGE TECHNICAL BRIEFING

SYSTEM DESIGN, SAGE IV

The challenge was to create a computer having room for a megabyte of RAM, a built-in Winchester with floppy backup, and the ability to perform 2,000,000 instructions per second.

A small miracle, in other words.

And small is exactly what it turned out to be. In fact, the 16-bit Sage IV, including all of the above attributes, takes up less than 1/2 cubic foot.

What made such a breakthrough possible? System design.

It took the latest in memory and processor technology, plus Winchester technology. And it took a highly integrated, closely packed, low power, high speed design incorporating a proprietary bus.

Meet The New Giant Of The Microcomputer Industry. All 4.8 x 12.5 x 16.75" Of It.

Now the Sage IV is ready for you. Actually, you can choose from three different Sage IV models to meet your exact needs—configurations with a 5 megabyte Winchester plus 640K floppy right on up to a combination of four fixed or removable Winchesters plus one or two floppies (200 megabytes of disk capacity in all).

Because of the Sage IV's nocompromise system design you can load a 16K program in 1/10 second from Winchester disk.

What's more, there are over 120 sources for existing popular programs for the Sage IV. The incredible p-System operating system, standard on every Sage IV converts software that was originally written for 8-bit com-

puters in Pascal, BASIC and Fortran. Optionally, CP/M, Modula, and Hyper-Forth are also available.

Better yet, our small miracles come with prices to match.

So give us a call or write today for more Sage IV information and the name of your nearest dealer.

Sage Computer Technology, 35 North Edison Way, #4, Reno, NV 89502 (702) 322-6868.

In Europe: TDI LTD, 29 Alma Vale Road, Clifton, Bristol BS8-2HL Tel: (0272) 742796.



Circle 401 on inquiry card.



OCOMDEN/SPRING '83






Photo 2: Bottom view of the component side of the keyboard assembly. Processors A and B are identified.




Photo 3: View of the printed-circuit side of the Praxis processor board. Note where the flat ribbon cables are connected to the A and B processors. Wires from Processor A connect to the output side of the parallel port. The lower board is the keyboard.




Figure 1: The interconnection between an Intel 8255 parallel-port chip and the Praxis microprocessors.

keyboard. Reassemble the keyboard and typewriter by reversing the disassembly steps.

Software

The interface program (see listings 1 and 2 on pages 254-261) fits in less than 1K bytes, plus however much RAM you wish to allocate for buffer space. I assume a 2K-byte buffer in my code. The software is written in the C language and Z80 assembly code. C can be easily translated into assembly code or BASIC. The assembler I use has nonstandard (but Zilog-like) mnemonics. Assembly language is necessary for the interrupt handling and the critical timing of the keyboard sense/assert loops. I use interrupts because characters arrive from a host computer on a serial line to my special-purpose Z80 system, but other hardware/software combinations might not require interrupts.

Figure 2 is a flowchart of the control program. The typewriter is inherently a very slow device. Some speed is gained by taking advantage of the 12-character buffer that the typewriter's microprocessors use, but there is a danger of overflowing this buffer if the delay constants in the C program are changed. These con-

High Resolution RGB Color Monitor Designed for the IBM Personal Computer

FEATURES

- □ 80 characters x 25 lines
- 690 dots horizontal resolution
- □ 16 colors
- ☐ .31 mm dot pitch tube
- □ non-glare, black matrix
- plugs directly to IBM PC, cable supplied
- ☐ FCC Class B Approved

Princeton Graphic Systems' new HX-12 high resolution color monitor is designed with an NEC.31 mm dot pitch CRT to give you up to 690 dots horizontal resolution. You need not compromise the display quality of your system with monitors rated at less than the 640 horizontal dots generated by your IBM PC. The PGS HX-12 delivers 16 super colors, 80 characters x 25 lines. It is the best price/performance PC direct drive monitor in the market today. Get the PGS HX-12 and discover for yourself how well it complements your IBM Personal Computer.



```
phic Systems

High Resolution 80 character HX-12 RGB

phic Systems

High Resolution 80 character HX-12 RGB
```

80 character display

PGS

Princeton
Graphic Systems




Figure 2: A flowchart of the controlling software as implemented in the C and Z80 assembler programs.

stants assume a 4-MHz processor clock.

The assembly-language routines and their functions are detailed below. Names preceded by an underscore are symbols external to the C program.

int—Called on an interrupt that occurs when a character is received in the serial port. The character is queued by int, which also transmits a Control-S to the host computer when the character queue is in danger of overflowing.

start—The parallel and serial ports are configured here. All variables are cleared and the queue pointers are set to their initial values. The stack pointer is set and interrupts are enabled. Finally, the C program is entered at its beginning (_main).

lputc—A character passed by _getc is output on the serial line to the host. _getc—This routine is called from C to check and return characters from the queue. If no character is available, a -1 is returned; otherwise, a character from the queue is returned and the queue pointers are updated. If this causes the queue to empty, a Control-Q is sent to the host and the pointers are set to the base of the queue.

_put—This routine is called with two arguments. The first is the value that Processor B will be asserting (and we will be sensing) when the desired key is being scanned. The second argument is the value we assert on Processor A's pins. The shift line is pulled low if the C program has set the variable _upper to 1.

The delay loops in the C program assure that the characters are not sent to the typewriter faster than it can type or buffer them. If you have hardware timers available, the size of the program can be reduced. I have designated two Escape sequences to control typing. Until the TYPE_ON code (ESC followed by Control-B) is received, characters are returned from the queue by __getc but are ignored in the C loop. To type a character, a delay is first calculated. This delay allows time for the typewriter mechanics to print the character and/or move the carriage. Special

Text continued on page 262

A New Life For Your Apple II®

MOVE UP TO THE NEW GENERATION WITH AN EPS KEYBOARD!



FEATURES:

- Plug-in EPS PROMWARE™ Modules reconfigure keyboard for popular software packages, virtually eliminating complex command sequences.
- 12 Special Function Keys give up to 48 commands for popular software packages when used with EPS PROMWARE™ Modules.
- PROMWARE Modules available for WORDSTAR*, VISICALC*, APPLEWRITER II*, SCREENWRITER II*, and other packages.
- Interface Board plugs into keyboard socket on motherboard, no I/O slot required.
- 6 ft. cord and telephone style jack provide convenient placement and portability.
- Latching cover secures extra PROMWARE™ Modules and Command Templates.
 - TECHNICAL SPECIFICATIONS
- Full ASCII character set
- Pinout matches APPLE II
 - requirements
- Parallel output
- Microprocessor controlled
 Power 5 Volts, 100 mA
 - 191/2×9"×3"
 - 5½ lbs.

- Full Word Processing layout convenient and time saving.
- Word Processing Edit Keys [Delete, Insert, Find, Replace].
- CAP-LOCK, Working SHIFT Key.
- Auto-Repeat on all keys.
- Full cursor control with UP and DOWN arrows improves speed in spread sheet and word processing applications.
- 21-key Numeric Pad allows easy data entry.
- Works with APPLE II + and most older versions. most 80 column cards and printers.

Ask about optional Softswitch, 20 ft. extension cord, and Burn-Your-Own-Prom Kit.

Economic ** Flexible ** Comfortable THE COMPLETE, INTELLIGENT SOLUTION

Ideal for both Business and Personal Applications

To order, please call or write to:

Executive Peripheral Systems. Inc.

800 San Antonio Road, Palo Alto, CA 94303 (415) 856-2822

EPS and PROMWARE are trademarks of Executive Peripheral Systems, Inc. *Trademarks of Micro Pro International, Personal Software, Apple Computer Inc., and On-Line Systems.

See us at BOSTON APPLEFEST Booth A634

LOMPUSHACK.




IBM PC- COMPLETE LINE

IBM

PC System includes 64K IBM-PC with 320KB Floppy Disk Drive Controller. Color Graphics Card, Monochrome Manitor All for only \$2599.00

LOTUS 1-2-3 SOFTWARE ... CALL

TAVA CORP. PRODUCTS TRUMPCARD



Aunique memory card with 256K Ram Game I/O-and Serial I/O

TRUMP CARD II

Serial I/O and 512K fully populated \$699.00



TRUMP CARD V

Features Parallel and Serial I/O. Game 1/O and a Clock/Calander with battery back-up. A fully populated 256K memory board \$599.00

QUADRAM

Quad Board - 256K, Parallel Port, Serial I/O. Clock Calendar with battery \$599.00 backup

\$799.00

512K Ram with Serial I/O

AST RESEARCH

Combo Plus- 256K, Parallel & Serial Port, Clock Calendar W/Bat back-up. Superdrive, Superspool \$599.00 Mega Plus- 512K. Parallel & Serial Port, Clock Calendar W/Bat back-up \$1199.00

MAYNARD ELECTRONICS

Floppy Disk Controller \$179.00 Floppy Disk Controller w/Parallel \$229.00 Port

Floppy Disk Controller w/Serial Port \$239.00

HERCULES GRAPHICS CARD

This card gives you 720 x 350 \$499.00 graphics

*EPI M 86 15 (registered trademark of Digital Research Inc. 1019 Mill a registered trademark of Digital Research. Inc.

BIG BLUE

Dual I/O ports, dual processing, Serial port, Parallel port, 5 MHZ, Z80 B, 64K, Hard disk interface. Clock/Calendar. let's you run existing CP/M®software. \$589 Quis \$479

DISK DRIVES

For IBM PC Tandon 100-2 \$249 Teac 55-B Slimline 370KB \$269 Shugart SA-455 Slimline 320KB \$269

OTHER PRODUCTS FOR IBM

MODULE CONVERSIONS FOR YOUR IBM-PC





Z-80 Card-Will put PC in touch with 20,000 existing programs CALL

8086-Lets your IBM run 3 to 4 times

68000 Converts PC to 32 bit Architecture and UNIX III It transforms PC to a powerful cost effective Commercial Engineering work station CALL

80286-A multi-user expansion provides cost effective benefits

16032 This micro-card offers VAX like functionality and architecture to PC

CALL UNIX/XENIX "-XENIX on IBM-PC

PC Versa Card-512K Memory Card provides user flexibility to run on time tested Software available on any of the chosen processors CALL

FLOPPY DISK DRIVES

SHUGART

SA400 SS/SD \$169.00 SA450 DS/DD \$239.00

*APPLE is a registered trademark of Apple Computers, Inc. *IBM in a registered trademail of IBM Corporation

SA800/801 SS/SD	\$365.00
SA850/851 DS/DD.	\$459.00
TANDON	
TM-100-1 SS/DD	\$189.00
TM-100-2 DS/DD	\$249.00
TM-100-4 DS/DD	\$359.00
TM-848-1 SS/DD	\$425.00
TM-848-2 DS/DD	\$499.00
SIEMENS	
FDD 100-5	\$159.00
FDD 200-5	\$199.00
QUME	
DT-5 DS/DD	\$269.00
DT-8 DS/DD	\$469.00

HARD DISK SYSTEMS FOR IBM AND APPLE

DATAMAC

6MB \$1595.00 \$1995.00 12MB 18MB \$2695.00

Complete subsystem with software. cables and power supply

CORVUS

5MB Special \$1999.00 10MB Special \$2999.00



PRINTERS

EPSON

FX-80 FT w/Graftrax Plus \$599 FX-100 FT w/Graftrax Plus 5799 MX-80 FT w/Graftrax Plus 5499 MX-100 FT w/Graftrax Plus 5699

STAR MICRONICS

Gemini 10 CALL. Gemini 15 CALL

SMITH CORONA

TP-1 parallel \$579.00 TP-1 serial \$579.00

C-ITOH

CALL

GX-100 (50 CPS Dot Matrix) \$249.00 8510 \$469.00 1550 (157) \$699.00 F-10 (40 CPS, Letter Qual) \$1395.00 F-10 (55 CPS, Letter Qual) \$1695.00

· APPLETTE ! APPLETTE ? WILL TRUMP CARE IN registered in Elemans of TAVA Corpolation respectively

WE'VE MOVED TO BIGGER FACILITIES TO SERVE YOU BETTER

714) 261-1000

Sales and Service: Business & Home Computers

PLEASE NOTE OUR NEW PHONE NUMBER PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE

OKIDATA

82A	\$429.00
83A	\$699.00
84AP parallel	\$999.00
84AS serial	\$1099.00
97A	\$525.00

COMPUSHACK brother

BROTHER

HR-1 A parallel	\$769.00
HR-1 A serial	\$869.00
Tractor feed option	\$135.00

NEC



21 11 2 20 11			
7710-1	CALL	3510	CALL
7715-1		3515	
7730-1		3520	
7720-1		3525	
7725-1		3530	
3550			- 1
PC8023/	4		

MONITORS

AVAILABLE (All Models)	CALL
AMDEK MONITORS	
Color I	\$359.00
Color II	\$699.00
Color III	\$399.00
300A	\$199.00
310A	\$199.00

PRINCETON GRAPHICS SYSTEMS

CALL High Res. Color

SINCLAIR/TIMEX PRODUCTS

MEMOTECH PRODUCTS		
16K Memopack	S	59.00
32K Memopack	S	99.00
64K Memopack	\$	169.00


Memopack High Res Graphics \$139.00

Memopack Centronics Parallel inter \$139.00 face

EPSON OX-10

Z-80 CPU, w/64K Ram Video Graphics Processor, 12" monitor and many more features CALL HX-20 Notebook Computer CALL

16861 ARMSTRONG, IRVINE, CA. 92714



Apple IIe 64K Complete System, 80 Column Card, One Disk Drive w/Controller. Monitor, Stand, plus 20 diskettes \$1995.00

Apple 11+ Computer System with 48K of memory, 2 "Data Drive" disk drives, controller card, 12" green screen hi-Resolution Monitor All Cables and manuals are included for a Compushack price of \$1699.00

For the same system listed above with a 16K card, 280 card and an 80 Column card add

OTHER PRODUCTS FOR APPLE

Special of the Month!





100% Compatible Slimline drive for APPLE II + and APPLE IIE Runs DOS. CPM® Pascal software \$399.00 Suggested retail price

TAVA CORP PRODUCTS

MAN COM . I MODUCIS	
e plus 101	
Interface for parallel printer	\$89.00
e plus 102	
Parallel output buffer board	\$169.00
e plus 103	
BK Epson buffered interface	\$149.00
e plus 104	
16K Senal output buffer card	\$199.00
The send of the send of the	*****

Z80 card CP/M® included \$159.00 80 column card \$179.00 Disk drive controller card W/ \$99.00 diagnostics software

Disk drive controller HEADQUARTERS/TELEX: 181667 — ANSWER BACK: COMPDSHAK TSTN

HAYES MICROCOMPUTER **PRODUCTS**

Micromodem II 300 baud \$299.95 Smartmodem 1200 baud full duplex. \$529.95

KAYPRO II COMPUTER SYSTEM

64K Ram. Perfect Writer, Perfect Filer. Perfect Speller, Perfect Calc. S-Basic. CP/Meversion 2.2, two disk drives, 9" (green) monitor, RS232 interface, Parallel Printer interface, and Weatherproof Carrying case, w/C-ITOH Dot Matrix Printer and cable \$1995.00

DEC Rainbow 100

Keyboard, CPU, Z-80/8088, 64K, Serial RS232 Port. Two X-400KB Disk Drives. Monitor CP/M86®/80 Software, Printer and cable \$3495.00

DECMATE II

Complete System, Keyboard, CPU, 64K Words Ram, two 400 KB disk drives. monochrome monitor, operating sys-List \$4500.00

DEC PROFESSIONAL 300

Complete System, Keyboard, CPU, 256 KB Ram, two 400 KB disk drives, monochrome monitor, operating system Under \$5000.00

COMPUSHACK

CALL YOUR LOCAL COMPUSHACK DEALERS:

California	Anaheim	1
T.	Concord	(415) 828-4752
	Giendale	(213) 340-7000
	La Mirada	(213) 947-9505
	Pasadena	(213) 792-8889
	San Fernando Valley	(213) 906-7000
	San Jose	(408) 973-1444
	Tusun	(714) 261-1000
	Walnut Creek	[415] 945-8011
	West LA	[213] 906-7306
	Woodland Hills	(213) 888-0030
Colorado	Denver	(303) 422-4545
idaho	Two Falls	
(III)nois	Chicago	[312] 964-4612
Montana	Great Falls	
	Missoula	(406) 721-1811
New York	New York	(800) 228-5525
	Rochester	
	Rome	(315) 336-0266
Texas	Austin	(512) 258-1062
Washington	Richland	
	Spokane	
Wisconsin	Verona	(608) 845-7110
Canada	Toronto	(416) 593-8974
U.K.	London	01-935-0480

*Call For Phone Number

579.00

ALL FLOPPIES REPAIRED QUICKLY AT LOW COST

Call for MTI's lowest prices!

"QED" DISCOUNTS, VISA & MASTERCARD.

VIDEO TERMINALS

ADM-3A Upper case only, direct cursor address. ADM-5 Full ASCII, keyped, limited editing, stc. MTI personal computing option for above, 800Kb. Esprit Full ASCII, rum, keypad, limted edit., etc. Esprit || Full Esprit (est., Adds, ADM-3 & 5 smu. ADM-23 Conversation & block mode, 2 page mem. ADM-23 Conversation & block mode, 2 page mem, ADM-24 ADM-22 feat., 256 char buffer, graphics. ADM-31 Full editing, 2 page buffer, protected fields. ADM-32 Erganom, ADM-31 with bus, graphics, etc. ADM-36 DEC System terminal, 80 or 132 col., etc. ADM-36 I IBM 3277 keyboard layout, use with p.c. VT 100 DECscope, 80 or 132 col., upgradable, etc. VT 101 Non-upgradable VT 100. VT 102 Non-upgradable VT 100. VT 102 Non-up. VT 100 with adv. video, print. port. VT 131 Above with editing and block mode. T1 940 80 or 132 col., erganom., nne page buff., etc.

GRAPHICS TERMINALS

VT 125 Full VT 100 with DEC ReGIS firmware. VT 100/Digital Eng. Retro-Graphics Tektronix comp. VT 101/Digital Eng. Retro-Graphics Tektronix comp. VT107/Digital Eng. Retro-Graphics Tektronix comp. VT131/Digital Eng. Retro-Graphics Tektronix comp. ADM-3A/Digital Eng. Retro-Graphics Tektronix comp. ADM-5/Digital Eng. Retro-Graphics Tektronix comp. ADM-5/Digital Eng. Retro-Graphics Tektronix comp. Colorican 10/D.E.R-G, VT100/52 emu., Tektronix. VT100 w/Ti 810 platter, Tektronix compatible.

TELEPRINTERS

LA 34-AA DECwriter IV 30 cps, variable cher, widths Diablo 620 RO letter quality 512-byte input buffar, Diablo 630 RO API letter quality most pers. comps. Diable 630 KSR letter quality, 2688-byte buffer, etc. T1 745 portable, thermal, built-in acoustic coupler. T1 765 portable, above feet, with bubble memory. T1 765 portable, above first, with bubble marrory. Epson MX-80 80 cps serial impact prinner, 80 CPL. Epson MX-100 MX-80 plus 100 charatters per fine. LA 120 RA reserve only 190 cps, 132 col, multi, cps. LA 100 letterprinter, 240, 80 & 30 cps, graphics. LA 50 personal printer, 100 cps, graphics capability. LA 12 portable KSR, 150 cps on normal bond paper, T2 762 cerable, thermal 120 cps, on bidisections. Tt 783 portable, thermal, 120 cps bidirectional, stc. Tt 785 783 features plus acoustic coupler, etc. T) 787 783 features plus internal modern, etc. TI 80 RO B10 feat, plus full ASCII, 1280 RO full features of RO plus full ASCII key.
TI 820 RO 810 feat, plus full ASCII, 1280 char, buff.
TI 820 RO full features of RO plus full ASCII key.

DATAPRODUCTS LINE PRINTERS

M-200 2400 baud 200 lpm at 72 cpi dot matrix printer, B-300 tabletop band printer, 300 lpm, 132 col., etc. B-500 pedestal-mounted 600 lpm band printer. B-1000 cabinet-enclosed 1000 lpm band printer. BP-1500 cabinet-enclosed 1500 iom band printer.

ACOUSTIC COUPLERS

Ommitee 715 300 baud orig, Null duplies, Omnitee 710 300 baud orig, Natif & full duples, Vadic VA 3413 300/1200 orig, only.

MODEMS

VA 103 300 baud modemphone, rotary & tane, VA 355 300 baud 103 orig./ans. full duplex. VA 212LC law cost 1200 baud 212A orig./ans, VA 212PA orig./ans, with auto dia). DF03AA DEC 212A. VA 1250 202 dir. con. w/o rev. chen. VA 1255 202 dir. con. w/ rev. chen. VA 1255 202 dir. con. w/ rev, chan. VA 3212 212A/103 orig/ans.w & wo/auto dial, VA 3451 triple modern w & w/o auto dial. Vadic double moderns VA & Bell comp. VA 2450 Bell 201 comp. w & w/o rev. chen., etc. MICOM moderns up to 9600 bps.

LINE DRIVERS

MICOM asynch, & synch, fins drivers , MICOM 4 & 8-channel multiplexing line drivers.

MULTIPLEXORS MICOM 4, 8 & 16-channel multiplexors.

PERSONAL COMPUTERS

DEC VT 180 64K, 360 Kb 5%" dual floppy stor. MTI Rooster 64K, 800 Kb 5%" dual floppy stor.

CP/M APPLICATIONS SOFTWARE MicroPro, Microsoft, Polygon & Salect,



Applications Specialists & Distributors Computer Terminals, Peripherals & Systems New York:

516/621-6200, 212/767-0677, 518/449-5959 Outside N.Y.S.: 800/645-6530 New Jersey: 201/227-5552 Ohio: 216/464-6688

Listing 1: The C program.

```
. Giobal vartables
* Alto thempiv code initialization, the program * 1 monocod here.
maint-
                      that
                                                 cements

    holds the current print position .
    if type = f, typing is enabled .

                       h.12
                       hat
                          ypo 1
                                                                                              · default values ·
                        dolay!
                         whiletti
                                                                                              · infinite loop ·
                                                  . . dotc is the assembly language routine
- that checks for a character in the queue.
- If the queue is empty, getc' returns a EGF.
- Otherwise, the character is returned.
                                                 If is getell EOF continue:
                                                    · 11 The char begins an escape monumer · qu' another char to see which. · Otherwise, if type - 8. continue waiting
                                                 title Birt
                                                                         while; a = qptc()) == EOF); = need another char + 1fta => TYPEON1
                                                                         type = 1;
(1:a TTP50FF)
type = 0;
                                                                                                                                                                            " enable typing .
                                                                                                                                                                          / disable typing +
                                                                         Eudz gunst
                                                * Ottimus teoping it typing is disabled * if Hypu continue:
                                                  switch a
                                                                                                     A line fred can only be done
in conjunction with a carriage
return. Go back to the main
                                                                                                ontinue:
                                                                           THE CR
                                                                                                     airulate carriage return delay.

count holds the current print position
The minisus delay is for a line feed sione-
'delay! is set to CRUEL . count
If CRUEL . crount . 65136, delay2 i
set to count the overflow.
                                                                                              Illimount ++ b/
                                                                                                                          delay! LFDEL: • minkmum richay !
                                                                                            PARTITION - MAKCOELI
                                                                                                                                    Art delays to maximum.
                                                                                                                          Golny - MAXID:
                                                                                                | Arlay! (CROEL - count) . LPDEL:
                                                                                                 TruAB:
   • First as the as delay constant
• in the 1 and by the pringree to
- water with the Buffer internal to
the Praxi will not overfige.
 delay after back space .

delay after line feed .

carriage return delay per character .

aximum value in a register pair .

MAXCOKL (MAXIS LEDEL)/CHPKL .

delay after each char =/
delay for the space ./

nominal tab space ./
                                                  (1001
                                               1000
                        MAZIA
THE TAKE THE MARKET OF THE MARKET TO BE THE MARKET TO BE
```

BASF QUALIMETRIC FLEXYDISKS BUILT FOR ETERNITY-WARRANTED FOR A LIFETIME.

BASF Qualimetric FlexyDisks* offer you more...an extraordinary new lifetime warranty.* The BASF Quali-metric standard is a dramatic new international standard of quality in magnetic media...insurance that your most vital information will be secure for tomorrow when you enter it on BASF FlexyDisks today.

We can offer this warranty with complete confidence because the Qualimetric standard reflects a continuing BASF commitment to perfection...a process which begins with materials selection and inspection, and continues through coating, polishing, lubricating, testing, and 100% error-free certification. Built into our FlexyDisk jacket is a unique two-piece liner. This BASF feature traps damaging debris away from the media surface, and creates extra space in the head access area, insuring optimum media-to-head alignment. The result is a lifetime of outstanding performance.

When your information must be secure for the future, look for the distinctive BASF package with the Qualimetric seal. Call 800-343-4600 for the name of your nearest

supplier.

Circle 57 on inquiry card.





ERG/68000 MINI-SYSTEMS

☐ Full IEEE 696/S100 compatibility

HARDWARE OPTIONS

- ☐ 8MHz, 10MHz or 12MHz 68000 CPU
- Memory Management
- ☐ Multiple Port Intelligent I/O
- ☐ 64K or 128K STATIC RAM (70 nsec)
- ☐ 258K, 512K or IMB Dynamic RAM, with full parity (150 nsec)
- ☐ 5¼" or 8" D/D, D/S floppy disk
- ☐ 5MB-40MB hard disk drives
- ☐ Full DMA disk interface
- □ ¼" tape streamer
- □ 10 to 20 slot backplane
- 20 or 30 amp power supply
- Desktop or rack mount cabinets

SOFTWARE OPTIONS

- ☐ 68KFORTH¹ systems language with MACRO assembler and **META** compiler
- ☐ Fast Floating Point package
- ☐ Motorola's MACSBUG
- ☐ IDRIS² operating system with C. PASCAL, FORTRAN 77, 68K-BASIC', CIS COBOL', RDBMS
- CP/M-68K3 O/S with C, Assembler, 68K-BASIC', + 68K-FORTH', Z80 Emulator'

Trademark 'ERG, Inc. 2Whitesmiths ³Digital Research **'Micro Focus**

30 day delivery with valid Purchase Order **OEM** prices available For CPU, Integrated Card Sets or Systems.



Empirical Research Group, Inc. P.O. Box 1176 Milton, WA 98354 206-631-4855

Listing I continued:

```
The ode perpettions printing functions.

Property I am and usese
. While EMPTY UNIT - for empty matrix positions - matrix matrix 0 and 0 - rein set .
                              tor empty matrix positions .

trin Ev v

margin hypass .

trin sev v

haif spice .

tab t next stop v

line feed only available with carriage return .

met right margin */
matrix return with line feed .

local right as ASCII character! */
lear tab stop */
met tab stop */
met tab stop */
carriage return without line feed *
                     GE 4
Mdefine MARP
Mdefine CORP
Mdefine HALF
                     0865
Adetine MARL
                     0x07
#define bs
                      ⊯D B
                      0×09
Ameriane ML
                      Ox Da
Arie! Loe MARR
                      DxDb
                     0x0c
#dofine CB
Mdetine OH
                      Dalle
                      10x0
                     0×10
Mdeline TABS
                                . carriage return without line feed . . repeat .
ederf ine EXPR
#drine REP
                                ad-1:50 La . ASCII escape -/

    No typing will be done until the sequence
    ESC TYPEON is received. All characters
    after ESC TYPEOFF will be ignored

                                                  characters received
Mdefine TYPEOFF 0x0
adeline TYPEON 0x02
 Miet ine EOF
  . These are arrays.
    hit converts binary to one-of-eight code
cher bit(8) . loxet, 0x02, 0x04, 0x08, 0x10, 0x20, 0x40, 0x801;
  · Lower Case characters and codes.
 The indraes into this array determine that key's position in the keyboard matrix. Note that the first index corresponds to the volume and the second index to the row.
          tense(8)|8] =
                                                                    '5'.
'b'.
'7'.
           EMPTY.
                                                                                   TAB:
                                10000
           PELOC.
                                                                                 MARB.
                     q
q
q
q
q
           EMPTY.
                                                                                 MARR.
              REP.
           EMPTY.
  . Upper Case - corresponds to chars on keys in lesse()

    If a character cannot be found in "lease", this array is
    xearched, 'uease" • 1 for the "put" subroutine if the
    character is found in this array.

         arame[B][B] .
           EMPTY, '1',
MELOC, '',
COMB, '7',
EMPTY, 'Q',
EMPTY, 'A',
LOCK, OH,
                                         E C
                                                            · ini
                                                                        H'.
                                                                                      TAB.
                                                                                   MARB.
HALF,
                                                                                     MARL.
                                                                                     HARR.
                                                                                     TABS
              HEP.
                       " 2" .
                                 18.5
           EMPTY.
                                                                                     TABO
                                 case TAB:
                                             delay1 - TABDEL - TABSIZ:
                                            crount *= TABSIZ;
break;
                                                                             /* character count */
                                  case BS:
                                             delay1 = BSDLY;
                                            break:
                                  Call the 'lookup' subroutine to check look for the character in array 'lease'.

If not there, check array 'ucase'.
                         · Characters not found are ignored.
                       if lookupts. Icase) == 01
                                  upper - 1;
                                  lookupia, ucasel:
upper = 0:
            1
```



LAST NIGHT, COMPUSERVE TURNED THIS COMPUTER INTO A TRAVEL AGENT FOR JENNIE, A STOCK ANALYST FOR RALPH, AND NOW, IT'S SENDING HERBIE TO ANOTHER GALAXY.

NO MATTER WHICH COMPUTER YOU OWN, WE'LL HELP YOU GET THE MOST OUT OF IT.

If you've got places to go, CompuServe can save you time and money getting there. Just access the Official Airline Guide Electronic Edition—for current flight schedules and fares. Make reservations through our on-line travel service. Even charter a yacht through "Worldwide Exchange."

If your money's in the market, CompuServe offers a wealth of prestigious financial data bases. Access Value Line, or Standard and Poor's. Get the latest information on 40,000 stocks, bonds or commodities. Then, consult experts like IDS or Heinold Commodities. All on line with CompuServe.

Or if, like Herbie, intergalactic gamesmanship is your thing, enjoy the best in fantasy, adventure, and space games. Like MegaWars, the ultimate computer conflict.

To get all this and more, you'll

need a computer, a modem and CompuServe. CompuServe connects with almost any personal computer, terminal, or communicating word processor. To receive an illustrated guide to CompuServe and learn how you can subscribe, contact or call:

CompuServe

Consumer Information Service 2180 Wilson Road, Columbus, Ohio 43228

800-848-8199 In Ohio, call 614-457-8650

An H&R Block Company

FOR TRS-80 MODEL I OR III IBM PERSONAL COMPUTER

The MMSFORTH System. Compare.

- The speed, compactness and extensibility of the MMSFORTH total software environment, optimized for the popular IBM PC and TRS-80 Models 1 and 3.
- An integrated system of sophisticated application programs: word processing, database management, communications, general ledger and more, all with powerful capabilities, surprising speed and ease of use.
- With source code, for custom modifications by you or MMS.
- The famous MMS support, including detailed manuals and examples, telephone tips, additional programs and inexpensive program updates, User Groups worldwide, the MMSFORTH Newsletter, Forth-related books, workshops and professional consulting.



A World of Difference!

- Personal licensing for TRS-80: \$129.95 for MMSFORTH, or "3/4TH" User System with FORTHWRITE, DATA-HANDLER and FORTHCOM for \$399.95.
- Personal licensing for IBM PC: \$249.95 for MMSFORTH, or enhanced "3/4TH" User System with FORTHWRITE, DATAHANDLER-PLUS and FORTHCOM for \$549.95.
- Corporate Site License Extensions from \$1,000.

If you recognize the difference and want to profit from it, ask us or your dealer about the world of MMSFORTH.

MILLER MICROCOMPUTER SERVICES 81 Lake Shore Road, Netick, MA 01760 (617) 653-6136 Listing 1 continued:

```
This Subroutine checks in dray for the
character in "v" If not found, a 0
is returned. Otherwise, the character's
row and column positions are converted
to une-of-eight codes by array "bit" and
gassed to the assembly language routine put
boom return from "put, delay" and, if set.
driay2 are counted down to zero.

100kuply, array)
char v:
reqister obser array(8)[8]

char x, y;

foriy $\mathbf{G} \to \mathbf{H} \to \mathbf{H
```

Listing 2: The Z80 assembler program.

```
Some examples:
                                                                                                              Zilob
                                                                 Ida_nn 0x1274
Idddnn hi.0xe124
Idr.ixda.8.
                                                                                                         LD
LD
                                                                                                                      A. [1234H]
HL, A12AH
A. [1X+8]
                                                                 pushqq de
ld.nnddabc.de
                                                                                                         PUSH
                                                                                                                       fabri.DE
                                                        Humbers in the form 0x1234 are hex
0800
                                                                 ORAGO ...
                                                                                           / start of ram in my system
/ buffer size, in characters
/ high water mark, 20 from top of memory
/ steck pointer sot here
                                                                 20,
RAM-2048.
                                       STACK
ngre
                                       INIT
                                                                 Oxff
                                                                                            / initial value in output port
                                                     7 Intel 8255 parallel port
                                                                                           port
/ port base address
/ Port A address
/ Port B address
/ Port C address
/ Configuration command register
                                       PBASE
0000
                                                                  PRASE
                                       PA
PB
0001
                                                                  PBASE+1
                                                                 PBASE - 2
PBASE - 3
                                       CONT
                                                        Configuration command
0084
                                       COMP
                                                                  OzHa
                                                                                            / PA out; PB in: PCO-1 out; PC4-7 in
                                                        Intel 8251 Serial Port
                                                       0x04 / Port base address
TBASE / Status register
TBASE / data register
FASE / data register
configuration mode and command
US / B bit length: no parity: 1 stop bit:
0x37 / enable rx and tx
0004
                                       TRASE
                                       TSTAT
TDATA
004e
0037
                                       THODE
                                                       B251 Status masks

0x02 / receives buffer full
0x01 / transmitter buffer empty
0002
                                       URBP
                                       UTBE
00fe
0011
0013
                                                                              / essert shift line (but 0)
/ CONTROL 0
/ CONTROL S
                                       SHIFT
                                                                 DHER
                                       GO
510P
                                                                  0x13
                                                                 put.
                                                                             upper, mete
0000
            c3 82 00
                                                    ipan
                                                                 stort
0038
                                      · • 0#35
                                                        Ox38: IN: vector - here on receiver buffer
                                                     ? Tent the queue pointer fillp for its proximity
to the top of the queue thighe).
                                                       If filly <= highw, store that in buffer and increment filly.

If highw < filly E topmen, send STOP, store that, and increment fillp.

If lilly * topmen, send STOP, store that, but do not increment filly.
```

These are the assembly language routines. The memorics are similar to Ellog's. Check the 280 Assembly Language Programming Manual and you will not the statlarities.

Listing 2 continued on page 260

Keep your bottom line on the up and up.

The future never comes with any guarantees.

But there is a way to improve tomorrow's business performance today.

called the Bottom Line Strategist.™

The future is now.

With the Strategist and your microcomputer, you can explore alternative business decisions and get answers to the questions common to any business focused


on growth:

How much money are we risking? Will the business be profitable? When? Is that soon enough? Can we improve this by changing the price? What's the

impact of our assumptions on net worth, cash flow, market penetration and growth?

The Strategist uses seven sophisticated econometric models originally developed for companies on the Fortune 500 list.

But it's pre-programmed, so all you do is enter your current business assumptions, then sit back and watch the dynamics of your future unfold graphically.




It's a microcomputer program The Strategist plots (and tabulates) your marketing and sales projections; anticipated cash flows; break-even point; Net Present Value; and more—a total of 11 production, financial and marketing forecasts.

If any area looks interesting, the unique "zoom" takes you in

for a closer look at the picture. And if you don't like what you see, do it all over again.

Instantly. Without any programming.

And do it as often as you need to get the results that you want.



Tomorrow's answers today.

The Strategist is a unique short-cut to experience, without the hard knocks.

You can refine your pricing policies. Optimize your cash flows. And maximize your profits while minimizing your risks.

In today's business climate, how much is that worth? The Bottom Line Strategist is \$400.

Our no risk offer.

You can check out the Bottom Line Strategist with no financial risk.

Drop by a dealer showroom and run through a hands-on demonstration. Then take home a package and use it for 30 days. It runs on 8-bit and 16-bit microcomputers (IBM PC, Apple II, CP/M, etc.) If you don't like it, return it and you'll get your money back.

For the name of your nearest dealer, contact Ashton-Tate at 10150 West Jefferson Boulevard,

Culver City, CA 90230.

Better yet, call (213) 204-5570 today. Because if time is money, the Bottom Line Strategist is **Bottom Line** money in Strategist" the bank.

ASHTON TATE

Circle 49 on inquiry card.

IBM PC, APPLE

Expand your system with these low cost add-ons, which do not require internal installation or limit your expansion capability.

"SELECTO-SWITCH"



P24ABC \$139

The -P24AB "Selecto-Switch" will allow you to connect two printers to the same parallel port. After installation, the "Selecto-Switch" can select either one, just by turning a knob. Imagine the time savings and ease of operation. Our "Selecto-Switch" will pay for itself in less than 6 months. The -S24AB will do the same on your serial port. Many other models are available for up to 6 ports (and 36 wires.) Fully compatible with RS-232, Centronics, Parallel, IEEE 488, RS-449, TRS 80, Apple, IBM PC . . . etc. Prices start from \$80.00 (in quantity).

"AUTO-SWITCH"



ASU-2-FPM \$499

The ASU-3 is an automatic version of our "Selecto-Switch" family. Your CPU can control 3 devices totally under program control. Automatic baud rate, remote operation, port labeling and many other options are available. Also available is 5 and 7 port units. Prices start from \$449.00 (Single Qty.).

"AUTO-SCAN"



ASN-T-FPM \$538

The ASN-7 is an automatic port scanner. Up to 7 CPU's can be polled and, upon request, any CPU can be connected to a shared device (printer, modem, etc.) Fully automatic control. Priority port and contention are optional. Also available for 3 and 5 ports. Prices start from \$249.00 (Single Qty.).

Dealer inquiries invited.

Also available from Giltronix, a full line of innovative system products for back-up switching, monitoring, fall-back and port sharing. Both rack mount and stand alone units are available. Contact Giltronix or our local distributors.



3780 Fabian Way, Palo Alto, CA 94303 (415) 493-1300 1-800-531-1300

Listing 2 continued:

Listing	2 com	ar h	EC 64 ;							
0018 0019 0017	15 49			inti	err beritidd	41	1441	de brible	eegt tot	
00 to	14 UU 12 00 12 01					HE POT		ens flo	d	
0042	31 He ad 5h	٥r	n a		latation lates	hi,high	W	ity of fillp		
0049	of to		-		HOTE ES	11p <=	highw,	/ clear car	TY	ly
004a	ed 52 10 17				shehles	101		/ highw-fill / c clear 1	llp if fillp <=	highw
							ighv.	Send STOP and	d set stop!	= t
1050					callan	iputo 4.1		send STOP	j	
0051	30 01 32 01	88			ld.mna	stopf	open.			
0056	21 43	64			set	'numpre	1 30 (illp won't b	, increment	ed.
	af	VI				4		f clear cas		
	20 05 30 01				irnse	int1		2 Clear	t topers !	fillp
0042		QB			id.nna	nomore		/ set flag		
0065				int1		char in Homore		et fillp an	d increment	filip
0065	24 U2			With 1	idhi a	nfillp TDATA	get	character		
006a	e6 7f				andn Id.hlr	0.475	/ 7 b	character it ascil o buffer		
0064	34 00 Fe D1	RO			ida. no	nomore	/ 18	nomore #417		
0072					31020	int2	7 2 0	lear if nomon		
0074	f 1				bobdd	af	/ res	tore register tore bc. de.	and hl	
0076	fh sd 4d				ei reti		/ ra-	enable inter	tupts	
0079				4mt 2:		4.4				
0079	22 02	09				1 £111p	1	tore register		
007d 007g 007f	fi d9 fb				euz bobdd	W.L	res	tore bo. de. enable inter	and hi	
0080	4d 4d				reti			ACCOUNT ANCEL	. mpr. m	
						en init:	ializa	r ion		
0093	3= 8a			start	ldra		Con	figure port		
0086	43 03 30 ff				ldrn	A. INIT				
660Q	d3 00				out.na					
900c	3e Q0					z 411 o	ram			
00He	21 QU				ldddnn ld.hlr	BL.RAM				
0092	11 01				Låddan	de.RAM	4 S CK-RAN			
Beog	ed bū				Idir					
0094	21 06				ldddnn	up buff.		ncers		
0000	22 04					ltillp Lidrainp				
Enog	3e 4e					t seria				
COM 5	d1 05	į			gut.na	TSTAT				
0049	d1 0	i			out . na	TATET				
Duce	31 00 ed 56				107	ap,STA	cx	/ met inte	ck pointer rrupt mode	1
	fb c3 42	01			jpnn	main		<pre>/ enable i / enter th</pre>	nterrupts e C program	
								ut through th		
00b4				lpute:	5 z4	gister			in indiana.	
00b4	47			a part a	Idre	on buf	for en	re ptv		
20b5 20b7	db 65			mut1:	ins.n andn	TSTAT				
00b9	28 fa				ider	e.b				
00bc	41 04				THE SHI	ATACT				
					Heto Lf fil	ed from iro char the buf ip agai	in bu	ffor if 4vel; empty. Check sinp.	lable or -1	painter
					P Ar	ud incre	awak d	, return char raing. and drainp mutv. Reset		by drainp
9840				geter	/ at	d retur	n -1.	Also send a (30 to the he	st.
00c2	24 02 ed 5t				1db1.c	nn fillp nnde, dra	inp	/ hl = fil / de = dra	inp	
00c6 00c7	of 52	2			spepfi			/ clear ca / fillp-ds	# Lop	
00c9	10 2)			jrnze	get2		/ m plear	if Killp !	drainp

```
Listing 2 continued:
```

```
21 06 08
                                            abrr a
DOCE
           ed 52
28 17
                                                                             | buf-drainp
| r set if drainp . buf
00at
                                            drainp = fillp and drainp != buf, so 

/ return -1 and reset both pointers to buf 

| iddan de.buf drainp=fillp=buf 

| id.nndddrainp.de
           11 06 08
ed 53 04 08
ed 51 02 08
0045
                                            ld. nodd fillp,de
                                            / If stopf = 1 send GO
lds,nn stopf
D El Am
           le 01 08
           E# 01
20 05
                                            cpn i
jrhze goti
ldrn a,GO
calinn lputs
1900
                                                                z clear if stopf = 0
00e5
           Sm 11
           cd b4 00
                                            / no char evell. Return -1
0000
                                 getl:
           21 tt tt
DDee
Good
           69
                                            ret
                                            geturn char from buffer and increment
Gove
Gove
Gove
                                 get2:
                                            de-Grainp. Get char from buffer / increment drainp
           14
13
ed 33 04 08
66
 00/0
                                             ldrr 1.a
ldra h.0
           25 00
                                            ret
                                              putisense, assert
                                               Called from C
                                               The arguments are on the stack at offsets 6 and 8,
                                           The arguments are on the stack at offsets a and u,
respectively
'sense' is the one-of-eight code to look for on the
scan lines.
'Asser' is the one-of-eight code to place on the
processor input,
Finity values must be complemented before use
If the variable 'upper' was set in C. assert the
upper case line
                                  put:
ogen
          21 00 00
ed 7d 01
                                           1dddnn hl,0
OPFH
                                           tdddnn hl, U
callmn csv
test for upper case
ide.nn upper
cpn l , shift?
jrnae pD
idsn a.SHIPT
nut.na PC
bdtb
           la 00 00
0101
           1e 01
0101
0107
0109
          86 84
                                p0
                                           1drn b.4.
                                                               count
                                                               / argl look for this scan
          dd 7w 05
                                           1dr.1;da.6.
0105
                                                                 / complement
010e
                                           opl
                                                                #rq2: put this out / complement / to #
                                            ıdr. i kda, @.
erto
          dd 7e 08
          2£
                                            opl
ldrr e,a
6110
                                            / wait for scan " sense value
ina.n P8 / input Processor B value
cpr d / has the code come up yet?
irmse p1 / if not, keep looking
          20 Eb
                                            / output assert value
                                            ldrr a.e
                                92:
           43 60
                                                                / wal out to Processor A
                                            wait for scan complete
                                            ina.n PB
cpr d
jrae p3
                                                               / input Processor & value
look for sense code to change
                                pli
           db 01
           ba
20 fb
0120
                                            / unassert lines
                                           1den a.IRIT
out.ne PA
dinze pl
out.ne PC
ipme
          43 02
43 02
10 ed
D124
                                                                 do it again until b = 0 / negate shift / back to C
           c) 16 61
                                                     CTOS
B12e
                                            inna
                                           Feetster save acquence
                                CSV:
                                                                 / put iy onto the stack and put ret address in ly
0124
          (4 a1
                                            es.sply
          dd e5
dd 21 00 00
dd 19
39
(9
                                            pushi#
ldiann 0
                                                                 / push is onto the stack / copy up into ix
0131
0135
                                            addiapp sp
                                                                 ? add reget stack pointer from stuff in hl
                                            idephi
0136
                                                                 f return
0139
           fd e9
                                            in.ly
                                greti
          dd #9
dd #1
fd #1
c9
                                            idapiz
Q13b
                                            poptx
popty
ret
0134
0141
0805
                                MAR ..
                                            / variables in rap
/ starting at address 800 (ber)
                                nomore: byte 0
stopf: byte 0
fillp: word 0
drainp: word 0
0501
           00 00
0802
                                         / the character queue
0806
                                 buf:
                                 + . . * HIGHW

+ . . * HIGHW
orse
DEa2
           0.0
                                 topmea:.byte 0
```

S-100 Boards from S. C. Digital



FLOPPY DISK CONTROLLER

features: Model FDC1

Single or Double density, sides, in any combination of up to four 8" or 5.25" drives.
Oigital phase locked loop.

DMA data transfer with cross 64K boundaries, 24B address, DMA arbitation.
Monitor/boot EPROM accompdating two different processors. • CPM Bios programs. Surial port to 19.2K baud.

Z80B CPU BOARD

features: Model Z80 CPU

© 2, 4 or 6 mhz clock. © 22 bit Address by Memory Mapping in 16K blocks. © 2 or 4Kbyte EPROM (not supplied) with Phantom generation. © Jump on Reset. © supplied) with Phantom generation. • Jump on neser.
Provision to run two different CPU's on the same bus, such



NEW 256K DYNAMIC RAM

Model 258KZ features.

**B | 18B Data, 248 Address. • Parity bit per Byta •
Transparent refresh • Unlimited DMA • 180mac. Access
time • Will run 8088, 8088, 68000 to 8mbz, 280, 28000 to Brobz without wait states



NEW

64K STATIC RAM

Model 64KS

 8/188 Data 248 Address ● Disable in 2K increments ●
180nsec Access Time (with 64KB) from address on, runs
8086, 68000 to 10mhz, 280, 28000 to 8mhz without wait states · Battary back up capable.

Board Sets: For Limited Time Only!

Z80B CPU, DMA Floppy Controller, CP/M 2.2, 64KB Static Rem \$1,000 ■ ZBOB CPU, DMA Floppy Controller, CP/M 2.2, 250KB

Ram S1,250 • For CP/M Plus instead of 2.2 add S50

All boards conform to EEE689/S100 specifications, fully sociarted, screened legands, masks, Gold contacts. Guarante One Full Year.

New Prices Effective May 1, 1983

Pricus \$395 with Maximu EPROM FDC1 280 CPU 256KZ Memory Mageing, Embe 256KB, Parity 478KB, Parity 8325 9695 5595 6425 256KZ-120 64103 64KB. CMOS 37KB CMGS TIDESM 3295 3SPC CP/M 2.2 3 seriet 1 peoplet es Perchased with FOC1 Purchased with FOC1 CP/M Pleas \$105 855 28 in EPROM. I en code for TAPC All Boards come assembled and tested.

Delivery is within 3 to 5 working days. MC, Visa or COD orders accepted. (Add S6 for CDD orders) tilinois residents add 514% sales tax.

"CP/M is a registered tradement of Digital Research, Inc. O.E.M. & DEALER PRICE AVAILABLE

S. C. DIGITAL

1240 N. Highland Ave., Suite #4 P. O. Box 906, Aurora, Illinois 60507 Phone: (312) 897-7749

delays are needed for carriage returns, backspaces, and tabs. The carriage-return delay is calculated by multiplying the current print position by a constant and adding the linefeed delay. If this number exceeds 65,535, a second delay must count the difference. The tab delay assumes a nominal 8-character tab width.

A character to be typed is first looked up in the lcase (lowercase) array. If it is not found there, the ucase (uppercase) array is checked. A character never found is ignored. The row and column indexes corresponding to the character's position in the array are converted by the bit array to oneof-eight codes. If the character is found in ucase, the upper variable is set to 1. The two one-of-eight codes are passed to the __put assembly-language subroutine. On return, the C program counts down the previously calculated delay and continues checking the character queue. The program will stop typing when a TYPE_OFF sequence (ESC followed by Control-A) is found in the buffer. Note that typing will not stop immediately if there are characters in the buffer ahead of TYPE OFF.

Typewriter Setup

I have selected control characters to perform the typewriter's programmable functions. These are found in table 2. It would be helpful to follow an example of their use. To set the tabs and margins, the host sends a TYPE_ON sequence followed by the hexadecimal ASCII (American Na-

	Hexadecimal Value	Typewriter Function
RELOC	03	reloc
MARB	04	margin bypass
CORR	05	correction key
HALF	06	half space
MARL	07	margin left
BS	08	backspace
TAB	09	lab
MARR	Ob	margin right
LOCK	0c	shift lock
CR	Od	carriage return
OH	0e	1/2
TABC	Of	lab clear
TABS	10	tab set
EXPR	11	expr
REP	12	repeat

Table 2: This table shows control character mapping. I have assigned the special functions of the typewriter to ASCII control codes.

tional Standard Code for Information Interchange) codes 11, 0F, and 12 for "EXPR TABC REP." As explained in the Praxis typewriter operating guide, this sequence will clear all tabs and margins and return the carriage to position 0. Because my program does not calculate a delay for these control codes, the host should wait a second or two before sending more characters. The host can now set the tabs and margins by sending space characters (hexadecimal ASCII 20) to move the carriage to the desired column followed by the control functions MARL, TABS, and MARR as appropriate. Subsequent characters sent by the host will be printed by the typewriter until a TYPE_OFF sequence is found in the queue.

Conclusions

I have tuned the delay constants in the program for the fastest possible typing speed. However, because I rely on the Praxis typewriter's internal buffer, I run very close to overflowing it. You may have to retune these constants for your particular system speed. Along the lines of improvements, it may be better to sense when the typewriter has finished printing a character by reading the F8 lines that control the mechanics.

One keyboard function I did not implement is the KB-I/KB-II switch. Being a toggle switch, it cannot be pulled like the momentary switches. A relay would do the job nicely.

I am quite pleased with the operation of the typewriter. It may seem that \$250 is a lot to spend on a portable typewriter. With letter-quality computer printers costing three to six times as much, however, the Praxis typewriter looks comparatively good. The quality of the type is excellent—crisp characters perfectly aligned.

I have written several driver programs on my host system to manipulate the typewriter. One program sets up tabs and margins and prints a file previously run through a word-processor program. A library of subroutines can be included in other programs to print output on the typewriter. One application is an elaborate checkbook program that uses the typewriter to print out checks.



Software Review

Painter Power An Electronic Paintbrush for Artists

Chris H. Pappas and William H. Murray Computer Science Department Broome Community College Binghamton, NY 13902

Painter Power is a high-resolution graphics program that lets Apple II users create paintings on a color screen. Completed paintings may be viewed in a slide show on the color monitor or printed if a screen dump routine is available.

Painter Power allows you to use the Apple II keyboard, game paddles, or a joystick to paint color pictures. You use them to create "brushes" and to move objects around on the "canvas." We recommend, as a minimum, the purchase of a pair of high-quality, noncentering joysticks for the creation of brush shapes. (A noncentering joystick remains in position when released, easing figure and brush creation.) The brush moves across the screen at a predetermined rate of speed: snail, turtle, rabbit, and blitz. You control where the brush goes by the joystick and whether or not the brush is

touching the canvas (i.e., painting or not painting).

Painter Power operates in two modes: beginner and advanced. The beginner level is not as powerful as the advanced, which requires time and patience to master. With the beginner level, you can be up and painting in a flash. We estimate that it will take about an hour to master the beginner mode and probably a month of painting to master the advanced mode—it has a lot of features. With either mode, you can really paint creatively.

Beginner Mode

The beginner mode supplies a preformed brush. You can create a different brush by using the brush-create mode and preferably a joystick. You can also control the brush's width and shape in the creation process and, hence, the patterns made with a stroke.

At a Glance

Name

Painter Power

Use

Permits the use of a color television or monitor to serve as a painter's canvas for creating pictures from the Apple's high-resolution mode.

Manufacturer

Micro Lab 2310 Skokie Valley Rd. Highland Park, IL 60035 (312) 433-7550

Price

\$39.95

Features

Contains two modes: beginner and advanced. The beginner mode is easier to use but has fewer options. Both modes allow an artist to select background color and brush colors and shapes. The brush shape can be controlled from the keyboard, game paddle, or joystick.

Format

A locked 514-inch floppy disk.

Computer

Designed to run on an Apple computer with a 16-sector disk drive. Requires 48K bytes of memory and Applesoft in read-only memory or a language card.

Documentation

44-page manual

Audience

Anyone wishing to create color paintings for personal pleasure or presentation. Once satisfied with the brush shape, you change to paint mode and select the background color for the canvas. Your choices are green, purple, white, orange, blue, and black. As with oil paints, you can paint over previous work. This lets you experiment with a shape on the canvas before making it a permanent part of the picture.

If unsatisfied with a painting, you can "purchase" a new canvas by hitting the "C" key and clearing the pattern. Masterpieces can be saved on disk for a future showing.

Advanced Mode

While the beginner mode will get you painting with a minimum of frustration, the real power of Painter Power lies in the advanced mode. It uses the keyboard, as many as four paddles or a joystick, two high-resolution screens (one for brush making and the other for the painting), and four text lines (for controlling the display) at the bottom of the canvas. A wraparound mode extends the canvas from -256 to +255 points in both directions on the beginner canvas to -512 to +511 points on the advanced canvas.


Two vectors on the text screen show the brush's location on the high-resolution display. The form is -100, +70, where -100 is 100 points left of the starting position and +70 is 70 points above the starting position of the brush. While the brush is painting, these numbers are constantly changing, which helps you position it precisely.

Painter Power lets you design and save as many as eight different brush shapes. A ninth shape, called Quickstroke, is available from among the eight original brushes. With Quickstroke, predefined patterns may be selected and painted on the canvas.

With the advanced mode, you can create patterns with mathematical functions. These shapes include circles, flower petals, spirals, ellipses, and sine or cosine waves. You have control over the size, scale, number of repeats, and beginning and ending angles.

Slide Shows

The Slide Show option is a creative feature of this software. As many as 50 paintings can be shown along with optional titles. Each slide can be viewed for as long as one minute. The presentation is automatic. Once created, a slide show can be run by typing "N" when prompted.





You and your loyal admirers can then view the gallery as many times as you like.

Painter Power's Weaknesses

A major disadvantage of Painter Power became obvious when we tried to make a backup copy: the disk is locked. Shortly thereafter, we couldn't get the joystick to function correctly in the beginner mode. It took a letter, a telephone call, and two weeks to get a new disk. Replacements cost \$5 after the 30-day warranty period. Can you imagine the frustration an artist would feel if the joystick failed to operate in the middle of a masterpiece? It would be like running out of paint and having to wait for a new shipment.

Another disadvantage was a lack of total control over the brush. We had several frustrating moments when the brush took off on its own across the canvas. This disad-





vantage probably becomes less of a problem with experience in using the system.

Conclusions

Despite its drawbacks, Painter Power is a real bargain for the price. It is a well-documented program with many deluxe features.

Photo 4: A typical sequence in painting a scene. In 4a, the sailboat, water, and clouds were painted and saved on disk. In another work session (4b), the New York skyline was added to the scene. Finally, the sun was added to give contrast to the picture (4c). During the creation of these scenes a "mistake," such as an oblong sun, could be removed and repainted without destroying the whole canvas.

BYTE West Coast

Ferment in Silicon Valley

Phil Lemmons West Coast Editor McGraw-Hill Publications 425 Battery St. San Francisco, CA 94111

There is as much ferment—of a different kind-in Silicon Valley as in all of California's wine lands. Just as the soil and climate in Napa Valley are ideal for growing varietal grapes, the dynamism of Silicon Valley is ideal for starting high-technology companies.

Engineers and programmers will move from an established company whose top management decides against developing their ideas into products to an environment favorable to their work. Middle managers who believe their companies are neglecting a certain market segment look discreetly for engineers who can design a product that meets that segment's needs. Graduate students and faculty at Stanford and other universities in the area sometimes turn their best ideas into real products instead of dissertations and journal articles. Veteran entrepreneurs follow the evolution of technology and the emergence of new markets, trying to make a match. Venture capitalists patrol the towns along routes 101 and 280 in search of bright, energetic people with original ideas and plausible goals. In recent years, venture-capital firms have gone beyond bankrolling people who come to them with ideas; these firms now study the marketplace in search of unfulfilled needs

and then look for someone to start a company that will make a product that meets those needs. It's no wonder that new companies are constantly bubbling to the surface,

How do companies get started? Profiles of four newcomers reveal different strategies.

A sampling of a few new companies illustrates the variety of startups in Silicon Valley, Victory Computer Systems introduced two new microcomputer systems at last fall's Comdex in Las Vegas. The Learning Company produces educational software for children aged 3 to 13. Adaptec develops and manufactures VLSI (very large-scale integration) controllers for Winchester disks. Evotek designs and manufactures highcapacity 51/4-inch Winchester disks. Although the products of these companies represent different technologies aimed at different markets, all four companies show the same imagination and drive and face similar challenges.

Victory Computer Systems

Roger Vass, a co-founder of Altos

Computer Systems of San Jose, California, had been walking the floors of computer shows for some time wondering what kind of system he should build. He knew that the microcomputer market was crowded. and as a former vice-president of marketing for Altos, he knew that he had to identify the right market niches before proceeding to design,

Vass's ideas gelled sometime between the Dataquest conference on the microcomputer industry held at Silverado, California, in January 1982 and the Hanover Fair held in West Germany the following April. Vass had considered building a desktop workstation using color graphics and voice input/output but decided that the time had not yet come for a successful product combining those technologies. In the end, he decided to build a multiuser system rather than an integrated workstation. 'It's my conviction," Vass says, "that video-terminal technology and microcomputer technology are different. I'm not sure you can do a good job with both at the same time."

Instead Vass chose to build a "clustered, shared-resource computer with an unburdened 16-bit host." Victory's computers use not only a 16-bit microprocessor, but also a 16-bit hard-disk controller and an 8-bit

Computers for Business, Home Applications, Resource Management, Technology & Science NEW, 15-Day Exchange Privilege (See "TERMS" for details)



GEMINI-10 from tar-Micronics

All the features of EPSON-FT plus backspace, con-ONLY S CALL!!! finuous underline List \$499

Special: New prices TOO LOW TO ADVERTISE!



At our SPECIAL PRICE you would regret it later if you did not stock them NOW!!! All diskettes first quality, w/reinforced hubs, in indimem NUW!!! All oiskelles hist quality, w/reinforceo nuos, in indi-vidual envelopes and packaged in boxes of 10. Minimum order 5 boxes: LIMITED QUANTITIES

51/4" s.s., d.d., soft/hard 51/4" d.s., d.d., soft/hard 7410 8" s.s., d.d., soft/hard 7430 8' d.s., d.d., soft/hard

List \$4.20 6.00 5.55 7.10

Special Buy \$1.95 2.89 2.65 3.29

A Generic Portable Computer?

-- No, not yet anyway.

However if we as much as mention the brands of portable computers we now carry, and our super discount prices, we will have a lot of explaining to do!!!

Before you buy ANY portable computer 16bit or 8-bit, hard disk or floppy, you owe it to yourself to get OUR Price.



SMITH-CORONA

TP-1: AT OUR PRICE. NO COMPUTER SHOULD BE WITHOUT ONE!

Daisy-wheel, letter-quality, interfaces all computers. Serial & parallel models at same wheels—only price. No less than 18 print-wheels-\$6.95 each. List \$849

SPECIAL, ONLY this month ... \$527 NEW: Tractor for TP-1. easy retro-fit\$159

Displayed and sold at our Showroom. 12210 Michigan Ave., Grand Terrace, CA:



Partect desk-top computer

Gesh-ridp Corriginity

2-80 1 Floopy standard 2nd optional Optional
terminal or use your own - CPPM with user triendly
isnell - WordStar SpeliChecker SpreadSheet
Microsoft Basic 80 8 BASIC List \$198 to \$1190.
Limited Quantity CALL For Availability.

NEW: Now with double-sided double-density Flop pies (800 KB storage) and with Data Base Manage





graphics and color display a (1024×1024 pixel) 16-bit 1024×1024 pixel) 16-bit (80861), 128K standard, expandable to 256K, 1-28 Pioppies 1 MEG each (run any CP/M program avail able on 8"). Detachable keyboard Integral monitor (monochrome/color). Extensive software

H01 Manachrome 1 Floppy H02 Monochrome 2 Floppies H03 Color montor, 2 Floppies List 53298 List \$4998

CALL for napolatment

SOFTWARE

FOR APPLE, IBM-PC TRS-80, MOST CP/M

CHOICE \$4995

Receive a complete package, including manuals Run the software examine it input data and print results as long as you want. A small part of the results as long as you want a sman part or the program (e.g. save or update") is maccessible in the original package, but if you decide to keep the software, and pay the balance of its cost, you will receive a special passkey to unlock that area so that all features of the software are at your command For all computers.

STAR Computer Systems BUSINESS PACKAGES: Superior quality allows us to make an un-precedented commitment: SATISFACTION GUARANTEED OR FULL REFUND WITHIN 30

Legal Timekeeping Accounting Package\$950 950 Property Management System .. Complete Accounting Package G/L A/R O/E A/P PAY or each module individually at \$400

Small Business System, including Inventory, A/R (w/Order Entry), A/P, Payroll, and General Ledger. This system is more than enough for the needs of any small business up to 10,000 Ledger entries? month, handles multiple checking accounts and mightin hardings multiple critecting accounts and prints checks. Inventory notifies you when your stock has been depleted and prepares sales reports. Payroll calculates all Federal State & Local taxes allows all standard deductions plus 3 misc deductions, prints all government-required reports, and stores over 300 employees on a single 51%. Hoppy stores over 300 employees on a single 5½. Floppy AIP stores 3000 transactions per month on a 500 KByte Floppy, and A/R prints invoices and statements. Will work with Apple. 7RS-80, IBM, most CP/M computers!

COMPLETE ACCOUNTING PACKAGE including the 5 modules described above...and you get a 30-day FREE exchange privilege for any of our other products. soft-ware or hardware at our current published all prices?

INDEPENDENT SYSTEMS SELLERS:

Your systems sales do not have to be a struggle! Here's a

new way for you to increase your sales and profits: Close the sale of any hard-ware/software combination. Then, rather than spend your precious time assembling and in-tegrating all the individual components, give us a call and we will do this job for you. The complete system will be shipped to you ready to install, backed up by our guarantee of satisfaction! (Meanwhile, you can make another sale, play golf, go sailing or)

TERMINALS



A unique terminal Connects directly to ohone line willhout a modern and supports communication protocol to THE SOURCE, CompuServe, Dow-Jones Can be used also as a local terminal with a RS-232

adapter List	ONLY \$495
DEC VT 100 DEC VT 102	\$1375 \$1320
ADDS A1	\$529
OUME 102 WYSE	\$569 \$799
TeleVideo 970	\$1069

MONITORS & BUTTERS.

munituna a reuttena.	
AMDEK 12" Amber	\$159
AMDEK COLOR II RGB, heresolution, 13"	\$699
AMDEK COLOR III RGB	\$382
ZENITH RGB high-resolution RGB	\$524
PRINCETON high-res 12" RGB	\$645
NEC 12" RGB high resolution	S CALL
INTERFACES & MODEMS FTC.	

INTERFACES & MODEMS, ETC.	
layes Modems.	
SmartModem 300	\$214
SmartModern 1200	\$523
VicroModem II	\$269
MicroModem 100(S-100)	\$289
VENTEL RS-232 Modern	\$763
SSM modern 1200 Baud, autodial/rec	\$
WICROFAZER printer buffer	\$139
NTERFAZER I/multi-users, up to 8 terminals	
& 2 printers!	\$239
TYMAC printer adapter I/APPLE	589
GRAPPLER .	\$129

DOT MATRIX PRINTERS.

DOLUMNIUM.	1 11114 111	U.
NEC-8023A (parallel)		\$459
Mannesmann-Tally 160L		
NEW LOW PRICE		S CALL
Okudata 83A 132 col (s/p)		\$849
Okidata 84-P 200 cps. & 50	cos	\$994
Okidata 92 just released	.,.	S CALL
IDS Microprism serial and	parallel mouts.	
two printing speeds and	crintino orades.	
	process granders	\$519
Craft/Correspondence	pranting graduo.	

Draft/Correspondence	\$519
Letter-quality printers:	
Fugitsu 80 CPS (1)	\$2289
NEC 3510 33cps senal	\$1449
NEC 3530 same, parallel	\$1599
DIABLO 620 25cps ser	\$1094
BROTHER HR-1	\$794
DarsyWriter 2000 48K buffer!	\$1023
TRANSTAR emulates Diablo parallel	\$699
FOSHIBA 350, heavy duty list \$	\$1649
OUME NEW SPRINT II 40 cps LIST \$168	1 SCALL
OLYMPIA ESIDOKRO Electronic Type-	
writer/Printer 17 5 CPS, s/p	\$1150
TEC Daisywheel 40 CPS s/p	\$1389
TRACTOR Inc TEC	\$250

3 GRAPHICS SYSTEMS:





COLUMBIA 1600 16-bit 8088, accepts all IBM COLUMBIA 1600 16-bit 8088, accepts all IBM boards, reads & runs all IBM software, but has also additional 2-80 processor to run 8-bit CPM So compatible it can even use IBM keyboard 128K, 1 parallel & serial ports standard, 8 expansion slots! COLUMBIA 1600 package computer as above + keyboard + CRT controller List \$3 635 \$CALL





Advanced color graphics under Z-BASIC, 16 bit (8088) & 8-bit (8085) 128K RAM, expandable to 768K (Expand to 192K for only \$180) Runs most IBM-PC software and CP/M.

ZF-100 128K PAM 8/16 bit. 1 floppy meanchrome graphics LIST SZ 399 SCALL ZF-118 Similar to above, but COLOR GRAPHICS, 2 floppies LIST \$3.4 ZF-120 128K RAM 8/16 bit, 2 floppies LIST \$3.499 SCALL monochrome araphics.

LIST S3 599 SCALL integral displan HARD DISK. 11 3 MByte, built-in LIST add \$2000 to 11/120 models above SCALL



New, all the features of 802, PLUS • Larger Screen Nearly double the standard 12" video displays, Adjustable positioning standard* • High-resolution graphics under CP/M, (640 x 240 pixels) standard! • 16 programmable function keys standard! • And the best all all: Priced all \$1000 under the 802! With all these features, the new Teichfed computer is an outstanding buy!!! List \$2465

INC P.O. Box 3791, Riverside, CA 92519

1-(800) 845-5555 CA. AK. HI CHI (714) B32-3443 TELEX 472-0127 ATTEN EMD BANK REFERENCE BARCLAYS BANK OF CALIFORNIA (213) 892-7244

APO. FPO. INTERNATIONAL ORDERS ACCEPTED

NEW: COD 15-Day Exchange Privilege (subject to terms below)

TERMS. Prices in this ad apply to pregade orders only, reflect 5% cash discount off our regular sale prices. Personal checks, allow 2 weeks to clear Enriume-1000 companies. Universities and Government only 30 day net, based on our cash prices, and requires payment in full by Cashier's Check or Fertified Check or

CPMI is a registered trademank of Digital Research, Microsoft MutaPhan are trademank of Microsoft Corp. CYMAR is trademank of CPMI Corp. TurbioDio is trademank of Software 2000 2004 is registered trademank of Zolig line. MicroStar SpellStar, Calcifolio Dissister MicroMediper an Interferent of Microsoft Company, 4PPLE is prademant of Apple Company App

microprocessor to handle input/output for each serial channel.

Once he made his decision, Vass moved quickly. Vass and Bill Daugherty, now vice-president for finance, used Visicalc to make projections and a business plan. In July 1982. Vass gave consultants the first contracts for the design of the two systems he planned to build. In August, Vass added electronics designer Jim Willott, who formerly worked at Zilog and Altos, to the Victory staff. Willott developed and oversaw further consulting contracts for the design of the Victory computers. Victory Computer Systems, which was not incorporated until September 7, 1982, announced its two systems at Comdex late in November.

The two Victory series of microcomputers differ only in the centralprocessing-unit board. Both systems use the high-speed VME (versa module European) bus, derived from the Motorola Versabus and adopted by Motorola, Mostek, Thompson,

Philips, Signetics, and other companies. (Victory expects to market 60 percent of its computers in Europe, the other 40 percent in the United States.) Both systems include integral fixed Winchester disks holding 20, 40, or 85 megabytes of data, and integral tape backup. Both systems can run CP/M on 4 terminals while running a 16-bit operating system on another 12 terminals. Both systems will be capable of running new friendly software that requires advanced graphics capabilities. The C. Itoh terminals, customized to Victory specifications. have options for color graphics with 640 by 480 resolution.

The Victory Spirit Series of computers is based on Intel's 80186 and runs operating systems from the Digital Research family. Victory made both choices in light of the many independent software development projects currently in progress for that hardware/software combination in the business market.

The Factor Series is based on the Motorola 68000 microprocessor and

runs the Unisoft Uniplus System 3 Unix operating system, which includes some of the enhancements to Unix developed at the University of California at Berkeley. The Factor Series targets the industrial-applications and process-control market. Because Vass sees that market as "software-development intensive," he chose the Unix operating system and its noted virtues as an environment for developing software.

With a couple of important qualifications, Victory Computer Systems is following the classic model of raising venture capital. In this model, startup companies raise capital in three rounds. The first round is for organizing the company and designing a product. If that goes well, the outside capitalists will agree to finance a second round, which is for building a prototype. After the prototype is completed and working, the venture capitalists examine the existing competition and decide whether to invest in the third round, which involves manufacturing and distribution. In exchange for venture capital, the founders of start-ups surrender a percentage of their companies. Victory Computer Systems differs from this model in that its management team was able to put in a substantial amount of its own money and Vass was able to move into production much faster than the usual start-up. As well, Vass's background at Altos-his successful "track record"-reduced the percentage of the company that the founders had to surrender to the venture capitalists.

The greatest impetus in the founding of Victory Computer Systems was Roger Vass's willingness to use his own assets as capital. Now the company has opened new manufacturing facilities in the Berryessa industrial park in San Jose. The sales and executive offices remain in Gateway Place in the same city.

The Learning Company

Ann Piestrup, founder of The Learning Company, is an educational psychologist who spent 10 years studying children's thought and language and especially the problem of how to maximize learning of basic



DEI, the same company that leads the industry in ½ inch cartridge tape drives is now manufacturing fully certified 1600 bpi, 6400 bpi and 10,000 bpi/fci tape cartridges. Built and tested to exacting standards, our cartridges are guaranteed. Buy DEI cartridges for your most critical application requirements.

For price and delivery information, contact your local distributor or Data Electronics, Inc., 10150 Sorrento Valley Road, San Diego, CA 92121. Phone: (619) 452-7840, Telex 69-7118.



skills. She decided to develop educational software "when I first saw that computers could do colorful musical, playful things." Piestrup's studies had shown that active learning is the key to understanding, but when she looked at existing educational software for microcomputers, she saw little that actively involved the children or that exploited the computer's ability to generate immediate feedback using color graphics. In December 1979, Piestrup expressed her views and goals to Carolyn Stauffer, former director of the Apple Education Foundation. As a result, the foundation gave Piestrup an Apple II Plus with a language card, graphics, and Supertalker and added \$1000 so that she could hire a programmer. Piestrup founded Advanced Learning Technology, a sole proprietorship, in order to receive the grant.

Piestrup and another expert on learning, Barbara Jasinski, designed the first program, specifying every screen on graph paper to show exactly what the low-resolution color graphics should do. Alice Chiang, a consulting programmer to International Business Machines, turned the specifications into an executable program. (Jasinski is now active in another new educational software company called Stepping Stones.)

Piestrup used the company's early experience as the basis for a proposal to the National Science Foundation and the National Institute of Education. Those two organizations were jointly awarding nine grants to both profit and nonprofit organizations for the advancement of the use of computers in education. Piestrup's proposal won a grant of \$130,000 and she founded The Learning Company to receive it.

At that stage, Piestrup brought in Dr. Teri Perl. a mathematics educator, and Warren Robinett, who has a master's degree in computer science from the University of California, Berkeley, and was a member of the original group of programmers at Atari. The programs resulting from the collaboration of Perl, Piestrup, and Robinett during the year's funding from the NSF/NIE grant are in the public domain, but they convinced

many people that The Learning Company's approach to educational software would make for commercial SUCCESS

Among those convinced were Tom Whitney, who formerly worked at Apple Computer Inc., and Jack Melchor of Melchor Venture Management in Los Altos, California, The Learning Company raised \$300,000 in January 1982 from the Los Altos venture-capital firm and individual investors. Since then the company has grown to a staff of 14, three of

whom are programmers. The Learning Company employs outside subcontractors as well. By January 1983. TLC had developed seven educational programs for children aged 3 to 13. The programs all use color graphics and are interactive, selfpacing, nonviolent, and easy for children to use on their own. Reception has been quite favorable. Both Apple and Atari market TLC products, and TLC has signed with 14 distributors, including Softsel, Micro D. and Bell & Howell. TLC is now in

FRANCHISE OPPORTUNITIES.



NEVER BEE A BETTER TIME!

The computer industry is experiencing a spectacular growth, by 1990 it will become a 20 billion dollar industry, Computer retailing was one of the few industries not seriously effected by the recent economic crisis.

Now...is a good time to consider a franchise opportunity with MicroAge, a leader in computer retailing. MicroAge has a proven "track record" with over thirty franchised stores throughout the United States and Canada. In an industry where experience is crucial, MicroAge has it, with six years computer retail experience and three years in franchising. It's just good sense to go with a leader.

If you're committed to success in computer retailing, it's essential you evaluate the MICROAGE COMPUTER STORES Franchise opportunity. Investment: \$130,000-\$200,000.

For detalled information about MicroAge "Franchise Opportunities." call (602) 968-3168 or write to:

MicroAge Computer Stores Inc. 1425 W. 12th Place Tempe, AZ 85281



the enviable position of deciding whether to accept a second round of venture-capital financing. TLC may not need more outside money.

Adaptec

Adapter was started to design and manufacture LSI circuits for producing inexpensive high-performance hard-disk controllers for microcomputers, Adaptec's founders came from large companies. Larry Boucher, Adaptec's president, spent 10 years at IBM working on highperformance input/output systems. Boucher left IBM to join Shugart Associates in 1979 and was soon responsible for developing integrated circuits and designing disk controllers. Boucher and Bernie Nieman, then an engineering manager at Shugart, developed the Shugart Associates System Interface (SASI) for connecting small computers and small hard disks. SASI has since been proposed as the ANSI (American National Standards Institute) Small Computer Standard Interface (SCSI).

Boucher's decision to found Adaptec was not instantaneous. "It grew," he says, "out of an inability to do what I wanted to do within the organization that I was working in," Shugart Associates was emphasizing disk drives and Boucher's primary interest lay in disk controllers and custom LSI chips.

When Boucher founded Adaptec early in 1981, he brought in Nieman and another former employee of Shugart Associates, Wayne Higashi, who had been manager of design assurance. This group of three ex-Shugart employees brought in John Hulme, an expert in LSI technology who had worked as an engineer and manager of semiconductor projects at Fairchild, Hewlett-Packard, and Siliconix.

Boucher, Nieman, Higashi, and Hulme agreed to contribute \$15,000 each and to work for one year without salary. They took some space in an old converted apartment building in Campbell, west of San Jose, and set about designing their first hard-disk controller. Ignoring noise from rockband rehearsals and cabinet makers in adjoining apartments, Adaptec's

founders worked hard using their own S-100 personal computers and some surplus breadboards to develop a prototype. In the same period, Boucher refined Adaptec's business plan. "We did the numbers manually," Boucher recalls, "but we used Wordstar running on an S-100 system to write the plan." Within six months of the company's beginning, the prototype controller and the business plan attracted \$1,650,000 in venture capital.

In the two years since its founding. Adaptec has grown to a staff of 20 and expects to have 40 employees before the end of 1983. The firm now has its headquarters in Milpitas, California. Adaptec has received another \$4,300,000 in equity funding from four venture-capital firms: Lawrence, WPG Partners, of San Francisco; Technology Venture Investors. Menlo Park: New Enterprise Associates, San Francisco; and Merrill, Pickard, Anderson & Eyre, San Francisco.

Forecasting sales of \$10 million in 1983, Adaptec produces LSI products for Winchester-disk-drive control: chip sets for use in high-performance, multitasking applications and a single controller chip for use in personal computers, According to Phil Devin, an Adaptec product marketing manager, the company has "had evaluation-unit orders from all the major microcomputer companies and some of the major drive manufacturers." The Winchester Controller Chip will cost \$52 in large quantities in 1983 but that price is expected to fall to \$36 in 1984.

Evotek

Sometimes venture capital comes through acquaintances. George Brennan, who has held senior management positions at Memorex. Honevwell, and the Marshall Electronics Group, knew some of the people at Ibis Systems in Los Angeles. Ibis makes high-capacity hard disks using thin-film media for use with IBM 3300 series computers. Brennan saw a need for high-capacity, high-performance 51/4-inch Winchester disks to be used with microcomputers, and he approached Ibis about licensing its technology for the microcomputer market. Ibis agreed and soon Brennan was developing a business plan for Evotek.

After people at Ibis looked at the plan, they asked Brennan if they could send it on to two venturecapital firms that backed Ibis. These were the Hillman Group, reputed to be the largest of the venture-capital firms, and Rothschild Inc., of New York City. Brennan agreed and soon both venture firms backed Evotek. with the Hillman Group putting up \$3 million.

Evotek was incorporated in June 1981 with George Brennan as president. Burton Sisco, another founder and the vice-president of engineering, had worked with Brennan at Memorex. Gordon Steel, vice-president of finance, and Edmund Turek, vicepresident of operations, also had experience at large companies.

Turek sought candidates for employment at Evotek who had experience designing 14-inch Winchester disks. From the beginning, Evotek's goal was to bring the technology for large hard disks down to the 51/4-inch size commonly used with microcomputers.

By June 1982, Evotek had prototypes ready to be exhibited at the National Computer Conference in Houston. Evotek then had 50 employees. In late November 1982, Evotek showed "preproduction" disk drives developed from the prototypes, and in January 1983 Evotek began shipping a family of hard disks that use thin-film media to store from 7.8 to 51 megabytes. The company now occupies a 50,000-square-foot building in the Sutter Hill-Fremont Business Center, a business park in Fremont, 10 miles north of San Jose. The number of employees had grown to 160 by February 1983.

Looking for Venture Capital?

People looking for sources of capital may find the Directory of Venture Capitalists useful. The publication is available for \$20 from the Western Association of Venture Capitalists, Building 2, Suite 260, 3000 Sand Hill Rd., Menlo Park, CA 94025.

HERE'S THE PERSONAL **COMPUTER AD OUR COMPETITION** DOESN'T WANT YOU TO READ.

It's an ad for NEC's APC" Advanced Personal Computer. A solutions-oriented system that solves business problems in the simplest, most cost-effective way. The APC supports both CP/M-86" and MS-DOS." It can store more information than any system in its price range. In short, it's got the best price/performance of any personal computer. That's why our competition would pr at you never see our system

We asked som men who s us why t' eason The

> nly p ket c

the iese

> ther. e sysgood

busi-

pi

stems

d us

un

couldn't any that well as

em that s in the

"That APC of yours is the most powerful computer of a I saw. I don't know hov for that price."

"Now that I've used it it awhile, I see why you name Advanced Personal Computer

And that from businssmen who have tested the etition! When you see the vou'll understand why, at others, all of these bu picked NEC.

Our business software was optimized to take advantage of the APC's unique hardware features. That makes system operation faster and easier.

Our software includes a full set of general accounting packages, word processing, mailing list management, business planning, database management, and communications. And we're readving many more.

We're the only company to back our software with a unique nconditional guarantee. It will rk or you get your money

Our high-resolution color graphics run circles, arcs and lines around everybody else. The Ar screen imagesliner characters

are unprecedented in their clarity. olors against resolution etitive systems often must.

compar dan proce commu

nager 's pan e the A Yonic m

nal fo mput datab

vork

for pla

he APC

alysis,

ord

A un

proc

models

The mo combines a black high-res 128K bytes of a 1-million-byte ! keyboard and ma dard features vo on competitive

THE SYSTEM

See for yourself the personal computer our competition wishes had never been invented. The Advanced Personal Computer from NEC. Return the coupon to NEC Information Systems, Inc., 5 Militia Drive, Lexington, MA 02173.

Now available with NEC hard disk.

APC is a trademark of NEC Corp. CP/M-86 is a trademark of Digital Research, Inc. MS-DOS is a trademark of Microsoft, Inc.

Send me more information on the Advanced Personal Computer

Address

City, State, Zip

Telephone

NEC Information Systems, Inc.

BE0583

5 Militia Drive, Lexington, MA 02173

The Benchmark in World Class Computers

Circle 325 on inquiry card.

Name

Title

Company

NAPLPS: A New Standard for Text and Graphics

Part 4: More Advanced Features and Conclusions

A standard way to encode color mapping and animation, closing with some predictions on how NAPLPS will be used by personal computers.

> Jim Fleming Unir Corporation Suite 106 5987 East 71st St. Indianapolis, IN 46220

This is the fourth and final part of this series of articles on NAPLPS, the North American Presentation-Level-Protocol Syntax, a new communications standard for encoding both textual and graphics information. With this standard, graphics information can be sent from computer to computer, or from peripheral to peripheral, with little regard to inherent differences in the display capabilities of the various machines available. Such a standard will be particularly important for proposed mass-market datacommunications systems such as videotex.

The first part of the series presented an overview of NAPLPS. The second part gave a detailed analysis of its basic features. And last month, some of the advanced features of NAPLPS were discussed. This month I will continue that discussion and conclude with some predictions about the future of NAPLPS.

About the Author

Jim Fleming is a member of the ANSI X3L2 Committee on Character Sets and Coding. He is an independent consultant specializing in interactive computing systems.

These predictions are based on the premise that personal computing has not yet reached the majority of people in the world. For that to happen, personal computers must be very easy to use. Those readers who may be dreaming about the day when everyone will be assembling S-100 kits and toggling in bootstrap pro-

INDEX			
	RED	GREEN	aLUE
0	0.2	0.3	5.0
4	0.0	0.0	0.0
5	0.5	0.8	0.8
6	0,0	0.8	8.0
25	1.0	1.0	1.0
25	0.5	0.5	0.5
27	9,6	0,0	1.0
31	0.0	1,0	0.0

Figure 1: A typical color table used with color modes 1 and 2 in NAPLPS. Each index value corresponds to a specific color. Note that the index values are arbitrary and that no index value appears more than once. Each color is represented as a mixture of the primary colors red, green, and blue.

grams should probably reassess their thinking.

Advanced Color Capabilities

As was mentioned in part 1. NAPLPS supports a variety of color modes. The most primitive one (mode 0) is quite portable and will be used in the majority of applications. As was previously described, colors are specified in color mode 0 by indicating the relative amounts of red, green, and blue that should be mixed to form the desired color.

Color modes 1 and 2, however, use a technique called color maps or color tables. As shown in figure 1, a color table is a set of indexes and their corresponding colors. These are tied together using the Set Color and Select Color commands. As can be seen in the figure, a given mixture of primary colors can be used more than once, and all the indexes do not have to be used. Note that the index value does not have any direct relationship with a hardware drawing value at this

In order to make an entry in the color table, you must first use the Select Color command to specify a

certain index (see figure 2). This index value is encoded in the byte or bytes following the command and usually ranges from 0 to 63, although indexes as high as 16,777,215 can be encoded. After an index is chosen, you can then use the Set Color command to specify the mixture of red, green, and blue values that should be associated with the index.

When you want to select a color for drawing in color modes 1 and 2, you must specify the index for that color—not the actual color. The primary difference between modes 1 and 2 is that mode 2 allows you to specify a background color for text characters.

As shown in figure 3, when a picture is drawn into display memory, a drawing value is allocated to each index. This value is written into the display memory. The color information currently associated with each index is put into a hardware register associated with each drawing value, and anything drawn with that displaymemory value will have that color, Note that a display value is allocated to an index only when drawing occurs. Also, each display value is allocated to only one index.

In order to create blinking and animation effects, the color associated with an index can be changed using the Select/Set sequence de-




Figure 2: The Select Color and Set Color commands used to specify a color-table index value and a red, green, and blue mixture, respectively. (The codes 3/14 and 3/12 are an alternate way of indicating the hexadecimal numbers 3E and 3C.) In color mode 2, two indexes can be specified in the Select Color command if a background color for text is desired. The normal sequence used to load the color table is to first select an index and then set a color for that index. These actions cause a relationship to be established between an index value and a color. After a table is set up, each set color can be used by using the Select command. Also, the color associated with each index value can be changed by using another Set Color command.




Figure 3: A typical color-table implementation. Note that special color-map hardware is required. The drawing value is the one used when drawing occurs in the display memory. It is an index into the hardware-based color map.



SYSTEMS CENTER

BYSTEM 8/16A \$4395. \$5245. **SYSTEM 8/168** \$6745. **BYSTEM** 8/16C

* FULLY ASSEMBLED AND TESTED * Lease-Purchase/Maintenance Avail.

MORROW DESIGNS

MICRODECISION 2

S1185

with/Microsoft Basic, Bazic, wordstar 3.0, Logical, Correct-It speller, Personal Pearl Data base manager, CP/M PILOT

Cromemco C-10SP P.C. \$1,500

CP/M-LIKE D.S., Word. Proc., Spell Checker, Financial Planner, 32K Structured Basic

SO Bystems Disk-Less Computer CALL

BOARDS:

CCS Z80CPU \$ 239 FULCAUM 64K Static Rem Bank Select/Ext. Address \$ 395 Scion Micro Angelo MA520 \$ 965

SO SYSTEMS 3 8D SET w/1 yr warranty: SBC 200 W/MONITOR PROM VERSAFLOPPY II W/CP/M3.0 & BIOS 256 K EXPANDORAM III \$1295.00

PERIPHERALS - ETC.

LIBERTY FREEDOM 100

\$ 535.00 **lemulates Televideo 9251** PARA DYNAMICS CALL MAINFRAMES VOTRAX SPEECH SYSTEM \$ 275 **88M TRANSMODEM 1200** \$ 519

(HAYES COMPATIBLE) TANDON 100-2 DS/DD Drives \$ 245.00 for IBM-PC

QUME 8" Drives D.S./DD Thinline 242 \$ 445.00 Standard 842 \$ 445.00

ALL DRIVES ONE YEAR WARRANTY

FULL DEALER SUPPORT VISIT OUR SHOWROOM Hrs. 9:00 A.M.-5:30 P.M. M-F

Subject to Available Quantities Prices Guoted Include Cash Discounts Shipping & Insurance Extra Circle 399 on inquiry card.



14425 North 79th Street, Buits B Souttadale, Arizona 65260 TELEX 165025 TECHNICAL SCE-991-7870 BALES 800-828-3136




Figure 4: The Blink command is used to establish one or more asynchronous blink processes, These processes automatically modify the contents of the color map. In short, the Blink command causes the color of the current color index to be temporarily changed to that of the "to" color index. The on, off, and phase-delay times are specified in 1/10-second resolution, which allows this system to be compatible with both North American (60 frames per second) and European (50 frames per second) television systems. These times are used to control how often the color map is modified.

scribed above. This change will cause everything on the display screen that has been drawn with that value to change color.

Color-Table Animation

The Blink command is used to set up automatic color-table animation sequences. As shown in figure 4, the Blink command is followed by several bytes that indicate a colortable index, an on interval, an off interval, and a phase delay.

When the Blink command is specified, a process is established that coordinates the timing and interaction that occur between two colortable entries. The "from" color-table index is set to the current color index (i.e., the last selected index), The "to" color-table index is the index specified in the byte immediately following the Blink command.

As shown in figure 5, the blink processes are independent asynchronous activities that copy values from one entry in the color table to another. During the on interval, the color corresponding to the index specified by the "from" color is saved in an area of memory called the process-control block. Then the color corresponding to the index specified by the "to" index is copied to the "from" index. If the new color is different than the old color, a visual result will be seen.

Similarly, during the off time, the color information saved in the process-control block is restored to the color index specified by the "from" color.

For simple blinks or flashing, the "to" color index can specify a constant color that is used for copying purposes but not drawing. At this point it should be clear why hardware drawing values are not allocated to an index until actual drawing occurs. This technique allows each screenbased color to have a unique "from/to" color pair without requiring that colors be shared.

If you are following carefully, you will note that, at the beginning of the

Compare the Olivetti M2O with any other personal computer, and you may win a trip to the Italian Grand Prix.



When you compare the Olivetti M20 with any other personal computer on the market, you'll find there's really no comparison. Because the M20 has more computing power at a smaller price than anyone else. That's right, anyone.

And we can prove it. Just take the Olivetti Challenge. When you're finished, simply drop it in the mail. Chances are, you might win one of the many exciting prizes in the Olivetti Challenge Sweepstakes.

Or, drop by and see an Olivetti dealer and pick up an official entry form. There's no purchase necessary. But hurry, the offer ends June 30, 1983.

GRAND PRIZE

An expense-paid week for two at the Italian Grand Prix in Monza, Italy.

FIVE SECOND PRIZES

Puch 12-speed European racing bicycles.

TEN THIRD PRIZES

Seiko Analog/Digital racing watches.

FIFTY FOURTH PRIZES

Handsome racing jackets.

Whose personal computer offers	Olivetti M20 Personal Computer	Challenger #1	Challenger	Challenger
Microprocessors: 16 bit Z8001/8086; 16 bit BUS	1			
Memory: 128K-512K	V			
Disk Storage: 320K-640K floppy disks; 11MB Winchester	1			
High Resolution Graphic Display: 512 X 256 monochrome or color	1			
Operating Systems: PCOS, CP/M80, 86, 8000, MSDOS	V			
Communications: parallel, serial and IEEE interfaces, TTY, RBTE, 3270, real-time clock	√			
Application Software: integrated WP with data base and communications, integrated electronic work sheets with graphics, integrated accounting packages and vertical market packages	1			
Base Price:* under \$3,000	~			

Includes 128K, single 320K tirive, monochrome graphic display, serial and parallel interfaces, and real-time clock

NO PURCHASE NECESSARY

For the dealer nearest you, call 1-800-447-4700. OFFER ENDS JUNE 30, 1983
In Alaska and Hawiii, cult 1-800-1-17-0890.

DOCUTEL Olivetti

Ohio residenta may obtain an official entry form by sending a self-addressed stamped envelope to Olivetti Challenge Free Entry, P.O. Box 789, Madison Square Station, New York, NY 10159.

Figure 5: An example of three blink processes used together. The first process saves the contents of the color map at index 5 and then copies the contents of index 4 into index 5. After 0.1 second, the original contents of index 5 are restored for 0.3 second. The second process saves the contents of the map at index 6 and copies the contents of index 5 into index 6. Note that the second process can copy the contents of index 5 during the time it has been changed by process 1, causing a variety of effects. The third process, which runs very slowly, saves the contents of index 25 and also copies the contents of index 5 into index 25. When changes are made to the colors in indexes 5, 6, and 25, the corresponding hardware color-map registers 12, 11, and 0 are changed, causing visual changes to the

on time, the color in the "to" color index is copied to the "from" color index. This copy is made independently of any blink activity that may be set for the "to" color. Thus, this copying could occur during a time when the "to" color has been changed by another blink process. The result is that multiple blink processes can be set up to allow colors to ripple around the color table in regular and irregular patterns. These patterns can be used to produce dramatic animation effects under full control of the terminal and without the need for host interaction.

These animation effects, plus the other features described in the previous articles, should establish NAPLPS as the most extensive information-exchange protocol available. As time goes on, it is expected that NAPLPS will replace ASCII (American National Standard Code for Information Interchange) as the standard for information interchange. As this occurs, almost every area of computing will be affected. In order to prepare for this impact, we need to look into the future to see how NAPLPS will help shape the world.

Predictions and Conclusions

If one sits back and attempts to predict the future of personal computing and information exchange, some obvious predictions come to mind:

- 1. Integrated text and graphics will be essential in all visual information exchange.
- 2. Personal computers must be designed to be so easy to operate that a casual user can begin doing useful things immediately.
- 3. A personal computer will be used as a link to the rest of the world rather than a diversion from it.
- 4. People's efficiency will be increased by allowing concurrent ac-

5. The average personal computer user will be more of a consumer than a producer.

It should be noted that I have said nothing about the size of memory chips or the density of disk drives. These predictions involve only functionality and the user's view of computing capability. I am a firm believer that the consumer will be the ultimate decision maker when the fate of the personal computing field is decided. These users will make these decisions based on what they see, hear, and touch. They will not make their decisions based on how many chips are in a box or whether interrupts are enabled during DMA disk transfers.

Using these predictions and a little imagination, we can hypothesize what the ultimate personal computer will be like. Figure 6 illustrates my view of such a machine. Four functional servers are clustered around a central switching, control, and com-

ORCA/M

The best 6502 Assembler in the World

Hayden's Object Relocatable Code Assembler for Micros (ORCAM) gives you the kind of high-level support you'd only expect to find on a main frame. Now you can develop sophisticated applications with the speed and ease of a high-level language, yet retain the control and efficiency that only assembly language can give.

The Assembler

Macro language features: • Conditional assembly of

- source and macro files
- Separate source and macro files
- Nestable macros
- Parameter mid-string and string search functions
- Symbolic parameter assignment
- Numeric, string, and boolean type parameters
- Parameter subscripting
- Global communication between macros
- Macro expansion loop control
- Count, length and type parameter-attribute functions

Extensive Macro Libraries

Memory Constant Declarations:

- o Integer
- o Character
- o Four-byte Integer
- Hexadecimal
- Floating Point

Relocatable object module generation

Fast assembly directly to disk

Program segmentation:

- Selectively assemble individual subroutines
- Global and local scope of symbols

The Linker

Produce executable binary files from relocatable object modules

Link routines from library files

Link subroutine re-assemblies

Define a new origin for previously assembled code

Invoke at assembly time or by command

Subroutine libraries:

- Floating point and doubleprecision routines
- O Transcendental functions
- Hi- and lo-res graphics
- Multiple-precision integer math
- o Input and output

The Editor

Co-resident screen editor:

- o Global search and replace
- o Block move
- Entry of non-keyboard characters

Supports lower case adapters and shift-key modification

80-column: horizontal scrolling with 40-column displays

The System

Monitor: transparent control of system from one command level

Extended Disk Commands:

- o File copy
- o File undelete
- Catalog sort
- Wildcard filenames

Disk ZAP: Built-in disk sector editor

Optimized DOS 3.3 compatible operating system

Operating system interface:

- Supports a variety of configurations
- User-modifiable to allow linkage of custom drivers for peripherals

64k RAM supported, 48k required

This unique array of features and functions speaks for itselfs the power of ORCA is unsurpassed.

All features are documented clearly and extensively. Source listings for the subroutine and nacro libraries, as well as the operating system, are included.

ORCA. If you're serious about developing 6502 of tware, it's the one to have.

Available from your local dealer or call; 800-343-1218 (In MA call 6 9-937-0200) ORCA/M: 21609 Apple II disk, 48k, DOS 3.3 Two drives and 64k

recommended • Introductory Price: \$99,95

Circle 528 on Inquiry card

HAYDEN

SOFTWARE




Figure 6: The ultimate distributed personal computer system for the serious user. Each of the components is an independent entity, each with the power of a typical personal computer available today. The diagram illustrates functionality and does not necessarily imply physical partitioning. NAPLPS is the language used between all components, especially between the User Interface and the Central Computational Component. The User Interface may be able to run a variety of local screen-based text and graphics editors without informing the Central Computational Component.

putational unit. These four functional servers are not meant to indicate peripherals hanging on a microcomputer. In fact, they may instead be integrated into one unit. To put things into perspective, I imagine that each of the functional servers would have the complexity equal to or greater than that of an IBM Personal Computer.

The Hard-Copy, Communications, and File Servers are straightforward. Ideally, the Hard-Copy Server would support integrated text and graphics in high-resolution black and white. Color hard copy would be desirable. but I could probably live without it. The Communications Server would provide all links to off-site services through modems and local networks. The File Server would provide the typical storage and retrieval functions. Features such as automatic redundancy and backup might be transparent to the user, Databasemanagement capabilities could be built into the File Server, which would be responsible for organizing

the database in the optimum way based on the user's answers to certain queries.

The User-Interface Server would be an extremely high resolution color-graphics display with a variety of user-input devices. All input editing would be handled by this server. The user should be able to enter text and graphics with equal ease. The ability to point to objects on the screen should be available from any of the input devices. And the User-Interface Server should be able to support multiple windows, representing various concurrent activities currently in progress.

The Central Computational Component would be a multitasking system with the computational capability similar to most multiuser timesharing systems. A process (or task) would be active for each window in use in the User-Interface Server. Additional processes could be created to perform tasks for the user.

The Central Computational Component would also be responsible for coordinating all server-to-server interactions. It would also act on the user's behalf if some attention is needed and the user is busy. For example, electronic mail received via the Communications Server would be stored in the File Server without the user becoming involved. The user would be able to retrieve the mail at a later time.

Given this model of an ultimate personal computer, it becomes useful to begin charting an evolutionary path from our current position to this ultimate system. It is obvious in figure 6 that the User Interface must be present in the system before any other component. It is not obvious that the user needs any other component as long as the User Interface has access to a Central Computational Component.

The first step along the evolutionary path is to give the user a User-Interface Server. From that day forward, the user's view of the system begins to form. (The old adage "love at first sight" can be applied to com-

MEET THE JUGGLERS.

And what a unique troupe they are. Mullen's jugglers will keep your operation clicking, buzzing, stamping, whirring and whooshing. They manipulate everything from

flourescent tubes to hydraulic presses. Mullen components don't drop the ball, either.

If you ever feel like you have a thousand things to juggle, get help from these STD pros.

They're versatile. They're reliable.

They're Mullen.

NEW PRODUCTS

(Oty. 1-3 prices)

STD 801 and 811 Card Cages

Black anodized aluminum card cages, with motherboard and card retainer bar for use in high vibration areas. Specify bottom mount (801) or back mount (811). \$225 (8-slot motherboard), \$265 (12-slot).

STD 881-8 "NEMA 12" Computer Enclosure

Intended for unfriendly industrial environments. Splash proof box (oil and dust tight) includes 8-slot motherboard, card cage, card retainer bar switching power supply (+5V @ 6A, +12V @ 1A, -12V @ 1/2A), 115V AC input. Introductory offer: \$595 Options: 12-and 16-slot motherboards, stainless steel enclosure, EMI/RFI shielding. Call for quote on options

STD BUS COMPONENTS

(Oty 1-3 prices)

STD 001. Flat cable terminated prototyping board \$49.

STD 002. Dual 18 edge connector terminated prototyping board. \$554.

STD 003. Terminal block terminated prototyping board \$59.

STD 101. Extender board. 8.4" long. \$59.

STD 201. 8-channel TRIAC (4A/117V) output board **\$229**.

STD 211.8-channel opto-isolated line voltage input board \$194.

STD 221.8-channel SPST reed relay output board \$169.

STD 231.8-channel low-voltage isolated input board, \$194.

STD MBD*. 8-slot (\$135) or 16-slot (\$175) high-speed motherboard

STD 16K RAM*. 16K X 8 static memory card \$325.

STD CPU Z*. 4 MHz

Z80 CPU board with serial I/O and sockets for 8K of RAM/ROM \$335.

For more information, call Mullen Computer Products at (415) 783-2866 or write to MCP Inc. Box 6214, Hayward, CA 94544.

These dealers also carry Mullen products: Jade Computer Products, 4901 Rosecrans Hawthorns, CA 90250, (213) 973-7707; Priority One Electronics, 9161 Deering, Chatsworth, CA 91311, (213) 709-5111, and Advanced Computer Products, F.O. Box 17329, tryine, CA 92713, 800-854-8230.

OEM promote manufactured by CompuPro - a Continual Colonian, Manufacial by MCP Inc. a Scotour attento. Autour Manufacture Circle 320 on Inquiry card.



articontellandfillisti (

Monte Carlo Card

THE DISTINGUISHABLE CARD FOR THE DISCERNING USER.
FIVE FUNCTIONS ON A SINGLE BOARD

★ 64K to 1 Megabyte RAM Memory

★ ONE IBM Compatible Centronics Parallel Port

★ ONE IBM Compatible RS-232 Serial Port

★ Clock/Calendar (Perpetual Time Keeper)

★ Dual-Port Joystick Interface

Future Upgrade Option: Plug-On Direct Connect Modem

 The Clock/Calendar has full alarm features and 1/100th second timing.

This card is the Ultimate IBM Peripheral.
See Your Local Dealer.

Available NOW

The Monte Carlo Card was ingeniously engineered to ensure that the maximum possible variety of the most sought-after features demanded by PC users was amassed upon a solitary board. Providing users with the best value for money, functionality, reliability, and flexibility, were our primary goals, which will enshrine the Monte Carlo Card as the premier expansion board for any PC user.

See Your Local Dealer or Call

I-C Magic +

GRAPHICS

- Full Color or B/W Tones
- HIRES and Medium Res.
- 4-Dot Sizes for Blow-ups
 Reproduce Graphics
 from Screen to Dot Matrix
 Printer, Full Screen or
 Sub-Section
- Rotation, Color Hue Selection
- Shift PrtSc Graphic Dumps
- Color on Prism 132/80
- Operates on EPSON/NEC/C-ITOH PRISM/OKIDATA

- Selectable buffer
 1K to 64K
- · Serial or Parallel
- True Background spooling at your fingertips
- Save processor time

SAVE MONEY

 Buffers all text and graphics

TERMINAL

- RS-232 Direct or Modem connection
- Full terminal capability on a chip! Printer Hardcopy/ Echo
- Full input/output buffering
- Background terminal features
- Easy for user customization

FOR YOUR IBM PC

IBM is a registered trademark of International Business Machines, Corp. MBI and I-C-Magic are trademarks of Microcomputer Business Industries, Corp.

MICROCOMPUTER

BUSINESS

INDUSTRIES

CORPORATION

ADMINISTRATIVE OFFICES: 1019 8TH STREET, GOLDEN, COLORADO 80401 (U.S.A.)

TELEPHONE: (303) 279-8438 Circle 538 on inquiry card.

TWX: 910-934-0191

Monte Carlo Card

The distinguishable card for the discerning user

The only true FIVE function card for the IBM Personal Computer

- 64K to 1 Megabyte of Memory ONE IBM Compatible Centronics Parallel Port ONE IBM Compatible Asynchronous Communications Port
 - Clock/Calendar (Battery Backed) with Alarm Features

Monte Carlo

GOLDEN, COLORADO 80401 (U.S.A.) TWX: 910-934-0191




Figure 7: The User-Interface Server can be connected to the Central Computational Component in a variety of ways. A modem or a network arrangement allows a person to start using a User-Interface Server long before the Central Computational Component is needed.

puters as well as people.)

Because of this user view that is established, one is driven to give the user as much capability from day one as is economically feasible, even at the expense of not providing other components in the system. This strategy is compatible with the fact that a user will judge a system primarily from interaction with the User-Interface Server.

Once a user is given a User-Interface Server, another serious situation develops: the user will not want to give it up. This implies that when the user eventually obtains a Central Computational Component, he or she will expect the User-Interface Server to work with the new component.

What this all comes down to is that the user should be given the ultimate text/graphics terminal before any other component. The capabilities of this terminal should be standardized, and everything but the kitchen sink had better be available, because the capabilities of that terminal will help shape all future services. And the interface to that terminal must be clearly defined before any terminals are given out.

This is where NAPLPS becomes involved-as the text/graphics terminal-interface protocol for the User-Interface Server. As shown in figure 7, a NAPLPS terminal can be connected via a variety of mechanisms to a Central Computational Component. From the first day of use, the user sees a certain set of capabilities and begins to get used to the local editing features available in the terminal. If a user is connected to a host via a modem, all computation and information are obtained from the remote host. The spectacular text/ graphics displays are there from the beginning and are not something the user must dream of having.


From the host computer's point of view, the user is now a constant, a known entity with a standard interface. Services can be developed with the assumption that the user will not be a moving target. This stability gives the developers of the host system more incentive to develop more services. More services attract more users, and more users of course mean more money, etc., etc.

The user begins to consume the prepackaged information and services. Most users may not want to become programmers or system administrators; they merely want to accomplish a task and get on with the rest of their lives.

At some point in life, however, a user may become more sophisticated and require a dedicated processor. A Central Computational Component

DBPlus"

SORT, COMPRESS, and TRANSFORM dBASE II™ DATA FILES



If you are serious about dBASE II™ you need DBPlus. This program runs outside of dBASE II™ and performs the following important functions on dBASE II™ data files:

- Sort
- Compress/Decompress
- Transform

DBPlus™ is designed to free you from the chore of typing or memorizing a new language. In most cases all you have to do is move the cursor to the next menu item and press return!

SORT

DBPlus[™] can sort a data file up to 15 times faster than dBASE II[™] on a single field; 32 fields may be sorted in a single pass and each additional field requires 1% more sorting time.

COMPRESS/DECOMPRESS

A copy of any dBASE II[™] data file can be produced which is only 30% to 40% of the original size.

The compressed file will save you transmission time and phone costs when you send a data file over a modem.

Making backup copies of large data files can use up many floppy disks. Compressed files will save you space in archival storage.

TRANSFORM

You can now modify the structure of any data file by adding, deleting, and modifying fields without any programming knowledge.

DBPlus[™] can also create a new file which is compatible with WordStar/MailMerge.[™]

Now retailing for \$125.

Manual and demo disk may be purchased separately.

Dealer and distributor inquiries invited!

HumanSoft

661 Massachusetts Avenue Arlington, Mass. 02174 (617) 641-1880

> dBASE II is a registered trademark of AshtonTate, Inc. WordStar/MailMerge is a registered trademark of MicroPro, Inc. DBPlus is a registered trademark of HumanSoft

> > Circle 218 on inquiry card.

can be purchased by the user and added to the original User-Interface Server. Many of the services that had been available on the remote host will probably be available on the dedicated processor.

Additional servers could be added to the Central Computational Component as the user desires. One interesting thing to note is that the display capabilities of NAPLPS are such that the Hard-Copy Server can use the same protocol. Also, because the File Server will certainly be able to store NAPLPS, we see that a complete, integrated personal computing system begins to emerge. NAPLPS becomes the common language in the system for information interchange.

The addition of the Communications Server is the mechanism by which a user and personal computer become an entity on a local-area network. Keep in mind that the addition of the Communications Server allows a far more sophisticated system than when the user was remoted to a host via an unspecified network. The remoting was done to create the link be-

tween the User-Interface Server and the Central Computational Component. The Communications Server was not involved. Figure 7 illustrates this difference.

If I have not lost you completely and you are good at reading between the lines, it should be clear that NAPLPS is a small part of a large, integrated personal computing system. Many of the parts of that system still need to be specified and implemented. Luckily, the part of most concern to users is quite mature and currently available in the market-place. I predict that in three to four years systems similar to the one I have described will be commonplace in personal computing.

Those of you who are familiar with the various videotex systems that have been proposed may realize that my ultimate personal computer would be fairly compatible with such systems. In most videotex systems, a network of inexpensive home terminals with enhanced graphics capabilities are connected to a host computer. Ideally, the manufacturers of these terminals will design them so that at some later date the user can add the above-mentioned servers.

As I said at the outset of this article, personal computing has not yet reached the majority of people in the world-but someday it will. If you are currently a personal computer user, you should feel honored to be among the pioneers. As the personal computing field begins to evolve into a mass-market, consumer-oriented. network-based information system, do not be surprised if you begin to feel like the odd man out. Also, do not be surprised if one day your neighbors invite you over to see their new computer that costs one fourth to one tenth the price of yours and has access to thousands of services via networking. And do not get upset when you find out that your neighbors cannot tell you which processor their computer uses or what transmission rates their modem supports. Instead, just feel good about the fact that you know a little bit about the language their computer uses to talk to the rest of the world.





The Real Thing

In a world where Ada is becoming a widely accepted standard, it is important that programmers learn this language quickly. SuperSoft Ada provides an excellent means for doing just that. And in contrast to other Ada-like languages, SuperSoft Ada supports standard Ada syntax and only standard Ada syntax. This means you'll learn to write programs in valid Ada code only.

SuperSoft Ada

SuperSoft Ada is a native code, fully recursive, multipass compiler which generates ".COM" files. While currently a subset, SuperSoft Ada supports many features of the standard Ada languages such as:

loop floating point procedure printer I/O strings case console I/O while arrays integers for disk I/O

characters integers with exponents

types

user defined types
 derived types

enumeration types (no I/O) • records and selected components

attributes

relational operators for arrays and strings

control structures

labels • goto • exit

in out/out mode parameters for subprograms pragmas

list
 print
 optimize

include • system

Circle 432 on inquiry card.

The second release of SuperSoft Ada (2.0) includes the most useful features of standard Ada. Anyone purchasing an early release will be promptly notified of all updates and charged only for the small price increase of later releases.

Ada is a state-of-the-art language designed for the demanding, contemporary user/programmer. Because it is required by the Department of Defense, Ada is certain to become a dominant language soon. Begin learning and using Ada now with SuperSoft Ada.

"This compiler is presently an incomplete implementation of the Ada programming language. It is intended that this compiler will be further developed to enable implementation of the complete Ada programming language, and then to be submitted to the Ada Joint Program Office for validation."

(Requires: 48K CP/M®)

Ada Compiler: \$300.00 Manual Only: \$40.00

Japanese Distributor: ASR Corporation International, 3-23-8. Nishi-Shimbashi, Minato-Ku, Tokyo 105, Japan, Tel. (03)-4375371 Telex: 0242-2723.

European Agent: Micro Technology Ltd., 51 The Pantiles, Tunbridge Weils, Kent, England TN2 5TH. TEL 0892-45433. Telex: 95441 Micro-G

"Ada is a trademark of the Department of Defense (Ada Joint Program Office)

CP/M is a registered trademark of Digital Research, Inc.



Better Software Manuals

Your company's survival may depend on them.

Dana Sohr POB 953 Beltsville, MD 20705

Incomplete, disorganized, and unreadable—that's the way to describe many of today's software manuals. And indeed, what other reaction could there be to the following:

- •a 79-page software manual that on page 69 describes "the first thing you will have to do before performing anything..."
- •a manual that claims the user doesn't need to read other manuals, then, three pages later, refers the user to another manual for necessary information.

About the Author

Dana Sohr is a freelance technical writer and editor. He writes a column on computers for a national trade magazine and is a consultant on office computers for the newspaper industry. His recent work includes a manual for LITMAS' (a cross-indexing program for the Apple II) and one for Calc Result (a spreadsheet program for the Commodore 64).

Acknowledgment

This article was prepared as part of a research project done in conjunction with Ben Shneiderman of the University of Maryland Computer Science department. Sincere thanks go to Dr. Shneiderman for his advice and ingenuity. •a manual containing sentences such as: 'The insert/delete key deletes characters to the left of the cursor position if operated in lowercase and if the Shift key is held down at the

Purchasing decisions will be made not so much on program features but on how easy programs are to learn and use.

same time as pressing INST/DEL all characters to the right of the screen cursor are moved one position to the right with every keystroke and spaces created." (This manual, believe it or not, supports a \$500 program.)

You don't have to look very far to find such examples, and you don't have to listen very long to hear complaints. Software manuals today are like the bicycle-assembly instructions of yesterday—those notorious documents responsible for unassembled bicycles left rusting away in basements everywhere.

Let's face it: many software manu-

als are patchwork affairs thrown together at the last minute either by programmers or by technical writers who write too technically. Both assume that the user, given a few scraps of information, can figure out the rest.

This approach certainly saves time and money, but in the long run it is economic suicide. With more computer novices entering the software market, and with similar programs competing for everyone's attention, purchasing decisions will be made not so much on program features but on how easy programs are to learn and use. Thus, purchasing decisions will increasingly be made on the strengths and weaknesses of manuals.

Imagine this scenario: a hardwarestore owner is shopping for a computer. He's attracted to the Apple II because he's learned that the Apple can run software to write invoices. But lo and behold, the local computer store stocks five invoicing programs for the Apple—programs that just aren't all that different.

Which program does he buy? He looks at the documentation, and he buys the program that has the most attractive, readable, and understand-

FRANKLIN'S BAKER'S DOZEN!



13 Good Reasons to Buy the ACE 1200

- 1. Apple® II-compatible
- 2. CP/M®-compatible
- 3. 128K of RAM
- 4. Built-in floppy disk drive
- 5. Disk controller
- 6. 80 column card
- 7. Serial interface
- 8. Parallel interface
- 9. Upper and lower case
- 10. VisiCalc® keys
- 11. Cursor control pad
- 12. Numeric pad
- 13. Auto repeat keys

Extras can more than double the price of your personal computer. Not so with the Franklin ACE 1200. It's the professional computer system that includes the extras—and a long list of exclusive Franklin features that make it the most extraordinary value on the market today.

The ACE 1200 has everything you'll need to add a color or black and white monitor, modem, printer, back-up disk drive and other accessories. You can choose from the enormous selection of Apple programs and peripherals because the ACE 1200 is hardware- and software-compatible with

the Apple II. And, with the built-in CP/M card, you can run both Apple II and CP/M programs. Franklin's CP/M operates three times as fast as many competing systems, drastically reducing processing time for most business applications.

The Franklin ACE 1200—the most extraordinary value on the market today. Call or write today for the name of your local authorized Franklin dealer.

Franklin ACE is a trademark of Franklin Computer Corporation.


Apple is a registered trademark of Apple Computer Inc.

CP/M is a registered trademark of Digital Research Inc.

VisiCalc is a registered trademark of Visi Corp.

FRANKLIN COMPUTER CORPORATION





Starbuck Model 8232

A general purpose real-world interface: connects to ANY computer or terminal via RS-232

TYPICAL APPLICATIONS:

- Use with printing terminal: create low-cost data logger
- · Use with modem and phone for remote acquisition & control
- · Capture data bursts for subsequent analysis/plotting
- Monitor experiments; transfer data daily to main computer

FEATURES:

- •8 analog inputs, 0-5 VDC
- 8 digital Input channels
- 8 opto-isolated outputs
- · All inputs and outputs fully protected to withstand abuse
- 8 bit (0.4%) analog accuracy
- On-board 2000 point buffer
- Up to 5000 analog readings/s
- Triggered acquisition
- Units may be chained for extra channels
- Controlled by ASCII strings
- Application manual details Interfaces for common sensors
- Applications engineer on call
- THRIFTY PRICE: \$540. complete! Applications manual only: \$5. TRS-80 version also available



PO Box 24, Newton, MA 02162 (617) 237-7695

Dealer and OEM inquiries welcome

able manual.

Buyers are discriminating. In the future, when there will be more competing products from which to choose, buyers can afford to be even more discriminating. They will buy from anyone who can give them readable, usable manuals.

The same thinking also applies to computer-store owners. Why should store owners bother to sell a program with a shoddy manual when they can sell a competing program with a good manual? If they sell the first program, they know they will receive follow-up phone calls from frustrated customers and may even have to conduct instore training sessions. But if they sell the competing program with the good manual, the store owners will spend much less time supporting the program; they'll receive fewer phone calls and answer fewer questions. For computer-store owners, it's more profitable to sell those programs backed by good manuals.

Good software manuals require an investment of time and money. Once that hurdle is crossed, producing a solid manual is a matter of knowing who the user is, how the user learns, what he needs to learn, and how to evaluate the finished product. This article offers advice to vendors and writers. It is designed to prevent the question, "How does this software work, anyway? I couldn't understand the manual."

A manual transmits information. Unfortunately, the transmission has to overcome some big obstacles before reaching its audience, the user, The biggest obstacle is the user himself.

Create the Right Tone

Many will agree that first impressions are lasting ones, and the user's first impressions of your manual are crucial. If your manual is sloppily packaged and typographically ugly, or if it appears to be a well-packaged piece of technical drudgery, you are working at a serious disadvantage. You aren't trusted, you aren't liked, and any information you attempt to transmit will be distorted. Create the right tone, and what you transmit will be received.

Define Your Audience

To create the right tone, think of the user, then tell that user what he wants to hear. If the program handles accounts receivable, tell the user how quickly and accurately he can send out his bills. Then tell him how easy the program is to learn and use. If the program does payroll, tell the user how quickly and accurately he can print checks. Then tell him how easy the program is to learn and use.

Entice and assuage the user by giving him what he wants, then go on with the business of listing necessary equipment, describing specific features, and detailing how to go about using the program.

Your target audience will determine whether you transmit information at a breakneck speed or parcel it in doses. Study your intended users, and ask yourself some questions. What does the program do? Does it compile BASIC code, or does it teach BASIC? Different programs mean different users. The user of the first program, who is already writing his own code, understands something about programming. The user of the second program, who would like to write his own code, understands far less.

A manual for the experienced user should transmit information at a faster pace than does the manual for the novice. (For example, the first manual should not stop along the way to explain variable arrays; the second manual should.) By making educated guesses about the intended users of a program, you can determine what information the manual should transmit, and at what pace it should be transmitted.

In tutorials for novices, tone and pacing are crucial. Novices are bound to be shy about using a computer, and in some cases they will be terrified. Remember, many computer users today do not voluntarily decide to work with a computer; the decision is made for them by their managers. A manual for these novices must do several things. It must soothe fears ("You can't hurt the computer, and the computer can't hurt you"); it must motivate ("The computer does the mindless tasks you always hated to do"). Only after you've created the

It's easy to make points when you're a pro.

POINT . . . The Houston Instrument DMP-41 plotter meets the needs of the serious or professional user, yet it's easy to operate.

POINT . . . C/D size format, comprehensive front-panel controls and sophisticated firmware are all tailored to the needs of the surveyor, drafter, oceanographer, geophysicist and land developer . . . to name but a few. You can generate superior architectural elevations, contour maps, circuit-board layouts and assembly drawings quickly and accurately on bond, vellum or synthetic media.

POINT . . . The DMP-41 is configured to work with micros and minis, and has the capacity to take advantage of a mainframe's increased capability. RS-232-C interfacing is standard, with alternate protocols available. The DMP-41 is easy to live with, adhering to FCC Class B requirements. UL listing pending.

POINT . . . Minutely defined step size and high-resolution logic—combined with robust drives and optimized pen ballistics enable you to create plots of high precision and surpassing quality.

POINT . . . The Houston Instrument DMP-41 is one of your most cost effective considerations.*

For the name, address and phone number of your nearest distributor, write Houston Instrument, 8500 Cameron Road, Austin, Texas 78753. Phone 512-835-0900, or

800-531-5205 if outside Texas. In Europe contact Bausch & Lomb Belgium NV., Rochesterlaan 6, 8240 Gistel, Belgium. Tel 059-27-74-45, tlx 846-81339.

BAUSCH & LOMB Thouston Instrument division

*suggested US retail \$2,995

See us at NCC Show, Booth 3810

right tone should your manual go on to provide well-paced, step-by-step knowledge.

Often you can't classify the typical user of a program. For example, both novices and seasoned computer users buy word-processing programs. In this case your word-processor manual should cater to the novice. The manual will not neglect the experienced user because all the information is provided, just at a slow pace. The experienced user knows how to use the keyboard, how to control the cursor, and how to protect disks; he can bypass such instructions and get to information he hasn't encountered before. Rather than resent the manual for slowing him down slightly, he'll probably wish that when he was a computer novice such a manual was the rule, not the exception.

Now that you know who the user is, how to create the right tone, and how to pace the manual, think about how to transmit information in a way that makes learning easy. After all, the user might be receptive to new information, but the information serves no purpose unless he can understand and recall it, Learning hinges on the way information is organized and the way it's presented.

Organize by Tasks

No matter who the intended user is, a manual should be task-orientedorganized according to the tasks the program performs.

Although software manuals are, as a group, moving toward this orientation, a large number retain a more primitive organization. Many manuals are option-oriented; they begin with a section on the program's first menu option, then proceed to a section on menu option 2, and so on. That's fine-unless the user cannot perform the options in numerical order.

Consider chapter 1 of a certain bookkeeping-program manual. This chapter describes how to prepare invoices because "Invoices" is listed as menu option 1. In chapter 13, the user is instructed on recording customers' names and addresses because "Customers" is listed as menu option 13. Unfortunately, until the user records

his customer information (chapter 13), the program won't let him prepare invoices (chapter 1). So the user must read all the way to chapter 13 before actually doing work with the program. And after getting to chapter 13 and recording customers, the user must then try to figure out what to do next. Can he now go back to chapter 1 and prepare some invoices, or does he have to do something else first? The manual doesn't help him at all.

Learning hinges on two basic factors: the organization and presentation of information.

An option-oriented manual doesn't synthesize information; it dumps it in the quickest (and cheapest) way possible. The user must read every chapter at one sitting, then try to arrange the information into some sort of logical order.

This scheme of manual organization makes great sense to the programmer, who organizes a task by breaking it into discrete sections of code, but it makes no sense to the user, who needs to be told what tasks to do and when to do them. For example, a word-processor manual should not begin with instructions on creating disk files because the program can't be used that way, Instead, the manual should first tell the user about editing and formatting, then tell him how to save material.

Task-orientation is no great mystery, Before you begin writing your manual, analyze the various tasks the program performs, then describe those tasks in the order in which the user should perform them. Make sure that all information needed to do the tasks is provided and that extraneous information isn't included. Most users don't care how a program works; they just want to know how to use it.

Organizers

The manual shouldn't joggle the user with unexpected material because the user won't understand it fully. And if he doesn't understand it, he certainly won't be able to recall it.

To prepare the user for new information, include organizers in your text. The organizer, a very simple tool, can be a short introduction to a new section or chapter. An organizer for chapter 2 of a word-processor manual might look like this:

In chapter 1 you learned how to format and edit what you type. In this chapter you will learn how to save what you type. Saving text on the disk will create a "disk file." Think of a disk file just as you would think of a file in a file cabinet. You can look at a disk file at any time, just as you can look at a file in the file cabinet. You can also add things to the disk file, change the file, or throw the file away . . .

With this organizer in mind, the user can easily understand the purposes of the SAVE, REPLACE, and ERASE commands.

As the example shows, the organizers should look backward and forward at the same time. They should tell the user where he's been, where he is, and where he's going. A new computer program is a strange land in which the user can easily get lost. If the manual provides organizers, the user is always on solid, familiar ground. If organizers aren't provided, the user wanders aimlessly. He's never certain where he is, and the little that he learns is gained by trial and error.

Move from the Whole to the Parts

Organizers alone don't ensure that the user will understand and recall new information. The manual should also move from the whole to the parts. At the same time, new information should be linked to knowledge the user already has.

Consider a wholesaler who buys an accounts receivable program. Like most software, this program was purchased because it makes a particular task easier to do: the wholesaler already knows a lot about that task before he lays his hands on the manual. He already knows, for instance, how to prepare an invoice. He



STE

BUSINESS WORLD INC Information Line (213) 704-6895 TOLL FREE MAIL DROER LINES (800) 423-5886 Outside Cald



IBM SPECIAL OF THE MONTH IBM DISK DRIVES FOR THE PC DOUBLE SIDED/DOUBLE DENSITY 320K

> MSL \$650.00

PRICE

DAVONG

OSI 501 Nard Disk SM

64K Ram Card wiparity 128K Ram Card wherit

256K Ram Card when

KAYPRO

CP/N 2.2

MICROSOFT

XEDEX BABY E

ONE YEAR WARRANTY \$229.00

HAYS MICRO

COMPUTERS

TIGER

DIABLO

CENTRONIC

NEC

· MEMOREX

PERSONAL SOFTWARE

XTRUX

DIABLO

249.00 375.00 549.00

350.00 525.00 875.00

500.00



APPLE II **PLUS**

PLUG-COMPATIBLE DRIVES **RANA ELITE I**

W/CONTROLLER W/OUT CONTROLLER OUR PRICE **DUR PRICE** 399.00 329.00 449.00

MICRO-SCI A2

W/CONTROLLER W/OUT CONTROLLER MSL OUR PRICE MSL OUR PRICE 519.00 379.00 409.00 299.00

IBM **PERSONAL** COMPUTER INCLUDES:

2 Drives OS/DD Color Graphic Board 64K Memory Video Monitor

OUR PRICE Save MSL \$2849.00 656.00 3550.00 "Subject to availability



OUR PRICE MSL \$1699.00 1995.00

RADIO SHACK

TRS 80 MOD III

OUR PRICE

\$1733.00

296.00

2 DRIVE

RS232

Computer Complete with CP/M and Perfect Software 1795 00 1585 00 OSBORNE PERSONAL COMPUTER



DOUBLE INCLUDES SOFTWARE

 MAIL MERGE · WORDSTAR · CB BASIC

SUPERCALC . M BASIC **OUR PRICE** 1795.00

ALTOS B BIT SYSTEMS

ZBO-BASED MULTIUSER WINCHESTER HARD DISK AND FLOPPY SYSTEMS WICLUDES MP/M II OPERATING SYSTEM

> net available

375.00 345.00 149.00 345.00 695.00 99.95 445.00 595.00

495.00

495.00 249.00 425.00

599.00 379.00 279.00 90.00 30.00 50.00 175.00

395 00 395.00 595.00 200.00 59.95 59.95 249.00 179.00

219.00 249.00 279.00

595.00 349.00

239.96 115.00 235.00 499.60 72.50

785.64 275.00

27.06 37.06 135.00

179.00

279.00 315.00 205.00

259 00 225 00

	Medel No.	No. of Flappy Disks	Floppy Disk Storage	Suggested List Price	Our Price
i	Series 5-150	2	2 Mb	\$2,990	\$2,449.00
1	Sames 5-50	1	1 Mb	\$5,490	\$4,288.00
T	580-10	1	1 Mb	\$6,490	\$5,422.00

ALTOS 8-160 APPLF (I)
\$2990 \$2995
2 1, add 1g/ \$450
User Opt CRT Monitor included Base Price. Disk Drives Capacity Video Video User Up User Terminal Cost \$800 average Operating Syst MPM included CP/M MP/M MPM included Monitor included Apple POS CP/M @ \$465

availab

APPLE PERSONAL

Videa Combo Package Videa Videoterm Card Videa Knyboard Enhancer II Microsoft Softcard with CP/M

MICROSON 166 Card
PCP Appl I - Card (4 MHZ version)
PCP Appl I - Card (6 MHZ version)
Carvus Winchester 5M8
Corvus Winchester 10MB
3

Microsoft Premium Pak Microsoft 15% Card

Corvus Winchester 20M8 Saturn Systems 32K Saturn Systems 64K Saturn Systems 128K

Hays Smartmodem Kensington System Saver M & R RF Modulator M & R Super Fan Grannler

Grappier +
Practical Peripherals
Microbuffer II 16K
Practical Peripherals
Microbuffer II 32K

microbation in JZN
Prometheus Versa Card
SVA Disk 2+2 Controller DSSD
SVA Disk 2+2 Controller DSSD
SVA Appl. Cache 256 ft. Memory
TG Jaystick
TG Select A Part

COMPUTER

ALTON 5-150 APPLE N I/O Port RAM Processor Computer 1 sar , 1 par. =\$165 128K 6502A 3 ser., 1 parallel 192 K ZBOA

Gode User Opt. @ \$500 \$4675* Dot Mab Printer TOTAL

IBM PERSONAL



PERIPHERALS & SOI	IWAKE	Des
MARDWARE	WSL	Price
QUADRAM Quadboard. 4 functi	on ord	
with 64 K	595.00	149.00
with 256 K	995.00	499.00
Quad Color II		
With \$40x240 Resolution	575 00	439.00
Quad Celor III		
With 640x400 Resolution	850.00	669.00
Printer Card wicable (parallel)	159.00	109.00
Printer Card wicable (serial)	179 00	139.00
Davone Hard Disks		CALL

SOFTHAME		
Zork I by Infocum	39 95	2A.50
Zork II by Infocom	39.95	28.50
Zork till by Infocom	39.95	29.50
Snooper Troops #1 by Spinnaker	44 95	33.50
Snooper Troops #2 by Spinnaker	44 95	33.50
Deadline by Infocom	49 93	37.50
Flight Simulator by Microsoft	49.95	37.50
Starcross by Infocom	39.95	28.50
Story Machine by Spinnaker	34.95	26.50
The Home Accountant		
by Continental	150.00	111.00
VisiCalc by VisiCorp	250.00	189,00
Wordstar by Micropro	415.00	369.00
The Tax Manager by Microlab	250.00	189.00
Visitile by VisiCorp	300.00	729.00
Supercalc by Sorcim	295.00	229.60
dBase II by Ashton Tale	700 00	4.89 50
Personal Investor by PBL	145 00	119.00
L'ELPOURI (MAERICO, DÀ LOC	143.00	119.90

Exp Date

	_	
SOFTWARE		
Zork I by Infocum	39 95	28.50
Zork II by Infocom	39.95	28.50
Zork till by infocom	39.95	29.50
Snooper Troops #1 by Spinnaker	44 95	13.50
Snooper Troops #2 by Spinnaker	44 95	33.50
Deadline by Infocom	49 93	37.50
Flight Simulator by Microsoft	49.95	37.50
Starcross by Infocom	39.95	28.50
Story Machine by Spinnaker	34.95	26,50
The Home Accountant		
by Continental	150.00	111.00
VisiCalc by VisiCorp	250.00	189.00
Wordstar by Micropro	415.00	369.00
The Tax Manager by Microlab	250 00	189.00
Visitile by VisiCorp	300 00	729.00
Supercalc by Sorcim	295 00	229.00

HEWLETT PACKARD MANDHELD THE CHLATORE

MANAGED MACAGEMENTS		No.
AND COMPUTERS*	MSI	Price
HP 10C Shm-Line Prog Scientific	80.90	84.00
HP 110 Slim-Line Adv Prog Sci	100.00	79.00
HP-12C Stim-Line Adv Finan Prog	150.00	129.00
HP-15C Slim-Line Advanced		
Programmable Scientific		
w/Matrices	135.00	119.00
HP-16C Sam Line Prog for Digital		
Electronics and Comput Science	150.00	129.00
HP-41CV Handheld Comp		
with 5X Memory	275.90	209.00
HP-97 Desktop Fully Prog Print	750.00	599.00
Card Reader for 41CV/C	215.00	162.00
Printer for 41CY/C	385.00	789.00
Optical Wand For 41 CV/C	125.00	97.00
Quad Ram Equals		
4 Mem. Mods	95 80	81.80

CP/M is a registered trademark of Digital Research, Inc.



S-100 PRODUCTS

CAMPUTER SYSTEMS	MSL	Qur Price
2.80 CPU	325.00	259.00
Disk Controller/CPM 2.2	425.00	139.00
64K Static RAM (200 ms)	750.00	549.00
Maintrame 110/60 HZ		
or 220V/SOHZ	575 00	475.00
2 Serial Port + 2 Parallel	360.00	289.00
CPIM 2 2	150.00	119.00

1	1	
PRINTERS		Oper
EPSON	MSL	TTICE
Epson MX 80 T Type 187	645 00	CALL
Epson FX-80F/T	699.00	CALL
Epson MX-100 Type III* "wigraphics OKIDATA	995 00	CALL
		109.00
Ok data 82A w/tractor 80 col	549.00	100.00
Okidata 83A Witractor 132 col Okidata 84P 132 col. seriel	1395 00	1019 00
On clara 845 132 cel parallel	1495.00	1177.00
C. ITOH	1433.00	4217-44
C. Itoh F 10 40 cps (parallel)	1795.00	1177.00
C. Itoh F 10 40 cps (serial)	1895.00	1439.00
C Itoh Prowrder garallell	695 00	519.00
C Itah Prowriter (seriet)	749 00	165.00
SMITH CORONA		
TP-1 Letter Quality	895 00	199.80
Tractors	150 00	1.19 Mg
STAR MICROREC		
Gemmi 10	495.00	179.00

-MODEMC -		
PHODEMS		Our
HOVATIOR	MSL	Price
Cat	1.89.00	149.00
D-Cat	199.00	159.00
Agto-Cut	249.00	299.00
212 Auto Cat	695.00	629.00
Super Mike	14.95	17.95
Apple Cat II	389.00	299.00
212 Apple Cal	725.00	515.00
HATS INCROCOMPUTER PRO		
Hays Stack Smartmodem	269.00	229.00
Smart Modern 1200	699.00	529,00
Micromodem 100	399.00	296.00
AMCHOR AUTOMATION		
Signalman Modem MII. I	99.00	78.00
Mark VII (Auto Answer/Dist)	159.00	125.00

When in LA please visit our showroom M-S 10-6.



MONITORS		
411	1111	Price
ENC	List	
12" Grn. Plus KQ 12 EU	249 DO	179.00
12" Grn Phs EO 1200 SU	219 00	149.00
MEC		
JB 12" Green	249.00	175.00
JC 12" Color	495 00	345.00
USI COOP	423.00	343.68
P1-2 12" Green	249 00	155.00
Pl-3 12" Amber	789.00	145.00
AMDER	202.00	
300 12" Green	195.00	145.00
Color I	395 DO	325.00
Color II RGB Haghres	895.00	\$95.00
	612 56	894.00
ELECTRONOME	***	-
ECM-1302 1 13" RGB Hires	595 00	395.00
ECM-1302-2 13" RGB Hues	835 00	195.00
Color Board for Apple II	249 00	195 00

1150	M CA CA	AIL ORD	1001 (213) 704 8001 (213) 704	L-6895 CA (213) //	34 8895
Name (Please print)					
y		State	Zva	-	
Qty	Make	Medial	Description	Price	Total
\dashv	-				
-					

e reserve the right to correct typographical fors. This ad supercedes all previous ads icus subject to change without netice

California residents add 6 % % sa *Add 3% Shipping & Handling — Add 3% wrcharge for credit cards. Order cannot be hipped unless accompanied by payment, roluding shipping, handling and tax where pplicable.

OTAL ORDER S AX IF APPLICABLE" ____ HIPPING & HANDLING"" OTAL ENGLOSED S

VISA

MAXELL - DYSAN - EPSON - CCS - SHARP - CASIO - HP - VERBATIM - MEMOREX - SOROC - CORVUS - PERSONAL SOFTWARE

knows that the invoice should include the customer's name and address, inventory codes, prices, and so forth. He also knows that, according to his usual method, after preparing an invoice he must manually adjust customer accounts, tax accounts, salesman accounts, and so on.

However, while he knows how to prepare an invoice by hand, his new program does it differently. And the manual can use these differences to its own advantage.

People learn partly by contrast; new information isn't understood until a person compares it to a pattern created by older knowledge. For example, the statement "red is a bright color" can be understood only by mentally comparing red to other colors. Likewise, the wholesaler won't understand his accounts receivable program until he compares it to what he already knows. The manual should make that connection for him. It should briefly summarize how invoices are prepared by hand, then summarize how the program prepares invoices. This links new information to old knowledge, creating a clear contrast from which the wholesaler learns. "In the old days," he thinks, "I had to do all this stuff by hand. Now, after I prepare an invoice, the program automatically adjusts my customer, tax, and salesman accounts."

By starting at a simple whole and by linking new information to old knowledge, the manual gives the user his bearings. Now it can safely move on to the separate parts of the task and present step-by-step detail on preparing invoices.

Repeat, Repeat

Sure, the user is intelligent; he bought your software, didn't he? But don't assume that he will instantly grasp important points. You have to repeat those points several times, then mention them once more in summary passages.

I'm not advocating that manuals be written for the addled. What I am arguing is that learning a new program is not unlike being in third grade and learning multiplication.

Remember third grade? How many hot afternoons did you spend at the flash cards until you could remember that 9 times 9 equals 81?

Because manuals should move from simple to complex information, it's critical that you make sure the user is with you every step of the way. This means that every important piece of information should be highlighted and dwelled upon, then drilled into the user's head. You can do this subtly, by providing several examples of a feature new to the user. Or you can do it directly, by repeating a definition. In a word-processor manual, for example, the user could be told several times the purpose of a command: "Remember, when you use the REPLACE command, the file you were working on replaces the old version of the file." Using this direct repetition, you run the risk of irritating those users who understood the REPLACE command immediately. But if you skim over important points, you run the risk of frustrating many users.

By orienting the manual around the tasks that must be performed, by providing organizers, by linking new information to old knowledge, and by repeating important information, you take a long step toward ensuring that the user can understand and recall new information. But that's only half the story. You also must present information in a way that helps users learn.

Write Actively and Logically

When you prepare a software manual, you serve as a teacher. Unfortunately, you can't communicate verbally with the user. You can't shout and wave your arms and prod the user awake. You don't even know when the user's attention is lagging. However, if you write to engage the user at all times, presenting your material in a warm and lively style, you stand a good chance of communicating effectively. Dry, passive, turgid writing is not only boring, it hinders communication.

Use active verbs. A passive sentence such as, "The program was bought by Mary," takes about 25 percent longer to comprehend than the

Finally,

investment software from Dow Jones.

Dow Jones & Company, publisher of The Wall Street Journal and Barron's, is proud to introduce DOW JONES SOFTWARE.™

These products turn your personal computer into a powerful investment and business tool. With them, you can analyze and manage timely information available by telephone connection from Dow Jones News/Retrieval, the leading provider of online business and financial news and information.

DOW JONES SOFTWARE is reliable, easy-to-use, fully supported—from a company you can trust. Available at selected computer stores. For more information call 1-800-345-8500 x 48.

(Alanka, Hawaii and foreign call 1-215-789-7808 ext. 48)



...Bank on it.

sentence, "Mary bought the program." Moreover, the second sentence, because it is more vigorous than the first, is easier to remember.

Arrange instructions in correct sequence because that's how the user should perform the instructions. If you give the instruction, "press the 'x' key while holding down the Shift key," the user will probably press the 'x' key, then the Shift key, and discover that nothing happens. Change the instruction to, "hold down the Shift key, then press the 'x' key."

Illogical instructions disrupt and sometimes destroy your message. You should also avoid pointless redundancy (e.g., "a total of four disks"), inconsistency (a command is first "SAVE" then "Save"), pretentiousness (using "determine" where "check" would do), and vagueness ("enter the file name").

Write Relevantly and Simply

Make your writing more personal, more relevant to the user. Use the pronoun "you," not "we," as the former is more relevant to the user. Use the present tense; again, it is more relevant to the user.

Make the manual human. Use humor. Use familiar, everyday examples and analogies. Use hypothetical characters. Talk to your reader, don't just write at him.

Such techniques are, unfortunately, considered to be the tools of novelists alone. What the manual writer often forgets is that he, too, must serve his audience. He must instruct the user, but that's impossible when the user is bored and frustrated. Literary techniques applied with discretion keep the user interested and receptive.

Write as simply as you can. Avoid abstract nouns and verbs (e.g., concept, conceptualize). Abstractions do nothing but disrupt your efforts to teach the user. Above all, don't use jargon unless it's necessary and unless you're willing to define it the first few times you use it.

Use artwork wherever possible. Photographs and illustrations break up large bodies of type, attract the user's attention, and make informa-

tion more relevant. Instead of simply describing how to load disks, include an illustration. Rather than just describing an important screen image, include a photograph.

Evaluate with the Eyes of a User

The evaluation is the last line of defense against errors, but too often vendors and writers ignore it (judging by their final products).

The evaluation doesn't have to cost a lot of money, and what money is spent comes back in the form of customer loyalty, goodwill, and sales. During the evaluation, you should identify and correct the manual's shortcomings; errors should be removed and omissions filled in. A critical evaluation produces a well-written, truly instructive manual that will make friends of users and computer-store owners alike.

You can evaluate the final draft of a software manual in various ways. Some methods cost more than others, and some are more effective than others, but no single method is sufficient. A thorough evaluation will incorporate two or more of the following methods:

Editing: Hire a professional editor on a temporary basis, preferably an editor experienced with instructional materials. An experienced editor can read the manual as the user would, and he can correct writing deficiencies.


Checklist: The checklist, a very simple method of evaluation, sets standards for what the manual should provide. Here's an example of a much simplified checklist:

- •Does the manual include (1) a table of contents, (2) an index, (3) introductory and summary material for each section and chapter, (4) a tutorial section in which the user gains hands-on experience with the program's functions, and (5) a quick-reference section in which the user can find information quickly and easily?
- •Is the manual task-oriented?
- Does the manual move from the whole (a nontechnical overview) to

Finally, technical analysis software from Dow Jones.

The DOW JONES MARKET ANALYZER™ is a powerful analysis program that can greatly increase the accuracy and effectiveness of the serious investor.

It can construct wedge breakouts, moving averages, support and resistance lines-a total of seventeen complex analyses. Now you can chart 100 securities in the time it would normally have taken you to chart one.



Relative Strength Charts compare a security to an index such as the Dow Jones Industrial Average.

DOW JONES SOFTWARE

1-800-345-8500 Ext. 48

Compatible with Apple systems and the IBM PG.

...Bank on it.

the parts (step-by-step knowledge)?

•Does the manual tell the user how to recover from errors, and are all error messages listed and explained in a section where the user can find them easily?

•Do section headings give a good idea of what the sections contain?

To devise a thorough checklist, examine existing manuals. What mistakes did you make in the past? What did you omit? Why did users complain?

Devising a checklist takes time, care, and effort. Fortunately, it can be used to evaluate future manuals, too. But the checklist alone is not a thorough method of evaluation. It uncovers mechanical errors but cannot uncover missing or ambiguously worded instructions.

Self-Review: Self-review, like the checklist, is a simple method of evaluation. The manual writer tests to see if he can use the program based only on the manual's instructions. In the process he typically uncovers missing or ambiguous instructions, incomplete descriptions, misspellings, and grammatical errors.

Self-review should be used for every manual but not as the sole method of evaluation. The writer, if he has any ego at all, isn't objective about his writing; he likes what he has written. Further, he already knows how to use the program, and during the self-review he may unconsciously supply information that is missing from the manual.

Programmer Review: Have the programmer review the manual. The programmer checks to see that the manual has covered all the program's functions and that it has covered them correctly. Unfortunately, while the programmer is the person best qualified to evaluate the technical accuracy of the manual, he will probably be of less help in evaluating the manual's organization and presentation.

User Walk-through: Select potential users of the program, hand them the manual, and see how quickly they learn the program. (Select worst-case users—people who have no computer experience.) Are they confused and

frustrated by certain sections of the manual? Do they have trouble finding information they need? Revise the sections where users run into trouble. Include more introductory and summary material, provide more examples; provide whatever the users believe is lacking. Then repeat the process with another group.

Users, after reading the manual, can be formally tested on their proficiency with the program. Can they perform all of the program's functions? How long does it take them? If a large percentage can't perform a certain function, revise the sections where that function is covered.

Users will often respond in mysterious ways to instructions that seemed perfectly clear to the writer. Those instructions can easily be revised. Users also uncover missing instructions and incomplete descriptions better than the writer or programmer can.

Field Test: If you're willing to spend some time and money, conduct a formal field test of both the program and the manual. Install the program at several sites, provide drafts of the manual, and then wait for the phone to ring. Are the test users calling you day and night? Can they understand the manual? Can they use the program? It costs less to answer these questions now, when only a few people are trying to use the program, than when 1000 buyers are calling in for help.

After two weeks, ask the users for comments and suggestions. Accept criticism, then use it to improve the manual. As in the user-walk-through method described above, test the users for specific knowledge, then revise the sections that don't seem to be communicating effectively.

Conclusions

Buyers want and expect good manuals, and they will buy from anyone who can provide them. Thus, the poor quality of many of today's manuals offers a tremendous opportunity to enterprising vendors. Those who make a serious effort to produce well-written, instructive manuals will have a big advantage over their competitors; those who do not make the

effort will eventually fall by the wayside.

In all things—preparation, organization, presentation, and evaluation—all decisions hinge on the user—who he is, what he knows, and how he learns. If you constantly keep the user in mind, you're on your way to producing a readable, usable software manual.

Bibliography

 Al-Awar, J., A. Chapanis, and W. R. Ford, "Tutorials for the First-Time Computer User," *IEEE Transactions on Professional Communication*, vol. PC-24, 1981, pp. 30–37.

 Brett, C. E., "Six Keys to Belter Technical Writing." Journal of Technical Writing and Communication, vol. 1.

1971, pp. 45-59,

 Coney, M. B., "The Use of the Reader In Technical Writing," Journal of Technical Writing and Communication, vol. 8, 1978, pp. 97–105.

 Douglas, G. H., "The Common Diseases of Technical Writing," Journal of Technical Writing and Communication, vol.

4, 1974, pp. 37-46.

 Goldfarb, S. M., "Writing Policies and Procedures Manuals," Journal of Systems Management, vol. 32, 1981, pp. 10–12.

- Haupt, M., P. Perryman, and C.R. Schanstra, "Documentation is the Key to Productive Computer Use," Information and Records Management, May 1982, pp. 22–28.
- Maynard, J., "A User-Driven Approach to Better User Manuals," Computer, January 1979, pp. 72–75.
- McCaskey, D. S., "Technical Writing: The Importance of Reader Interest," Journal of Technical Writing and Communication, vol. 3, 1973, pp. 217–221.
- Meredith, G. P., "The Flow of Information," Occupational Psychology, vol. 31, 1957, pp. 99–103.
- Vandenburg, J. D., "Improved Operating Procedures Manuals," *Ergonomics*, vol. 10, 1967, pp. 214–220.
- Vaughn, J., "A Prescription for Programming's Least Popular Phase," Datamation, vol. 25, January 1979, pp. 186-186.
- Wagner, C. B., "Quality Control Methods for IBM Computer Manuals," Journal of Technical Writing and Communication, vol. 10, 1980, pp. 93–102.
- Wiedman, T. G. and F. H. Ireland, "A New Look at Procedures Manuals," Human Factors, vol. 7, 1980, pp. 371–378.
- Whittaker, D. A., "Write for Your Reader," IEEE Transactions on Professional Communication, vol. PC-23, 1980, pp. 170–173.

THE PRICE OF /457 WAS JUST SHATTERED!



256Kbyte SemiDisk*\$995

For more than a year, we've been making the most advanced disk emulator available for microcomputers. The one that's taken the "waiting" out of computing. Now, we have some more news that'll set the world on fire: A price cut! The NEW 256Kbyte board is only \$995. And the 512Kbyte SemiDisks for the S-100 and TRS-80 Model II are \$1495. (1Mbyte unit is \$2350.) So, what are you waiting for?

The SemiDisk is the **ORIGINAL** single-board microcomputer disk emulator. It has a greater storage density than any other: 1 Mbyte per board! And we've been shipping them for over a year! We didn't do this with 'me too' engineering. Our products are true innovations, based on reliable technology and proven designs, without the need for custom components.

Floppies are ok for data transfer or long-term storage. But they fall far short as online storage. If you are using high level languages, spelling checkers, word processors, databases and other disk-intensive software, you know the price you are paying: time. Your productivity is going down the drain. The SemiDisk disk emulator will save time and increase your productivity.

Even better, Release 5.0 of the SemiDisk CP/M-80 installation software contains SemiSpool, an automatic printer buffer. No extra hardware is required; it's all in the software. Up to 8 Mbytes of buffer space! It's a better solution than a \$350 64Kbyte printer buffer that wastes space on your desk. Send documents of almost any length to the printer at a very high speed, then continue using the computer immediately. No Waiting!

SemiDisk

It's the disk the others are trying to copy.

SemiDisk Systems, Inc. P.O. Box GG Beaverton, OR 97075 (503) 642-3100





The new TI Professional Computer. It makes you the one with the answers.



Today's business executive is faced with a world of questions. Questions about productivity. Cost control. And the bottom line.

To help you come up with the answers and alternatives, we introduce the new Texas Instruments Professional Computer. The one with the power, the expandability, the easiest-to-use keyboard, extremely high resolution graphics, and a broad array of software.

All the leading operating systems and programming languages are available. You can use many popular application programs from the best software suppliers to help you create spreadsheets, do word processing, construct graphics, communicate with other data bases or create your own. All of which lets you control assets, manage your time, and make projections for tomorrow's performance — today.

-SPECIFICATIONS

16-bit, 8088 microprocessor
64K byte RAM, expandable to 256K bytes
4K byte graphics display memory
5-slot expansion bus
Keyboard
Specially designed low profile
Popular typewriter layout
97 keys, including 12 function keys
Separate numeric keypad and cursor control
clusters
Tactile response, for quick positive entry
Upper- and lower-case letters
Display Units

12-inch monochrome (green phosphor) or 13-inch full-color, 25 lines x 80 columns High resolution, 720 x 300 pixels

Mass Storage Built-in 320K byte diskette standard Additional internal storage of 320K byte diskette, or 5 or 10 Mbyte Winchester disks optional Communications Options 300 BPS or 300/1200 BPS internal modern TTY, 3780

3270 SNA stand-alone (Summer 1983) 3270 BSC and SNA cluster (Fall 1983)

Operating Systems
MS™-DOS, Digital Research™ CP/M-86®, and
Concurrent CP/M-88™, UCSD p-System™

Languages BASIC, COBOL, FORTRAN, Pascal Applications Software

Over 100 programs available from the most popular software vendors such as Microsoft, Ashton-Tate, Micro-Pro, IUS, Sorcim, Peachtree, BPI, Lifeboat and others.

Printers (Available Spring 1983) 150-cps TI 850 Series for most applications

FOOTNOTES: MS-DOS is a trademark of Microsoft Corporation. CP/M-86 and Concurrent CP/M-86 are trademarks of Digital Research, Inc. UCSD p-System is a trademark of the Regents of the University of California.

And for a clear "hard copy" printout of information, you can rely on the new 850 Series printers, made by Texas Instruments especially for the new TI Professional Computer.

In short, the TI Professional Computer helps you make better business decisions based on better information. With the performance and reliability you expect from TI.

If you're on your way up, the new Texas Instruments Professional Computer can help. Because it makes you the one with the answers.

For full information and a demonstration, visit your local computer dealer, or write: Texas Instruments, Dept. 1A, P.O. Box 402430, Dallas, Texas 75240. Or call toll-free: 1-800-527-3500.

Creating useful products and services for you.



User's Column

Ulterior Motives, Lobo, Buying Your First Computer, JRT Update

A first look at Modula-2 excites our resident critic.

Jerry Pournelle c/o BYTE Publications **POB 372** Hancock, NH 03449

Let me begin with a confession: while I have a lot of fun with this column, I have an ulterior motive. True, this is the User's Column, and it will always be primarily for the benefit of computer users rather than hackers.

(As did many computer terms, "hacker" seems to have originated at MIT. The original German/Yiddish expression referred to someone so inept as to make furniture with an axe, but somehow the meaning has been twisted so that it now generally connotes someone obsessed with programming and computers but possessing a fair degree of skill and competence.)

My ulterior motive is to seduce my readers into becoming interested in what's happening in their machines, and in the computing world generally. For example, you may never learn a programming language, but the availability of good programming languages vitally affects you as a computer user; if hackers can't get powerful, well-documented, and highly portable languages, programs are going to cost far too much. In the worst case, we might drift back

toward the "high priest" syndrome that dominated computers back in the days of clean rooms and white coats.

So: for those who've written to ask, that's why I am and remain interested in languages for microcomputers. On which subject . . .

The big news is that Modula-2 runs on the Sage II computer. Modula-2 is the new language by Niklaus Wirth, the inventor of Pascal. If I'd known about it, I might not have started the Pascal Prime Project; Modula-2 is supposed to have most of the fixes we've all wanted for Pascal, plus a lot of other features.

(The Pascal Prime Project is a meeting of publishers of Pascal implementations for microcomputers; the meeting will, we hope, establish some standards for Pascal extensions.)

Pascal was intended as a teaching language, to be "compiled" on paper by instructors. A lot of people liked it, and transformed it into a "real" programming language. It was limited, particularly in text-handling and I/O (input/output) features, but it attracted a lot of adherents.

Modula-2 (short for modular language) was intended from the beginning as a full-fledged language. It was produced by Wirth after nine years' study of the problems of Pascal, including a year's sabbatical working with Mesa, the "Pascal-like" Xerox internal-development language. Modula-2 is supposed to have all of Pascal's desirable features, plus corrections for all its drawbacks.

We'll see. I only just have it running, so I can hardly claim to be an expert. On the other hand, I've liked everything I've seen so far. Modula-2, as the name implies, is compiled in chunks; once a chunk is working, it can be put into a library, accessible to any program that wants it. No more endless compile operations!

In particular, all Modula-2 I/O is "magic"; each implementation comes with a standard library of I/O routines that look a lot like an operating system. Programmers simply import them from their black box, and once they're available, invoke them as standard procedures. For example, you could have a module of CP/M I/O routines, It

Computer OEMs: Now's the time to team with Altos.



As an OEM, you're aware there's a lot of 16-bit computers on the market. But what you may not be aware of are the many advantages to doing business with ALTOS* Computer Systems. Here's just a few:

- Altos currently offers the broadest range of costeffective, single and multi-user 8086- and 68000based computer systems.
- Altos supports the most popular commercial operating systems (XENIX*/UNIX,* MP/M-86,* MS*-DOS, OASIS-16, PICK, RM/COS,* and UNIX System III*) plus most high-level languages.
- Altos microcomputers can run more existing applications software than any other computer in the world.
- Altos offers a large selection of utilities and compilers for converting existing Z80[∞] and minicomputer applications, such as those written in DEC's* DIBOL. [∞]
- Altos provides full communications support; both local networking and remote communications.
- Altos provides the widest range of 5¼" and 8" storage options, including floppy. Winchester disk and mag tape backup.
- Since 1977, Altos has delivered more than 35,000 multi-user systems and peripherals to satisfied customers throughout the world.

acks its computers with responsive, rvice and support. (Customer Service of TRW, Inc. in the U.S.)	е
rvice and support. (Customer Service of TRW, Inc. in the U.S.)	e

If you're an OEM looking to remain on top, now's the time to team with Altos. Call. write or clip the coupon today.

and multi-user 8086- and 68000-based computer systems.
My application is
Please have an Altos representative contact me. Name Title
Company
City/State/Zip

Mail to: Altos Computer Systems, Attn: Marketing Services, BT-5 2641 Orchard Park Way, San Jose, CA 95134, Telex 470642 ALTO UI

800-538-7872 (In Calif., 800-662-6265)



Packed with more value for OEMs

ALTOS is a registered trademark of Altos Computer Systems. 8086 is a product of Intel Corporation. 68000 is a product of Motorola, Inc. 280 is a trademark and product of Zilog, Inc. XENIX and MS are trademarks of Microsoft Corporation. XENIX is a microcomputer implementation of the UNIX operating system. UNIX is a trademark of Beil Laboratories. RM/COS is a trademark of Ryan-McFarland, Inc. MP:M-86 is a trademark of Digital Research. Inc. OASIS-16 is a product of Phase One Systems. Inc. PICK is a product of Pick & Associates and Pick Computer Works. DEC is a registered trademark and DIBOL is a trademark of Digital Equipment Corporation. UNIX System III is a trademark of Western Electric.

1983 Altos Computer Systems

would contain error-handling routines—including the infamous BDOS errors, but supplemented with real information as to what has happened and what you should do now.

Note that the I/O routines are not part of the compiler. On the other hand, once they've been perfected and tested, they need never be compiled again; in fact, the compiler will complain if you try to compile (or link in) more than one version of the routines. The bottom line is that a good Modula-2 package should make I/O at least as convenient as CP/M or the better grades of BASIC—with plenty of capability for improvement if wanted.

I don't really know what that means in terms of compiler writing problems, but I don't have to care. From the user's point of view, many of Pascal's I/O problems vanish, and that's what's important.

The only microcomputer implementation of Modula-2 that I know of comes from Volition Systems, a group of computer hackers from the San Diego area. Its

Modula-2 comes with a thick stack of documents, including Wirth's book Programming in Modula-2. Volition Systems claims that a good Pascal programmer can become proficient in Modula-2 within a week. I can't vouch for that, not having had a week at it yet. I can testify that the documents seem to be written in English, and I've had no problems with the (rather small) parts I've waded through.

Late addition: Logitec of Los Gatos, California, promises a Modula-2 native-code compiler for the 8086 computer before June 1983. At present, it runs on Niklaus Wirth's machine in Switzerland.

My initial reaction to both the language and Volition Systems' implementation is positive. A few of the language constructions seem a little odd, and I know I would not have done certain things quite the way Wirth did—but they do make sense; at least those I've encountered do. Unlike my first experiences with Pascal, I don't find myself continually wondering, "Why the daylight did he

do that?"

As I said, we'll see. Just at the moment, the only thing we have here that can run Modula-2 is the Sage; that's not a problem, because the Sage works beautifully. By next month we'll have thrashed it about, and I'll be able to report benchmark times and things like that. Meanwhile, our love affair with the little Sage II continues; if you like UCSD Pascal and the "Scud" (UCSD p-System) operating system, you'll love that machine.

Volition Systems' Modula-2 runs on virtually any machine that can run p-System Pascal; in particular, that includes the Apple II and III as well as the Sage.


More Good News

One of the best things that happened to microcomputers in 1982 was the pseudo disk: a system for fooling your computer into thinking that a bunch of memory is a disk drive. This really speeds up compilations, assemblies, and other tedious work.

I'm told it started in England under the name "Silicon Disk." My first experience was with the "Warp Drive" developed by G&G Engineering (San Leandro, California); this used the 8088 in a Compupro 816 dual-processor computer to turn superfluous ordinary memory into a pseudo disk. Later, that got modified into what is now called M-Drive, and I use it all the time.

Then came Semidisk—a board especially intended to be a pseudo drive; unlike the Compupro M-Drive that required a dual processor and a direct-memory-access disk controller, the Semidisk board would work with any S-100 system. (There are also versions for the IBM Personal Computer,) We installed it in our Compupro as the N-Drive, and I've happily used it ever since.

Comes now the Compupro M-Drive/H. This, too, is a half-megabyte pseudo-disk board that can be connected to any S-100 system. It's a little faster than the Semidisk, although you won't notice that unless you're using a superfast processor, M-Drive/H lists for about \$100 less



Now your computer can say anything and say it well. Introducing the Votrax Personal Speech System.

Quite articulate.

The unlimited vocabulary Votrax Personal Speech System is the most sophisticated, low cost voice synthesizer available today. Its highly articulate text-to-speech translator lets your computer properly pronounce conversational words at least 95% of the time.

For all those unusual words and proper names, you can define an exception word table and store your own translations. And remember, the entirely self-contained Votrax PS System gets your computer talking without using any valuable computer memory.

Built-in versatility.

Much more than just a voice output device, the Votrax I'S System lets you mix either speech and sound effects or speech and music. A programmable master clock and 350 programmable frequencies give you unmatched control of speech and sound effects.

The Votrax PS System offers user expandable ROM for custom applications, user downloadable software and sound effects subroutines for easy user programming. Its programmable speech rate provides more natural rhythm, while 64 programmable amplitude levels give you greater control of word emphasis.

Actual size: 12.2" x 4.5" x 2.6"

Friendly to humans.

Designed to look like a printer to your computer, the Votrax PS System is extremely easy to use. It can be used in tandem with your printer without an additional interface card. Both serial and parallel ports come standard, allowing you to connect the Votrax PS System to virtually any computer. Speech, music and sound effects are only a PRINT statement away.

computer instruction with voice textbooks as well as spoken drills and testing. And then, late at night, you can make those adventure games explode.

A quick list.

- ☐ Highly articulate Votrax text-tospeech translator.
- 350 programmable frequencies for speech/sound effects.
- 64 amplitude levels.
- ☐ Simultaneous speech and sound effects or speech and music.
 - 8 octave, 3 note music synthesis.
 - O Serial and parallel interface standard. □ User programmable master clock.
 - D User defined exception word table.
 - □ User programmable speech rate, amplitude and inflection.
 - ☐ User expandable ROM for custom applications.
 - □ User downloadable software.
 - □ 3,500 character input buffer: subdivisible for a printer buffer.
 - ☐ Internal speaker and external speaker jack.
 - □ Real time clock and 8 user defined alarms.
- □ Oral power up and error prompting. □ X-on/X-off and RTS-CTS handshaking.
- □ Programmable Baud settings (75-9600). ☐ Interrupt driven Z-80 microprocessor.
- D Parallel/Serial interconnect modes.
- D Proper number string translation: the number "154" is pronounced "one hundred fifty four".

To order, see your local computer retailer or call toll-free

1-800-521-1350

Michigan residents, please call (313) 588-0341. MasterCard, VISA or personal check accepted. The price is \$395 plus \$4 for delivery. Educational discount available. Add sales tax in

© VOTRAX 1982



What to say after "Hello".

Businesses will appreciate spoken data transmission, narration of graphic displays and unmanned, oral product demonstrations. Spoken verification of data input will make computers much easier for the blind to use. School children can receive comprehensive

The Votrax Personal Speech System is covered by a limited warranty. Write Votrax for a free copy. 500 Stephenson Highway, Troy, MI 48084



than Semidisk; both are sold at discounts by various mail-order houses. Neither is at all difficult to install given familiarity with CP/M and the innards of your system. (If you don't know or care what a number in base 16 is, find someone who does before trying it.)

You can put in more than one M-Drive/H if you need a pseudo disk larger than 500K bytes; or you can get a full-megabyte Semidisk board for \$2995. I've never needed more than half a megabyte, so I've tried neither method, but I've no doubt both would work.

There seem to be as many new sources of pseudo-disk boards as there are manufacturers of memory boards, so I expect competition will drive the price down a lot during 1983.

Lobo Howls Again

Barry Workman of Workman and Associates has his new Lobo. Lobo calls it a Max-80. Barry calls his Ralph. As far as I can see, it was love at first sight.

The Lobo comes with a completely reprogrammable keyboard and extensive documents; there's even a disk source for both the keyboard and the screen codes. Thus, if you want the key that most people believe is the "E" to be the Return key, you can set things up that way. If I ever get one, I probably will change the key tops; I can't say I care for the Teletype keyboard layout Lobo has chosen (although my late mad friend would have liked it, and my colleague Robert Silverberg is used to a key layout that has quote marks above a number) . . .

It has a lot of neat features, such as a built-in, battery backup clock; also, a controller able to handle 8-inch, 5½-inch, and hard disks, all at the same time and in any combination. For those unable to afford an S-100 system with Semidisk or Compupro's M-Drive, for \$95 extra the Lobo comes with an additional 64K bytes of memory plus software to turn that memory into an I-Drive—that is, to fool the system into thinking that the

extra memory is a small, but very fast, disk.

The Lobo processor is a 5-MHz Z80A, making it faster than Alex's 4-MHz CCS S-100 machine, and nearly as fast as Zeke II, my Compupro 6-MHz Z80B. Indeed, the Lobo runs as fast as the 8085 in my Compupro 816 dual-processor machine, since we had to slow that down to 5 MHz to accommodate Jim Hudson's 8087 math chip.

All in all, at \$820 (\$915 with the extra 64K-byte memory) including CP/M 2.2, the Lobo is a strong candidate to be one's first machine. If you get one, consider getting the Zenith 12-inch Green Screen, which I've seen at Priority One for as low as \$89.50. I think it's slightly better than the Amdek that Lobo sells, and costs less. You'll also need disk drives; but I note that dual-drive 8-inch systems (single-sided) complete with case and power supply can be had for as low as \$600, and are regularly for sale at considerably less than \$1000.

There is this problem: Lobo does not furnish the source to the CBIOS (customized basic input/output system; the "hooks" by which your system talks to CP/M); and this means that you can't be sure that all disk systems will work properly with the Lobo. You can assume that all those Lobo sells will work, of course; but if you want to replace them, or you already have disks, you take your chances.

I don't understand why Lobo doesn't give you the CBIOS source. It's not as if it were a valuable secret. and I must have a score of letters detailing awful problems that would never have arisen if my correspondents only had the source to the CBIOS. With all-in-one package systems like the Osborne, there's not such a strong need for the CBIOS source. After all, Osborne has a big network of dealers to provide support for purchasers who get in trouble, and you're not supposed to be adding non-Osborne stuff to the machine anyway. However, systems like the Lobo are useful in large part because of their flexibility-but not having the CBIOS reduces that flexibility by



SOFTWARE SELECTION: BABY BLUE way and allows your IBM Personal Computer and allows you to run nearly 3000 popular CP/M® software programs.

SOFTWARE VERSATILITY: The BABY BLUE package includes three special "utility" software programs at no additional cost, making your computer very versatile.

SOFTWARE SAVINGS; BABY BLUE snow available bundled with WordStar. Additional Pearl and WorderCalc for only 5995. That's four applications programs plus BABY BLUE for only 5995.

ADDITIONAL MEMORY: BABY BLUE™ gives your computer 64K of additional main memory.


If you are looking for software BABY BLUB's is the solution!

Buy BABY BLUE " at your microcomputer dealer.



Microlog Inc. 222 Route 59, Suffern, NY 10901 (914) 368-0353 Microlog is a subsidiary of Terminate Unlimited International, inc. Dailas, TX (NASDAQ: TUII)

Region and Markey or the Special of Section of Section Control of Section 1997 of the Section of Section 1997 of the Section 1



Your Own University Library Online At Home!

If you're free between the hours of six and midnight, make a date with one of the world's fastest, most powerful online.information services — at a fraction of what it would cost during the business day. All you pay is a \$50 registration fee to receive your classified user's password. Then, any evening, you can summon up a wealth of information for as little as \$6 per hour.

Technical and scientific abstracts. Medical journals. Government studies. Business indexes. Major newspapers. BRS/AFTER DARK gives you access to the same comprehensive data files used by BRS Search Service subscribers, which include major corporations and reference libraries throughout the world. All instantly accessible with simple, interactive language.

Of course, BRS/AFTER DARK also gives you valuable peripheral services like a home-computer Newsletter and nationwide communication via electronic mail. Plus, shop-at-home services and instant software delivery programmed for the very near future.

Don't let another evening go by without BRS/AFTER DARK. All you need is your phone and any dial-up system or terminal. For more information about BRS/AFTER DARK, just fill out the coupon.


Circle 66 on inquiry card.





AFTER DARK

Sign me up as a BRS/AFTER DARK subscriber for a one- time subscription fee of \$50. (Basic user's rate as low as \$6 hour.)	
BYSS	3
Charge to MASTER CARD/VISA (circle one)	
Acct. NoExpires	,
☐ Send more information	
Signature	
NAME	
ADDRESS	
CITYSTATEZIP	
Mail to: BRS • 1200 RT. 7 • LATHAM, NY 12110 • (518) 783-116	1





Wouldn't it be great if, somehow, you could connect your computer to your accountant's, down the street? To the IBM** PC at the branch office, upstate? Or to your favorite chess challenger, across country?



With a telecomputing system by Hayes, you can.

Quickly. Easily. And for the price of

a phone call.

Hayes Smartmodem. Think of it as your computer's telephone. Hayes Smartmodem 300, and the faster Smartmodem 1200, work with any computer with an RS-232 I/O port. They allow you to communicate.

over ordinary phone lines, all across America.

But any modem will send and receive data.

Smartmodems also dial, answer and disconnect calls. Automatically. Without going through the telephone receiver, making them far superior to acoustic coupler modems.

Choose your speed; choose your price. The lower-priced Smartmodem

300 is ideal for local data swaps and communicates at 300 bps. For longer distance and larger volumes. Smartmodem 1200 communicates at 1200 bps or up to 300 bps, with a built-in selector

that automatically detects transmission speeds.

Both work with rotary dials. Touch-Tone* and key-set systems; connect to most timesharing systems; and feature an audio speaker.

Either Smartmodem is a perfect match for many different computers. And if you have an IBM PC. Hayes also provides the perfect communications software. Smartcom II™ We spent a lot of time developing our software, so you can spend less time using it. Smartcom II prompts you in the simple steps required to create, send, receive, display, list, name and re-name files. It even receives data completely unattended—especially helpful when you're sending work from home to office, or vice versa.

And if you need it, there's always "help." One of several special functions assigned to IBM function keys, this feature explains prompts, messages, etc. to make communicating extra easy.

With Smartcom II, it is. The program remembers communication parameters for 26 different remote systems. Just

punch a key, you're all set.


You can treat dial-up and log-on sequences the same way. In fact, Smartcom II comes with codes already set up for four popular information services. COMPUSERVE, DIALOG'S KNOWLEDGE INDEX, DOW JONES NEWS/RETRIEVAL SERVICE, and THE SOURCE, AMERICA'S INFORMATION UTILITY, ™ Procedures for obtaining an account with each of the services are included in the Smartcom II manual. But that's not all.

Special offers for Smartcom II

owners! Dow Jones News/Retrieval Service has a special introductory offer for

Smartcom II owners. By calling a tollfree number, they receive a free password and one free hour of service anytime after 6:01 p.m., local time.

You'll also be entitled to a valuable



subscription offer for THE SOURCE. Smartcom II owners who subscribe to THE SOURCE will receive one free hour of daytime service.

Like all our products. Smartcom II and both Hayes Smartmodems are by excellent



documentation and full support from us to your dealer.

So see him today. Break out of isolation. Get a telephone for your desktop computer.

Hayes Microcomputer Products, Inc., 5923 Peachtree Industrial Blvd.,

Norcross. GA 30092. 404/449-8791. Smarrcom II is a trademark of Hayes Microcomputer

Smartcom II is a modemark of Hayes Microcomputer Products. Inc.

*TM American Telephone and Telegraph

*18M is a registered trademark of International Business Machines. Corp

\$ 1983 Hayes Microcomputer Products. Inc.

Sold only in the U.S.A.

COMPUSERVE INFORMATION SERVICE is a registered trademark of CompuServe. Incorporated. an H & R Block

KNOWLEDGE INDEX is a service mark of DIALOG Information Services. Inc DOW JONES NEWS/RETRIEVAL is a registered trademark of

Dow Jones & Company, Inc.
THE SOURCE and AMERICA'S INFORMATION UTILITY are

service marks of Source Telecomputing, a subsidiary of The Reader's Digest Association. Inc.

Anyway, Barry Workman and my son Alex like their new Lobo, Me. I'll continue to reserve opinion until I've watched for a few months: but I'll admit that I'm impressed by what I've seen so far.

Things My Postman Brings Me

A lot of people seem to think I'm a last resort for advice. Sometimes I can help, but fair warning: I try to answer all my mail, but work here ebbs and flows, and when it's at flood tide it can take weeks to months for me to get at something. I apologize, I was brought up to believe one should promptly answer one's mail, and John Carr and I try: but some days the press is just too much, and letters get into places they shouldn't, from which moldering piles they surface only by accident.

I've recently received a stack of horror stories. One, from Professor R. W. Marks at Villanova, concludes:

The sum total of my experiences have led me to several rules for microcomputer buyers. (1) Will an abacus do? That is, will the grief you have to put up with be compensated by the advantages of a big machine rather than a toy? (2) Don't be misled by the size of a company. As Lily Tomlin says, "We're the phone company. We don't care. We don't have to." XXX and YYY (two large mail-order dealers) don't care. They don't have to.

[Note: I don't name the two firms. because I've had no bad experiences with the one, and no experience at all with the other. As a matter of policy, I insist on several instances before naming names. . . . J. E. P.]

(3) Unless you want to learn one hell of a lot about the S-100 bus and the BIOS and the other pieces of alphabet soup, buy a system already integrated, or pay someone to do the integration. I'm not very impressed with what Apple offers for the money, but the thing runs as soon as you plug it in. (4) Under no circumstances trust salesmen or manufacturers to tell you anything remotely close to the truth about a product before you buy it. You will get all the rude surprises only after you have paid for the thing . , .

(5) Don't assume that expensive pieces will come with manuals.

Dr. Marks describes one experience: he bought a T.E.I. mainframe from Jade. It arrived, and . . .

I discovered it had come without any documentation, missing the main fuse and fuse cap, and seriously dented in one corner. I immediately called Jade and was told (no joke) that it was supposed to come without documentation. fuse, or fuse cap, and they were sorry about the dent, but it wasn't a Jade item and they were not responsible . . .

Eventually, through persistence, he got someone at lade to admit that the box was supposed to have documents; and finally they arrived. (Dr. Marks found them "surprisingly good.")

The story goes on, but the point is made: in dealing with mail-order houses, bigger is not necessarily better; and you'd better be prepared to be patient. Perhaps then, one should go to a computer store? It's time to hear from another reader.

Larry Hansford, a systems consultant in New Carlisle, Ohio, says:

A typical scenario is a businessman who goes to the nearest computer store and tells the salesperson that he needs a computer for accounting and word processing. He walks out of the store with boxes in hand containing a computer, printer, software, supplies, and very little idea what to do with it.

Some time later, I get a call from an irate businessman who feels he has been taken advantage of. Unfortunately, he probably has been! I have been less than impressed with the knowledge of the salespeople in most of the computer stores. Their goal is to get a commission, not to make a satisfied customer. Most are, however, near experts on computer games of any and all types.

I appreciate the resulting business I get, but I resent having to clean up the mess. If they'd gotten competent advice in the first place, they'd have paid less and gotten more.

Unfortunately, both my correspondents are right. Buying parts by mail order can, if you're not careful, bring you unrelieved grief; but going to the local computer store can be an even less satisfying (and more expensive!) experience. What, then, is one to do?

One solution is proposed by Erwin Strauss, sometimes known to science-

fiction conventions as the folksinger Filthy Pierre (indeed, his letter is signed Filthy). Strauss complains that my advice, namely that one should deal with systems-integration specialists who know what they're doing, is impractical, "Pournelle," he says, "gets special service because of his BYTE connections, and as for that nighttime visit by Tony Pietsch, that's like the New York Times' restaurant critic asking a top chef to whip up something and deliver it. For us mere mortals, it's more like getting a neurosurgeon to come over at midnight to put on a Band-Aid: if we succeed, we'll need scientific notation to figure the bill." He continues:

I have some advice that's more practical. First, choose a computer that's been widely promoted (preferably on TV) for at least a year. Jerry may dream about the day when makers "no longer use their customers as a quality-control department," but for now the best thing is to let those who always have to be first on the block be the guinea pigs. If there hasn't been a big stink about a heavily hyped machine after a year, it's probably not too bad. This rule also means there'll probably be a service shop near you that's seen a good number of broken computers come in over the counter, so they should be able to diagnose accurately, and fix quickly, the problems that are characteristic of your machine.

Of course, this cuts the field down to names on the order of IBM or Apple or Radio Shack and such. I can already hear Jerry mooning over the features of his Godbout and Televideo and suchlike gear; but a novice has no business with that level of equipment.

Strauss goes on at some length, ending by saying that if you have unlimited money ("as long as it stays within, say, four figures") you should pop for an IBM PC; otherwise, get a TRS-80 Model III. He's not so certain about the Apple II (despite its widespread publicity), and he hates the Apple III. He concludes, "Whatever the off-the-shelf system you get, you can be sure that it won't do everything you like, and it won't do much of what it does quite as handily as you'd like. But it will be serviceable, and at an affordable price, and with a minimum of start-up hassle,"

That's one opinion. I have another.

How to Buy a Computer

First, regarding Strauss's comment that "a novice has no business with that level of equipment," I couldn't disagree more. True: I certainly wouldn't aim a novice user at one of Bill Godbout's newest state-of-the-art systems; but then neither would Dr. Godbout, Tony won't let me have some of the new stuff I own until he's thoroughly bashed it about and found its limits.

Buying by mall order can, if you're not careful, bring you unrelieved grief.

However: because a company is out at the frontiers of computer technology doesn't mean it can't and doesn't make good stuff for the ordinary user. Indeed, Compupro is an excellent example: here in this room I have three of its systems. One is Zeke II. the Z80 I'm writing this on now, The Z80 has been around so long that it's practically old hat; and Zeke II is utterly reliable, quiet, and operates nearly invisibly.

(True: we have customized the screen output and keyboard on Zeke II; but the system itself is very much standard from Compupro, and it works guite nicely with either the Televideo 950 or the Zenith Z-19 terminals.)

The second is an 8085/8088 dualprocessor computer, as staid and stolid as you can get nowadays. When we first brought it up. Compupro was the only outfit that had a dual-processor machine, and I certainly wouldn't have recommended the system to a beginner; now it has become a standard, and consultants like Bill Grieb and Colin Mick recommend dual processors for vanilla systems.

Moreover, you can get a good S-100 system for at least no more than you'd pay for an IBM with comparable capabilities, and I for one prefer the more flexible system. My motto remains, "Iron is expensive, but silicon is cheap." With an S-100 system you can upgrade for less than with anything else I know of; and upgrades can be very significant.

I see many exciting new systems in development: 16-bit systems, even 32-bit systems, all upward-compatible with what I have at present. Right now all I have to do to make my 8085/8088 dual processor into a 68000 system is replace one board; all the memory, disk drives and controller, modem, I/O boards, and such like will work fine.

My third Compupro machine is utterly experimental, with a 12-MHz 8086 board. Now I certainly wouldn't recommend that for a novice; not this year, anyway. Next year, though, might be a different story,

Moreover, my experience with TRS-80 and Apple systems hasn't been as pleasant as Strauss implies yours will be. We hadn't had our Apple a month before it required major repairs; its switching power supply blew and took with it the motherboard and every card in the system. Then we had the experience of updating our DOS (disk operating system): more than \$60 for a single ROM (read-only memory) chip and a disk. This wasn't to get a new DOS, you understand; it was merely to update what we had. Now, they tell me, Apple won't even let you off that easily. In the future it will cost a great deal more to upgrade an old Apple II.

In fairness, I have to say that Carl Helmers has had five Apples for years. All run UCSD Pascal. His total repair bills for all five machines sum to less than \$500. Carl admits the machines are limited, but he has no complaint about their reliability.

What he calls reliable, though, is not my definition. I agree with Bill Godbout: "If the error rate is high enough to measure, it's too high." I've watched a lot of computer users shake cables, reboot disks, flick switches on and off, and in general put up with glitches that would have me on the phone to Tony Pietsch in seconds. I trust my living to these machines. I cannot and will not put up with "rather more or less"

The Apple is great for Epyx's (marvelously fun) Crush, Crumble, and Chomp, but when I develop pro-

The Most Convenient Marriage This Side of a Shotgun

The New Epson QX-10 and the QuCeS Hard Disk Storage System. Available Now at Your Local Epson Dealer.



NEW!

Optional cartridge disk for on-line/off-line backup storage of up to 5 megabytes per cartridge.

Convenience is what

the revolutionary QX-10 plain language microcomputer is all about. And now it's even more so. With 12 or 20 megabyte mass storage systems manufactured by QuCeS.

Now you can operate your new Epson QX-10 at peak performance with the QuCeS hard disk subsystem. A lot more memory. A lot more speed. And convenience. QuCeS mass storage systems are so reliable that Epson of America uses them in its own offices.

The new VALDOCS software system which runs the QX-10 is supplied by Epson. QuCeS furnishes the utilities such as Format, Back-up, and Test. Altogether an ideal marriage, with double-barreled convenience. Prices starting at \$2595.00.

Specifications	12 Megabyte	20 Megabyte	
Storage Capacity-			
Unformatted Per Drive	12,749,184 Bytes	19,998,720 Bytes	
Storage Capacity—	•		
Formacted Per Orive	10.0 MBytes	16.0 MBytes	
Formatted Per Cylinder	32.768 Bytes	32.768 Bytes	
Platters	2	2	
Recording Heads	4	4	
Cylinders	306	480	
Data Tracks	1224	1920	
Performance Specification	-		
Rozazional Raze	3600	3600 rpm ± 1%	
Data Transfer Rate	5.0 Mbits p	er second ± 1%	
Access Time			
Average Latency	8.33 milliseconds ± 1%		
Saek Time			
Track-to-Track	3 milliseconds	3 milliseconds	
Average	85 milliseconds	120 milliseconds	
Maximum	205 milliseconds	310 milliseconds	
Seculing Time	15 milliseconds		
Physical Dimensions -			
Height	5.3"	5.3"	
Width	12.1*	12.1"	
Depth	16.5"	16.5"	
Environmental Specification	2015		
Operating Temperature	40°F to 95°	40°F to 95°F / 4.4°C to 35°C	
Non-Operating Temperature	32'F to 135'	32'F to 135°F / 0°C to 57.2°C	
Humidity (Non-Condensing)	8 to 80%		
Power Requirements			
Voltage	11	SV AC	
Power	75 Watts		
Q.C.S reserves the right to change s			



Quality Computer Services

178 Main Street Metuchen, New Jersey 08840 201/548-2135 Toll-free number: (800) 631-5944

grams in UCSD Pascal or Modula-2, I'll use the Sage, and I won't regret the extra \$1500 it costs.

As to our TRS-80 Model I, we trashed that sucker long ago. It was always unreliable, and repeated trips to the local Radio Shack outlet didn't help. The problem was that Tandy cut corners: I have a letter from a Tandy official referring to "the realities of the mass market." If you're selling 100,000 machines, saying five dollars a unit can be significant—both in profits to the maker and misery to the user. Our system internally generated so much radio noise that anything additional—even an airplane using Doppler radar! could cause it to spontaneously reset.

We got the TRS-80 for the boys, but they were never happy with it. When they tried to use it, they might or might not be able to boot the system disk on the first try. There was always doubt as to whether they'd be able to save programs—or even save text they'd written. It was clearly an undesirable situation for young people learning to use and like

computers, and eventually I got rid of it.

Again, in fairness, I understand that a lot of people are happy with the new computers Tandy puts out. My point is that advertising budgets don't have that strong a correlation with system utility and reliability. Just because a system is advertised on national TV doesn't make it a good buy any more than "as advertised on NBC" is a guarantee that your new car won't be a lemon.

Unfortunately, computer stores aren't the answer either. Example. I acquired a well-cared-for, second-hand Apple II from Bjo Trimble, the Star Trek lady. It was an older machine.

I knew nothing about Apple computers. The boys pointed out that we had a bale of software, mostly Epyx games, that wouldn't run with the disk operating system that came with our Apple. They'd looked over the games and very much liked them, and birthdays were coming up . . .

I could, I suppose, have studied up on Apples; but there's a lot to do here, and it wasn't convenient just then, so instead I packed the whole mess up and went out to Compuplus. After all, it specializes in Apples now, and I've been doing business with this outfit for more than five years, going back to the time when it was Computer Components and sold surplus equipment.

I arrived. Waited patiently. Got a salesman. Explained that I had an old Apple II, didn't know what boards were in it, and was interested in how to upgrade it.

The result could have been drawn up as a Doonesbury cartoon. The salesman cut loose with a string of jargon that certainly made no sense to me—and which I suspect couldn't have made sense to anyone else. He touted some games programs. I explained that I had plenty of games programs. He mentioned printers. I told him I had a printer.

I began to get the brush-off. Clearly, the commissions on bells and whistles for the Apple aren't worth a salesman's time; not that it mattered, because it also became clear that the







FORMULA INTERNATIONAL INC.

12603 Crenshaw Blvd., Dept. B. Hawthorne, CA 90250



For information (213) 973-1921 • Orders Only (outside Calif.) (800) 672-8758



(please add 5% shipping and handling)

pineapp The Alternative! The Compatible!

The Affordable! 48K Color Computer Kit!

FEATURES:

- ★ Fully compatible with Apple® II+ ★ Built in 2-watt amplifier for realistic
- ★ Singleboard for easy assembly
- ★ Popular 6502 MPU for large amount of software
- ★ Game paddle connector on both ★ 14 key numeric key-pad sides of case
- sound effect with volume control
- ★ 8 on board peripheral connectors for expansion

 - ★ 5-amp switching power supply

Easy to assemble! All components are clearly silk-screened on the high quality double-sided mother board. All integrated circuits, IC sockets, peripheral connectors, keyboard, switching power supply and the professional high impact plastic case are included.

51/4" DISC DRIVE FROM QUENTIN

100% Made in USA 100% Apple and Pineapple" Compatible 50% Faster Seeking Time Than Apple Disk II Drive!



- 1 Year Full Warranty
- 40 Tracks
- One of the Most Quiet Drives
- Color and Shape same as the Disk II Drive

Disk Drive \$285.00

Controller Card \$ 65.00 Controller Card with 13 Sector, 16 Sector Auto Select \$ 85.00

All cards APPLE II and PINEAPPLE compatible.

🖈 🗪 Big Savings On Peripheral Cards 🖛 🖛 🗱 Buy them in kit form.

Z80 CP/M card kit \$110.00	(For 2708,2716,2732,2764,2532), \$89.50
16K RAM card kil , , , \$49.50	Printer interface card kit (For Epson or Oki) \$88.50
Disk controller card klt	New disk controller card kil (3.2, 3.3 auto select). , , , , , , , , , , , , , , , , , , ,
16K RAM card (cable-less) kit \$59,50	PAL Color Encoder card (assembled)

HEAVY DUTY SWITCHING POWER SUPPLY for Apple II, AP-II" and Pineapple" Computers

+5V at 5.0 Amo +12V at 2.5 Amp

-5V at 0.5 Amp -12V at 0.5 Amp

Size and mounting holes are same as the ones used in the Apple II



The APPLE II LOOKALIKE COMPUTER CASE

Made with high impact plastic, Color and shape are compatible with the APPLE II

Buy while they last

\$150 ea.

Keyboard not included with this price!



6502 CPU MOTHER BOARD

- 48K on board RAM (4116)
- 12K on board ROM (2716)
- Upper/lower case
- Composite-video output
- Apple II alternative
- Size: 14¼" x 8½"



P.C. Board Only \$99.00 ea. Complete Component Pack \$250.00 **GUARANTEED TO WORK! BUILD IT IN 2 HOURS!**

APPLE II+ COMPATIBLE KEYBOARD

- LSI keyboard decoder
- Upper/lower case function
- Full ASCII code output N-key rollover function
- LED ON/OFF indicator





LKB-3600-N

Keyboard Case

Keyboard Only \$99.00 EA. Plastic Case \$35.00 EA.

51/4" DISKETTE SALE

All diskettes soft sector single-side double density with hub rings.

10 pcs. 100 pcs. wabash AEPM# \$21.50 \$195.00 Verbatim' #M525-01 \$26.50 \$240.00 Scotch/3M #744D \$26.50 \$240.00 **ATHANA** #475001 \$19.50 \$175.00

Circle 200 on inquiry card.

inside California Outside Calif. (incl. Mexico & Canada)

Shipping & Handling Charges Under \$50.00 Under \$50.00

Minimum Order \$10.00/Calif. Residents add 6.5% Sales Tax. Phone Orders Accepted on VISA or MC ONLY. NO C.O.D.'s. Prices sub-



STORE HOURS MON-FRI-10-7 SAT--10-6

*Apple and Apple II are the trademark of APPLE COMPUTERS, INC.

salesman didn't even know what was available. He never mentioned any of the stuff I'd come prepared to talk about, like Pascal, or a Microsoft Softcard, Fortunately the cashier was well informed and took the trouble to give me some advice; without her, the trip would have been an utter waste of time.

Even so, I left thinking about a letter I got a year or so ago. It said, "Some day the salespeople in computer stores will be able to recognize a customer when they see one. Then maybe they can learn what to do when they find one . . . "

Some computer stores are excellent. Many more are not. Unfortunately, those who can tell the difference aren't the customers with problems; it's precisely those who need help the most who can't tell whether the help they're getting is of any use.

So What Do You Do?

First, as I've said before; systemsintegration consultants will earn their fees. True, Tony Pietsch isn't out looking for that kind of work nowbut he was when I first met him. Filthy Pierre seems to have forgotten that when I met Tony he was a graduate student, and I was a sciencefiction writer. This column grew out of my experiences, and, yes, I know I'm likely to get better than average treatment from people who know who I am now; but it wasn't always that way.

How do you find good systems consultants? How do you find any other professional help? The same principles apply. People who know what they're doing leave a trail of satisfied customers behind them. The really good ones don't hesitate to give references: their previous customers are their best salespeople.

Second, I do agree with Strauss on one point: unless you know what you're doing, don't go buy something brand new, particularly not from an outfit you never heard of. Wait for evaluations. Plenty of honest reviewers are in this field. Read what they have to say; and if all the reviewers ignore a system, ask yourself why. It may be we know something. Most of us would rather write an enthusiastic rave than a negative review. I know I would.

Third, ask yourself what you really want. Most of the horror stories 1 hear come from readers who tried buying their systems a piece at a time at sale prices. You certainly can save some money that way; but even if you're pretty sharp, you'll pay with your time. Take Barry Workman's Lobo system as an example: he

Unless you know what you're doing, deal with people who do; don't try to outsmart the system.

bought his disk drives on sale from Priority One. The Lobo worked fine first thing out of the box when connected to my Compupro drives; but it took a couple of days fooling with configuration jumpers to get it working with Barry's new Siemens drives. If he hadn't been here, with access to Priority One's helpful salespeople like Keith Burgess and able to call Nor Singh, it might have taken a lot longer.

And that, I think, is the real bottom line: unless you know what you're doing, deal with people who do; which is to say, don't try to outsmart the system. If people who seem to know about these small machines try to tell you that we haven't yet got to where a naive user can put together a business-quality computer complete with software for less than a couple of thousand dollars, perhaps you ought to listen.

I don't know any magic way to get a system dependable enough to bet your livelihood on-serviceable, convenient, complete with software—for so-called home computer prices. I do see a lot of computers, and I know what I'd buy as of this afternoon; but that's a different thing.

When Roland Green, the Chicago author who worked with me on my new book, Janissaries II: Clan and Crown, wanted advice on a first system, I told him to look at the Osborne. It's not an optimum system,

but I don't know a better beginner's package complete with software for a price Roland could afford.

When I went looking for a replacement for Ezekial, my dormant friend who happened to be a Cromemco Z-2, I did have an advantage the casual buyer doesn't have: I knew most of the major software developers, as well as a number of successful systems consultants. It seemed to me that people whose businesses depended on reliable equipment might have strong opinions on what was best; so I asked them what they used. When many more than half told me they had Compupro systems, it was enough for me, especially when I found that Tony had come to the same conclusion by studying the system specs; so that's what I bought. We sent in an order for the whole package direct to Compupro: and I haven't been disappointed.

When I go shopping again, I'll do the same thing; somehow I have more faith in the judgment of people like Richard Frank of Sorcim and Mike Lehman of Digital Research than in TV advertisements. But that, I hasten to say, is my view,

JRT Pascal, Revisited


A few issues ago I mentioned that when my son Alex finished his Pascal Tutorial Package for the Pascal/M and Pascal/MT+ compilers, he intended to work one up using the \$29.95 IRT Pascal compiler.

I was premature in that statement, Alex, it seems, has a wild talent: he carries a Murphy field about with him. Whatever Alex works with, it is very literally true that if something can go wrong, it will. He also likes to work things to their limits.

Example: we were overhauling my Minimum Data Base for Barry Workman, and Alex found bugs and failure modes that must have been in there for years without my noticing them. When I fixed those, he found others.

Another example: when trying deliberately to create a run-time error to use as an example for the Pascal Introduction, he found that Pascal/M will cheerfully allow you to divide by 0. Not only does it not report an error, but it thinks that 3/0 =

Text continued on page 314



The Juki 6100 printer. It should cost a lot more than \$699.

The new Juki model 6100 letter quality daisy wheel printer has full features you'd expect to find on a more expensive printer.

It can support word processing and graphic functions, print 18 CPS, and use a simple drop-in daisy wheel.

The 6100 has 10/12/15 pitch, proportional spacing, utilizes standard IBM Selectric typing ribbons, has 2K buffer memory (expandable to 8K), parallel interface, and both tractor feed and serial interface are available as options.

That's only the beginning.

Best of all, the low-noise Juki model 6100 is extremely reliable.

You can pay more, but you can't buy a better printer than the Juki model 6100.



Head Office: 421 North Midland Avenue,

Saddle Brook, NJ 07662. (201) 796-8800 Branch Office: 20437 South Western Avenue, Torrance, CA 90501. (213) 320-9001

Circle 249 on inquiry card.

Number One Add-O

ALL PRODUCTS ARE XT COMPATIBLE!

Communications



NEW

Communications Products

- 1. 5251 Terminal Emulator
- 2. Local Area Networking Product



idvanced Comm. lard (CC-232)

- Programmable to communicate in Bisync, SDLC, HDLC, and Async protocols.
- Two Ports of RS 232

AST products are available from Computerland, Entre', ComputerMart and selected dealers worldwide. Emulates IBM 3274
 Model 51C Control Unit

Emulates 3278 Display Station • Emulates 3278 Type
Printer • Optional 3770 Emulation • Cluster Controller
Operation • Protocol Converter Support

point-to-point communications protocol • Allows file transfer between Host & IBM PC • Ideal for IBM System 34, 38, 4300

Town Colon YM

Async #1

Printer

Battery

64-256K Memory

Features 64K-256k
 Memory • One Battery
 Backed-up Clock
 Calendar (std.) • One
 IBM Compatible
 Async Port (opt.)
 • One IBM Compatible

Parallel Printer (opt.)

SEE US AT BOOTH NUMBER 2 April 26-29, 1983 Atlanta, Geo

Products for IBM PC

Multifunction Cards

All Multifunction Products include:

- SuperDrive™ a Disk Emulator Utility Program
 SuperSpool™ a Printer Buffer Utility Program

Optional: New ConnectALL™ Connector Mounting Bracket



Irvine, Calif. 92714

RCH INC. (714) 540-1333

Dealer Inquiries Welcome

One Battery Backed-up Clock Calendar

(std.) . Ideal for Concurrent CP/M, MBA,

VISI Series software packages.

DMDEX

Listing 2: Pascal/MT+ compilation of the Silly program.

prun pascal n:silly.pas
Source file name, options: N:SILLY.PAS,
2. S#1 P#1 SILLY lev! (10234 bytes)
writeln(ioo\); (* note undeclared variable *)
Line S, Error #104 <sp>=continue, <cr>=quit?

writeln(foo) $\ \ (\cdot \ \text{note undeclared variable } \cdot)$ Line 5, Error #116 <sp>=continue, <cr>= quit?

104: Undeclared identifier

116: Error in type of standard procedure parameter

1 Errors. 7 Lines. 10100 bytes not used. (ver 4.02)

0.0E-65, rather the opposite of what you'd expect infinity to look like. (Pascal/MT+ allows the division, but reports an error; it sets 3/0 equal to a very large number, which is more reasonable.)

Something like that happened in analyzing IRT Pascal. It seems there are bugs in the compiler. Not terribly serious bugs; indeed, we found nearly as bad in Digital Research's Pascal/MT+ and Sorcim's Pascal/M. There's a difference, though, Whereas Pascal/M and Pascal/MT+ try to be standard Pascal, with nonstandard extensions, the JRT Pascal compiler doesn't, JRT is intentionally a nonportable dialect, and programs written in JRT Pascal haven't a chance of running under any other Pascal compiler; worse, programs that will compile in standard Pascal blow JRT Pascal sky-high.

Worse yet, though, is the error handling. Pascal was designed as a teaching language, and it has a standard set of error messages. They are numbered and have a standard format, and experienced Pascal programmers know most of them by heart. For example:

Program Badhello (Output);
BEGIN
writeln('Hello, world.');
writeln('Foo') (* note missing; *)
writeln('Hello again.');
END {badhello}.

obviously isn't going to compile. Pascal/M and MT+ give you a standard message:

Error 6, Illegal symbol (possibly missing; on line above)

which is probably the most common error encountered in Pascal. That error is rendered somewhat differently by JRT Pascal:

- Semicolon expected

This is reasonable, although it doesn't do much for teaching you what standard Pascal messages look like. However:

Program silly (output);
BEGIN
writeln('Hello, world.');
writeln('Foo');
writeln(foo); (* note undeclared variable*)
writeln('Hello again.');
END {silly}.

has far different results. The error messages generated by Pascal/M and and Pascal/MT+ are shown in listings 1 and 2. These are about what you should expect. JRT Pascal generates the stuff shown in listing 3. Note that the only reference to an undeclared variable will have scrolled off the screen (it happens fast, too), and that there is no reference to the actual problem in the symbol table. The whole thing is pretty intimidating to someone just learning Pascal.

Pascal/M and Pascal/MT+ will show you where the error took place and offer you an opportunity to continue. JRT Pascal doesn't print the line, doesn't continue, and doesn't mtplus n:silly.pas
Pascal/MT + Release 5.5
© 1981 MT MicroSYSTEMS, Inc.

CP/M-80 version

Source lines: 7
Symbol Table Initialization
Available Memory: 19933

V5.5 Phase 1

User Table Space:

Remaining Memory: 15975 V5.5 Phase 2 SILLY

15937

Error # 104 at line S Last ID: FOO

Type < space> or ^C

Lines: 7
Errors: 1
Code: 137
Data: 0

Pascal/MT + 5.5 Compilation Complete

really identify the problem.

There has been a great debate in Dr. Dobb's Journal about JRT Pascal, with one reviewer contending that the language has its uses. He says it's a good production language for writing business programs and is certainly worth \$29.95. Another reviewer says it isn't acceptable at any price. I'm not going to get involved in that argument. I do say that it is not a language for beginners. It has funny bugs and gives confusing error messages.

Beginners don't have enough experience to know whether their problems are caused by flaws in the compiler or in their program. Add error messages not related in any obvious way to the error—there are lots more that I haven't room to show—and you have a situation tailor-made for undermining the student's self-confidence. Thus, Alex has decided against writing a version of his introductory package for the JRT compiler.

Those who know Pascal might find JRT Pascal useful; I'm told by experienced programmers that you can, if you're clever, program around its bugs. However, beginners should stay away from it, and anyone dis-

Design, digitize, transform and dimension . . . all in 3-D!

Introducing the Space TabletTM/Advanced Space Graphics™ System.

We see the world in three dimensions, not two. Now, there's an affordable, easy-to-use graphics system that lets you design, construct, manipulate and even dimension objects in 3-dimensional space . . , the Space Tablet/Advanced Space Graphics System.

An added dimension.

The Space Tablet is a digitizer. It plots and records the X, Y and Z coordinates of any point in 3-space. To record a point, move the Space Tablet arm to the desired location and push a button. That's it. Lengthy keyboarding is unnecessary. Join points with line segments to create 3-D wireframe models, from real or imaginary shapes.

Software flexibility.

Advanced Space Graphics is a true 3-dimensional CAD/D (computer aided design/drafting) system. It's designed to allow construction and manipulation of 3-D models using the 3-D Space Tablet, a high-res 2-D tablet or the keyboard as the data acquisition device. You can interactively manipulate and edit points in 3-D — a capability unique in computer graphics. Drawings can be altered in an endless variety of ways . . .

- · Scale, rotate or move drawings about any axis.
- Create complex models by duplicating or mirror imaging components.
- · Draw arcs and circles. Generate surfaces of revolution.
- Examine a drawing from 3 simultaneous orthogonal views while it's being constructed.
- · Add text. Circle 298 on Inquiry card.

- · Automatically dimension angles and lengths (5 ways) and watch them change accordingly as you alter the drawing.
- · Drive several plotters or printers.

Unleash your imagination.

All kinds of applications for the Space Tablet/Advanced Space Graphics System have already been developed . . . molecular modeling, architectural planning, irregular surface modeling for engineering and more. We see the Space Tablet/Advanced Space Graphics System as a tool to unleash your imagination. The possibilities are endless.

Examine the potential of 3-D CAD on your IBM PC (Apple II coming soon). The MCS Space

Tablet/Advanced Space Graphics System — under

IBM PC minimal configuration: 128K, game paddle

64K, DOS 3.3.

Special Offer

Send \$25.00 (in check or money order) to MCS for:

☐ 20-Slide Presentation and Owner's Manual.

☐ IBM PC or Apple II Demonstration Disk, plus hard copy plots and Manual.

Send \$50,00 for both. Please specify IBM or Apple for Demonstration Disk.

CT residents add 71/2% Sales Tax. Prices subject to change without notice.

Micro Control Systems, Inc., 143 Tunnel Road, Vernon, CT 06066 (203) 872-0602



B> irtpas2 silly

JRT Pascal ver 2.0

Copyright 1982 IRT Systems

0000 0001: Program silly (output);

0006 0002: BEGIN

writeln('Hello, world.'); 001B 0003:

0026 0004: writeln('Foo');

%Warning: Invalid dynamic storage address-possibly due to invalid variable or data type declaration,

	exproc name	addr	use cnt	time	stat
	PASCAL1	C8B6	0000	0004	30
	LEX	41EB	0000	008F	74
	PASCAL4	9FB2	0000	008B	30
	ADDMAIN	431E	0000	0000	74
	BLOCK	47D5	0001	0023	F4
	FIND	59E8	0000	0089	74
	PASCAL2	0001	0000	0000	00
	PASCAL3	AICB	0001	0078	B0
	EXPR	5D5A	0001	0085	F4
	UPDATE	78AD	0000	0000	74
+	GEN	7AC6	0001	0090	F4
	FLDLST	0001	0000	0000	00
	PARMREF	7F08	0000	0000	74
	UPPER32	8344	0000	0003	74
	TEST	8367	0000	0000	74
	LEX2	83A8	0000	008E	74
	BIT6	85F0	0000	0088	74

addr :7CA6 :4872 prog :3F70 SIZE base :87E2 CUL :8F43 tos :8F66 low :0000 purge :0000 compr

@:TEMP2

%Error: Array index too small

couraged from Pascal by experiences with the JRT compiler might want to try something more standard before giving up.

They're Getting There

There's good news and bad news from Digital Research.

There's a new manager in the documentation section of the languages division. His name is Michael Franusich, and he recently sent me a copy of the new CBASIC manual.

You may recall that I regarded the old CBASIC manual written by Gordon Eubanks at Compiler Systems as a really good example of what language documentation ought to be like; indeed, although I thought it could be improved, I hadn't seen anything better. Then Digital bought out Gordon and revised the CBASIC manual to "technical writer" specifications, practically ruining it in the process. It removed most of the examples and all the text explaining the "philosophy" of the language.

Well, the good news is that the new manual is at least as good as the old Compiler Systems manual was, and in some ways is better. It contains plenty of examples, and most of the explanations are back in clear English.

Not only that, but I have drafts of the new manuals for CB-80 and CB-86 (CBASIC compilers that run on the 8080/Z80 and 8086/8088 respectively), and they're excellent tool In fact, I have letters from

Digital Research people claiming that it has been my constant hammering that caused the reforms there. I'm not sure I fully believe that, but it's nice to think I had a positive influence.

In any event, I think we can look forward to really significant improvements in Digital Research's documentation.

That's the good news.

Alas. Poor SPP


The bad news is that Digital Research put out the new Pascal/MT+86 Reference Manual, and the manual for the MT+86 Speed Programming Package, before Franusich joined the staff; and lordy does it show.

I'm a great fan of the Pascal/MT+ Speed Programming Package (SPP). That, you may recall, is a combination Pascal text editor, source-code formatter ("pretty printer"), and syntax checker that adds many of the best features of UCSD Pascal to the CP/M Pascal/MT+ compiler, It became even more important for Pascal/MT+86, because I don't have an editor that works under CP/M-86. and thus without the SPP, I couldn't write Pascal programs to run with my 8088.

Actually, that's not strictly true: thanks to the chaps at RR Software, I have Vedit for CP/M-86; alas, due mostly to sloth, I have not yet installed it, which isn't really fair to the Vedit people. I'll have to get it up if I'm going to use the 8088 side of my dual processor, since it is, at the moment, the only general-purpose editor I have that can work with the 16-bit processor.

Anyway, when Jim Hudson was over to show me how to use the 8087 math chip in combination with Pascal/MT+86, he helped me get the SPP editor installed, and it works fine, as does the MT+ compiler. Unfortunately, the old Digital Research "technical writing" staff got hold of the SPP documents and did for them about what it did for Eubanks' CBASIC manual. We did get lucky, though: the Pascal/MT+86 manual seems to be essentially unchanged from the last MT+ version, except for a global replacement of MT+

STEP UP TO A 16-BIT POWERHOUSE! "THE SLICER"



The "SLICER" is a HIGH PERFORMANCE single board computer based on the new, highly advanced Intel 80186 CPU. The board has these advanced features:

- Full 8Mhz 16-bit microprocessor having complete software compatability with the 8086 and 8088 (as used in the IBM PC).
- Two full function RS232C serial ports. Both ports are interrupt driven with software data buffering.
- Floppy disk controller for 51/4 and 8" floppy disk drives, single or double sided, single or double density, using DMA operation.
- SASI hard disk controller port with DMA data transfer rate of up to 2Mb per second!
- 256Kb dynamic ram on board plus up to 32Kb EPROM.
- · Bus expansion connector for future expansion.
- All this on a board the width of a 51/4" drive and only 111/2 inches long!
- Sold as complete kit, partial kit, or bare board, with quantity discounts available.
- A high performance monitor ROM is included with all systems.
- · Bios for CP/M86* operating system included.
- Complete documentation included.

This system is marketed and supported exclusively by: NUMERICAL CONTROLS, INC. 3438 Snelling Ave. Minneapolis, Minnesota 55406 (612)721-6353

Mastercard, Visa, Check, Money Order, or C.O.B. orders accepted. Please allow 4-6 weeks for delivery.

* CP/M a trademark of DioHal Research Inc.

CALL FOR SPECIAL INTRODUCTORY PRICE!!!!

Circle 335 on Inquiry card. BYTE May 1983 317

StarLogic Announces More Disk Drive Savings

TANDON DRIVES FOR IBM AND OTHER PERSONAL COMPUTERS

These basic drives can be mounted internally on IBM and other personal computers. Both full-size and the new ThinLine models are available

TANDON TM100-1	\$165.00
TANDON TM50-1	\$145.00
TANDON TM100-2	\$235.00
TANDON TM55-2	\$215.00
TANDON TM-100-4	\$295.00
TANDON TM55-4	\$275.00
TANDON TM101-4	\$295.00
TANDON TM848-1	\$350.00
TANDON TM848-2	\$425.00

APPLE II-COMPATIBLE DISK DRIVES FROM INTERFACE INC

Includes drive, cable and cabinet (also compatible with Apple look-alikes) 51/4" standard drive \$205.00 ThinLine drive \$185.00 **Dual ThinLine drives** \$335.00

EXTERNAL DRIVES FOR IBM PC FROM INTERFACE INC

Price includes drive, power supply, cable and eahlast

uno opphiet.	
100-1 with 160K IBM format	\$235.00
100-2 with 320K IBM format	\$305,00
55-2 with 320K IBM format	\$285.00
100-4 with 650K IBM format	\$385.00
(includes software patch to DOS	
55-4 with 650K IBM format	
(includes software patch to DOS	1.1)

WINCHESTER SUBSYSTEMS FOR IBM PC FROM INTERFACE INC

Includes Winchester disk drive, cabinet, power supply, cable, controller, 1/0 adaptor and software (JEL) for 1.1 DOS 5 Megabyle \$1375.00 10 Megabyte \$1575.00 15 Megabyte \$1775.00

IBM PC XT DISK DRIVES FROM INTERFACE INC

Dual floppy disk drives each with 362K bytes storage; both drives mount in "A" position \$ 450.00

10 Megabyte Winchester Subsystem,

Slave compatible with IBM DOS 2.0

\$1095.00

External floppy disk drives from Interface Inc are also available for the TRS-80 Model III, the Tandy Color Computer, and other personal computers.

All drives and peripherals have our standard warranty which includes 90 days parts and

TELEPHONE ORDERS ONLY

Only phone orders will be accepted. Master Card, VISA, Cashier's Check, COD accepted. (213) 883-0587

StarLogic

20932 Cantara St. Canoga Park, CA 91301

Apple is a registered tradement of Apple Computer, Inc. appre et a registered statement, at Appre Composition. Mic. BMA and IBM PC are registered trademarks of IBM Corporation TAS-80 is a registered trademark of Tanden Corporation Trunktine is a registered trademark of Tanden Corporation JEL is a product of fall Tree Systems

Prices subject to change without notice.

Prices do not include shipping charges which will be

with MT+86. In fact, it's somewhat improved, with a few additional examples.

Of course, it does have that irritating "All Information Presented Here is Proprietary to Digital Research" inanity at the bottom of each page. Even so, although the manual is not what I'd call exemplary, it hasn't been ruined either: and with the new team in Digital Research's document foundry, we can hope for an update that will be a real improvement.

Unmaligning the Osborne

In my December column I complained that the Osborne 1 lacks certain ASCII character keys. A dozen or more readers have written to tell me I was mistaken.

Although this is not documented anywhere that I (or any of those who wrote) know of, you can get the "missing" ASCII characters on the Osborne with the following key combinations:

Control-< produces { (Control-"less than" produces left curly brace)

Control-> produces } (Control-"greater than" produces right curly brace)

Control-/ produces - (Controlslash produces tilde)

Control- produces \ (Controlequals produces accent grave)

I thank all those who took the trouble to inform me. Also, I appreciated the kind remarks many of you enclosed.

Fastest Benchmark Yet

I continue to get new data using my matrix-multiplication "benchmark of sorts" from the October column. This "test" fills two matrices with real numbers, multiplies them, then sums their elements to give a checksum. Although the algorithm used to fill the matrices produces integers, the elements should be declared as real numbers.

For a time, the record was held by the Sage II running UCSD Pascal, Then Jim Hudson came over and installed his piggyback 8087 board that rides on the Compupro 816 dual-processor machine, and that, running under Pascal/MT+86, took over the leadership.

Aaron Fox of the Department of Physiology at UCLA reports an even faster time. Fox writes:

Recently our lab acquired several Lomas Data Products computers. This computer has a 10-MHz Intel 8086 processor operating with fast static memory. The October BYTE, with your matrix-multiplication benchmark. was of particular interest to me since it gave more times to test our Lomas against. For a 20 by 20 matrix the times for the Lomas were as follows:

2.9 seconds using Microsoft BASCOM-86 34 seconds using Microsoft BASIC-86

Thus, the 10-MHz 8086 is about 7.5 times faster than your 8085 for BASCOM, but only about twice for MBASIC. It seems that the interpreted BASIC is not a fast implementation. (This may explain why all the benchmarks I have seen with the IBM PC running interpreted BASIC are quite similar in speed to the same programs running on a 4-MHz Z80.)

The point of this letter is that the 16-bit machines are fast and they are available with software today, As Sol Libes points out in the November BYTE, a 5-MHz 8086 is equivalent to 0.4 VAX, a fast and powerful machine . . .

The Word, Revisited

I've received several letters asking about spelling programs. This is a subject of considerable interest to me, and I think I have tried every spelling program available for my machines.

I continue to use Wayne Holder's The Word Plus program, version 1.2, from Oasis Systems, This version allows me to transfer the programs, plus the dictionaries, over to a pseudo disk for really fast operation. The Word Plus has a number of nice features, including the ability to look up the word in its dictionary; if it sees anything it thinks might be what you intended, it offers it as a candidate spelling and gives you the opportunity to correct the word.

The Word Plus is fast and easy to use, and it offers me a lot of information, such as a table of the words I've used sorted by frequency of use, thus allowing me to see how many times I've used "alas" and such like. (Do

TIME-PROVEN PERFORMANCE



While new printers with impressive specifications are introduced on an almost daily basis, only time will tell the true quality of the product. Over the past 2 years our customers have continued to buy the DS180 printer, not only because of its impressive performance and competitive price. but also because of our outstanding track record for product reliability and customer support.

We have continually improved on the performance of the DS180 by incorporating such enhancements as dot addressable graphics, 6 user-selectable print sizes and a 2000 character buffer. These features coupled with 180 cps printing, parallel and serial interfaces, adjustable tractor feed and over 40 other programmable features, make the DS180 one of the most versatile matrix printers available today.

Before you select your next printer, why not take a look at a time-proven performer—the Datasouth DS180.

The DS 180 printer is available nationwide through our network of sales/service distributors.

datasouth computer corporation

Circle 158 on inquiry card.

P.O. Box 240947 • Charlotte, NC 28224 • 704/523-8500 Telex: 6843018 DASOU UW



My name's McGruff, and it's my business to help prevent crime. I think it should be your business, too—to teach your employees how to protect themselves. Just send for my business kit—it'll help you develop a program that teaches your employees how to make their homes burglar-proof, make their neighborhoods safer, even how not to get mugged.

And, while you're at it, get in touch with the cops—they can help you out. So now you're probably wondering (like a top cat businessman should), what's in it for you. That's easy. When your company works harder for your people, your people work harder for your company.

So take the time, and ...

CRIME

Write to McGruff, Crime Prevention Coalition. 20 Santa Place, Hackensack, NJ 07601 for lots of information on Crime Prevention.

A message from the Crime Prevention Coalition, this publication and The Ad Cruncil © 1980 The Advertising Council, Inc. people really prefer "unfortunately"? Alas, some have written to say they do.) The only improvements I'd make in The Word Plus have to do with defaults; I wish it would let me enter the name of the "specials" dictionary once and for all, instead of making me type in its name each time I invoke the program. That's hardly a major criticism. I can't imagine anyone not liking The Word Plus.

For All You Atari Users

Vincent Cate of USS Enterprises continues to improve his Critical Connection. This device lets you connect an Atari 800 to an RS-232C serial I/O port on a CP/M computer, and thereby use the CP/M system as the Atari's disk drive.

The device now lets your CP/M system simulate up to four Atari disk drives. We don't yet have an Atari 800 (I plan on getting one next month), so I've lent my test copy of the Critical Connection to an associate who does have both CP/M and an Atari. It works. Given the expense of Atari drives, and their slowness, anyone with an Atari and a CP/M system should seriously consider getting one.

When Shall We LISP?

One thing I'm greatly looking forward to is a good LISP running under CP/M-86. All the versions for the smaller microcomputers are very limited because 8-bit machines have such severe memory problems, (Hah. A sign of the times, I can recall when I thought 48K bytes of memory would be plenty, and 64K bytes more than enough for any purpose,)

Meanwhile, various friends keep urging me to try LISP. "Anything you can do in Pascal or BASIC you can do much quicker and more elegantly in LISP," they tell me. "How are you going to learn about artificial intelligence without it?" When I protest that I just don't know enough about LISP, they send me books.

So far I've successfully resisted learning LISP, but once there's a good version for my 8088 I fear I'll be doomed. Meanwhile, I can look over the books.

One, Programmer's Guide to LISP

by Ken Tracton, is the darndest thing I ever saw. Some of it is absolutely clear, the easiest to understand discussion of parts of LISP that I've yet seen. Some of it is absolutely opaque. The really odd part, though, involves strange omissions.

The index, for example, is horrible. Many of the most important terms and concepts in LISP simply aren't there. No CONS, no CAR, no CDR, no LAMBDA. In another place there's a glossary of sorts, but some of the definitions are frivolous (LAMBDA—something like DE-FINE), while others (CONS, for example) are not there at all.

This sloppiness seems typical of Tab Books, which must employ the laziest and most incompetent copy editors in the publishing business; comic books have fewer typos. Also, cheap paper and an unaesthetic type-face are used.

For all that, I found Tracton's book rather valuable, since it does give a lot of examples, and much of the beginning discussion is clearer than I've seen anywhere else. It's a pity his publisher didn't think enough of his book to assign it a decent editor.

Let It GOTO Blazes . . .

Jeffrey Savit of the Savvy Computing Company writes at length about my (mild, I thought) defense of the GOTO statement in the December column, He says:

One way to think about this is to consider that the problem with the GOTO is not always the GOTO itself, but rather the label it arrives at. First, there is no enforced textual relationship between the GOTO and the target label. If the GOTO is being used as an escape from a loop, the label will appear immediately after the loop body, but there is no way for the compiler to know it was intended as an escape if the label is accidentally placed elsewhere in the program.

The other problem with the label is that its presence means that there is less knowledge about the state of the program at the program text that follows it. The code after a label could have been reached by falling through the preceding text, or from any of the statements that GOTO the label. To understand this piece of the program the reader has to examine the entire program for GOTOs that might land there.



Now you can buy a QUAD function IBM PC board without having to buy more memory.

MegaPlusTM and I/O-Plus 2TM are the ultimate add-on products you will need to expand your IBM PC and XT. Which board you decide on depends on where you are headed. To take full advantage of your IBM PC and XT beyond 256k, you will want to expand with the MegaPlus™. It's features include two asynchronous ports, clock/calendar, printer port, and up to 512k of memory expansion. Ahl You say you already have all the memory you need? The I/O Plus 2™ gives you all the features of Mega-Plus™ to operate your printers, plotters and modems, set your time and date automatically with the clock/calendar, without adding memory. Also a special game adapter is available, but more about that later. Both boards include SuperDrive™ disk emulation and SuperSpool™ print buffer software.

MEGA WITH MEMORY

The MegePlusTM has three functions standard: Parity checked and fully socketed memory up to 256k in 64k increments: clock/calendar with battery beck-up for automatic loading of time and date when the computer is turned on; and an asynchronous communication port (RS232C serial) which can be used as COM1 or COM2, (DTE for a printer, or DCE for a modem). Optional is a 100% IBM compatible parallel printer port, and a second asynchronous port for another \$35 each. The MegaPak™ option plugs onto your Mega-Plus™ "piggyback" style to give you 512k of additional memory. Now you can create disk drives in memory up to 360k, set aside plenty of space for print spooling, and still have memory for your biggest programs.

I/O-PLUS 2 WITHOUT MEMORY

The I/O-Plus 2TM comes standard with a clip-on battery powered clock/calendar, and asynchronous communication port (RS232C serial). Optional is a second asynchronous port (DTE for a printer, or DCE for a modem), a parallel printer adapter, and the best game paddle adapter on the market. What's so special about our game adapter? Not only is it an IBM standard game port, but it can also use low cost, widely available Apple compatible paddles and joysticks. If your memory needs are satisfied, for less than the price of most single function boards, I/O-Plus 2TM gives you all the input and output ports you might need.

FREE SOFTWARE

SuperDriveTM disk emulation software creates "disk drives" in memory which access your programs at the speed of RAM memory. SuperSpoolerTM print buffer software allows the memory to accept data as fast as the computer can send it and frees your computer for more productive work. Some manufacturers sell hardware print buffers that do only this for hundreds of dollars. Super-SpoolerTM eliminates the need for these slot robbing products. Both of these powerful pieces of software can be used with any expansion memory for your IBM PC or XT.

CHEAP SOFTWARE TOO

What good is great hardware without some great software to use it with? We offer some terrific prices on some of the popular programs you will want to use your board with. How about the cream of the spread-sheet programs, SUPERCALC, for just \$159, or SUPERWRITER for \$239. If you are looking for data base management you can get dBASE II by Ashton-Tate for \$419, or 1-2-3 from Lotus for \$369.

WHY BUY IT FROM US?

Because we provide the service and support most companies just talk about. Each board is fully tested and burned in prior to shipment. We realize how integral this board is to the use of your computer. What good is a warranty if it takes weeks for repairs to be made? We offer 48 hour turnaround or a replacement board on all warranty repairs. Do you hear anyone else making this promise? If you still are not convinced, and want to compare prices, remember we don't charge extra for credit cards, shipping, or COD fees. We think the ultimate testimony to our good service and high quality is that one of our largest customers is none other than IBM! If you still want to buy elsewhere, ask any competitor if they will face the acid


THE ACID TEST

Qubie' (say que-bee-A) gives you a 30 day satisfaction guarantee on all board purchases. If you are not completely satisfied we will refund the entire cost of your purchase as well as pay the postage to return it. If you can get one of our competitors to give you the same guarantee, buy any other board you think compares and return the one you don't like. We're not

worried because we know which one you will keep. We also offer a one year parts and labor warranty. An additional one year extended warranty is available for \$50.

TO ORDER BY MAIL SEND:

- -your name and shipping address
- -board type, size, and options requested
- -daytime phone number
- California residents add 6% sales tax
 company check or credit card number
 with expiration date (personal checks)





TO ORDER BY PHONE:

In California (805) 482-9829 Outside California

TOLL FREE 821-4479 PRICES:

I/O-Plus 2TM with Clock/calendar, asynchronous communication adapter, SuperDriveTM and SuperSpoolTM - \$135

MegaPlus™ with memory, clock, async, SuperSpool™ and SuperSpool™ software: 64k \$299

128k \$349 256k \$449 192k \$399 512k \$798

OPTIONS:

OI IIOIIO.	
Parallel Printer Port	\$35
Second Async Port	635
Game Adapter (I/O-Plus 2 only)	\$35
MegaPak™ with 256k of memory	\$349
Cable to parallel printer	\$35
Cable to modem or serial printer	\$25
Memory Diagnostics Program	\$10
1-2-3 by Lotus	\$369
SUPERWRITER by Sprcim	\$239
SUPERCALC by Sorcim	\$159
dBASE II by Ashton-Tate	8419

SHIPMENT

We pay UPS surface charges. UPS 2 day air service \$5 extra. Credit card or bank check orders shipped next day.

QUBIE' DISTRIBUTING

4809 Calle Alto Camarillo, CA 93010

European Inquirles: 129 Magdalen Rd., London, SW18, England Phone (01) 870-8899

Items Reviewed \$3600 Sage II Computer IRT Pascal \$29.95 JRT Systems Sage Computer Technology 1891 23rd Ave. Suite 4 San Francisco, CA 94122 35 North Edison Way (415) 566-5100 Reno. NV 89502 (702) 322-6868 M-Drive/H \$1895 Compupro Systems Semidisk 512K \$1995 Oakland Airport, CA 94614-0355 Semidisk Systems 1 megabyte \$2995 POR CC (415) 562-0636 Beaverton, OR 97075 \$820 Max-80 Computer (503) 642-3100 with extra 64K-byte memory \$915 Lobo Drives International 358 South Fairview Ave. Speed Programming Package 8-bit \$200 16-bit \$250 Goleta, CA 93117 Digital Research POB 579 (800) 322-6103 (California) (800) 235-1245 (outside California) Pacific Grove, CA 93950 (408) 649-3896 Minimum Data Base 8-inch \$84.50 The Critical Connection Not available Pascal Introductory Package 8-inch \$79.50 Workman and Associates **USS** Enterprises 112 Marion Ave. 6708 Landerwood Lane Pasadena, CA 91106 San Jose, CA 95120 (213) 796-4401 (408) 997-0264 The Word Plus Modula-2 Compiler **\$405** \$150 for Sage II (including text editor) \$595 Volition Systems Inc. Oasis Systems Inc. POB 1236 2765 Reynard Way Del Mar, CA 92014 San Diego, CA 92103 (619) 481-2286 (619) 291-9489 Osborne 1 \$1795 Osborne Computer Corporation 26500 Corporate Ave. Book Reviewed Hayward, CA 94545 (415) 887-8080 A1 \$1125 Programmer's Guide to LISP \$10.95 Printmate 150 Impact Dot-Matrix Printer B1 \$995 Ken Tracton. Blue Ridge Summit, PA: Tab, 1979. paper \$6.95 Micro Peripherals Inc. 4426 South Century Dr. Salt Lake City, UT 84107 (801) 263-3081

Certainly it is possible to comment both the GOTO and the label to the effect that one and only one GOTO refers to that label, and that it is being used to escape from a loop, but that is precisely what a "leave" or "break" does without depending on the programmer not making a mistake . .

On reflection, I agree with what Mr. Savit has said here. In my defense I'll point out (1) that Pascal has no "break," and my column speculated that a GOTO used as a substitute for "break" would do no harm, and (2) that "break" is one of the proposed extensions for the Pascal Prime Project.

In any event, Modula-2 has "break," and has no GOTO whatever: so if Modula-2 takes over from Pascal, this is one debate that will swiftly become history.

Coming Attractions

I much enjoyed COMDEX, not only for the software and equipment I saw, but for the people I met. For example, at the Zenith party I met John and Sue Matlock of Micro Peripherals Inc. of Salt Lake City. John had connected an MPI impact dot-matrix printer to a Zenith Z-100, and the printer was merrily making hard copy of everything that appeared on the Z-100 screen: words, symbols, graphics, swirls, and squiggles.

I've never had a dot-matrix printer, but that looked interesting. I got to talking with John Matlock about it.

The upshot was that in the next room sits an MPI Printmate 150 impact dot-matrix printer. Although it can be configured for driving by an RS-232C (serial) port, this one happens to expect a Centronics-style parallel input. There's a Centronics port on the Interfacer-4 board in my dual-processor system, but I don't recall precisely how Tony wrote that

10 reasons why you should call DataSource for software...

- Free Systems Analysis We have developed a variety of self-administered analysis tools to help you identify those products best suited to meet your needs
- 2 Competitive Prices Our volume enables us to offer you prices which are consistently competitive. Compare for yourself, then call us toll-free 800-328-2260.
- 2 Express Delivery Time is money and we at DataSource understand that. Your order will be processed and shipped within 24 hours for all products in stock.
- Discount Structures We offer significant discounts to any individual, organization or user's group purchasing in quantity.
- Key Account Program For corporations and institutions, we offer a comprehensive program: volume discounts, complete maintenance packages, specially staffed technical support, a sales team experienced in micro applications, and several financing options.

- Risk-Free Software We stand behind every product we sell. All items are fully documented, backed by manufacturer's warranties, and are guaranteed by DataSource to be in perfect working condition.
- Toll-Free Technical Support We service what we sell. Our customers have direct access to our technical staff on a toll-tree basis. 800-328-2260.
- National Maintenance Network. We offer a variety of maintenance agreements tailored to the specific hardware items you select. Call for more information.
- Plexible Payment Options We accept most major credit cards, checks, and money orders, as well as purchase orders from approved corporate accounts.
- State-of-the-Art Software and Hardware
 We carry a broad range of what we believe
 to be the best in software plus carefully
 selected hardware products and
 accessories.

Always the current versions in stock.

Here's a small sampling of products available now from DataSource."
(If you don't see what you need, just call us at the number below.)

Data Base Management dBase II - Ashton Tate Condor III - Condor computer Easy Filer - IUS Visitile - Visicorp Tim III - Innovative Software Inlostar - MicroPro	\$475.00 495.00 295.00 189.00 325.00 297.00	Languages C Basic - Digital Research CB 80 - Digital Research M Basic - Microsott Basic Compiler - Microsott Pascal MT + - Digital Research	125.00 420.00 275.00 310.00 425.00
Spreadsheets Supercalc - Sorcim Visicalc - Visicorp Lotus 1-2-3 - Lotus Multiplan - Microsoft Calestar - MicroPro	125.00 189.00 Call 225.00 95.00	Miscellaneous The Home Accountant - Continental Milestone - Organic Software Statpak - NW Analytical The Norton Utilities - Peter Norton Hardware	110.00 245.00 395.00 65.00
Communications Crossialk - Microstut Move it - Wooll software	135.00 99.00	Hayes 300 Smartmodem Hayes 1200 Smartmodem Epson FX80 Okidata 82-A NEC 3550	215.00 525.00 595.00 439,00 1915.00
Word Processing Wordstar - MicroPro Spellbinder - Lexisoft The Final Word - Mark of the Unicorn Easy Writer II - IUS Volkswriter - Lifetree The Word Plus - Oasis Spellguard - Sorcim Grammatik - Aspen	297.00 295.00 245.00 265.00 155.00 125.00 60.00	June Specials from DataSor Supercalc - All Formats Microsoff Basic Compiler - Osborne PLUS Sale prices on all Osborne Format softwa	\$125.00 \$235.00

FOR MORE INFORMATION CALL TOLL-FREE

1-800-328-2260


IN MINNESOTA CALL 612-544-3615

l'urchane orders necepted from corporaty accounts. All orders are stapped UIS. \$7 shipping charge on sollware atems. 2% shipping charge on bardoure doms



DATASOURCE SYSTEMS MARKETING CORP.

Your source for micro software and hardware 1660 South Highway 100, Minneapolis, MN 55416









A Run-Time Library for Whitesmiths' C 2.1

- Fast execution.
- ROMable
- No royalties
- Fully reentrant machine support
- CP/M file support
- Error checking
- Usable with our AMX Multitasking Executive

Real-Time C \$ 95 manual only \$ 25 \$950 source code

Intel mnemonic \$ 50 to A-Natural converter

Benchmarks

- 1. Int to ASCII conv.
- 2. Long to ASCII conv.
- Long random number generator
- 4. Double 20 x 20 matrix multiply

5. File copy (16kb)

■ with Real-Time C ☐ without

4 Mhz ZBO, 8" SD diskelle Times truly . P., with processor disks, old

AMX and Real Tone Countrariement, of KADAK Portherts Ltd. A Hatural of TM of Whitemaths List CPM v. TM // Digital Research Corp. 290 is TM of Ziv. | Corp.

KADAK Products Ltd.



206-1847 W. Broadway Avenue Vancouver, B.C., Canada V6J 1Y5 Telephone: (604) 734-2796 Telex: 04-55670

The Serious Game Design Tool For The Serious Designer At The Price Of A Toy For The Hobbyist The Game Cartridge The FROB-26" Development System for the Atan 2600 Video Computer System™ Optional: Alari 5200 Supersystem Adapter Package. Features Include: Real-time development No machine modification Apple II* 48K/ one disk drive required Now Only \$495 Call today to order 408-429-1551 All major credit cards accepted. For high profit rewards, purchase the tool that can do the job at an arridad Apple are unbeatable price. pstered trade-is of Alam Inc frobco and Apple A Division of Th-comp Polytechnical, Inc. Computer, Inc. respectively Video Computer P.O. Box 8378, Santa Cruz, CA 95061 408-429-1551 The Miracle of Creation Can Be Yours'* mark of Alari, Inc

into the BIOS. Since he's in Arizona just at the moment, I can't hook up the Printmate 150 for a test run. although I expect to have it running next week.

Meanwhile, there's one hitch. Although it will work with a great many machines, a specific design goal of the Printmate 150 was that it would work with the Zenith Z-100 computer. The Zenith Z-100 was designed to be able to run IBM PC software, and as a result has the same hardware for connecting peripheral devices as does the PC. When IBM designed the PC, for some totally inexplicable reason it chose to put the same physical cable connectors on its Centronics-style parallel output port that other people use as RS-232C plugs and jacks.

This means that I have a printer expecting parallel input through a connector into which I can plug a serial input. Because the RS-232C cable carries 16 volts in pins that the Centronics port expects to have only signals, a mistake can blow up a fair number of chips. Worse, both the PC and the Z-100 have both serial and parallel outputs coming out of identical plugs, practically guaranteeing confusion. This is a disaster waiting to happen.

I hope to avoid the problem so that next month I can report on my new printer.

We've also just received a disk containing the source code to the Otrona's BIOS, Tony has been looking forward to playing with that; he has some improvements in mind. He's already got WRITE, my favorite text editor, transferred to the Otrona. so that I was able to take the Otrona to COMDEX and write up a good part of my trip report in my hotel room.

More on the Otrona, the new printer, and Modula-2 next month.

Jerry Pournelle welcomes readers' comments and opinions. Send a selfaddressed stamped envelope to lerry Pournelle, c/o BYTE Publications, POB 372, Hancock, NH 03449. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply.

Complete Integrated Accounting System Just plug it into your and run your business!

CP/M®&
APPLE®

VERSIONS

SOON

AVAILABLE



GENERAL LEDGER

ACCOUNTS RECEIVABLE

BILLING

INVENTORY

ACCOUNTS PAYABLE

PAYROLL

WORD PROCESSOR - WORDSTAR™

SPELLING CHECKER

MAILING LIST - MAILMERGE™

Electronic Spreadsheet - REPORT MGR.

The best business program package on the market . . . providing all the software and storage you ever wanted.

- All programs self-prompting & menu driven
- Completely integrated accounting system
- General Ledger includes a chart of accounts developed by a CPA
- Has been in use for four years
- High speed operation
- All software pre-installed on hard disk and ready to run. No more diskettes & tedious paper work
- Self-explanatory . . . easy to use
- All software & hardware fully guaranteed & supported

5 MB WINCHESTER DISK plus ABOVE LISTED SOFTWARE in ONE INTEGRATED PACKAGE

\$2,9959

*Auxiliary Power Booster Required \$195.
*128K RAM Required.

10 MB Model available at

Dealer Inquiries Invited

Contact your local dealer or call us

The Business Manager®

1420 E. Edinger Ave., Suite 115, Santa Ana, CA 92705

(714)836-3569

Circle 77 on inquiry card.

IBM is a Reg. trademark of IBM Corp. Apple is a Reg. trademark of Apple Computers. CP/M is a Reg. trademark of Digital Research. Wordstar and Mailmerge are Reg. trademarks of MicroPro International. *Prices and specifications subject to change without notice.

Book Reviews

Microprocessor Systems, Interfacing and Applications

Robert J. Bibbero and David M. Stern John Wiley & Sons 1982; 192 pages hardcover, \$26.95

Reviewed by Dr. William H. Murray Computer Science Dept. Broome Community College Binghamton, NY 13902

Microprocessor Systems, Interfacing and Applications is an excellent introduction to microprocessors and data links in terms of signal paths and communication functions. Technically up to date and very readable, the book is aimed at "engineers, students, technicians, and managers who use microprocessors and design them into new devices and systems."

Wisely, Robert J. Bibbero and David M. Stern based their discussion not on a particular chip or family of processors but on a well-balanced cross section of current chips. In doing so, the authors successfully integrate the main concepts of their

book throughout its seven chapters. To illustrate how they do this, I'll look at several chapters.

In the first two chapters, the authors quickly review digital logic and microprocessor fundamentals. As you might expect, they cover such topics as number systems, base changes (including fractional numbers), digital logic gates, and the architecture and instruction sets of popular microprocessors. Unfortunately the authors "squeezed" the three topics that form the cornerstone of their book into the first chapter. Address decoding, signal driving over transmission lines, and timing deserve closer examination; more examples would have helped. A detailed discussion of benchmarks in chapter two merits attention.

Chapter three addresses the problems of transmitting data. Logically presented with many helpful details, the discussion goes from signal buses to drivers and systems that include parallel and serial transmission of data. Particularly noteworthy is a section on microprocessor buses.

In chapters four and five,

Bibbero and Stern contrast programming languages for microprocessors. Chapter four, devoted exclusively to BASIC, includes a good discussion of top-down structuring, flowcharting, algorithm development, and high-order languages. Unfortunately, the chapter is unspecific as far as actually writing BASIC programs goes. Chapter five looks at high-level languages such as FORTRAN, PL/I, FORTH, C-Code, and Pascal in terms of common points and strengths and weaknesses. More programming examples would have enhanced the dis-CUSSION

The chapter on device displays is typical of what you might find in most books on microprocessors. It describes the most popular displays, including seven-segment devices and CRTs.

Chapter seven deals exceptionally well with multiple microprocessor communication. Topics range from hierarchical processing layers, architecture and protocols of networks to topology, routing, and protocol. Ethernet and Proway are used to illustrate communications networks that operate between computers and micropro-

cessor terminals.

I have just a few minor squabbles with the book as a whole. Because Microprocessor Systems, Interfacing and Applications covers so many topics in so few pages (192), many details are left out. For example, in the section that deals with addressing and decoding the authors give no examples of how an address decoder actually decodes. The authors attempt to illustrate several programming languages with examples, but again leave you begging for a few more details. And just a minor annovance, but noteworthy, is that illustrations of digital logic gates do not conform to industry drafting standards.

Readers who have worked with digital electronics or microprocessors should have no difficulty with the concepts presented or vocabulary used. In fact, the text may be too elementary for experienced engineers, technicians, and managers. It is an excellent primer on the microprocessor and data link in terms of signal paths and communication functions and would be particularly useful in classroom instruction.

Ccompilers

HOST	6809 TARGET	POP 11°/LSI 11° TARGET	HORU/(ZBO) TARGET	8088/8086 TARGET
FLEX*/UNIFLEX* OS-9*	\$200.00 *********************************	500 00	500 00	500.00
RT 11*/RSX 11* PDP 11*	500 00	200 00 miles 350 00 miles	500.00	500 00
CP: M* 8080/(280)	500 u0	500.00	200 00 * min. 1 350 00 *********************************	500-00
PCDOS*/CP/M86* 8088/8086	500 00	500 00	500 00	350 00 % (100)

*PCDOS is a trademark of IBM CORP. MSDOS is a trademark of MICROSOFT. UNIX is a trademark of Bell Labs. RT-11/RSX-11/PDP-11 is a trademark of Digital Equipment Corporation. FLEX/UNIFLEX is a trademark of Technical Systems consultants. CP/M& CP/M&6 are trademarks of Digital Research. OS-9 is a trademark of Microware & Matterna.

• FULL C

- UNIX* Ver. 7 COMPATABILITY
 - NO ROYALTIES ON GENERATED CODE
 - GENERATED CODE IS REENTRANT
 - C AND ASSEMBLY SOURCE MAY BE INTERMIXED
 - UPGRADES & SUPPORT FOR 1 YEAR C SOURCE AVAILABLE FOR \$250000

408-275-1659 TELECON SYSTEMS

1155 Meridian Avenue, Suite 218 San Jose, California 95125



MDBS III™

Mainframe-quality DBMS from Micro Data Base Systems, Inc. International Software Enterprises—USA (312) 981-9200



INMASS*

Integrated Manufacturing and Accounting Software System MICROCOMPUTER CONSULTANTS (916) 756-8104



ACCOUNTING PLUS™

A comprehensive microcomputer business accounting system. SOFTWARE DIMENSIONS, INC. (916) 722-8000



DATA COMMUNICATIONS SOFTWARE

ASYNC, BISYNC & SNA-SDLC protocol data communications software.

IE Systems, Inc. & Micro-Integration, Inc. (60.3) 659-5891



QUICK CHECK™

Computer simplified bookkeeping and point of sale inventory. CHUCK ATKINSON PROGRAMS (817) 249-0166




PC/FORTH™

Program development systems for Z-80 and 8086/88 microcomputers Laboratory Microsystems, Inc. (213) 306-7412



tware If you write anything from a letter a day to a book a month, reading this could change your life Word Processing A Short Course In Computer Literacy Peter A McWilliams

"Oasis Systems' software - unquestionably the best" . . . Peter McWilliams, author of the #1 best-selling book on word processing.



The WORD Plus is the standard by which other spelling checkers are measured. Here's why:

- Real 45,000 word dictionary.
- · Shows errors "in-context."
- Interactive word look-up finds correct spelling for you and corrects at the push of a button.
- · Hyphenates words automatically.
- · Solves crosswords, puzzles, and anagrams.
- Works with almost any CP/M®, CP/M-86® or MS/DOS compatible word processing program (WordStar, Magic Wand, Spellbinder, Perfect Writer, Select, Final Word . . . and more!).

Punctuation & Style takes the worry out of writing by automatically catching dozens of different punctuation errors, both common and obscure. In addition, P&S catches unpaired format commands (underline, boldface, etc.), doubled words, and more.

P&S gives you a "critique" of your writing, suggesting alternatives for commonly misused or over-worked phrases. It also shows where active voice can replace passive voice to add clarity and precision.

Punctuation & Style is the perfect companion to The WORD Plus. It works easily with most CP/M word processors. (Available soon for CP/M-86 and MS/DOS.)

Call or write for complete information: 619-291-9489



2765 Reynard Way San Diego, CA 92103 Circle 337 on Inquiry card.

Dealers contact: SOFTWARE DISTRIBUTORS 1-800-252-4024 (in California) 1-800-421-0814 (outside California)



Announcing the fastest door-to-door delivery service to and from Europe.

Emery First Class International Service.

No matter what the value, size, or weight of your air shipments, Emery provides the fastest regularly scheduled door-to-door service available between most U.S. and major European cities. To most cities, we can deliver door-to-door in as little as 48 hours. From New York, we can deliver as quickly as overnight to major European cities. That includes everything from letters to packages to heavy cargo.

Emery offers you a total range of services from customs clearance to notifying your customer of the time of delivery, all for one basic price. For just a little more, you can even get proof-of-delivery and full documentation.

So the next time you want the fastest scheduled door-to-door service to most of Europe, ask for Emery First Class International Service. Call your local Emery office for details.

Fire	it Class Shi	pping K Mail coup		
	P.O. Box	Emery 4036, Wobu	rn, MA 01888	
Name		(First)	(Middle Initial)	
Name Title	(Last)	×		
				EME
Title_	ny			EMEL

Time after time, no one delivers like Emery.

Circle 191 on Inquiry card.

The Enhanced VIC-20

Part 4: Connecting Serial RS-232C Peripherals to the VIC's TTL port

Joel Swank 12550 SW Colony #3 Beaverton, OR 97005

Owners of Commodore's VIC-20 personal computer know the fascination that can overcome the new computer user. Simplicity, of course, is both the VIC-20's main attraction and the reason for its low cost. And its uncomplicated nature makes the VIC-20 a good place for the beginner to start to explore the power of a microprocessor. But the real thrill comes with the machine's inevitable expansion to peripherals.

Commodore's Kernal operating system allows access to the VIC-20's serial user port. As a result, you can connect the VIC to modems, printers, and other serial devices. A modem opens the door to the world for the VIC-20. An ever-increasing number of information services are accessible via telephone lines: stock-market quotations, bulletin boards, and program exchanges are just a few examples, and many of these are free. With the proper software and hardware, two VIC-20 users can communicate directly to exchange programs and data,

The User Port

Table 1a summarizes the standard RS-232C pin assignments used with most microcomputer systems, and table 1b shows the pin assignments of the VIC-20's user port. Notice that the VIC-20 uses a subset of the standard instead of all the circuits defined in the standard (13 possi-

Editor's Note

This is the fourth and final article in Joel Swank's series on "enhancing" the Commodore VIC-20,

ble subsets are listed in the standard's application notes, but the VIC-20 subset does not match any of them). Commodore's *Programmer's Reference Manual* defines two possible subsets of the VIC-20's user-port interface: the X-line interface and the three-line interface.

Software access to the VIC-20's user port is via logical device 2. Routines in the Kernal provide proper timing and logic to send and receive data by this device. Users can also access the port by way of the BASIC statements OPEN, CLOSE, and I/O.

Overcoming Incompatibilities

The circuitry in the VIC-20 does not provide the voltages specified by the RS-232C standard; rather, it transmits data using TTL (transistor-transistor logic) level signals. In the VIC-20, signals between 0 V and 0.8 V (volts) represent a logical 0, while those greater than 2.4 V represent a logical 1. The RS-232C standard specifies that a logical 1 is any voltage more negative than -3 V, while a logical 0 is any voltage greater than +3 V. Thus the VIC-20 needs additional circuitry to properly interface with RS-232C devices.

Two ICs (integrated circuits) have been developed to solve this rather common problem. The 1488 contains four TTL-to-RS-232C line drivers, and the 1489 contains four RS-232C-to-TTL line receivers. These ICs are used in virtually every digital device that handles RS-232C voltage levels, and they're both inexpensive and easy to come by. You'll need one of each to build the VIC-20/RS-232C interface.

You'll never have a better reason to begin shopping by mail:

IBM RAM BOARDS

256K
WITH AN RS-232C INTERFACE

\$349

\$529 WITH SUPERCALC

512K
WITH AN RS-232C INTERFACE
\$579

\$749 WITH SUPERCALC

Our fully-populated memory boards include parity checking and a standard RS-232C interface. They are compatible with all IBM software.

This is a rare opportunity to save a great deal of money without sacrificing quality. These boards meet the highest standards of design, materials and manufacturing available — at any price. They are completely guaranteed for two years.

Alpha Byten COMPUTER PRODUCTS

31245 LA BAYA DRIVE WESTI AKE VILLAGE, CA 91362 To order or for information call

In New York: (212) 509-1923

In Los Angeles: (213)706-0333

<u>In Dallas:</u> (214) 744-4251

By Modem: (213) 991-16Q4

CALL OUR MODEM LINE FOR WEEKLY SPECIALS. (1a)

RS-232C Interface Connector Pin Assignments

Pin Number	Circuit Name	Description
1	AA	Protective Ground
2	BA	Transmitted Data
3	BB	Received Data
4	CA	Request to Send
5	CB	Clear to Send
6	CC	Data Set Ready
7	AB	Signal Ground (Common Return)
8	CF	Received Line Signal Detector
9	_	(Reserved for Data Set Testing)
10	-	(Reserved for Data Set Testing)
11		Unassigned
12	SCF	Secondary Received Line Signal Detector
13	SCB	Secondary Clear to Send
14	SBA	Secondary Transmitted Data
15	DB	Transmission Signal Element Timing (DCE Source)
16	SBB	Secondary Received Data
17	DD	Receiver Signal Element Timing (DCE Source)
18		Unassigned
19	SCA	Secondary Request to Send
20	CD	Data Terminal Ready
21	CG	Signal Quality Detector
22	CE	Ring Indicator
23	CH/CI	Data Signal Rate Selector (DTE/DCE Source)
24	DA	Transmit Signal Element Timing (DTE Source)
25		Unassigned

(1b)

User-Port Lines (6522 Device 1)

					48	40
_		O toton		TOUR .	lated .	r.
PILIE	8522	Description	EIA	Abbre	Directif	Mode
C	PBO	Received Data	(BB)	Sin	IN	12
D	PB1	Request to Send	(CA)	RTS	OUT	1 2
E	PB2	Data Terminal Ready	(CD)	DTR	OUT	1 2
F	PB3	Ring Indicator	(CE)	RI	IN	3
H	PB4	Received Line Signal	(CF)	DCD	IN	2
J	PB5	Unassigned	()	XXX	IN	3
K	PB6	Clear to Send	(CB)	CTS	IN	2
L	P87	Data Set Ready	(CC)	DSA	IN	2
В	CB1	Received Data	(BB)	Sin	IN	1,2
M	CB ₂	Transmitted Data	(BA)	Sout	OUT	1,2
A	GND	Protective Ground	(AA)	GND		1,2
N	GND	Signal Ground	(AB)	GND		1,2,3

Table 1: Pin assignments and signal names. The information in table 1a, a summary of RS-232C signals, comes directly from the RS-232C standard; the VIC's serial port signals, shown in table 1b, can also be found in Commodore's Programmer's Reference Manual for the VIC.

Space. Saver.

The TTX-1014 Desktop Daisywheel. More Features. More Value. Less Space.

Presenting the TTX-1014 Desktop Daisywheel. The perfect letter-quality daisywheel printer for your home or office.


Your first look will tell you that the TTX-1014 Desktop Daisywheel is a different breed of printer. Sleek. Stylish. Compact. With a low-profile design and narrow footprint so it fits on any desktop...and leaves you plenty of room to work.

The TTX-1014 Desktop Daisywheel comes with an impressive array of standard features.

Bidirectional printing. Pin and friction feed. Full-size-form capability. Interchangeable, 100-character, ASCII printwheel. Built-in serial and parallel interface. Print speeds up to 140 words-per-minute. Plus switch- and program-selectable pitch, line spacing, and baud rates. All standard.

And all at a price that's irresistible. \$649! Complete.


The TTX-1014 Desktop Daisywheel.
The best deal going for your home or office.
Try it now at your dealer's showroom.



Conventional daisywheel printer footprint.

TTX"

Teletex Communication Corporation 3420 East Third Avenue Foster City, California 94404 415/341-1300 TX: 349420







Figure 1: Schematic diagrams of connections between the VIC and other equipment. In figure 1a, the VIC is connected directly to a TTL-level compatible modem. Figure 1b shows the arrangement for connecting RS-232C-compatible DCE (data-communications equipment, such as a modem) to the VIC's serial port; figure 1c shows connections to DTE (data-terminal equipment, such as a printer or video terminal).



Connectors are another possible area of incompatibility: most RS-232C devices use a female subminiature D-type connector with 25 contacts termed DB-25; the VIC-20's connector is a card edge with 12 pins per side on 0.156-inch centers. If you intend to connect these two types of devices, you'll need a male DB-25 and a 24-pin edge-card connector.

Connecting to Serial Peripherals

Several modems will accept the VIC-20's TTL-level signals. Commodore sells one, of course, as do Bizcomp and Micromint. If you use the VIC modem, you need no additional hardware, but if you use another TTL-level device, you'll need to make a cable with the proper connectors on each end. Figure 1a shows how signals should be routed.


Figure 1b is a diagram of the signal adapter you'll need to connect the VIC-20 to full-duplex RS-232C peripherals. The Commodore manual refers to this adapter as the three-line interface. The biggest problem with this circuit

is that it requires a negative power supply to match the voltage requirements of the RS-232C standard. I used a 9-V transistor-radio battery connected to provide negative voltage. (The circuit can be constructed on a small piece of perforated circuit board; the VIC connector is glued to one edge, and the DB-25 connector is attached by a three-wire cable.)

The user port can also communicate with a printer, a plotter, a video terminal, and several other RS-232C devices, but most of these, like the VIC-20, will be designed to fit the DTE (data-terminal equipment) category of the RS-232C standard. Because a DTE device is intended to be connected to DCE (data-communications equipment) instead of another DTE device, you have to fool both devices into thinking that the other is a DCE device. Figure 1c is a schematic diagram of how to accomplish that. It's simply a matter of using the same three signals used in figure 1b, but you also cross the wires and add a handshake line. This is the X-line interface Commodore refers to in its manual. The handshake

Text continued on page 338

CCX™ Training Programs Make Using Personal Computers Easy.



Cdex¹⁵ Training Programs are available for:

The VisiCalc* Program
The WordStar* Program
The SuperCalc* Program
The EasyWriter II* Program

The IBM* Personal Computer
The Apple* I/e Personal Computer

Understanding Personal Computers and Their Applications

Managing Your Business with the 1-2-3" Program

Managing Your Business with the MULTIPLAN" Program

Even the best application programs and personal computers still take a considerable amount of time to learn how to use.

That is, ...until now!

Cdex Training Programs are computer-assisted training programs that make learning straight-forward and efficient. In an hour, you can master the material on the Cdex disks and begin using the intended product.

It's tough to learn about computers from a book. That's why all Cdex Training Programs are on disk and are: Highly Interactive...

Creating a dialogue with you and serving as your personal tutor.

Completely Self-paced...
You set your own learning time.
Graphically Oriented...
Remember, a picture is worth a

thousand words.

Usable Now and Later ...


Clear and concise training and reference programs for the first-time or experienced user.

Cdex Training Programs run on the same Apple' II Plus, Apple' IIe or IBM Personal Computer as your other programs. See how effective a Cdex Training Program can be; ask your dealer for a demonstration.

Cdex™ Training Programs We make it easy.



Cdex Corporation 5050 El Camino Real Los Allos, CA 94022 415 964 7600



Before you bet your software business on an OS, look who's betting on MS-DOS and XENIX.

A waiting market. If you write and sell 16-bit software, MSm-DOS and XENIXm give you the largest installed base. In fact, over fifty 16-bit manufacturers offer their microcomputers with MS-DOS or XENIX. IBM, Victor, Altos, Wang, Radio Shack, Zenith and Intel, to name just a few. And the list is growing. That means there's a ready and expanding market for your 16-bit applications software.

The UNIX connection. XENIX is the multi-user, multi-tasking, UNIX-derived operating system for 16-bit microcomputers. MS-DOS 2.0 is Microsoft's single-user OS. MS-DOS and XENIX share hierarchical file structure and I/O redirection, including simple piping. MS-DOS 2.0 also provides XENIX-compatible system calls. That means there's a migration path for programs written to run under MS-DOS and XENIX. What's more, both MS-DOS and XENIX are supported by Microsoft. languages. That's your single-supplier advantage from Microsoft.

Comprehensive support. Microsoft offers you a full product support program. Excellent documentation. Plus continual enhancements to both languages and operating systems. Your applications programs can even be listed in Microsoft's growing Source Directory of 16-bit applications packages. Contact us for current software offerings and vendors.

PANASONIE

ZENITH

VICTOR

Leadership. Microsoft led the world into the 8-bit microcomputer marketplace

MS-DOS

with the first BASIC for microcomputers. Now, we're leading it into the 16-bit market with single and multi-user operating systems.

Bet the winner. If you're writing and marketing software in the 16-bit marketplace, MS-DOS and XENIX are setting the standard. In fact, they're the standard operating systems for the world's largest selling 16-bit microcomputer systems. Which means your market is already there...and growing. Contact us for complete information. Before you bet your software on an operating system, look where your market is betting.

MCRESOFT

MICROSOFT CORPORATION 10700 NORTHUP WAY BELLEVUE, WASHINGTON 98004

ARTICLE IN THE PROPERTY OF BELLEVILLE IN THE PROPERTY OF BELLEVILL

	Data Rate
value	bits per second
0	110
1	150
2	300
3	600
4	1200
5	2400
6	4800
7	9600

Table 2: Data-transmission rate control values. One of these numbers should be stored in location 781 before VICTTY is activated in order to set the data rate.

Text continued from page 334:

line is the DSR (data set ready) signal from the DCE device, whether it's a printer, a synthesizer, or some other peripheral. This signal must be sent to the VIC-20's DTR (data-terminal ready) input.

Handshaking is necessary because the VIC-20 can send data much faster than most serial devices can handle. At times, for example, a printer must ask the computer to stop sending data so that it can catch up. When the printer can handle more data, it informs the VIC-20 by asserting DTR.

Software

Unfortunately, an error in the VIC's serial data-transmission routines causes the computer to ignore signals on the DSR line. In other words, if the printer sends the "wait" signal, the VIC-20 ignores it and continues sending data, which is thus lost. To circumvent this problem, I use a program called VICTTY (adapted from the terminal-communications routines in the monitors of the KIM and AIM computers). See listing 1 on page 336.

VICTTY can be used to send data directly to the user port. While it bypasses all the fancy buffering done by the VIC's routines, it does pay attention to the DSR signal, waiting for the printer so that no data is lost. The program echoes to the printer any characters that are sent to the screen and is activated by entering SYS 45056 at the keyboard.

The transmission rate can be selected by using a BASIC POKE instruction to store a number in location 781 prior to activation. Unlike the VIC-20 routines that are limited to 1200 bps (bits per second), VICTTY will work at up to 9600 bps (see table 2 for data rates and the corresponding values to store).

To list a BASIC program currently in memory and send it to a 2400-bps printer connected to the serial port, for example, you would enter

POKE 781.5 : SYS 45056 : LIST

When the listing is done, deactivate VICTTY by typing SYS 45121 or all the screen output will be sent to the printer. You can also deactivate VICTTY by pressing the Run/Stop and Restore keys. VICTTY can also be used from within BASIC programs—just include the same POKE and SYS commands in the program before you send the output to the screen.

A Word about ASCII

It takes a bit of doing to make serial data from the VIC-20's port compatible with most standard printers. VICTTY alters the data as follows. First, it inserts a line-feed character after every carriage-return character (most terminals and many printers need both between lines). Second, it translates the VIC-20's uppercase/lowercase character set into standard ASCII (American National Standard Code for Information Interchange) characters. The VIC-20 has two characters sets: in one, the ASCII lowercase codes are replaced by special graphics characters; in the other, the ASCII uppercase codes produce lowercase characters, while the ASCII uppercase codes with the high-order bit on are used to produce uppercase characters.

Other Uses

In its present form, VICTTY can only handle transfers of data out of the computer, although the hardware is capable of both transmitting and receiving. Still, VICTTY could be used to echo VIC-20 screen output to an 80-column video terminal that would enable you to see more information at a time. If the terminal does not handshake, connecting pin 4 of the 1489-type line receiver to +5 V will enable the interface in figure 1c to work.

Other RS-232C devices can be used with this soft-ware/hardware combination; some might require you to modify the interface arrangement. The VIC routines supplied by Commodore can be made to work with the interfaces shown as long as handshaking is not required. With any luck, this series will start you on your way to exploring such advanced peripherals as plotters, digitizers, and speech synthesizers, all of which are now available for the home market.

The program in this article has been incorporated into a full-featured printer program for the Epson and other printers. It includes VIC graphics and access to all Epson functions via standard BASIC OPEN, CLOSE, and PRINT# statements (no SYS calls). It also has a special mode for BASIC listings that formats BASIC statements for readability. It will communicate to the printer via either a Centronics parallel interface cable or an RS-232C interface at up to 9600 bits per second with handshaking. For more information contact United Microware Industries Inc., 3503C Temple Ave.. Pomona, CA 91768.

dBASEII"made easy QUICKCODE The dBASE II Program Generator

FAST AND SIMPLE

puter programs.

With QUICKCODE you can generate a customer database in 5 minutes. Its that fast. All you have to do is draw your data entry form on the screen. It's that simple!

NO PROGRAMMING REQUIRED

QUICKCODE writes concise programs to set up and maintain any type of database. And the wide range of programs cover everything from printing mailing labels and form letters, to programs that let you select records based on your own requirements. There are even four new data types that are not available with dBASE II alone.

YOUR CONTROL

And since you work directly with your information at your own speed and your own style, you maintain complete control. Telling your computer what to do has never been so easy.

QUICKCODE, by Fox & Geller. Absolutely the most powerful program generator you've ever seen. Definitely the easiest to use.

Ask your dealer for more information on QUICKCODE and all the other exciting new products from Fox & Geller.

FOX&GELLER

Fox & Geller, Inc. Dept. INF 001 604 Market Street Elmwood Park, N.J. 07407 (201) 794-8883

IF YOU KNOW WHAT YOU WANT ...

<i>EDIX/</i> WORDI \$149 (ea.)					WORD HAND \$145	DLE	ER VISICALC \$169		
	Data Base \$93		PFS \$99	• PFS	Report \$79		PF	S Graph \$99	
CROSSTALK	EASYWRIT	TER	MULTIP	LAN	DB MAST	ER		FINAL WORK	D
\$119	\$259	•	\$179	3	\$148			\$223	
IM PC (DOS)	tus		Sorcim (see also ISA)	-	Conder Computer Corp.		453	DASIS	81, 877
	Easy Speller 1 1 Easy Filer	400 281	Spellguard Supercalc	195 146 295 185	Condor 1 Condor 3		147	The Word Plus Organic Seltware	150 113
dyançad Operating Systems	Easywriter II	350 259	Superwriter Southeastern	395 296	Data Base Solutions dNAMES		129	Datebook	295 229
he Programmer 200 150 merican Training Inter-	Easy Plannel AR/AP/GL (ea)	600 456	Data Capture	120 90	Digital Research			Milesione . Peachirer	295 225
national, Inc.	Financial Management Series (all 3)	1495 112	Ster Legal Timekeeping,		Access Manager MAC (macro as-	300	225	Series 4 Peach Pak (GL.AR.AP)	596 359
ATI-Power for PC DDS . 75 58	Lexisoft		Billing, & Accts	950 771	sembler) .		75	Pickles and Trout	
lpplied Saftware Tech-	Spelibinder Lileboat	495 28	Structured Systems GL AR, AP Payroll.		SID (symbolic debugge for 8080)		63	CP/M TRS 80 Mod II Quality Sultware	185 169
rology Persalorm 389 288	Lattice C Compiler	500 41	Inventory, OE (ea.)	1250 790	ZSID	100	88 94	GBS-DB Apple Dev	nr.h
shion-Tale Base II . [4] 700 425	Lileirau Volkswriter ,	195 147	Analysi Letteright	250 188 200 150	CBASIC flanguage)		395	Program Relational Systems, Int.	650 509
spen Boltware	Lightning Master type	50 3	NAD OSORT		CIS COBOL Display Manager		595 295	Personal Pearl	295 184
rammalik 75 56 roofreader 50 38	Lotue		Supersoft		Pascal MI+ w/SPP		395	Select information System Select with Super-	2
yrom Sollware	1-2-3	495 37	Optimizer Personal Data Base	200 149 125 93	OJA Associates FMS 80	995	625	Spell Sultware Dimensions	595 369
STAM (Micro to micro comm.) 200 149	Mince	175 15	Synargistic		FMS 80-1	495	312	Accounting Plus"	
STMS (Micro to main-	Final Word , Metasoli	300 22	Data Reporter Versa Computing	. 250 188	FMS 80-2	495	312	GL. AR. AP. Inv each	407
frame comm) 200 149 omshare	Benchmark Word	tro es	Graphics Hardcopy	An	MicroStat Istal	Marse	g.en	Sercim	4477
aster Planner 325 253 onder Computer Corp.	Processor*		System VisiCorp	25 19	package) Epic Computer Gorp.		245	Pascal/M (Z80 p) 8080)	395 28-
ondor 1 . 195 147	Micrologus CIS COBOL 8086	850 63	VisiCalc (256K) Desktop Plan I	250 169	Supervy? Faircom	150	94	Pascal/M (8086	
onder 3 , 650 488 entinental Software	C12 CHRDT 0000	930 93	VisiTrend/Ptpl	300 229 300 215	MICRO B. (Keyed life			8088) ACT 80 (Z80 8080	495 350
ame Accountant			Visidex . VisiFile	250 189 300 229	accessing) For CBASIC 2	260	211	8085) ACT 65 (6502)	175 126 175 126
Plus . 150 112 st Class Mail . 125 98	Micro Lab The Tax Manager	250 184	Visischedule	300 234	FOR MBASIC, COBOL.	200	£11	ACT 68 (6800)	175 121
P Aids	MicroPro		Business Forecasting Models	100 78	PL 1/80. FORTRAN. Pascal MT= CB 80	260	211	ACT 69 (6809) ACT 86/88 (8086.	175 120
laster Tax , 1695 1371 tandard Tax , 595 448	Intostat (5) Report Star	495 32 ₁ 350 231	Wooll Sollware Systems		Fex and Geller			80881	175 126
itaffest	Wordstar (4)	495 327		150 99	dGRAPH Quickscreen		195	TRANS 86 Speliguard	125 90 195 146
hite On , , 130 94 eal Estate investment		250 165	IBM PC HARDWARE		Onickcode .	295	195	SuperCalc	295 185
Frogram , , 130 95 saver Software	Wordstar/ Mailmerge [4]	428	Kraft	70 52	dutil	33	59	Superwriter Supersoit	395 249
ASy (Executive Acetg	Microsoft		Joystick Microsoft		Superfila	195	129	C Compiler	250 186
System = 750 562 ctronics	Flight Simulator Multiplan	50 38	RAM Card 64K RAM Card 128K	350 253 525 381	inlesper Deadtine	60		Ada Compiler Systems Plus Ises	300 225
andom House Elec-	MicroStuf		RAM Card 192K	700 508	Zork II ill (ea.) Star Cross	50 50		Sellware Olm.) Woolf Sakware Systems	
tronic Thesaurus 150 113 Igital Research	CrossTaik North American Business	195 119	RAM Card 256K DUADRAM	875 634	Human Soll			Move (I	100 66
BASIC 86	Systems The American	250 188	Quadboard 64K	595 428	D & Plus ISA (See Soreim)	125	95	Formals for CPM 8", Ap.	
neurrent CP/M-86 350 294	Northwest Analytical	23U 188	• 256K Tech Designs	995 670	1814	no	70	others Price the same in	n most
evel 2 COBOL 66 1600 1200 ascal MT-86/w SSP 600 468	Stalpak	495 369	Adam & Éve Paddles TG Products	40 15	Mathemagic , tibuca intersystems	33	72	WE'LL MATCH	LANV
1086 150 94	The Word Plus	150 112	Joystick	59 43	Pascal Z Pascal BZ (64K)		375	ADVERTISED	
PP86 , 200 168 role Seliware	Grpanic Software Datebook	395 331	Versa Computing Versa Writer Graphics		Pascal Z and BZ	650	542	Programming Internal	
loney Decisions 199 149	Milestone (128K)		Tablel	299 249	Lexiselt Spelibinder	495	281	match any current nation	nally adver
merging Technology dia 195 149	Textwoder III (Text formatter)	125 97	CPM		Lilaboat			lised price, where the ac actually willing and ab	
Vordix , 195 149 7 Tax			Adventure international Adventures (#1-12)	129 97	T-Maker I)	2/5	215	that price	212+1 (
Z Tax 69 55	(126K)	145 105	American Training Inter-		Mince (fext editor)		136	HARDWARE	
eward eal Estate Analyzer	Peachtree Series 4 Peachpak		national, Inc. ATI-Power for CP/M	75 54	Final Word Micro Pyp	200	223	Cargna	
// 250 (B7	(GL/AR/AP) [5]	595 359	Anderson-Bell		Infostar [5 495	327		2495 189
ex Preparer 1983 250 167	Ryan-McFarland RM/COBOL		ABSTAT Artificial Intuitigunce	_ 359	Wordstar . , !			Printer [10]	1395 123
1 M UI 495 357	• Full Day System	950 713	(Requires CBASIC 2) Medical	995 749	MailMerge . Wordstar/MailMerge .		165 426	Hayan Microcomputer Products	
ast Graphs 295 221 Hellect Assoc.	Huntime only Scripps Data	250 1B8	Dental	995 749	Spellstat [4] 250		Datacom Pascal	
C Text 100 73 Indow		495 371	Ashbor Tuto dBase II	[4] 700 425	Wordstar/Spell-	4) 895	426	Package Hayes Stack Chrono-	50 3
SA (seu Sarcim)	Select with SuperSpell		Aspen Soliware		Word/Spell/Mail _ [4) 845	558 96		4] 249 19
M latheMagic , ,)00 75		595 369	Grammalik Proofreader	75 56 50 38	Datastar		195	Modern (RS-232)	
raphmagic 90 65	PFS File	109	Balcones		MicroSolt BASIC 80	75/1	252	300 Baud - Hayes Stack Smart-	4] 279 20
ombo Pack , 160 120 dBASE Corner	PFS Report	99	The Boss Financial A	2495 1496	BASIC Compiler	. 395	284	Modern (RS-232)	11 000 -
	onal DBMS) \$42	25	Byrom Software BSTAM (Micro to		FORTRAN 80 , COBOL 80		360 540	1200 Baud -	4) 699 50
 Quickcode (pro 			micro comm.)	200 144	MACRO 80	200	156	12" Green Hi-Res	70F
generator)		95	8STMS (Micro to mainframe comm.)	200 144	EDIT 80 µ Math/µ Simp	250	94 194	7710 Printer 10)	285 16 3085 229
 dUTIL (program 	mer's		Cagion		μ LISP/ μ Star M-Sort	200	156 151	3530 Printer [10]	2290 173 795 52
utilities)	\$1	59	Computer Development	Inc. 245 177	Multiplan		179	Havatian	
 ABSTAT (statisti 	cs package) \$35	59	Image	495 356	Microstul GrossTalk				4] 149 11
	\$ \$	05	Comstare Target Softwa	r B	L/OSS (ark	195	119	Smart-Cal 103 [-	4 259 20

APPLE DOS			Eduware Compu-Read	30	22	Link Systems Datatax	100	1/10	Program Design Inc. The New Step-by-			VisiCorp (Personal		
A series a Bullion or			Perception	25	19	Datalink	100	75	Step	AD	58	Soltware)		
Applied Seltware			Statistics .	30	22	Link Index		149	Sensible Software			VisiGale II 3.3		50 18
Technology			Spelling Bee with			Link Video	55	41	Super Disk Copy III	30	23	VisiFile	25	50 16
Versa Form	389 2	API	Reading Primer	40	30	Link Sampler I	60		Multi Disk Catalog IN		19	VisiLink	200	50 18
VS-1 Apple II/64K VH-1 (Corvos)	495 3		Compu-Math/			Link Disk	70		Disk Recovery ("The			VisiPiol , ,	200	50 19 30 15
VP-1 (Gorvos) VP-1 Versalorm Pascal/	493 3	Ori	Fractions	40	30	Lak Emerprises			Scanner")	30	23	VisiTrend/Plat	201	10 23
hiteriace .	245 1	90	Compu-Math/			Letter Perfect with Mail			Applesoft Plus Struc-			VisiDex,		50 19
ARTSCI [Soliapa]	243 1	ou	Decimals		30	Marge .	150	112	tured BASIC	25	19	Visiterm .	500	0 6
Magic Window II			Compu-Math/Arithmetic			Data Perfect	ЮŐ	78	Disk Organizar II .	30	23	VisiSchedule	300	0 23
(40/70/80)	150 1	na	Skills			Edil 6502	OO	78	DOS Plus	25	19	Business Forecasting	-Jrun	0 63
Magic Window	100		Algebra 1	40	30	Lower Case Character			Ouickloader	25	19	Model (reg. Visi-		
Magic Mailer	70		Fractions			Generalor lacces-			Image Printer-Leiter			Calc)	100	n 2:
Magic Words			(New version)	49	37	SD(A)	25	19	Quality		30	f = CPM Solicard needed	d	M 71
Magic Pack Combo	100	74	Decimals			Total			Image Printer-Epson	40	30		1	
(Contains all 3)	225 1	45	(New Version)	49	37	Executive Briefing			Image Printer-NEC Dol			APPLE III		
Ashton-Tala		M M	Algebra 2			System	199	149	Malrix	40		Applied Colleges		
dBase II † [4]	700 4	25	Counting Bee	30	22	Micro Lab			The Bug		37	Applied Software Technology		
Avant-Bardo Creations			Compu-Spell/System	JU	4		200		Boold Using	30		Versa Form VS-3	201	E 97
Ultra Piot/0 I F /Data			Compu-Spell/Data Disk Levels 4 thru 8	-049	6E	The Merger		37	Edit Solt			CalaMost	49;	13 31
Graph	99	71	Matri-Vert	20	15	The Learning System	150		Quadrant 6112		26	Write On ,	170	30 9
Beagle Brothers			Matri-Vert Uni-Solve	75	12	Painter Power	40		Sensible Speller .			Conver Soltware	121	10 3
Alpha Plot ,	40 :	28	PSAT Word Allack	23	19	US Constitution Tutor	30		• for Supertaint	125		EASy (Executive Ac-		
DOS Boss	24			4p	37	English SAT AT			= for Apple CP/M		94	counting System)	720	15, 60
Utildy City	30					VisiBlend	50		Pascal	152	94	Insall	- 164	A 30
Apple Mechanic	30		SAT Word Alfack	43	31	VisiFactory .	75		BEST (Applesoft Pro-	4=	0.6	TransForth ///	191	25 0
Broderhund Software			Tax	60	55		200		gram Optimizer) Soliware Obsensions	460	30	ALD System ///	71	5 5
General Ledger			TWR	03	33		180		Accounting Plus"			Link Systems	Fis	a .
(With A/P)						Dala Factory 5 0	300		GL AR AP Inv ea	200	200	Link Index	100	K 14
Payroll	395 2	75	Hayden Soltware			Wall Streeter	300		All four	333	239	Link Video		
Com medil			Pie Writer/Standard	150	108	Payroll Manager Microsolt	300	210	All four Sollware Publishing	ICOU	003	Link Sampler I	R	0 4
Rools/M !	195 1	40	Pie Writer/Double			Typing Tutor II	25	119	PFS File	140	00	Oatafax	240	
Computer Station			Vision	150	108	Time Manager	150				10	Datafax Dalalink	140	9 11
Combined Enhanced			Pie Wilter/Multi			ALDS 1	125	07	PFS Graph	140	(3)	Micro Lab	4.44	
Graphics Software	55		80-col	150	108	Adios "Math-80	125	97		140	33	Data Manager 177	750	0 56
Station Master .	175 1	36	ifor Smarterm.				250		Silican Velley			Seltware Publishing Corp	140	0 200
Comphare Target Software			Videolarm, &			M-Sori			Word Handler		145	PFS: File	175	5 120
Target PlannerCalc 1	99		Supertermi			μLisp/uStar			List Handler	90	68	PFS: Report	125	5 B/
Image Maker	175 1	26	Hayas			Multiplan	275	170	Dictionary	125	94	PFS Graph	175	5 120
Continental				100	75	MUSE	E P	h= 81	Sirius			VisiCerp		
Home Accountant	75	52	Highlands Computer			Supertext 40/56/70	125	79	Pascal Graphics Editor			Desktop Plan ///	300	0 234
tsi Class Mail	75	54	Services			Supertext 40/80	175	126	(48K 1/1(+)	100	69	Visischedule / //	300	0 23
CPA #1 - GL	250 1		CHAE 20		30	Form Letter Module	,,,		Suitheastern Sollware			Visicale Advanced III		0 312
	250 1		MCAT 20	25	19	48K	100	72	Data Capture 4.0	65	45	Business Forecasting		
CPA #3 — AP	250 1	59	E-Z Ledger	60	37	Address Book Mailing			Data Capture 4 0/Viden.			Model .	100	0 78
CPA #4 - PR	250 1	99	Howard Software			List 48K**	50	36	Smarterm Super-	-				
Ail four [5]	1000 6	ne)	Creative Financing	400	140	Dala Plot 48K**	60	43	term :	90	65	APPLE III		
CPA #5 — Property	405 7	201	1983	193	149	Elementary Math Apple			Spuihwestern Data			Software Publishing		
Management	495 4	aic.	State Tax Prep.			Soft 46K**	40	29	Z-Term Profes-	AFR	00	PFS File		99
Meny Generator	40	20	CA '83	200	+ 70	The Voice 48K		59	Signal †		99	PFS Repart		79
Creative Curriculum, IAC.	40		Part Cetate Surfaces	260	119	"* Requires Applesoft, ROI	M or		ASCII Express	фu	59	PFS Graph .		99
Speed Reading			Real Estate Analyzer	105	LAR	Apple II Plus			ASCII Express	120	90	VisiEorp		
Courseware	99	75		195	145	binega			Prolessional	130	03	Visicale Enhanced		202
	23	C	Information Unlimited			Locksmith	100	75	STC			APPLE HARDWARE		
Dakin 5/Level 10 Depreciation Planner	395 2	DAD.	Saltware (IUS)	ern.	ina	Da-Linu Systems			Professional Time and	der	20.4	TAND WANE		
Budget Planner	150 1		Datadex/Hard Disk	150		The General			Billing	395	604	Hayer		
Business Bookkeeping	FUV I		Professional	JUU	₹ 10	Manager		168	Language Reading Development Pro-			Micromodem II , [4]	370	750
	395 2			175	126	Screenwriter II		85		176	126	• with lemmal pom		289
Delamont	320 E		Easywriter Prolessional	113	120	The Dictionary	100	70	grain Anariment Manager	325		Kensington	-44	-03
	130			150	108	Expeditor II - (Appleault			Apartment Manager Stock Market Sollware, Inc.		634	System Saver (Fan)	90	65
Real Estate Analysis			Easy Mover	100		compiler)	135		On Balance Volume			Micro-Sei	34	60
Program	130	90	Tellstar Level I	40	30	LISA 25	80	56	Charting (Stock			A2 35T Disk		
Tax Beater	130		Talistar Level (I	80		EPFIV (Extended			Market analysis)			Orive , [5]	479	329
Dalacolt, Inc.	1-00		FORTH Development	20	-107	Programming Facility	pro	cr	(Includes \$300.00 first			Microsoft	,,,	-ord rd
Micropainter (48K)	35			140	101	IVI	BU	56	year maintenance and			RAMcard (mémory		
BASIC Commiter	UV .		insell	mU	13,61	Peachtree			update (ee) . I		200	board)	100	69
(32K)	100		GraFORTH II	75	56	Series 40 GL. AR AP			Sinnaware	500	1523	Softcard (OP/M		450
JSP Interpreter			Electric Quat	30		Inventory Payroll			DBMaster ,	229	142		345	219
Decision Support				125		lea)	400	239	Ulility Pak #1		65	Premium System Soft-		
The Accountant	129 1		ALD System II	75		Penguin Saltware	-MA	445	Unity Pak #2		65	card. 16K RAMcard.		
Accountant with			International Software	2.00	help	Complete Graphics			DBMaster/Hard Disk	499		Videx Videoterm 80		
DBCalc	149 10		Marketing				70	50	Stat Pac		71	col Card Sollswiich.		
Belta Soliware	- Par II		Mathemagic (Advanced			System Special Effects	40		Micro Memo	40		Osbarne CP/M User		
Bookkeeper Master			programmable calcula-			Graphics Magician	60	45	Electronic Price	TU	Ar.	Guide [5]	695	489
Program .	90 (58	tor package) -	90	65	Additional Fonts and	ou	CF	Sheet	100	72	Personal Computer		
Bookkeeper Check			Graphmanic	90		Character Sels	20	15	Compucuba		22	Appli-Card (6MHz)	595	429
Writer .	40 3		ISA (See Sorcim)	20	65	Complete Graphics	20	(3)	Graphics Processing	-20	G.E.	Videa		
	10		Kensington Microware Ltd.			System II			System (Standard)	AD.	45	Keyboard Enhancer II	149	99
Danver Saltwere		B-49	Carmot D	250	169	(Apple Tab Ver)	1700	86	Graphics Processing	ALC:	diff	Videolerm w/Soft-	-	-
Denver Software Pascal Tutor	125 9	97												
Pascal Tutor	125 9	23	Format II . Lightning Software		104	Special Effects	120	00	System (Profes-			Switch	375	239

TELEPHONE ORDERS

Outside Calif.: (800) 222-8811
Inside Calif.: (415) 324-3730
Hours: 7-6, Mon.-Fri., 9-5 Sat.
Inquiries/price quotes
Order status
(415) 324-0306

MORE CP/M*, APPLE*, IBM PC*, UNIX*, UCSD p-System* software, hardware, etc call for quote.

(415) 324-0311

PROGRAMMING INTERNATIONAL

505 Hamilton Ave. • Suite 107 Palo Alto, CA 94301 TERMS: All prices subject to change without notice and availability. Cashier's check/MO/bank transfer Allow lime for company or personal checks to clear Prices refrect cash prepaid discount VISA/MASTER-CARO/COD/PO's *3% CA résidents add sales tax All sales timal for games & special orders

SHIPPING: \$2 per item for UPS surface (\$6 for Blue Label) within continental USA, except where shipping cost is specified in square brackets

RETURNS: Must have authorization number obislined at 415-324-0305. Unauthorized returns will be refused; damaged goods will be refused. All returns subject to 10% restocking fee

WHY PAY MORE?

Technical Support

Design Philosophy Behind Motorola's MC68000

Part 2: Data-movement, arithmetic, and logic instructions

Thomas W. Starnes Motorola Inc., Microprocessor Division 3501 Ed Bluestein Blvd. Austin, TX 78721

Last month, in part 1, I discussed the design philosophy behind the Motorola MC68000, a powerful 16-bit processor with multiple 32-bit registers. This month I'll describe the data-movement, arithmetic, and logic instructions of the MC68000, A thorough reading of the MC68000's user's guide (available from many computer bookstores and Motorola distributors) will give you all the details of each instruction's operation, but a look at the general categories of instructions, a discussion of why certain design decisions were made, and mention of some special capabilities of the instructions will give you insight into the power of this instruction set.

Instruction Format and Addressing Modes

Before I get into the instruction groups, let's first look at how assembly-language instructions are written. Table 1 illustrates a common instruction format and the choices that can be made within it. First, of course, you can pick one of several microprocessor

About the Author

Thomas Starnes is an electrical engineer who has spent the last five years helping to plan the direction of the MC68000 family of processor products for Motorola.

instructions-for example, an addition (ADD), comparison (CMP), arithmetic shift left (ASL), or data move (MOV). If the instruction is one that handles data, you can, with the MC68000, select one of three data sizes: 8, 16, or 32 bits. This selection is made by following the mnemonic with a period and either a "B", "W", or "L", for byte, word, or long word; if no size is specified, the assembler will assume a 16-bit operation.

On a data operation, you need to make one or two more decisions, i.e., which addressing mode to use for the one or two operands the instruction requires. (See the text box on data organization on page 354 for more details.) Typically, you can select one of 14 modes; within most of these modes, one of eight address registers is selected. On many operations, you need to select a second addressing mode; this usually involves selection of one of eight data registers, but for the data-movement instruction, any addressing mode can be selected.

All MC68000 instructions are fully defined with 16 bits of op code. (Op code is short for operation code; it is the pattern of bits that a microprocessor interprets as a specific machinelanguage instruction executable by it.) Depending on the instruction or the addressing mode(s) selected, additional 16-bit extension words may follow the op code. These extension words provide additional addressing information and may make the total instruction length as long as 10 bytes. Because the instruction is always lengthened by multiples of 16 bits, you can ensure that instructions always begin on even-byte boundaries: because of the way the MC68000 fetches 16-bit quantities from memory, this placement of instructions increases the speed of program execution.

By far, the most common operation in any processor application is the movement of data. Other microprocessors move data with LOAD, STORE, PUSH, PULL, POP, and input/output (I/O) instructions. When you boil it all down, each instruction simply moves data from one location to another. So why not call them all MOVE? Simplicity of expression is a fundamental theme throughout the MC68000's instruction set: all similar operations should perform similarly in a number of respects. For example, if you can use an ADD operation with two 32-bit quantities, you should be able to use an add-with-carry operation with two 32-bit quantities. If you can select from 14 addressing modes to use an ADD operation, you should be able to select from 14 addressing




Photo 1: The MC68000 microprocessor chip, which contains more than 68,000 transistors, is 246 by 281 mils (6.24 by 7.14 mm) in size. This photo shows the location of the major functions of the chip. "Int. Log." stands for "Interrupt Logic"; "A0 Mux Control", for "Microcode A0 Multiplexer Control"; and "FC Log.", for "Function Code Logic." The labels "µROM" and "NROM" indicate two areas of microcode. "Trap and Ill. Inst. PLA" stands for "Trap and Illegal Instruction Programmable Logic Array"; "IRD Reg.", for "Instruction Register Decode Register"; and "ALU Control", for "Arithmetic and Logic Unit Control." The Data Execution Unit houses the main functions of the arithmetic and logic unit, while the two Address Execution Units perform the arithmetic associated with the calculation of an address.

instruction format is:

mnemonic.size source,destination

Examples:

ADD.L D1,D2 MOVE.B #15, -1(A0)

ADD D1,D2 (size assumed to be ".W")
BGE LOOP1 (only one argument)
RTS (no arguments)

Explanations:

mnemonic = instruction abbreviation (ADD, CMP, MULS, etc.) size (optional) = operand size;

.B means byte data (8 bits)

.W means word data (16 bits; default size)

.L means long word data (32 bits)

source (optional) = source operand addressing mode destination (optional) = destination operand addressing mode

Table 1: General format for MC68000 instructions.

modes to use SUB (subtract). If certain status register codes are modified to reflect the results of an ADD, the same codes should also be modified when a SUB or NEG (negate) instruction is performed.

Varieties of MOVEs

With this philosophy in mind, all of the old LOAD, STORE, PUSH, PULL, POP, and I/O instructions from other microprocessors were rolled into one very powerful and flexible MOVE instruction in the MC68000. Let's look at just what this one instruction can do.

The MOVE instruction can move 8-, 16-, or 32-bit data from practically any location to practically any other. And a wide selection of addressing modes and registers for both the source and the destination should cover about any way you want to find

the operands. Table 2 lists the different combinations of addressing modes available on both the MC68000 and the Intel 8086 families, Let's look at what some of the MC68000 addressing-mode combinations allow you to do.

Certainly, you can copy data between registers, but you can also copy data to or from a register to memory using any of the memory-addressing modes. Most microprocessors allow the programmer to transfer data on the top of a stack to or from a register only. What if the data is really needed elsewhere in memory? You must run a second instruction to make the second move and use a register for temporary holding space. The MC68000 allows you to move top-ofstack data to or from any register, another stack, a queue, any memory location, or any I/O location, all in one smooth motion. And why shouldn't you be able to? An added advantage of the MC68000 comes from its ability to use any one of the eight address registers as a stack pointer; this allows you to build as many as eight different stacks without having to swap out registers.

You can also do direct memory-tomemory moves. There are 10 different

		destination	Dn	An	(An)	(An) +	- (An)	d16(An)	d8(An,Xn)	Abs.W	Abs.l
		#options	8	8	8	8	8	8	128	N/A	N/A
source	#options										
Dn	8		MI	MI	MI	M	M	MI	MI	MI	M
An	8	li .	MI	M	MI	M	M	MI	MI	MI	M
(An)	8	II.	MI	MI	MI	M	M	M	М	M	M
(An)+	8		M	M	M	M	M	M	M	M	M
- (An)	8		M	M	M	M	M	M	M	M	M
d18(An)	8	11	MI	MI	M	M	M	M	M	M	M
d8(An,Xn	128		MI	MI	M	M	M	M	M	M	M
Abs.W	N/A	1	ML	MI	M	M	M	M	M	M	M
Abs.L	N/A	1	M	М	M	M	M	M	M	M	M
d16 (PC)	1	H .	M	М	M	M	M	M	M	M	M
d8 (PC,Xn)	16		M	M	М	M	M	M	M	М	M
Immediate			M	M	M	М	M	М	M	M	M

Notes:

"M" means this combination available on the Motorola MC68000.

"I" means a comparable combination available on the Intel 8086 family.

 "#options" refers to the number of different ways an addressing mode can be used in the MC68000 due to the availability of multiple registers that can be used; for example, the "d8(An,Xn)" option can use 8 An registers and 16 Xn registers for a total of 128 combinations. "N/A" means "not applicable."

Most of the source and destination addressing modes are explained in the text box "Data Organization and Addressing Modes,"
page 354. "An" and "Dn" are register addressing modes. "Abs.W" and "Abs.L" are word-address and long-word-address
forms of absolute addressing.

Table 2: Addressing modes available to the Motorola MC68000 and the Intel 8086. The information at the intersection of a row and a column indicates the availability of that source/destination addressing-mode combination for each microprocessor.

"I built this 16-bit computer and saved money. Learned a lot, too."

Save now by building the Heathkit H-100 yourself. Save later because your computer investment won't become obsolete for many years to come.

Save by building it yourself. You can save hundreds of dollars over assembled prices when you choose the new H-100 16-Bit/8-Bit Computer Kit - money you can use to buy the peripherals and software of your choice.

H-100 SERIES COMPUTER SPECIFICATIONS:

DIAGNOSTICS:

on power-up

CP/M-85

Multiplan

SuperCalc

WordStar

MailMerge

Data Base Manager

standard

Software

8-bit CP/M

Most

Memory self-test

Z-DOS (MS-DOS)

Microsoft BASIC

Z-BASIC Language

AVAILABLE SOFTWARE:

USER MEMORY: 128K-768K bytes 1

MICROPROCESSORS: 16-bit: 8088

8-bit: 8085

DISK STORAGE:

Built-in standard 5.25" disk drive, 320K bytes/disk

KEYBOARD:

Typewriter-style, 108 keys, 13 function keys,

18-key numeric pad

GRAPHICS:

Always in graphics mode. 640h/225v resolution;

up to eight colors are available

COMMUNICATIONS: Two RS-232C Serial Interface Ports and

one parallel port

128K bytes standard.
 Optional.

The H-100 is easy to build - the step-by-step Heathkit manual shows you how. And every step of the way, you have our pledge - "We won't let you fail." Help is as close as your phone, or the nearest Heathkit Electronic Center.†

And what better way to learn state-of-the-art computing techniques than to build the world's only 16-bit/8-bit computer kit? To run today's higher-speed, higher-performance 16-bit software, you need an H-100. It makes a big difference by processing more data faster.

Dual microprocessors for power and compatibility. The H-100 handles both high-performance 16-bit software and most current Heath/Zenith 8-bit software.

Want room to grow? The H-100's standard 128K byte Random Access Memory complement can be expanded to 768K bytes - compared to a 64K standard for many desktop computers.

And the industry-standard S-100 card slots support memory expansion and additional peripheral devices, increasing future upgradability of the H-100.

High-capacity disk storage, too. The H-100's 5.25" floppy disk drive can store 320K bytes on a single disk. The computer also supports an optional second 5.25" and external 8" floppy disk drives. And an optional internal Winchester disk drive will be available soon.

For more information, circle the reader service number below. Better yet, visit your Heathkit Electronic Center for a demonstration!

> The H-100 gives me the most for my computer dollar!



Company




Figure 1: Moving data from a 32-bit register to memory using the MOVEP instruction. Bytes from the register are stored in every other memory byte. The instruction takes 24 clock cycles to execute.

memory-addressing modes to select from for the source operand and seven for the destination. Also, keep in mind that each addressing mode can use any of the eight address registers, further increasing the versatility of these move instructions. (Actually, in one mode, you have 16 registers to choose from—eight address and eight data registers.)

Just how many different ways are there to move general data in the MC680007 When you couple all of the combinations allowed with the selection of registers available, there are 34,888 different ways, and each one can be used for 8-, 16-, or 32-bit data. That ought to solve most programmers' data-shuffling problems!

The remaining data-movement instructions include SWAP, for instance, which exchanges the contents of any two data and/or address registers. You can read or modify the status register codes with a MOVE SR (Status Register) instruction.

The MC68000 was designed to interface directly to the MC6800 line of 8-bit peripherals so that all the existing peripheral circuits could easily be used on the MC68000. (Many of the 8-bit peripherals provide very useful functions that would need to be included in a 16-bit system.) To bring the best of the 8-bit peripheral world into the universe of 16-bit software, designers included a special MOVEP (Move Peripheral) instruction in the MC68000. Here's how and why it works.

Frequently, you must set up registers to ready a peripheral for operation. You need to connect an 8-bit peripheral to either the upper or lower half of the 16-bit-wide data bus. This means that the registers connected to a peripheral appear within the MC68000 memory address space as successive-even or successive-odd addresses. The MOVEP instruction will move either 16 or 32 bits of a given data register out to memory in 8-bit chunks, starting at a given location (see figure 1): addresses for each successive byte are incremented by two, not by the one that the normal MOVE uses. This allows the 2 or 4 bytes being transferred to be loaded into the proper peripheral port addresses. Thus, you can load as many as four 8-bit registers in one simple instruction. The MOVEP instruction is bidirectional, so that the registers can be either loaded or read.

Two special types of the MOVE instruction are the MOVEQ (Move Quick) and the MOVEM (Move Multiple Register). Often a register is used as a counter or a constant, with values that are typically rather small. The MOVEQ instruction makes it fast and easy to initialize a register to such values. MOVEQ will take any signed 8-bit immediate value between – 128 and 127, extend its sign bit so that it will be correctly interpreted as a 32-bit number, and load it into one of the data registers. The op code for MOVEQ includes the 8-bit immediate

value; this means the microprocessor can perform the operation very quickly. Because the small immediate value is part of the MOVEQ op code itself, the instruction is classified as a separate addressing mode of the MC68000 called the "quick immediate" addressing mode.

It is common in machine-language programming to have to save the contents of various on-chip registers, use the registers for some other purpose, and then restore their former contents. This happens when you are beginning or ending a subroutine, executing an interrupt handler, changing tasks, or calling the operating system. The MC68000 has a very handy instruction that makes this a fast, efficient operation. The MOVEM instruction will take any combination (or all) of the 16 data and address registers and move them either to or from memory in an organized manner. These registers can be transferred to or from any stack or to a specific location in memory. They are put in memory and taken from memory in reverse order to ensure that each register receives its proper contents. An option of the MOVEM instruction is that either the lower 16 bits of the registers or the entire 32-bit registers can be transferred. An example of this instruction is:

MOVEM.L D0/D4-D7/A4/A5,40(A6)

which would save the registers as shown in figure 2. (The instruction will save registers D0, D4 through D7, A4, and A5 into memory starting at the location pointed to by the value in register A6 plus the value 28 hexadecimal.) The list of registers to be transferred is compactly encoded in a 16-bit value that follows the MOVEM op-code word-an "on" bit indicates the associated register is to be transferred. Not only is the MOVEM instruction both compact and useful, it is also as fast as possible for the number of bytes of information that must be transferred.

Orthogonality

Arithmetic operations are key instructions in a microprocessor because they tend to be the ones that





SANYOPLUS

A full feature, fast, all-in-one z80 computer with \$2185 of software for \$1995.

The Sanyo Plus consists of a Sanyo MBC-1000 computer with a built-in 12" high-res, green phospher 25x80 disploy. The detached keyboard features 5 special function keys and a 10-key pad. The Sanyo Plus comes complete with a parallel printer part, a serial communications part and room for three additional cards.

Plus you receive a second drive for a total formatted disk capacity of 624K.

Plus we now include over \$2000 worth of software including CP/M® 2.2. Sanyo Basic. WordStar 3.0 with training guide. Mallmerge. SpellStar CalcStar, InfoStar and a games disk. We thoroughly integrate and test each system, and generate work copies of your

Plus you get a 300 boud direct connect modern, with cable free modern software and a one-month subscription to The Source.TM

One year warranty \$99. One drive system \$1649. Hard disks: 10 Mb-\$1995/16Mb. \$2395. (supply limited, no dealers please.)

\$1995

TELEVIDEO



Naw backed locally by T.R.W. Bulk-in CRT, detachable keyboard, dval floppys w/75DK formaned capacity, 64K. CP/M and more. Special: Telesolutions — Wardster TM and Calcitor TM w/system \$279.

802 w/CP/M*	\$2669
803 w/CP/M#	\$1898
806 (20 Mb)	\$5149
TS 1602G	\$3495
816 (23 Mb)	\$6298
800A's	\$1299

ALTOS



Our tech's favorite systems. From the lowest priced 3-usersystems with either 2 or 6 MG, storage, to 40MG, 8-user 16

Add terminals, printers, and software and we can fully test and configure your system at low prices. Back nationwide by Moore Systems Service.

Series 5-15D	\$2195
Series 5-5D	\$3995
8000-10	coll
8600-12	19465
Social & 80000 customs inch	ALCOHOLD

DIGITAL



New from DEC - microcomputers designed for the professional. Nationwide DEC service and reliability are standard. Free spreadsheer software with each system. Bridge the 8 bit/16 bit gulf with a system which thus both.

Rainbow 100 sysrem	coll
Professional 325 system	call
Professional 350 system	call

NORTHSTAR





Prices now include free burn and test. We warranty each unit for 90 days from the day you receive it (nor 90 days from the day we receive it). Call for prices on compatible software and hardware.

64K Quod	\$2769
Horizon 64K Quad	\$2695
w/5 Mb.	\$3795
Advantage	

TERMINALS



Naw a full feature terminal at a dumb terminal price. 8 Edit function keys, 8 programmable function keys, 256 characres in a Bx12 cell graphics, detached keyboard with palm ress, printer part 12" non-glare Sanya display keypad w/enies key, and much more. \$549 Adds 3A! - Emulates the ADM-3A. detached keyboard, keypod, 12" gizen display nationwide Adds service.

Wyse 100	\$699
Wyse 200	call
Televideo 910	\$579
Televideo 925	\$735
Televideo 950	\$927
Televideo 970	\$1044
Zenith Z-19	\$689
Zenith ZT-1	\$459
Hozeltine Espirits	coll
Qume	call
HOUSTON INSTRUMENTS	coll

Zenith z110

\$3089 Zenith z120 \$3165

PRINTERS



Scottsdale Systems Ltd.

= (602) 941-5856 ----

Call 8-5 Mon.-Fri.



We participate in arbitrarion for business and customers rhough the Detrei Business Bureau of Maricopa County

SERVICE/ORDERING

INTEGRATION: Prices listed are for new equipment in factory sealed boxes with manufacturer's waπanty. We will pretest your equipment, integrate your system, configure your software, pravide special cables, etc., for an additional charge, Call for prices.

ORDERING: MAIL ORDER ONLY, Prices likred are for cash. No C.O.D.'s. We sell on a net 20 basis to Fanune 500 componies and Universities Charge cards add 2%. Prices subject to change, product subject to availability. AZ. residents add 5%. Penonal checks take 3 weeks to clear, D-20% restracking fee for returned merchandies. Shipping extra-products are F.O.B. point of shipment. CP/M and MP/M are registered trademarks of Digital Research.

SOFTWARE: We sell all popular CP/M* programs at discount. Software sold only with systems not warrantied for suirability.



Okidata 82A	\$389
Okidata 83A	\$635
Okidara 84	\$969
Okidata 92	\$489
Okidato 93	\$835
Tally 160L	\$739
I.D.S. Microprism	\$525

HIGH SPEED

Prism 80 "Loaded"	\$1369
Prism 132 "Loaded"	\$1469
Anadex 9501A	\$1369
DataSouth DS-180	\$1249
TI-810 Bosic	\$1285

LETTER QUALITY

Diablo 620	coll
NEC 3510	\$1495
NEC 7710	\$2149
Transfor	coll

GEMINI



The new best selling dot matrix printers. 100 c.p.s.. friction, tractor and roll feed. Graphics, 160 day warranty 2,3K sid buffer and much more.

COULE DILL	D 11 - 10 - 10 1	The state of the s	
Gemini	15		\$460
Gemini	10		\$304

SANYO PR 5500

Finally - A full function, heavy duty, letter quality printer or a dor matrix price: Wide rindity - A full function, feedly duty, left quality printer or a dot month price: Wide carriage, selectable 10.12, or 15 pitch, 16 C.P.S. (Shannon text), bi-directional, srd., parallel interface: bold, superscript, and subscript pinning, aid, comidge ribbons. \$669






Figure 2: Pushing multiple registers to memory with the MOVEM instruction. This instruction offers a very fast way to store selected registers in memory and, later, restore them properly. This figure shows the storage of registers D0, D4 through D7, A4, and A5 to location 91C028 hexadecimal. The instruction itself is MOVEM.L D0/D4-D7/A4/A5,40(A6). (Remember that 40 decimal equals 28 hexadecimal.) The instruction takes 58 clock cycles to execute.

do the bulk of the work. The arithmetic and logic instructions allow programmers to write code exactly as they desire without having to rearrange data, gather more data, or do things in an unnatural order. As with so many other characteristics of the MC68000, the design of the arithmetic and logic instructions is very orthogonal—more so than for any previous microprocessor. Orthogonality can be defined as the ability of any allowed operation to use any resource in any way that any other operation may.

The arithmetic and logic instructions are very similar in the way they function, the way the condition codes are affected as a result, and the selection of addressing modes, registers, and operands available to them. The advantage of this is that, when coding, the programmer has only one uniform set of rules to remember. Older microprocessor designs forced programmers to have different sets of rules for even similar instructions. which decreased programmers' productivity by forcing them to recall and use correctly large amounts of essentially arbitrary information.

All of the dual-operand arithmetic instructions are true "one-and-a-half"

address operations (i.e., one operand can be specified as a memory address. but the other must be an internal register-the result overwrites one operand). Thus, you can add any register to any register, a constant to any register, the top of a stack to any register, a value buried in a stack to any register, a table entry to any register. an input from an I/O device to any register, or any memory location to any register. Or, because the order may be reversed, you can add any register to any of the same (except that you can't add to a constant, and you can't use the program-counter relative addressing mode to specify a destination). Also, remember that any of these instructions can occur with 8-, 16-, or 32-bit data.

Arithmetic Instructions

Let's look at the types of arithmetic instructions that are available. Add (ADD), subtract (SUB), and compare (CMP) instructions are general two-operand instructions. ADDX and SUBX are used to work on numbers longer than 32 bits (the X condition bit in the MC68000 performs a function similar to the one the carry bit performs in most microprocessors). Two multiply and divide instructions

are available: signed (MULS and DIVS) for single-precision instructions and unsigned (MULU and DIVU) for multiple-precision instructions.

The negate (NEG) and clear (CLR) instructions require only a single operand, and you can use a NEGX to negate multiple-precision values. To blend mixed sizes of data, the MC68000 provides a sign-extend instruction (EXT), while a TST (test) instruction is used to check for positive, negative, or zero conditions. A special instruction, the indivisible test-and-set (TAS), provides software synchronization in multimicroprocessor operations.

One variation on the ADD instruction enables the MC68000 to overcome a common limitation of other microprocessors. The normal "one-and-a-half" address design of most processors makes it difficult to use constant (immediate) values with anything but registers. The MC68000 overcomes this with the ADDI instruction, which allows a byte, word, or long-word immediate value to also be added to an operand in memory using any legal destination-memory addressing mode.

The MC68000 has no increment or decrement instructions. Why? Remember, the idea is to treat all similar instructions the same. An increment instruction adds 1 to a quantity and is often used to step to the next element in a table of byte-wide values. But the MC68000 programmer will often be manipulating 16- and 32-bit data, which require increments of 2 and 4, respectively, to the table address. The design team wanted to generalize the increment and decrement instructions to make them useful with all data sizes yet still retain the speed associated with an instruction that does not have to fetch an immediate argument. To solve these problems, and then some, the designers gave the MC68000 "add quick" (ADDQ) and "subtract quick" (SUBO) instructions, which allow any number from 1 to 8 to be added to or subtracted from any register or any memory location. The instructions accomplish this in the shortest possible time by using 3 bits within the 16-bit op code to hold the increment or decrement

WE LEAD THE FLEET WITH NATIONALLY KNOWN BRANDS AND LOW PRICES.

SYSCOM II
Faithful to the Core

\$625

"Upper/lower case"



COMPUTERS

Apple II-E Starter System	\$1725
Chameleon, Columbia, Compac, Columbia Bur staff I	knowsii
Commodore 64, #1541 Drive, CRT, & soliware	\$945
Franklin ACE 1000	\$935
Franklin ACE 1200-1 drive, 80 column,	
2-80. saftware	\$1735
IBM PC Complete systems start at	
	\$1695
Kaypro () w/Software	
Kaypro II+ 400K drives	\$1875
Kaypro 10 10MByte hard disk	\$2775
NEC APC HO2 green/2 drives	\$3290
NEC APC NO3 color/2 drives	\$4190
Osborne Double Density	\$1825
Slimline S-100: Z-80, CP/M, 64K.	
2MByte drives Under	\$2000
Syscom II—Apple II Plus Emulater	
@ kil	

PRINTERS

PRINTERS			
Epson MX-80FT Type III STILL AVAILABLE \$505			
Epson MX-100 , w/Graphtrax \$685			
Epson FX-80 160cps, friction, sprecket \$585			
Brother/Comrex/BMC (daisywheel, 17cps)			
New Model \$785			
F-10 Starwriter 40cps, Diabis codes \$1225			
6X-100 Graphic Printer 50eps. 5x7 matrix.			
sprocket feed \$285			
Mannesmann-Tally 1601. uses Daisy seliware \$785			
NEC 7710 \$2095			
NEC 7730 \$2145			
Okidata uses standard speci type ribbons			
u82A 80 celumn. 120cps \$415			
u83A			
u84AP 200cps, 132 column, parallel \$955			
u92 160cps. 80 celumn, parallel \$525			
Prowriter (C. Itsh 8510A) 120cps, propertional \$435			
Prowriter II (C. Itoh 1550A) wide carriage \$675			
STAR MICRONICS Runs Epson software. 100 cps. f/L graphics			
Gemini 10 80 column. 100 cps \$365			
Gemini 15 15" wide \$470			
Toshiba #1350 lop of the fine dot matrix \$1625			

VIDEO MONITORS

Amdek 300G	\$149
Amdek 300A	\$185
Amdek 3106 for IBM monochrome adapter	\$175
Amdek 31DA amber for IBM	\$185
Amdek Color 13" color composite	\$325
Amdek Color II 13" RG8 for IBM-16	color
with cable	\$675
BMC 12" Green not fancy, but it works	\$94
8MC 13" Calor composite	\$310
BMC 13" RGB with card for Apple II+	\$395
Dynax 12" Green (GM-120) BEST 8UY	
Dynax 12" Amber (AM-121) 970 line resolution(
IBM MONOCHROME green ,	
IBM COLOR Snot available at press	z time
JCS RGB-III (630 lines, 16 calors, PC cable)	
—ideal for 80 columns, graphics ——BEST BUY	
Princeton Graphics HX-12	8595
Texan VISION-III RGB for IBM	\$535

SIERRA DATA SCIENCES

• S-100 cards for single and multi-user systems • Multi-user
systems need one master, one additional slave per user and Turbo-
008 software - Complete systems with drives and CRT terminal
are available.
Z-80 4MHz Master IS4K/2 serial/floppy controller/hard
disk part \$80-100 \$655
Z-80 4MHZ Slave (2 serial/2 parallel/E4K/EPROM programmer)
4-Port serial communication board ZSIO/4 \$235
RS-232 Multiplexor board SDS-MUX \$235

FOR COMMODORE 64

Hard disk interface for Micropolis

Turbo-Dos ter Master with Slaves ...

CP/M for Master with BIOS

FOR COMMODORE 04			
DATA 20 VideoPak 80	80 column display	\$165	
DATA 20 Z-80 VideoPak	CP/M and 80 celumn	\$165 \$275	
Serial to Parallel		\$79	

SDS-HDI-M

TURBO-DOS

CPM/RIOS

\$129

\$150

FOR APPLE-FRANKLIN-SYSCOM

Advanced Logic Systems	
CP/M Card (ist \$399	\$295
Z-Card II list \$160	. \$135
Smarterm II IIst \$179	
Dirt Cheap Video	\$75
Color II—RGB converter list \$179	
dBase II (regulres CP/M)	
Davong 10 MByte hard disk . BEST BUY	
Diagnostics Disk lests drive, RAM, ROM, ports	\$45
Dumpling GX like Grappler +	
Dumpling 16K graphics and buffer, expandable , .	
Fourth Dimension Parallel Interface with cable	
Grappier + [graphics for most printers]	
Hayes Micromodem II	
Hayes Micromodem II with Terminal Program	
Malf Merge	\$95
Magic Window/Word/Calc salware pkg	
Rana Elite One up to 40 Track	\$285
Rana Elite One Plus with controller	\$375
Rana Elite Two double storage	
Rana Elite Thrue quad storage	\$585
Serial Interface	\$105
SSM Modemcard w/SOURCE	
SuperCalc	
VISTA QUARTET (2 drives, thin,	
640K, controller)	2505
Vista V-1200. 6MB removable cartridge system	91225
Wordstar	- 9103

MODEMS

Hayes Smartmodem 300			4			4		,	£		\$215
Hayes Smartmedem 1200											

NEC APC

Advanced Personal Computer Send a stamped/addressed envelope for a complete data sheet.

FOR IBM PC

FOR ATARI

AXLO	N Rampower 32		
[400/	(800)	- Ret \$120	
Ra	mpower 4B (400)	fist \$185	\$155
Ra	mpower 128 (800)	list \$471	5 \$375
	Printer Interface		
Print	er Cabla	Annual International	\$35
Ran	Elite 1000		aingle/double
de	nsity Hoppy	5 - X +	\$335
Seria	I Cable		\$35

CHAMELEON by Seegua

LOCAL SALES ONLY \$1995

CORONA DATA SYSTEMS

Systems include half-height 320K drives, 128K RAM expandable to 512K en-board, 640 x 325 graphics, green monitor with 16 x 13 matrix characters, serial port, parallel part, 008. Basic, and spreadablest software.

PC-1 1 drive list \$2595 \$2035

PC-2 2 drives list \$2995

PC-20 2 drives list \$2995

PC-10 10MByte bard disk list \$4495 \$3495

PC-1 Partable/1 drive list \$2395 \$1950

WABASH DISKETTES

list \$2795

\$2250

PPC-2 Partable/2 drives

Single Side Single Density 51	soft sector	with hub ring
		at \$17.50 per box
Single Side Double Density		boxes at \$21/box
Double Side Double Density		boxes at \$32/box



S-100 THINLINE COMPUTER SYSTEM

C 100 THE COME OF ENDINE	44
· Sierra Data Master [Z-80 4MHz, 64K, 2 Serial, Paratiel, CP/I	M) +2
Thinling B" drives, 2MByte +6 stot mainframe, 12"x 19"x 10" h	iigh •
Add any standard video terminal and printer	
	1955
Mainframe only	\$450

CABLES

Kaypro cable—printer	\$35
Osberne printer, parallel 5ft	
Osborne serial, modem	
TRS-80 Mod I/III ,, printer	
TRS-80 Mod II printer	\$35
Also see Apple. IBM. Atari. Commodore	

FOR OSBORNE

Corvus 6MB hard disk	\$1975
OSMOS 1 —double density mod	\$175
OSMOS 2-370K drives compatible with software	\$855
OSMOS 3—750K drives	\$999
OSMOS 4—Disk Format/Convert read	/write
20 formats	\$215
OSMOS 5-80 Column select 52/80 display	\$235
OSMOS 6—Drive Diagnostics	\$29

CAT-A-LIST

Brilliant IBM Software System requirements: 128K RAM/2—320KByte drives Software Interface between Wardstar. Easywriter-II, Powertext.

Verify prices by phone. Add 2%% for Visa or Mestercard. Add 65% on California orders. Orders prepaid with check, cashiers check, money order or wire transfer are shipped prepaid within the Continental U.S. COD's require 10% non-refundable deposit (re-stocking fee).

IRONSIDES COMPUTER CORP

Customer Service— Product Selection Advice (213) 344-3563 ORDERS (800) 528-9537 18905 Sherman Way Reseda, CA 91355

Visit our new, enlarged showroom.

"THE COMPUTER-LINE" In Colorado.

"Committed to bringing computers within the reach of all Americans"1M

The Computer-Line believes that it is important to be competitive by offering low prices; however, we regard service as the most important aspect of a mail-order organization. tion. All our lines are available so that you, the customer, are able to talk to fully qualified computer specialists trained to answer all your questions pertaining to our li microcomputers. We are renowned for our excellent after-sales support and our promptness for delivery. Peace of mind and excellence in service is our pleage to a customers

PRODUCTS for the IBM® PERSONAL COMPUTER

The Ultimate IBM® Peripheral MONTE CARLO™ CARD

Five Functions - Memory/Serial/Parallel/Clock/Joystick

- Up to 1 Megabyte Expandable Memory
- One IBM Compatible Centronics Parallel Port One IBM Compatible Asynchronous Communication Port
- Clock/Calendar (Battery-backed) with Alarm Dual Port Joystick Interface
- Future Upgrade Options: Direct Connect Modern

..... \$CALL

And The Sensational I-C - MAGIC

Prom Chip

Programmable Graphics Screen Dump

Print Spooling up to 64K

Terminal Emulation.... \$CALL

\$159.00

PRINTERS



Hard Disk System for the IBM® Personal Computer

The Davong System's Hard Disk Drive fits conveniently inside or outside of the second floppy disk drive location of the IBM Personal Computer chassis, providing more than 30 times the capacity of a floppy diskette, plus greater speed & reliability

Available for internal or external installation. Please



SOFTWARE

Ashton-Tate:	Sorcim Software:	
D. Base II., \$475.00	Supercalc	
Continental:	Superwriter	\$299.00
Home Accountant Plus \$99.00	Spellguard	\$149.00
The Business Manager™ A complete accounting/word	Lifetree Systems: Volkswriter	51 40 50
processing/spread sheet/hard disk system for your IBM PC \$CALL	Visicorp: 256K Visicalc	\$185.00
MicroPro	Visidex	\$185.00
Wordstar \$329.00	Peachtree	
Mailmerge \$159.00	Peachpak	SCALL

QUADRAM CORPORATION

Quadboard: The memory board for the IBM featuring:

- Fully Expandable from 64K 256K
- Parallel Port Asynchronous (RS232) Serial Port
- Clock/Calendar RAM Disk Drive

Microfazer:

- Buffering from 8K 64K (4 32 pages of text)
- Printer & Computer Independent
- Parallel/Parallel, Parallel/Serial; Serial/Serial available
- Compute while you print!

Peripherals for all Computers

TEC / C-ITOH Printers \$37900 Prowriter | Parallel \$499** Prowriter I Parallel/Serial \$64900 Prownter II Parallel \$69900 Prowriter II Parallel/Serial F10 Printmaster 55 CPS SCALL Microline 92: 160 CPS bidirectional with 40 CPS correspondence, 80 column \$575™ Microline 93: 160 CPS bidirectional with 40 CPS \$995°° correspondence 132 column Pacemark 2350: 350 CPS bidirectional/2 color printing/136 column. \$219500 Parallel \$229500 Serial Pacemark 2410: 350 CPS bidirectional/2 color printing/85 CPS correspondence. \$249500 Parallel Serial ICALL FOR PRICES ON ALL OKIDATA PRINTERSI Star Micronics Price is Too Low To Publishi Gemini 10 & 15 IDS Prism 132 Color \$149500 Smith Corona TP-I Parallel or Serial \$56900 Call lar prices on Epson's New FX Series



F10 Starwriter Letter Quality

40 CPS Printer, Diablo Standard Daisywheel

\$119500

DISKETTES

**Kangaroo:

The disks with the 'jump' on the competition Outstanding value with library case and a

5%" SS/DD (Box of 10)	\$1985
5%" DS/DD (Box of 10)	\$2885

Verbatim Diskettes

\$2395 54" SS/DD (Box of 10) \$43% 514" DS/DD (Box of 10)

Elephant Diskettes

5%" SS/DD (Box of 10) \$2295 5%" DS/DD (Box of 10)

Monitors

SCALL

\$21

Amdek	Color I \$2	25
	Color II	65
	300G Green \$1	15
	300A Amber \$	15
	310G Green \$	17
	310A Amber	17
BMC	15MHZ Green	8
	20MHZ Green \$	14
NEC	1201 Green \$	15
	1212 Color Composite	29
	1203 RGB Hi-Res Color \$	6
Zenith	ZVM-121 15MHZ \$	10
Тахал	Amber 3	14

D.C. Hayes:

MODEMS

Micromodem II (Apple) w/ Terminal Program Micromodem II (Apple) w/o Terminal Program Smartmodem 300 Baud Smartmodem 1200 Baud

Applecat II (Apple)

J-Cat RS232 Direct Connect Cat Smart Cat 1200 Baud

ALL BRANDS ARE REGISTERED TRADEMARKS



Apple IIe®

Provides these standard features

- Typewriter-style, full ASCII keyboard. upper and lower case and auto-repeat feature
- 6502A microprocessor (8-bit CPU)
- 64K bytes RAM memory
- 16K bytes ROM, which includes built-in Applesoft BASIC language
- color graphics and sound capabilities seven I/O expansion slots
- back panel designed for quick connect/ disconnect, using D-style connectors

SCALL

TANDON 3 Thin-Line TM-55 \$24500 WORD PROCESSING SPECIALS On Line Screenwriter \$85 Pro \$149

Special

PRINCETON

GRAPHICS

SYSTEMS

690 Data Hor.

*** \$CALL

Non-Glare Screen

Color at its finest

16 Colors

RAM SPECIAL 200NS \$5.00 ga supply the quantity & ance Dealers & Mani-need Call or write to

ZENITH Z100 COMPUTERS

Z110-22 (Low Profile) ... \$309900

Z120-22 (All in one)\$317510

TANDON DRIVE Special Double Side/ **Bouble Density** 320K Bytes of Storage. TM-100-2 \$24900

Columbia Data Products Personal Computer



- IBM PC Compatibility
- 16-Bit 8088 Processor
- **8 Expansion Slots**
- Two RS232 Serial Ports
- Centronics Printer Port
- Double Density Floppy Disk Controller
- 128K RAM Standard Memory

CALL FOR PRICING AND INFORMATION ON THE EXTENSIVE SOFTWARE STANDARD WITH THE COMPUTER!

IBM® Personal Computer

Features:

- 64K Memory
- 2 Tandon TM-100-2 320K Byte Drives
- 1 floppy disk controller
- 1 color graphics card

SlimLine drives and hard disk drives configurations are available upon request

Call for pricing on all IBM® Systems.



NEC's APC"

- 128K or 256K byles of user memory
- · monochrome and color displays
- two-million bytes of floppy disk storage

Silicon Valley Word Handler \$119

- 5%" hard disk
- · hi-res symbol and line drawing graphics
- · user-definable character sel
- · user-definable function keys
- CP/M -86™ operating system

SCALL

MBI VIP CARD (Half Height Drives)

Franklin Ace 1000

- 64K Memory
- 40 column upper/lower case display
- Apple He compatibility
- more space between expansion slots and internal fan aid cooling

Call for prices on Franklin Ace 1200!

For 24-Hour/7 Days a Week Ordering & Product Information, Call "Info-Line", our computer modern line, 1-303-279-4218 Operates at 300 Baud, Full Duplex

MBI APPLETIME CARD

Products for the APPLE COMPUTER

We are smashing the prices on Apple Compatible Disk Drivest



FOURTH DIMENSION Drives Plus a box of Kangaroo Diskettes FOURTH DIMENSION Drive with Controller Plus a box of Kangaroo Diskettes ...

We also carry: Microsci A2

Rana Elite I A35 Elile II Elite III Generic

COMPUTER-LINE Is Now Open 7 DAYS A WEEK! uct Information & Ordering Lines

Mon. - Frl., 7 a.m. to 8 p.m. Sat. & Sun., 8 a.m. to 6 p.m (Mountain Standard Time

ASCII EXPRESS (The Professional) APPLE SOFTWARE Continental: \$ 5400 The Home Accountant Silicon Valley Systems: Word Handler List Handler Stoneware: DR Master \$15000 DB Utility 1 2, 3 Visicorn: Visicale 3.3 \$18500 Visitiles

Works with DB Master and Visidex Mountain Computer mode Basic and pascal operation complete with datebook software Dual Port Parallel/Serial Graphics Card... Use ASCII Express The Professional 4.0 to simultaneously transfer data from modem to printer using the VIP Card.

RAM CARDS Microsoft 16K	\$7900
CP/M FOR APPLE	
Microsoft Z60 Card	
Advanced Logic	SCALL
Kensington System Saver	26900
T & G:	
Joysticks	\$4400
Select A Port	\$4400
Game Paddles	\$2900
Kraft	
Joysticks	\$49 ⁰⁰
Game Paddles	
80 Column Cards	
Videx with Softswitch	\$27900

We have leasing terms available on all our equipment.

Look for our

Write for our Franchise Package.

351

Write or Call for Our Comprehensive Catalog.

Call "THE COMPUTER-LINE"

Product Information & Order Lines: (303) 279-2848 or (800) 525-7877 Computer-Line Stores Customer Service & Order Inquiry Line: (303) 278-8321 opening throughout the U.S.

ORDER DEPARTMENT: COMPUTER-LINE, Inc. • 1019 8th Street • Golden, CO 80401 COMPUTER-LINE of Denver • 1136 So. Colorado Blvd. • Denver, CO 80222

Visidex

Visitrend/Plot

ALL BRANDS ARE REGISTERED TRADEMARKS

BYTE May 1983 Circle 132 on inquiry card






Figure 3: The bits of the MC68000 status register (SR).

amount (in this scheme, the bits 000 indicate an operand value of 8, not 0). Then, not only can you quickly and easily change an address pointer by 1, 2, or 4 for 8-, 16-, or 32-bit data, but you can also change counters by 3, 5, 6, 7, or 8. And the effect is identical to that using the standard ADDI instruction—even the status register codes are all the same.

Some odds and ends of arithmetic instructions include sign-extend (EXT), clear (CLR), and test (TST) instructions. Since three different sizes of data can be used in the MC68000. there should be a convenient way of changing size. If you want to move only part of a datum (for example, the bottom 16 bits of a 32-bit register), you need only use a MOVE instruction of the proper data size, If, however, you want to convert a datum to a larger-sized two's-complement value (for example, making a 16-bit value into a 32-bit expression), you need a special instruction. The EXT instruction will take an 8-bit or a 16-bit datum and duplicate its uppermost bit position through the higher portions of any data register in order to convert the datum to 16 or 32 bits wide, respectively. CLR simply loads a set of 0s into the destination, TST sets the negative and zero condition bits (discussed in the next section) according to the nature of the given operand.

Status Register Codes and Multiple-Precision Arithmetic

What if you are dealing with binary integers that require more than 32 bits for expression? Say you want to add two 128-bit (16-byte) numbers. If both of these numbers were in the MC68000 registers, all eight data registers would be in use. More likely, the two values would be in 16 consecutive bytes of memory. starting with the most significant byte of data. The normal procedure to add two such numbers is to add the two least significant bytes, remember the carry, go to the previous bytes and add them, remember the carry, and so on. This sequence of operations is handled neatly in the MC68000 by the predecrement address-register deferred mode, which uses the notation "-(An)". Use two address registers to point to the byte just past each operand. Each execution of an ADDX -(Am), -(An) instruction will decrement the values in the Am and An registers (m and n stand for numbers between 0 and 7), then add the two numbers pointed to by those registers. By putting this single instruction in a loop, you can quickly create the code needed to operate on multiple-precision numbers.

Let's detour for a second to discuss the status register of the M68000 (see figure 3). It contains the standard carry (C), overflow (V), zero (Z), and negative (N) bits found in other microprocessors. It also has a status-register bit not found on other microprocessors, the X (or extend) bit. This bit was created to eliminate confusion caused by traditional overuse of the carry bit.

To explain the extend bit, I should describe the carry bit. In most microprocessors, the carry bit is overused. It is changed by (among other things) an addition instruction, but it is used in two different ways. Sometimes it is used in a later addition, such as in multiple-precision additions; sometimes a program tests the bit and branches according to the carry bit's state. So programmers use the carry bit for two different purposes; for extended-precision arithmetic and for program control.

The MC68000 has a bit for each purpose. Both the carry and the extend bits are changed according to the results of an addition instruction. However, the carry bit is used by the microprocessor during testing for program control purposes, while the extend bit is used as an input for multiple-precision arithmetic operations. For ADD, SUB, NEG, and specified shift and rotate instructions, both the carry and extend bits are updated. Other instructions-MOVE, AND, OR, TST, CLR, MUL, and DIV—change only the carry bit. This design helps prevent inadvertent changes to either bit,

Because of the extend bit, the familiar "add with carry" operation in the MC68000 becomes ADDX or "add with extend bit." Look at why this is important. Once you start a multiple-precision arithmetic operation and get a partial result, the integrity of the extend bit will be maintained even if you have to suspend the addition to do some data movement with the MOVE instruction. Programming becomes easier because you don't have to save the status register codes when interrupting a multiple-precision operation.

I should mention one other thing about multiple-precision arithmetic. When you have finished the multipleprecision operation, what does the negative bit mean? It correctly indicates that the result was positive or



HIGH TECHNOLOGY REQUIRES HIGH PERFORMANCE ACCESSORIES

In the fast moving, high technology world of microcomputers, the need for high performance accessories often gets overlooked.

Discwasher, recognized as a world leader in audio/video care accessories, understands this need and has developed a line of computer accessories to allow users to get the most from their computer hardware.

The easy-to-use Discwasher* Disk Drive Cleaner is both a problem preventer and problem solver. Its dry format safely cleans single or double-sided drives without altering the delicate head alignment or doing possible damage to rubber drive parts with solvents.

The Discwasher" Computer Cassette Drive
CareSet... is a total maintenance package for
your cassette drive system. It includes both
the Discwasher" Computer Cassette Drive Head
Cleaner and the Computer Cassette Drive Mechanism
Cleaner. Together, these two maintenance units
can keep the high resolution heads and the critical
drive system of your cassette drive system in
optimum performance.

The Discwasher* DiscKeeper, is a magnetically shielded storage system for floppy disks that takes up no more space than conventional folder packs. DiscKeeper protects against stray magnetic fields which can destroy valuable software. Three DiscKeeper sizes provide loss-free storage and protection for transporting any size disk format.



discwasher

1407 NORTH PROVIDENCE ROAD, P.O. BOX 6021, DEPT. BY, COLUMBIA, MO 65205 USA

A DIVISION OF JUNSEN an ESMARK Company

Data Organization and Addressing Modes

Motorola designed the MC68000 to offer a versatile set of data sizes and addressing modes for the assembly-language programmer. To understand fully the power of this machine, you must first understand how the MC68000 organizes and moves data.

Although the MC68000 "sees" its memory space as a collection of 8-bit bytes, it works on several different data sizes. It can address memory in the following sizes: byte (8 bits), word (16 bits), and long word (32 bits). In addition, it can manipulate individual bits—a bit is specified by the byte it is

in and its bit number (between 0 and 7) within the byte.


The MC68000 has a definite preference for addressing 16- and 32-bit quantities that start at even addresses. In particular, it was designed to access quickly 16-bit quantities that start on an even address. Even though this speed comes at the expense of words and long words that begin at odd addresses (which would take two, not one, fetch operations to be accessed), this is not a serious disadvantage. MC68000 op codes are always 16 bits wide, and any arguments the MC68000

requires are always stored as one or more 16-bit words (even if the argument is only a byte quantity). Because of this, code that starts on an evenbyte boundary will stay on an evenbyte boundary and thus will be accessed at the fastest rate possible.

The MC68000 register set (see the figure) indicates the microprocessor's commitment to long-word data: even though this is a 16-bit machine, all the internal registers are 32 bits wide. The dotted lines in the data registers denote those registers' ability to handle 8-, 16-, or 32-bit-wide data. The address registers can handle either 16- or 32-bit-wide data.

The MC68000 supports six major addressing modes; although I will not go into the variations available in each mode, a short description of each will show you the basic ways the microprocessor can get its operands.

- Inherent addressing: the instruction itself tells the microprocessor where to get its operand. An example of this is RTS, return from subroutine, which gets the return address from the stack.
 Register addressing: the operand is a data or address register. An example is MOVE D1,D2, which moves the contents of data register D1 to data register D2.
- Immediate addressing: the operand is specified as part of the instruction. An example is MOVE #3, D2, which moves the value 3 into data register D2.
- Absolute addressing: the operand is specified by a 16- or 32-bit address that is appended to the instruction. An example is MOVE \$3F01,D2, which



negative. In most microprocessors, though, the zero bit indicates only that the most significant portion of the result is 0, not that the entire result is 0. The multiple-precision arithmetic instructions in the MC68000 are designed so that the zero bit will accurately depict the status of the entire result. This is done by allowing multiple-precision instructions to reset the zero bit (denoting a nonzero result) but not to set it

(denoting a zero result). With this scheme, the programmer's only responsibility is to set the zero bit before beginning the multiple-precision operation.

One final issue can come up in the middle of arithmetic operations, and the MC68000's handling of the problem illustrates another fundamental difference between it and so many other microprocessors. How many times have you interrupted a series of

arithmetic operations to modify some memory pointers and later discovered that your completed arithmetic operation gave a wrong result because you inadvertently modified certain status register code bits? When you get right down to it, when you add 12 to a memory address, who cares if a carry was generated or if the result was negative? In fact, the negative bit has no meaning in relation to addresses. We as programmers are hurt

moves the contents of the word at address 3F01 hexadecimal into data register D2. This is also called direct addressing because the operand address is being directly supplied.

Register-deferred addressing: this mode has a lot of variations. Since these modes get rather complicated, I'll speak of them in terms of what the effective address is that is, what memory location will be used to supply the source or destination operand, The simple address-register deferred mode makes not the register but the contents of the register the effective address. Because the register contents is itself the address of the given operand, this addressing mode is often called indirect addressing-the register indirectly supplies the effective address. Suppose that register A1 contains the value 100 and that the word at address 100 contains 12D hexadecimal. Then the instruction MOVE (A1),D2 will put the value 12D hexadecimal into data register D2. The notation "(An)" denotes address-register-deferred (or indirect) addressing using data register An.

Two related variations on address register deferred are called address-register deferred with predecrement and address-register deferred with postin-crement; they have notations of "-(An)" and "(An)+", respectively. In the predecrement variation, the address register An is decremented before its contents is used as the effective address; in the postincrement variation, the contents of the address register is used as the effective address, then the register is incremented. These modes are often used in loops for repetitive

operations on sequential areas of memory; they usually replace an explicit increment or decrement instruction, thus providing more compact, faster code. The incremental or decremental amount will be I, 2, or 4 depending on whether the operand is a byte, word, or long word.

Another variation is called address-register deferred with displacement: in this mode (denoted "dI6(An)"), the effective address is the contents of address register An plus the signed 16-bit value dI6. Suppose address register A1 contains the value C100 hexadecimal and the word at address C25E hexadecimal contains 0. Then the instruction MOVE \$15E(A1),D2 moves the value 0 into data register D2. (The effective address, C25E hexadecimal, is the sum of the displacement 15E hexadecimal and the contents of register A1, C100 hexadecimal.)

The variation called address-register deferred with index and displacement (denoted "d8(An, Xn)") limits the displacement to an 8-bit signed number but makes the effective address the sum of three numbers: the displacement, the contents of the address register An, and the contents of an index register Xn. where the index register can be any of the address or data registers. The extra register is added into the effective address calculation to allow the same instruction to point to the base of a table (using d8 and An) and, during execution, to refer to different nearby memory locations by putting different values into the index register Xn. The word "index" in the addressing mode name refers to the commonplace use of the index register to index into an array of numbers stored sequentially: in such a case, the value in the index register equals the subscript of the array element desired. Given the example directly above (register A1 contains C100 hexadecimal, word C25E hexadecimal contains 0) and the information that data register D6 contains is the value 100 hexadecimal, the instruction MOVE \$5E(A1,D6),D2 moves the same value (0) to data register D2 just as the instruction MOVE \$15E(A1),D2 would. In both cases, the effective address is C25E hexadecimal.

• Program-counter relative addressing: this mode has two variations, "d16 (PC)" and "d8 (PC, Xn)"; these are similar to the two forms of addressregister deferred addressing described above. It is different in two ways: first, it uses the program counter (PC) instead of an address register; second, you cannot use this mode to specify a destination operand. The main advantage of this mode is that it allows you to write position-independent code. Because the program counter contains the address of the next instruction after the one currently executing, its use allows the current instruction to refer to data (or program locations for branches) relative to the instruction itself. The MC68000 designers included the restriction against using this mode for a destination operand to protect a program with errors from inadvertently destroying itself. In addition, this restriction prevents programmers from writing self-modifying code, a dangerous practice that programmers occasionally try to increase program performance.

by the senseless changing of status register code bits when addressrelated operations are run. Why don't we leave these bits alone when changing memory addresses?

As you can imagine, the designers of the MC68000 have addressed this problem. One of the primary distinctions between the data and address registers in the MC68000 is that instructions with an address register as the destination do not modify the

status register code bits. They are not changed by moving a new pointer value into an address register, incrementing or decrementing an address register, or by adding any value to an address register. This means that you should never run into a problem with memory-pointer modifications affecting your ongoing data arithmetic operations.

Another interesting note is that all operations to any address register af-

fect the entire address register. Because all MC68000 addresses are 32 bits wide, any operations with an address register as destination must perform in a way that keeps the result valid as a 32-bit address. One solution, to require all inputs to address-register operations to be full 32-bit quantities, would be wasteful of memory space. So either word (16-bit) or long-word (32-bit) operations may take place in any of the ad-

Instruction	Operation
ADD.B D6,D2	adds the lower 8 bits of D6 to D2 (takes 4 clock cycles)
ADD.L 52(A1,D7.W),D8	the effective address is the sum of the constant 52, the contents of register A1, and the lower 16 bits of register D7; the long word at the effective address is added to the contents
	of register D6 (20 clock cycles)
ADD,W D3,(A7)	adds the lower 16 bits of D3 to the element on top of stack pointed to by A7 (12 clock cycles)
ADDI.L #\$400,D1	adds 400 hexadecimal to the 32-bit contents of D1 (16 clock cycles)
ADDI.B #\$A9,\$30B(A6)	the effective destination address is the sum of the 30B hexadecimal and the contents of register A6; A9 hexadecimal is added to the byte at the effective address (20 clock cycles)
ADDA.W - (A5),A2	decrement register A5 by 2, then add the word pointed to by register A5 to register A2 (14 clock cycles)
ADDA.W #100.A5	add the value 100 to the contents of register A5 (12 clock cycles)
ADDQ.W #1,(A4)+	add 1 to the word pointed to by register A4, then increment register A4 by 2 (12 clock cycles)
ADDQ.B #3,D7	add 3 to the contents of register D7 (4 clock cycles)
ADDX.L -(A2), - (A5)	after decrementing both registers A2 and A5 by 4, add together the X bit and the two long words pointed to by A2 and A5 (30 clock cycles)

Table 3: Examples of MC68000 addition instructions. The clock times given are worst-case times for the instruction.

dress registers A0 through A7. If a word operation is performed, the 16-bit quantity is first sign-extended to 32 bits before it is used.

Processor Speed

How fast does the MC68000 execute instructions? Because of the consistency of the microprocessor, the answer for addition instructions will serve as a guide for all arithmetic and logic instructions. A prefetching mechanism in the MC68000 keeps decoded instructions waiting to be executed. So while the timing information given refers only to the time it takes to pass through the adder, recall that the prefetcher will have fetched the next op code while the current op code is being executed.

The minimum time it takes the MC68000 microprocessor to access memory (to read or write) is 4 clock cycles. With a clock frequency of 8 MHz (the frequency used in the standard MC68000 microprocessor), this bus cycle will take 500 ns (nanoseconds). (All subsequent timings will be given in clock cycles, which is a meaningful measurement for all the MC68000-family microprocessors, regardless of the speed of their system clocks-8, 10, or 12.5 MHz.) Every instruction will take at least 4 clock cycles to complete because this is the time it takes to fetch the next op code.

The MC68000 has only one 16-bit

arithmetic and logic unit (ALU) for data operations. Therefore, 8- or 16-bit operations can be performed in a single pass through this unit; this takes 4 clock cycles. A 32-bit operation will require a second pass. Memory-addressing modes increase the time needed for an operation because the microprocessor requires more time to calculate the addresses, and a bus cycle is required for each 16 bits of addressing information or actual data that needs to be transferred. An indexed addressing mode, or anything with a displacement, for instance, will require 1 additional bus cycle for the address extension word and another to get the data (2 if the data is a long word); add about 8 more clock cycles (12 if the data is a long word) to the execution time of a given instruction that uses this mode. Some sample worst-case clock timings for various addition instructions are given in table 3.

Like the ADD instruction, other MC68000 arithmetic instructions come in several forms. The subtract instructions have forms analogous to the add instructions—SUB, SUBA, SUBI, SUBQ, and SUBX. Instructions for compare operations that are all similar (CMP, CMPA, CMPI) perform the subtractions without storing a result (the net effect is to set the appropriate status register bits). A memory-compare instruction


(CMPM) allows two strings of binary integers in memory to be compared by sequencing through them to higher memory. Two versions of the single-operand negate instruction, NEG and NEGX, ignore and include, respectively, the state of the X bit.

Multiplication and Division

Two versions of multiply and divide instructions make fast work of more complex arithmetic. The two versions are unsigned (MULU and DIVU) and signed (MULS and DIVS) instructions; these versions interpret their operands as one's-complement and two's-complement numbers, respectively. All of these instructions can include immediate values as the multiplier or divisor so that variables can be operated on by constants.

The multiply instructions take two 16-bit operands (one from any memory location by any addressing mode or any data register, and the other from the lower 16 bits of any data register), multiply them, and place the resulting product into the full 32 bits of the same data register. The divide instructions take the dividend from any 32-bit data register and divide it by a 16-bit divisor, which may come from memory using any addressing mode or any data register, The quotient is placed in the lower 16 bits of the same 32-bit data register, while the 16-bit remainder is placed in

starawar



AN ASTRONOMICAL VALUE AND

THE LOWEST PRICES WITHE GALAXY SA



CALL: (303) 279-2848 or (800) 525-7877



THE COMPUTER LINE, INC.
GOLDEN, COLORADO
Offer void outside the Milky Way



Listing 1: A short MC68000 assembly-language routine to multiply two 32-bit numbers.

Input register DO contains 32-bit multiplicand register Di contains 32-bit multiplier registers DD and Di contain the 64-bit result, with the most significant byte in DO

	SUBO	# 4 . A7	initialise product area
	CLR L	-(A7)	
	MOVE L	DQ (A7)	save copy of multiplicand
	MULU	D1., D0	multiply low-order parts
	MOVE L	DO , 8 (A7)	
	MOVE V	(A7), D0	high-order multiplicand
	MULU	סם, נט	times low-order multiplier
	ADD L	DO , 6 (A7)	
	SWAP	Di	now use high-order multiplier
	MOVE W	2 (A7) . D0	low-order multiplicand
	MULU	D1, D0	times high-order multiplier
	ADD, L	DO.6(A7)	
	BCC	MUL32A	calry into high-order
	ADDQ W	#1,4(A7)	word of product
JL32A	MOVE L	(A7)+,D0	high-order muliplicand
	SWAP	DO	·
	MULU	D1, D0	times high-order multiplier
	ADD L	(A77+,D0	
	ADDU	64,87	
	HOVE L	(A7)+,U1	load low-order product

the upper 16 bits of the same register.

MII

The divide instruction has two characteristics that may be undesirable and so are specially handled. All of us remember from high school and college that there just isn't any good way to divide by zero. The result is infinite if it's defined at all. Well, Motorola's designers didn't think they knew any better than the mathematicians, so if a zero divisor is detected, the divide instructions do not execute, and a special "trap" procedure is entered. Since the trap operation will be covered in part 3 of this article, let's just say that a "zerodivide trap" specially calls the operating system to decide what to do.


The other thing that could happen is that the divisor could be just too small for the dividend and the quotient could require more than 16 bits in which to be expressed. When this overflow condition is detected, the division is halted, the overflow (V) status register code bit is set, and the instruction is concluded without overwriting either of the original operands. Thus, following any divide instruction, you should check the overflow bit and act accordingly.

For a number of reasons, there are no instructions to multiply two 32-bit numbers or to divide a 64-bit number by a 32-bit number. First, the need for such instructions is very infrequent in most applications. Second, there are no other facilities in the machine to handle 64-bit quantities. Finally, because such instructions would take a lot of time to execute, the MC68000 would occasionally take much longer to respond to an interrupt-a situation the designers did not want to create.

The multiply instructions take fewer than 70 clock cycles to execute using register operands, and the divide instructions require fewer than 140 clock cycles for an unsigned operation (158 cycles for a signed operation); however, different combinations of 1s and 0s in the operands can make these operations take less than these times to execute. A short MC68000 routine that performs a 32-bit by 32-bit multiplication is shown in listing 1, It executes in about 60 microseconds, which is less time than that taken by the dedicated instruction that does the same thing in the Z8000.

Text continued on page 363

Satisfaction Guaranteed



But They're Not.

Most diskette manufacturers claim that they 100% surface test their diskettes—and they do. But only on the tracks

Dysan goes a bit further and tests not only on but between the tracks. By 100% testing both on-andbetween-tracks, Dysan certifies that both the primary track and the guard band areas on every diskette are 100% bit error-free, totally void of missing or extra pulse. That can make quite a bit of difference in your system's performance. Temperature and humidity distortions or slight head misalignments won't cause the user to write on untested areas. That means fewer errors, greater data integrity, and more confidence with every keystroke.



First in a Series

100% Surface Testing

Background:

Magnetic tracks on the surface of the diskette are twelve thousandths of an inch (.012) in width and are separated on both sides by erased guard bands eight thousandths of an inch (.008) in width to protect the flux change information on the tracks.

Other Benefits:

Dysan diskettes also incorporate a proprietary DY^{10TM} lubricant which guards against signal loss caused by surface abrasion and resonation. Advanced burnishing techniques are used to flatten microscopic surface peaks. This provides optimum head-to-disc interface. On top of that an exclusive "hands-off" auto load certification system allows Dysan to test each and every diskette and eliminates any possibility of handling errors prior to packaging and shipment.

These superior product characteristics protect your true investment in a floppy diskette. The actual cost of a diskette is not just the purchase price, but the purchase price plus the time you spend to fully load the disc. That's a big investment. And that's why Dysan goes a bit further to make diskettes which are the finest that money can buy.



You can select from a complete line of premium 8" and 51/4" diskettes, single or double density, certified on one side or both sides, soft or hard sectored.

DY¹⁰ is a trademark of Dysan Corporation.



Corporate Headquarters: 5201 Patrick Henry Drive Santa Clara, CA 95050 (800) 551-9000

OUADBOARD

256K Memory Expansion

Expandable in 64K increments, Quadboard is scoketed for 256K bytes of memory. Full parity and checking standard.

@spool™


With Ospool, you can also use part of system memory as a software print buffer. Choose from 8K to 56K of memory and stop waiting for your printer.

QuadRAM Drive™

This software program lets you use part of your total system memory as multiple disk drives. Super-fast drives that let you store Important information for easy access.

Chronograph

Quadboard features a real time chronograph to always keep your system's clock/calendar up-to-date, Even when your system's been off for months.



ONLY BOARD YOUR IBM PC MAY EVER NEED

Your IBM Personal Computer is very versatile. New functions and applications are being developed for it everyday. And now with Quadram's Quadboard, you can keep your PC options open for tomorrow's technology. In the tradition of Quadram Quality, six of the most needed PC functions have been com-

bined into one package, using only one expansion slot. Your remaining IBM slots are left free for future expansion needs.

All-On-One-Board and Software, too.

Every board you may ever need for your IBM PC is in the Quadboard package.
From serial port to print buffer. Plus, there's Quad-Master software, too. Included on this disk are utilities for ac-

curately setting the Quadboard's chronograph for time and date, and for performing diagnostics on all Quadboard functions. There's



BYQUADRAM


Parallel Port

There's a parallel I/O designed to operate most printers and parallel devices.

Serial Port

Used for connecting modems, printers, and other serial devices, Quad-board's serial adapter can be configured as COM1 or COM2 and fully supports IBM PC communications software.

Quad Maste © 1982 Quadram Corporation



QUADRA

also Gswap. Hhe feature that lets you switch line printers one and two, back and forth, as your printing needs change.

Proven Design

Quadboard is the number one IBM PC option board on the market today. Nothing even comes close, because Quadboard is designed with performance in mind. Engineered for dependability and built with only the finest components available. Each board has been thoroughly tested and "burned-in" for years of reliable service.

INCREDIBLE PRICE, ASK YOUR DEALER.

Our full line of IBM PC accessories: Quadboard II, Quad 512+, Quadcolor, Quadchrome, Quadscreen, Quadjet, Quadmodem, Memory Board,

Serial Board (Single or Dual ports), Parallel Board, Chronograph, and Microfazer.




All products are solo through local personal computer dealers. If yours does not stock Quadram, please ask him to call us at (404) 923-6666.



4357 Park Drive / Norcross, Ge. 30093 / (404) 923-6666 TWX 810-766-4915 (QUADRAM NCRS)

Circle 385 on Inquiry card.

Performance Breakthrough...



the CYBERDRIVE[™] for the IBM Personal Computer

13.5 or 27 million bytes of disk capacity in a single cabinet with an integrated mini-cartridge tape for secure data backup.

Setting an exciting new microcomputer standard, the CYBERDRIVE' combines a full package of features.

It offers new, higher performance levels, with an Integrated business-oriented backup device.

As the CYBERDRIVE is made available for other systems. media transfer is assured regardless of the host hardware or Operating System.

The CYBERDRIVE slashes the seek time dramatic-

ally-e.g. the usual 5 Megabyte stepper-motor Winchester disk offers average seek time typically in the range of 100 to

200 milliseconds (incl. head settling).
With the CYBERDRIVE, the average seek time across more than five times as much data is only 33 milliseconds (incl. head settling).

This basic speed, coupled with disk cache buffering and a peak transfer rate of 1 million bytes per second, make the CYBERDRIVE a performance champ!

The integrated mini-cartridge tapes used for backup of data allow dumping of (for example) 10 million bytes of data in about 10 minutes...much faster than other tape or floppy disk backup techniques. Hardware read-after-write error checking is incorporated in the tape device.

... And don't fall to ask about our superb lineup of serious business software (also offered in CYBERDRIVE format) including:

RM/COBOL² compiler-the micro industry standard.

MBSI RM/COBOL general business applications (derived from MCBA minicomputer packages)...thousands in use...money back guarantee... source program

CRT!' from Cybernetics (COBOL Reprogramming Tool!)-Program generator for RM/COBOL to ease program development and maintenance . . . an alternative to a Data Base System.

CBASIC2* & CBASIC86* compilers... for aficionados of a

useful BASIC.

The software is available on a variety of industry-standard Operating Systems including CP/Ms-MP/Ms (both 80 & 86), OASIS*, PCDOS, and UNIX*. Inquire for specific details and prices.

Trademarks of:

BERNETUCS

1 Cybernetics, Inc. 2 Ryan-McFarland Corp. 3 Micro Bus 4 Mor-Computer Busin

> 8041 NEWMAN AVE., SUITE 208 **HUNTINGTON BEACH, CA 92647** 714/848-1922

© Copyright 1982 by Cybernetics Inc. All rights reserved. Prices and specifications subject to change without notice.




Figure 4: An example of multiple-precision binany-coded decimal (BCD) arithmetic. Because the predecrement addressing mode used ("ABCD-(A1), -(A2)") decrements the register pointers before performing the BCD addition, registers A1 and A2 must be loaded with a value that points to the byte immediately after the least significant byte of the number to be worked on,

-{A1}, -(A2) BCD ADDITION OF TOP TWO DIGITS

Binary-Coded Decimal Arithmetic

ABCD

The final type of arithmetic instructions handles decimal digits. The most common form of human-interface data comes as binary-coded decimal or BCD data. This method of encoding numeric information as a string of bits stores each decimal digit of the number as a 4-bit binary number. Numbers are easily encoded into BCD form; once inside the computer, they are easily printable in humanreadable form (much more so than numbers encoded in signed floatingpoint binary form). Because the BCD format is so useful, most microprocessors include instructions that operate on BCD numbers. To allow these BCD types of data to be manipulated, the MC68000 has three instructions that add (ABCD), subtract (SBCD), and negate (NBCD) packed digits. Each of these instructions works on two BCD digits packed into a byte.

Because BCD numbers may be many digits wide, the BCD instructions work as multiple-precision operations, which means they have the characteristics of the other multiple-precision instructions. The operands can be in data registers or in memory (in which case, they are

operated on using the predecrement addressing mode). The value of the X status register code bit is included in the BCD operations, and the Z status register bit is handled so that it properly reflects the state of the entire result, not just the final portion.

Once again, the best thing about these instructions is the simplicity with which they operate, especially when compared with the often mysterious code a programmer had to write to do BCD arithmetic on most older microprocessors. A glance at MC68000 code performing BCD functions (see figure 4) shows how simple such code is. Here, two 6-digit numbers need to be added. While a short loop might make the routine more generally useful, inline code is fastest and illustrates the point best. First, we must load the two address registers to be used as memory pointers with the correct values. The next instruction (SUB D1,D1) is a quick way of both setting the Z bit and clearing the X bit, though a MOVE #\$04, CCR would do virtually the same thing.

The three ABCD (add binarycoded-decimal) instructions begin at the least significant two digits and move toward the most significant;

VOICE SYNTHESIZER

Vocabulary Development System

Create custom vocabularies for TI-5220 or GI SP-250 Speech Synthesizers INCLUDES HARDWARE AND SOFTWARE FOR.

- DMA Voice Digitizing and Playback
- Parameter extraction and coding
- · Screen Oriented Parameter Editor
- Voice Synthesis

USE YOUR \$-100 SYSTEM, OR BUY OUR INTEGRATED SYSTEM BASED ON ZENITH Z-100

The Zenith Z-100 includes 8085/68 dual processor, 128K memory, two 5 1/4, 320K-byte drives, both CP/M80 and MS DOS and bit-mapped graphics, with CRT and keyboard in a convenient desktop model.

VPP-898: PC cards, software and documentation - \$3900

VPP-6962: Includes VP-696 fully integrated to Z-100 with all cabling, softwere and

documentation - \$6850 MULTIBUS VERSION FOR INTEL MIDS AVAILABLE 500N

disa corporation

PPLIED DIGITAL BIGNAL ANALYSI P.O. Box 1364 Palo Alto, CA 94301 (415) 326-7303

Circle 522 on inquiry card.

TELEVIDEO DEALERS & DIST.

Our general accounting programs operate on CP/M1 & MP/M2 compatible systems, including TurboDos* and MMMost*.

- 1 C.A.T.S. (3 levels of their help Computer Assisted Tutorial Software.
- 2 OUTSTANDING DOCUMENTATION.
- 3. MULTI-USER (w/file & record back)
- 4. MULTI-COMPANY (w/comolidation)
- 5. FULLY INTEGRATED w/single source entry (or stand alone)

MONEY BACK GUARANTEE

COUGAR MOUNTAIN SOFTWARE 10 S, Latah Box 6886 Bolse, idaho 83707 208-344-2540

TAL (& J. Digital Research, 3 Software 2000).

Circle 139 on Inquiry card.

The Mega Super Computer

- ZBDB Burning at Simu. 4 Vollattle CPM, 4 Mach chip 9511 or 9512 AMO. 4 60 Plus Ports on Heige Expender Issús, 6 CF. CMA, 9 2 Phastel Ports—with hards shalling. 4 Serial Phastel Phastel Ports—with name shalling. 4 Serial Phast Serial Simus Amel Shalling usin 150 to 1902 Based Burn Rosa Serial Serial Research Based Serial Se
- NOW! CPM 30 Mard Disk Interface hooks directly to Prisan Drives Phoppy Disk Coverable—Mandard Single Derively WM resimpation delta and Dust Demay! I or 2 vided supports. If or 5 Vir In venious combinations—J Driven equal over 4 Mega Bytes of Manage
- 5126 Byers of 64t Deares with party configurat SPEED ELECTRONIC DISK of 8 banks of 64t for
- itale-of-itale-of-mistion 18" a sers Basel West Di AKR Base System A & 5 126 Base System A & 1 5 126 Base System A & 1 126 Base System A & Marked ,

MEGA CO. =

Circle 534 on inquiry card.

Status Register Instruction	Registe	r				Re	tatu egisi ode	er
						C	X	٧
ASR.B #3,D3	(D3 before) 10111010	01011111	01100101	10101100		×	X	×
	(D3 after) 10111010	01011111	01100101	11110101	(12 clock cycles)	1	1	Q
ASL.L #5,D1	(D1 before) 11101100	10100010	11011101	00101111		×	×	x
	(D1 after) 10010100	01011011	10100101	11100000	(18 clock cycles)	1	1	1
LSLW D5,D7	(D5 before) 00101000	10001100	11101001	00101001		х	×	×
	(D7 before) 10111010	01011111	01100101	00010101		×	×	×
	(D7 after) 10111010	01011111	00101010	00000000	(24 clock cycles)	0	0	0
ROL.L D2,D1	(D2 before) 01100101	00101010	10111110	01110100		×	×	X
	(D1 before) 10010101	00101000	01000101	10010100		8	X	×
	(D1 after) 01011001	01001001	01010010	10000100	(48 clock cycles)	0	×	0
ROXR.W #4,D6	(D6 before) 10111010	01011111	01100101	00010101		K	P	×
	(D6 after) 10111010	01011111	101P0110	01010001	(14 alock cycles)	0	0	0
ROR \$A0000	(word A0000 before)	100111	00 101010	01		×	X	×
	(word A0000 after)	110011	10 010101	00		1	x	0

Notes:

- An "x" status-register bit may represent either a 0 or 1 value.
- Notice that in the LSLW and ROLL examples the bottom six bits of the source operand (D5 and D2, respectively) are used as the number of bits to be shifted or rotated.
- The "P" status-register bit in the "ROXR.W #4,06" example is specially marked to show that it is shifted into the body of the D6 register as a result of the ROXR.W instruction. Note that .W causes only the bottom 16 bits of the register to be rotated.

Table 4: Examples of shift and rotate instructions and their effect on registers and memory.

this must be done to get accurate results from use of the extend bit. The result replaces the BCD number pointed to by A2; when the routine has finished, A2 points to the first byte of the BCD result (which is stored in order of most to least significant digit). Similar subtraction and negation operations can be built in the same way.

Logic Instructions

The MC68000 logic instructions are simple but powerful. The AND, OR, exclusive-or (EOR), and NOT instructions, like the arithmetic instructions, allow 8-, 16-, and 32-bit guantities in data registers or in memory to be operated on with any data register or an immediate constant, or to be inverted. These instructions are just as fast as the arithmetic instructions. Additionally, ANDI, ORI, and EORI instructions are used to clear, set, and toggle individual status register code bits

A serial shifter in the MC68000 can be moved any number of bits to allow for shifting of 8-, 16-, and 32-bit data. The arithmetic-shift-right instruction (ASR) shifts the least significant bit to

the X and C status bits while duplicating the most significant bit before moving it to the right. In the arithmetic shift left (ASL), the logical shift right (LSR), and the logical shift left (LSL), the bit shifted out of the data area goes into the X and C bits, while the bit into which no bit is being shifted is filled with a 0.

The rotate instructions shift bits around in a circular manner so that bits shifted out of one end of an operand are shifted in the other end, with the bit being shifted out of the data area also being copied into the C status register code bit and, optionally, the X bit. The rotate instructions are rotate right and rotate left (ROR and ROL); the ROXR and ROXL instructions are used when you want to update both the X and C bits.

One single shift or rotate instruction can move register data as many as 31 bit positions in the selected direction. You can specify this count value either statically (as a value between 1 and 8 encoded into the instruction op code) when the instruction is written or dynamically (as a value between 0 and 63 stored in a specified data register) when the instruction is executed. For simplicity, memory operands to be shifted or rotated are limited to displacements of 1 bit and operations on word-sized data only. Table 4 illustrates some shift and rotate instructions, their timing, and their effects.

An important aspect of programming that until the MC68000 was quite limited is that of individual bit manipulation, the ability to single out bits of memory, test them, set them, and clear them. Such operations are useful; in I/O, for instance, you frequently need to sense the state of a single input line, drive a particular output line high, or turn a servomechanism off. These operations involve only a single bit associated with a latch, peripheral, or memory loca-

In the past, most of us have done the best we could by executing AND. OR, and EOR instructions to the desired location. But the difficulty with these operations is their crudeness. Sure, they allow us to change more than 1 bit at a time, but it turns out that much more secure code can be written when single events or conditions affect single outputs. Also,



THE MICRO COMPUTER BUSINESS WILL GROW FROM \$10 TO \$100 BILLION IN THE NEXT EIGHT YEARS! ARE YOU READY TO CASH IN?

The micro computer business is predicted to grow from its present \$10 billion to \$100 billion before 1990! Imagine the possibilities this opens for you! No matter where you live. If you're starting up or presently in business, no other industry offers you more opportunities!


Now, finally, all the inside information you need to secure a prosperous future in this dynamic industry is available in one place - THE COMPUTER ENTREPRENEUR MANUAL! An immense information source, compiled by our inquisitive research learn, aided by a panel of experts and business people from all areas of the computer industry!

We present the inside story of more than 100 lucrative computer businesses you can enter, where you if find the real opportunities for the eightles: from one man operations like Programming Author, Word Processing Center or Consulting, to Systems House, Service Bureau, Computer Store etc! Many at little or no investment! All the invaluable facts and figures.

How to start, Capital needs, Profit estimates and Margins, How to Sell and Market, How missing technical or business. experience need not stand in your way, Source of Suppliers, etc! Details that could take years to find out on your own!

We'll show you inside tricks, like how to never again pay retail for computer products and consumer electronics, even for one item - right now, while you're starting your business! How to get free merchandise and trade show invitations, etc. This alone will more than pay for the manual! You'll read actual case histories of other computer entrepreneurs, so you can learn from their mistakes, and profit from their success stories! Where you'll be one year from now depends on your actions today! Let us show you how to take the first crucial steps!

Order now and take adventage of our limited introduction special, THE COMPUTER ENTREPRENEUR MANUAL, and a six month subscription to THE COMPUTER ENTREPRENEUR REPORT/NEWSLETTER (so you're always up-to-date with the industry), both for only \$29.95! You must be convinced on how easy you can strike it rich in the micro computer business - or you may return the manual for a full refund within thirty days! USE OUR TOLL FREE NUMBER TO ORDER!



EVERYTHING YOU NEED TO KNOW TO SUCCEED IN THE COMPUTER BUSINESS IS ALL IN THIS MANUAL!

THE COMPUTER ENTREPRENEUR MANUAL has the answers to all your questions about selecting, starting and successfully running a computer business? There has never been such a comprehensive collection of know-how and information about this business in one place! All the facts you need to plan and acheivs your goals in easy-to-follow, step-by-step instructions!

These are some of the 100-plus businesses covered in PART ONE of the manual, with the tacts on How to start and run, Start-up Cost (Even how to operate on a sheestring), What profits to expect. Wholesale prices, Mark-ups, Suppliers, future outlook, case histories for each, etc.:

Systems House, Software Author (who to sell to and who to avoid) Service Bureau, Software Publisher (How to find programs that sell. Word Processing Service, Consulting and Consuitant Broker I use your skills or lines of others, make \$150 - \$1000 a day!). The incredible Games Business, Computer Store I Franchises Pro and Contra or a low inventory store in your home!), OEM, Hardware Mfg, Data base and Teletext Service (big prospects!), Used Computers, Repairs, Rent-A-Computer, Promote Fests and Trade Shows, Turnkey Systems.

Barlering, Mail Order, Compile and rent mailing lists, Specialized Data Headhunting and Temp Help Service, Tech Writer Shop, Custom Engineering, The highly profitable Seminars and Training Business, and many more!

Many new (deas and ground floor opportunities! Interviews and success stories on companies of all sizes! Privy into on the profits made: How some computer store operators net \$100 - \$250,000! Little known puties that owners militionaires, one of these low-key companies making simple boards went from nil to \$20,000,000 and 100 employees in four years! Programmers that make \$300,000. Thousands of micro millionaites in the making each

Whatever your goal is - Silicon Valley Tycoon, or just a business at home - we guarantee you'll find a business to suit you - or your money back!

PART TWO of the manual is loaded with the know-how and "street lighting" savey you need, both as a novice or business wateran, to get started, to stay and to presper in the micro computer business! A goldmine of information in clear and easy-to-use instructions. How to prepare your Business Plan, Outside financing, The mistakes you must avoid, How to hire and manage employees, incorporation; when, and how to do it cheeply). Surviving bad times. Record Keeping, how to estimate your market before you start. Use multiple locations to maximize profits, how to promote and stay steps shead of the competition! How to get free advertising, free merchandise, free advice, Power negotiating with suppliers to double your profit mergine, etcl Even how to keep a present job white starting a business part time!

Don't miss this opportunity to be part of this great industry - the next success story could be your own! Order the manual today! Part one and two bound in a detuxe ring binder, where you can also collect our newstatter (free for six months with the manual - a \$32.50 value!) - all for only \$29.95!



ALL THE LATEST INSIDE BUSINESS NEWS! NOW! SIX MONTHS FREE WITH YOUR MANUAL!

You're always attuned to the industry and your manual kept up-to-date, with our newstatter? Each issue has the latest business news, ideas, new suppliers, our in-dispensible "watchdog" column on profits, discounts (don't miss mild s promos like recently when top video mon-tor sold at SBO - that's half wholesale, one third of the retail price!), the competition, the big deals, etc! Feature stories with start-up into and case histories on new micro busi-

You'll get invitations to trade shows and conventions the usage of our advisory service and our discount buying service for your purchases!

You if find many Items in our newsletter that will save you the cost of your manual many times over?



CALL TOLL FREE! CHARGE IT! Credit Card Orders

(MC. VISA only) accepted 24 hours/day 1-800-227-3800 Ask for extension 1135

In California call 1-800-792-0986





Order by phone (Credit cards only), or use the coupon:

ij	
	Mail to THE COMPUTER ENTREPRENEUR PUBLISHING CO PO BOX 456, Grand Central Station, New York, N.Y. 10163
	Please send me THE COMPUTER ENTREPRENEUR MANUAL, and the six month free subscription to THE COMPUTER ENTREPRENEUR REPORT/NEWSLETTER All for only \$29.95, plus \$3 for postage/handling (NY residents; add \$2.64 for sales tax) 11 I decide not to keep the manual. I may return it within 30 days for a full refund.
Ξ	MAME.


ADDRESS: CITY STATE, ZIP:

Check or M.O. enclosed Charge to VISA MC

Exp. Date: -SIGNATURE: -

Last year our fire protection systems kept the heat off a lot of business owners.







It's sheer wizardry the way Fenwal's suppression systems spot fire and snuff it out instantly. Our systems use the fastest way known of stopping fire, Halon 1301. It's perfectly clean and people-safe. That keeps downtime to an absolute minimum.

We've been building and perfecting our systems for more than 20 years. There are thousands installed around the world. Because Fenwal manufactures all its own major system components,

you get a system with components built to work together and backed by single source responsibility.

Plus the attention of a local factory trained wizard who's knowledgeable in cost efficient system configuration.

Whatever you want to protect—valuable documents, computer rooms, communication centers, control rooms, switching rooms, anything at all that you can't afford to be without-we can do the job.

For the name of your local Fenwal wizard, look in the Yellow Pages under "Fire Protection," or

contact the Castle at (617) 881-2000. Fenwal Incorporated, Ashland, MA 01721. A Division of Kidde, Inc.

because it is impossible to sense the state of more than one input at a time, nothing is gained by the ability of such instructions to work on multiple bits.

Four powerful MC68000 instructions make all bit-manipulation functions far simpler. They are the bit test (BTST), bit test and set (BSET), bit test and clear (BCLR), and bit test and change (BCHG) instructions. How will you specify the target bit? The MC68000 uses two methods, similar to those used for shift and rotate instructions. Either a data register or a series of bits in the bit-instruction op code names the bit to be affected: in this case, however, the bit number can be from 0 to 31 if a register is affected, or from 0 to 7 if the area affected is a memory location. (In the MC68000, bits in memory are identified by the bit number of the byte in which they reside.)

With true bit-manipulation instructions, not crude logic instructions, bit-manipulation operations—sensing the state of inputs, driving outputs, setting register bits, setting attribute bits, transposing bit matrices, or just building special data types—are straightforward tasks, not the chores they usually are with other microprocessors. The MC68000 makes it very easy to specify precisely the bit to be changed.

Conclusions

The computation and data-movement instructions that perform the major work in any MC68000 program are numerous, comprehensive, and, perhaps most important, straightforward and easy to use. The versatile MOVE instruction on the MC68000 replaces a confusing variety of datamovement instructions on other microprocessors. Flexible add, subtract, compare, negate, multiply, and divide instructions operate on any register, with constants, on stacks. and in memory using any addressing mode. For digital data rather than binary data, pairs of BCD numbers can be added, subtracted, and negated. The common logic operations of AND, OR, exclusive-or, and NOT can similarly operate on data

registers and constants, and in memory.

When data needs to be shifted about, it can be arithmetic-shifted. logic-shifted, or rotated left or right. It can also be shifted or rotated multiple bit positions, with the count of the movement either predetermined and constant, or variable and dependent upon other data.

Individual bits in data or I/O can be separately tested to determine their state; they can also be set, reset, or toggled. The bit to be worked on can be chosen either when the instruction is written or, based on other data. when it is run.

All the above instructions can operate on 8-, 16-, or 32-bit data, with a uniform yet flexible set of addressing modes. This combination of good instruction set design, computational power, and ease of use make the MC68000 microprocessor an excellent one for assembly-language programming. Next month, I'll discuss program-control instructions and several advanced instruction groups.



GRAPHICS-PLUS is a field installable enhancement board for the popular Zenith Z19 video terminal adding many powerful features found only on terminals costing much more. GRAPHICS-PLUS provides Tektronix² 4010 compatible vector drawing graphics, VT100³ compatible 80 and 132 column display farmats, off-screen scrolling memory, program-mable function keys, "Plain English" menu-driven Set-up mode, and a host of other enhancements. Installation can be accomplished within 15 minutes using only a screwdriver.

GRAPHICS-PLUS an enhancement For Z19 Terminals

Northwest Digital Systems

- Tektronix² 4010 Compatible Graphics
- 512 Horiz by 250 Vert Resolution
- 80/132 Col and 24/49 Line Text Displays
- Seven Page Off-Screen Text Memory
- Menu-driven "Plain English" Set-up Mode
- 16 Programmable Keys- 128 Chars Each
- Optional Hardcopy Port
- Simple Field Installation

1 IM Zenith 2 IM Tektronix 3 TM DEC

GP-19 Upgrade for Z-19 Terminal Z-19 Terminal With GP-19 Installed \$ 849

\$ 1495

Northwest Digital Systems

P.O. Box 15288, Seattle, WA 98115 (206) 362-6937

Building a Hard-Disk Interface for an S-100 System

Part 3: Software

How to alter the CP/M operating system so that it will accommodate a Winchester disk drive and controller.

Andrew C. Cruce and Scott A. Alexander ASC Associates Inc. POB 615 Lexington Park, MD 20653

In part 1 of this series we described Winchester disk technology in general and the benefits it would provide for microcomputer systems. We then gave an overview of the work that would be required to add such a disk to an existing computer system. In part 2 we discussed the rationale you should use in choosing a particular Winchester disk drive and disk controller (we decided on a Miniscribe disk drive and a Xebec controller). We then described in detail the construction of the hardware interfacethe host computer adapter-required to integrate the disk drive into the S-100 system. In this last article of the series we will describe the final ingredient needed for our Winchester diskdrive subsystem: the software.

First we'll review the operation of the CP/M basic disk operating system (BDOS) and basic input/output system (BIOS) software. Specifically

About the Authors

Andrew Cruce has a Ph.D. in Aeronautical Engineering and has recently received an S.M. degree in management as a Sloan Fellow at MIT. Scott Alexander has an M.S. in Electrical Engineering. Both have extensive design and implementation experience with small computers and are full partners in the firm of ASC Associates, which markets the hardware described in this series of articles.

we will describe the process through which application programs use the BDOS to access disk file information and how the BDOS uses the BIOS to obtain specific information from a particular peripheral. This will highlight what has to be done to write a BIOS to handle the Winchester disk system.

Next we will describe the operation of the disk drive and controller as accessed through the host computer adapter (HCA). We'll show how disk commands are initiated from software and what commands are available from the disk controller. With this background out of the way, we will identify requirements for a Winchester disk-subsystem BIOS and how these requirements can be satisfied. We will then describe how a BIOS is structured and how the BIOS routines for the Winchester disk system can be included with the original system BIOS routines to support the other peripherals. Finally, we will briefly review the CP/M procedures required to include the combined BIOS in a new CP/M system.

This will essentially complete the integration process. However, we can improve system performance even further by putting the system's bootstrap routine on the Winchester disk. We'll describe how a bootstrap pro-

gram operates and how you can develop a new bootstrap and install it on the Winchester disk drive. We'll also spend some time discussing various debugging techniques that will probably be very helpful when you integrate the hardware and software.

BDOS and **BIOS**

The CP/M operating system basically consists of two separate elements called the BDOS and the BIOS. The BDOS is supplied by Digital Research Inc. and is the essence of the CP/M operating system. In addition to the BDOS, however, the system requires a set of routines known as the BIOS to handle the hardware-peculiar functions of each peripheral in the system. These routines are usually supplied by the disk-drive manufacturer and must be modified by the user to include other system peripherals.

Accesses to disks and other peripherals by application programs are usually handled by calls to the BDOS. These calls are made by loading specified registers with information required by the BDOS and then performing a call to location 05. In the case of disk accesses you must load a function code into the C register and a pointer to the file control

Free Genius In Every Box.

The people at **CompuPro** put a little genius into each system they make. For instance, some CPUs can babble in 8-bit lingo, some in 16-bit; **CompuPro's** brainchildren speak both - fluently.

Let our genius multiply your genius: When you need to stretch your mental powers, CompuPro systems are the cost-effective answer. And you don't have to be a genius to see that.

System 816/A. Single-user, expandable to multi-user. Includes dual processor, 128K bytes of static RAM (expandable to 1 megabyte), 4 serial ports, constant voltage power supply, CP/M+ 2.2, CP/M-86TM, M-DriveTM, SuperCalc-86TM and dBase IITM.

System 816/B. Ultra-high performance single-user, expandable to multi-user. Includes 256K bytes of static RAM, 6 serial ports, same software as System 816/A.

System 816/C. Multi-user, running 8- and 16-bit programs simultaneously. Includes 384K bytes of static RAM, 9 serial ports, same software as System 816/A.

System 86/87. Multi-user. Includes 512K bytes of 16-bit memory, 1.5 megabytes of M-Drive/HTM, high performance dual processor, clock switching circuit for running slave boards, CP/M-86TM, MP/M-86TM, SuperCalc-86TM and SuperWriterTM.

System 68K. Single-user, expandable to multi-user. Especially for FORTH fans, including 256K bytes of 16-bit memory, 1.5 megabytes of M-Drive/HTM, CP/M-68KTM, mapFORTH and C languages.

System Oasis-8. Multi-user. Includes 208K bytes of static RAM, 512K of M-Drive/HTM, Oasis operating system.

System Oasis-16. Multi-user, Includes 10 MHz CPU 8086, 512K bytes of static RAM, 1.5 megabytes of M-Drive/HTM, Oasis-16 operating system.

For the location of your nearest Full Service CompuPro System Center, call (415) 562-0638.

CP/M is a registered trademark and CP/M-86. CP/M-68K and MP/M-86 are trademarks of Digital Research. SuperCalc-86 and SuperWriter 86 are trademarks of Sorcim. dBase II is a trademark of Ashton Fate. M. Drive/H is a trademark of CompuPro.





BYTE

DESCRIPTION

1716	DESCRIPTION
00	POINTER TO SELECTED DISK
0.8	FILE NAME
0,9	FILE TYPE
12	CURRENT EXTENT NUMBER OF FILE
13 14	RESERVED FOR SYSTEM USE
15	READ COUNT FOR EXTENT
16	DISK ALLOCATION INFORMATION
33	OPTIONAL RANDOM RECORD NUMBER FOR DIRECT-ACCESS INPUT/OUTPUT

Figure 1: A diagram of the file control block (FCB) format used by CP/M.

block (FCB) of the desired file into the DE register pair. With this information, the BDOS determines what functions are to be performed and calls appropriate entry points in the BIOS with the information required

to execute requested functions.

The BDOS disk functions are described in the standard CP/M documentation and include such functions as Open a File, Close a File, Read Next Record, and Write Next Record. The data structure that drives all these operations is the FCB, which is initially created by the application program and is updated by various BDOS functions. Figure 1 shows the structure of the FCB, which includes, among other things, the file name and file type along with 16 bytes of data that are used by CP/M in the calculation of a physical device address for access to the requested data. Additional data in the FCB is used to keep track of the drive the FCB is currently active on, a pointer to the current record, and a pointer to the current extent. If you are not familiar with the FCB construct, you can find additional information on it and the normal BDOS disk I/O functions in Digital Research's CP/M Interface Guide.

In order to understand the require-

ments for the Winchester disk BIOS, it is necessary to understand how this BIOS is used during the normal access of data from files contained on the Winchester disk. Figure 2 illustrates the steps that are performed in opening an existing disk file and reading the first 128 bytes of data from this file. This process is representative of the majority of the communications that occur between the BDOS and the BIOS during normal disk operations.

The process starts with the application program establishing which disk is to be active in the subsequent operations by loading the appropriate information in the C and E registers, as shown in the figure, and then calling the BDOS. The BDOS takes this information and passes it on to the BIOS, which then returns to the BDOS the address of a table that defines the physical characteristics of the disk that was selected. At this point, control is returned to the application program.

Next, the application program defines a DMA (direct memory access) buffer for subsequent disk operations by loading the DE register pair with the DMA buffer address, loading register C with 1A hexadecimal, and calling the BDOS. The BDOS in turn passes the DMA address to the BIOS for use in subsequent disk read/write operations.

After setting up the DMA buffer, the application program next opens the file that is to be read. First, the application program constructs an FCB for that file by reserving the required amount of space for the FCB, filling in the file-name and file-type portions of the FCB, and setting the Current Extent and Next Record fields to zero. The application program then calls the BDOS with the DE register pair pointing to the FCB and register C containing OF hexadecimal. The BDOS must now search the file directory on the selected disk to determine if the file mentioned in the FCB is actually contained on the disk. In doing this the BDOS uses the BIOS to read each sector of the selected disk directory into memory and then searches for a match with the requested file name. When a match is found, the BDOS uses the information contained






Figure 2: A diagram of the input/output process for the Winchester disk subsystem.




Figure 3: A diagram showing how the Winchester disk address is calculated. First, the value of the Next Record field is divided by 16. The resulting quotient points to one of eight allocation vectors, which in turn points to one of several 2K-byte regions on the disk. The remainder of the division points to one of the 16 logical records in each 2K-byte region.

in the directory entry to load the diskallocation portion of the FCB. After filling in the required information in the FCB, the BDOS returns control to the application program.

The function of the disk-allocation portion of the FCB is to determine the physical disk address of particular records within a disk file. In the case of our Winchester disk system, the 16 bytes of disk-allocation information correspond to eight pointers, each containing 16 bits. These pointers refer to 2K-byte storage areas on the disk. Each of these 2K-byte storage areas is in turn made up of sixteen 128-byte logical sectors of disk information as required by CP/M. When a particular record is accessed, the

value in the Next Record field of the FCB is divided by 16 to determine which disk-allocation vector to use in the disk-address calculation, and the remainder from this division is used to determine which logical sector in the storage region is required. This process is shown in more detail in Figure 3. It should be noted that a single file entry only provides access to 16K bytes on the disk. To access a larger file you must use extents, which are duplicate file entries containing unique pointers for different portions of the file.

The information derived from these calculations is used by the BDOS when the application program next issues the Read command to the

BDOS. In this case the DE register pair is loaded with the address of the FCB, and register C is loaded with 14 hexadecimal when the BDOS is called. The BDOS then uses the data in the FCB to calculate a sector and track address for the requested data. First it passes the sector-address information to the BIOS (through the SETSEC entry point) followed by the track address information (through the SETTRK entry point). We'll discuss the design of the BIOS and the required entry points later. After the sector and track information have been passed, the BDOS then asks the BIOS to perform a Read operation of the identified sector.

At this point the BIOS takes the sector- and track-address information and constructs a device control block (DCB) that commands the Xebec controller to read the data from the requested sector of the disk. As we explained earlier in this series, the commands go from the computer, through the host computer adapter (HCA), to the disk controller. The disk controller then performs the requested Read operation from the disk, placing the data in a local memory area on the controller card. The BIOS can then begin to access the data being read from the disk and move it to the DMA memory buffer specified by the original SETDMA command. Once

Disk Primitive	Operation
SELDSK	Selects a particular disk in the system as the "active" disk. The routine must keep track of which disk is selected and pass the address of a disk-characteristics table describing the selected disk to the BDOS.
SETTRK	Sets the track number for the next Read or Write operation.
SETSEC	Sets the sector number for the next Read or Write operation.
SETDMA	Defines the 128-byte buffer that is to be used to get data during disk- write operations or receive data during disk-read operations.
READ	Reads 128 bytes of data from the selected track and sector in the DMA buffer area.
WRITE	Writes 128 bytes of data from the DMA buffer area into the selected track and sector.
SECTRAN	Performs logical-to-physical sector translation to improve overall CP/M disk response.
HOME	Moves the head on the selected disk to sector 0, track 0,

Table 1: A list of disk-related primitive functions that have to be performed by the Winchester disk BIOS in order to be compatible with CP/M.

all 128 bytes of the requested logical sector are moved into the DMA area. the Read operation is complete and control is returned to the application program.

In this overview of the combined operation of an application program, the BDOS, and the BIOS in accessing and reading information contained on the disk, some of the intricacies of the process, such as extents of disk files and detailed operation of the BDOS, have been glossed over. However, the illustration should provide enough information for you to understand the design and construction of a BIOS for a Winchester disk subsystem, and we refer you to CP/M documentation to gain a more in-depth understanding of the CP/M file control services (FCS) and the operation of the BDOS.

As you can see from the above example, only a few primitive functions have to be performed by a Winchester disk BIOS for it to be compatible with a CP/M system. Table 1 presents a complete list of these primitive functions along with a brief description of each function. In a complete BIOS, each of these functions is a separate entry point into the BIOS, and all you have to do to establish a BIOS is write code for each entry point to perform the necessary function. But first you must

understand the hardware operation and software interface to the Winchester disk, which is our next topic.

Hardware Operation and Software Interface

As we discussed last month, the communications interface between the BIOS routines for the Winchester disk drive and the drive itself consists of four I/O ports on the S-100 bus. The addresses of these ports are selected in a contiguous block of four ports by switch settings on the HCA card. We will refer to ports 0 through 3 to indicate particular ports in this block.

Commands and data are sent to the controller by writing to these ports. The HCA retrieves data from the controller by reading from these ports, Each command to the controller consists of a block of 6 bytes of command information. This 6-byte block is the device control block mentioned earlier. Figure 4 shows the general format of the DCB and how this format is used for three different disk commands. The DCB always contains the op code and command types as shown in the general description of the data structure. In addition, the DCB may contain up to 21 bits of physical address information when an actual Read or Write operation is being performed. It also may contain

additional control information specifying such things as the number of retry operations to perform in the event that an error condition is detected. For more information on the details of the DCB, see the Xeber controller manual. For a Write command, the 6 bytes of the DCB are sent to the controller followed by the 256 bytes of data to be written into the physical disk sector specified in the command. After receiving the 256 bytes of data, the controller returns 2 bytes of error status information to the HCA. A Read operation works similarly in that the 6 bytes of the DCB are sent to the disk, which then returns 256 bytes of data from the sector specified in the command block. The controller also tags on an extra 2 bytes of error status information at the end of the transfer. In addition, the Xebec controller offers a Request Sense Status function that returns 4 bytes of more detailed error status information at the end of the command.

In typical operation, the disk and controller would be reset on a cold boot by performing an output to port 3. Once this is completed, the disk controller would be put in a command mode by outputting a 1 to the data port (port 0) followed by a Write to the status port (port 1), which activates the SEL signal. (This and many of the signals referred to in this section were described last month.) The disk-access routine then examines the REQ line by performing an input from port 1 and testing the proper status line. When the REO line becomes active the routine outputs the first of the 6 command bytes to port 0. This output automatically generates the ACK signal to complete the handshake between the HCA and the controller. The software then monitors the REO line until it again becomes active and then sends the second command byte. This process is repeated until all 6 command bytes have been sent to the disk controller. The routine then uses the same process to read or write the appropriate number of data bytes at port 0 depending on the particular command that was sent. In the case of a BIOS routine, the disk address that is to be accessed is derived by the BDOS from




Figure 4: The device control block (DCB) used by the Xebec hard-disk controller. Figure 4a shows the general format for the DCB. Figures 4b through 4d show how the DCB is used for a Read operation, a Write operation, and a Request Sense Status command, respectively. Byte 0 contains information on the Command Class and the Op Code. LUN (logical unit number) indicates which drive you have selected of the two possible drives that can be connected to the controller. The high, middle, and low addresses form a 21-bit physical sector address. Byte 4 indicates the number of sectors to be read or written (for CP/M this is always 1). Byte 5 contains the following control fields: bit 7, when set, disables the four re-tries by the controller on all disk-access commands (during normal use, this is always 0); bits 3 through 6 are not yet used and are set to 0; and bits 0 through 2 select half-step options for other disk drives (for the Miniscribe drive, this is set to 0).

the information contained in the FCB. This information is then passed to the BIOS routines at the SETTRK and SETSEC entry points and the BIOS uses this information to construct the DCB for the actual disk access.

Generating a Combined BIOS

The BIOS structure is very simple. A table of jump vectors is placed at the beginning of the BIOS code. This includes jumps to each of the primitive functions that the BIOS performs. Table 2 shows that these functions include the disk-oriented primitives presented in more detail in table 1 as well as the necessary functions to handle the other peripherals in the system, such as terminals and printers. The BIOS routines for peripherals other than disks are used without modification in the construction of a new combined BIOS. The existing disk and boot functions are augmented as shown in figure 5. The cold boot functions for both the existing disk system and the new Win-

chester disk are combined to ensure that all peripherals on the system are properly initialized when the system is booted. A new SELDSK function is written that keeps track of which disk system is selected and passes the proper disk-definition-table address back to the BDOS. Finally, a series of disk-handling routines are written for the Winchester disk. These routines are used as the initial vector addresses for the initial jump table. Depending on the particular entry point, these routines either perform the indicated function for the Winchester drive and then transfer to the appropriate function for the existing floppy drive or test to see which drive is selected and simply transfer control to the appropriate routine for the selected drive. An example of the first case is the SETDMA function, which causes the DMA buffer address to be set for both the Winchester and any other disk drives in the system. In the case of an actual READ function, however, a test is made for the selected

disk and then control is passed to the proper disk-read routine. Listing 1 on page 386 presents a skeleton of a combined BIOS that includes all the BIOS routines for the Winchester disk drive and comments indicating where routines from an existing BIOS should be placed.

The code presented in listing 1 has been tested and will operate with a Xebec controller connected to a Miniscribe disk using the HCA described in last month's article. The SELDSK entry point keeps track of which disk is selected and uses register pair HL to pass the address pointer of the selected disk characteristics table to the BDOS. This table is located at DPBASE in the BIOS code and has been created using two macros. DISKS and DISKDEF, supplied by Digital Research, These macros and the structure of this table are described in Digital Research's CP/M System Alteration Guide. The code for the cold boot entry point, BOOT. assumes that a new copy of the sys-

Entry Point	Function
BOOT	System initialization on hardware boot.
WBOOT	Reads a new copy of BDOS into memory and initializes the system
CONST	Samples and returns the status of the current console device.
CONIN	Reads the next character from the current console device.
CONOUT	Writes a character to the current console device.
LIST	Sends a character to the list device.
PUNCH	Sends a character to the punch device.
READER	Reads next character from the read device.
HOME	Returns the read/write head of the currently selected disk to track (
SELDSK	Selects the current disk.
SETTRK	Sets the track for the next Read/Write operation.
SETSEC	Sets the sector for the next Read/Write operation.
SETDMA	Sets the DMA buffer area for the next READ/WRITE operation.
READ	Reads data from the selected disk.
WRITE	Writes data to the selected disk.
LISTST	Gets the status of the list device.
SECTRAN	Translates logical sector to physical sector.

Table 2: A complete list of primitive functions for the BIOS in CP/M. Note that this includes the disk-related primitives in table 1.




Figure 5: The combined BIOS structure.

tem has already been booted into memory and simply performs any required initialization before transferring control to CP/M. The warm boot, WBOOT, reloads a new copy of the BDOS and the console control program (CCP) before transferring control back to CP/M. The HOME, SETTRK, SETSEC, and SETDMA entry points perform the commanded function for both the Winchester disk system and for the existing disk sys-

tem. Finally, the READ and WRITE entry points determine which disk is currently selected and transfer control to the appropriate routines to read or write data from or to the selected disk.

Another complication concerning Read and Write operations on the Winchester disk drive arises from the fact that the Winchester disk is set up to read and write 256-byte physical sectors, whereas CP/M operates in logical sectors of 128 bytes. This means that each disk-read operation places two logical CP/M sectors into the local memory on the controller card and that each disk-write operation must write two logical CP/M sectors to the disk. The READ and WRITE routines keep track of which of these two logical sectors is currently being pointed to in the controller memory and determine what action to take to properly read or write the data on the disk. For example, in the case of a Write, because CP/M requests transfer of only 128 bytes of data to the disk, the BIOS must read the appropriate 256-byte record from the disk, place the 128-byte CP/M buffer over the proper half of this longer record, and then write the combined 256-byte record back out to the disk.

Additional Utilities

Two other software utilities must also be written prior to completing the installation of the hard-disk system. The first of these is a formatting utility that will format the disk and check for any bad tracks on the disk. The second is a system-generation utility that will write the new operating system beginning at track 0, sector 0 on the Winchester disk after the combined BIOS has been integrated into a CP/M system. This last process places a hardware-bootable system on the hard disk.

A new Winchester disk drive is delivered in an unformatted condition. This means that the disk has no information identifying the beginning and end of each sector. Once the HCA and other disk hardware is integrated into the system, you must create a routine to write this formatting information on the disk. A formatting routine is then used to issue a DCB to the controller, commanding it to format the disk. The controller takes care of the rest by writing the required formatting information onto the disk.

When the disk formatting is complete, the formatting routine should then read each sector on the disk to determine if the drive hardware was delivered with any bad sectors on the disk. For Winchester disk drives, it is

5 star hotels in the Middle East... that's the Sheraton style



Abu Dhabi Shoraton —The height of luxury on the Gulf. Centrally located to business and right on the beach Experience superb culaine at the Zafeer Supper Club or exotic specialties at Mouzaira's.



Dubal Shoraton — Convenient to the commercial district and overlooking the water, the Dubai Sheraton is a major architectural achievement. Dine at Lou Lou's, renowned for its sumptuous food and attentive service.



Bahrain Shoraton - This 1st Class luxury hotel has it all - tennis courts, health club, and gourmet dining at the Al Bustan.

Here in the heart of the business center, you'll be only minutes away from Government House and the best shops.



Dohn 5 horaton—A soaring atrium garden lobby and the finest conference facilities in Qata? are among the big attrautions at this new landmark of luxury. You can relax and enjoy swimming, salling, windsurfing, tennis, and fishing.

Sheraton Hotels Worldwide (\$), 800-325-3535

Or call your travel agent.

not uncommon for a disk to have several bad sectors. The test program reads all sectors on the disk and saves the location of any bad sectors identified during the Read process. The routine then identifies these bad sectors to the controller, which constructs an alternate track assignment for each of the bad sectors on the disk. After this alternate assignment is complete, the existence of bad sectors on the disk is transparent to the system. The controller keeps the alternate-track data on the disk and. when a disk access is made to a bad sector, the controller automatically switches to the alternate track to read or write the data.

The second utility, the system-generation program, is used to write the new operating system to the Winchester drive or to read an existing operating system from the Winchester drive into memory. Installation procedures for a combined Winchester drive BIOS are the same as for any typical CP/M BIOS and will be covered in the next section. At the

end of the configuration process, a system image will reside in memory starting at location 900 hexadecimal. The locations 900 to 980 hexadecimal contain the system loader, and the locations from 980 hexadecimal on contain the newly configured operating system. A WRITE routine must be designed to take the data from these

No matter how careful you are in building the system, something is bound to be wrong.

locations in memory and write them to the Winchester disk drive starting at track 0, sector 0. Similarly, a READ routine must be designed to take information from track 0 of the disk and place it into memory starting at location 900 hexadecimal.

Building a New BIOS

One other program must be written before a new BIOS can be built and installed in a CP/M system. This is the system loader that is used to initially read in the system from the disk. This program is written to run at location 80 hexadecimal and is restricted to 128 bytes in length. It is used to load the system during the bootstrap process that we will describe later. The program is designed to read the system starting at track 0, sector 1 of the Winchester disk and, when the load is complete, to transfer control to the proper entry point of CP/M to start the operating system running.

Once the system loader and the BIOS code are complete, the next step is to assemble both of these programs and remove any assembly or syntax errors. In the case of the BIOS, the symbolic variable MSIZE must also be defined before assembly to correspond to the size of the system being generated. Assuming that you have achieved an error-free assembly, the next step is to build a new CP/M system that contains the new system loader and BIOS and to write this



We're offering you our SB-80 system in either 5 1/4" or 8" disk drives, your choice. Either way your system comes with a full size (12" diagonal) non-glare tiltable green screen with 24 lines by 80 character format. Its multicharacter set offers blinking cursor, underlining, reverse video, and half and zero intensity. The movable, detachable keyboard has a numeric pad with cursor control and function keys.

Nationwide on-site and depot repair service through the professionals at INDESERV.

CP/M is a registered trademark of Digital Research, Inc.

- Single Board Technology CP/M® Operating System
 - 4 MHz Z80A CPU 64K 200ns Main Memory
 - 8-Inch Dual Density Floppy Drives
 - 5 1/4-Inch Dual Density Floppy Drives
 - 2-Serial Ports 2-Parallel Ports
 - 4-Counter/Timers Expandable

For further information about this limited offer call or write:



Colonial Data Services Corp., 105 Sanford Street, Hamden, Conn. 06514 ● (203) 288-2524 ● Telex: 956014



A Database That Catches Mistakes? That's My Qbase. 55

Presenting Qbase,™ The Personal Database And Reporting System
That Prevents Mistakes Before They Become Expensive. Just \$189 Complete.

There's no question that databases are useful tools for storing and retrieving information. Thousands of professionals use databases to monitor inventory, manage mail lists, record fixed assets, and keep track of personnel records.

So what's the problem?

NOT ALL DATABASES ARE CREATED EQUAL

In hundreds of personal computer applications, users agree on one thing; there's nothing more aggravating than a database that lacks all the features to do the job that needs to get done.

And of all the database features used by experienced users, none is more often called for than data entry checking.

Why is that so important? Because experienced users know how many aggravating hours they can waste fixing mistakes that their database should have caught.

For Use With IBM PC and APPLE II

Fortunately there's Qbase, the only full-feature database in its price range that can substantially reduce common input errors.

PREVENT DATABASE CONTAMINATION

Obase uses sophisticated data checking features normally found on large systems. Functions that catch invalid alphanumeric sequences. Check for minimum/maximum number lengths. Enforce data inputs where mandatory. Require date formats. Allow for yes/no replies. And verify that alphabetic and numeric values lie within pre-specified ranges.

And then we added an embedded

And then we added an embedded calculator that automatically computes taxes and commissions. It even accepts credits and debits against balances due.

And reports? Obase includes a powerful reporting facility—at no extra charge. With it, you can produce sorted reports with sub-totals AND totals. Moreover, all report definitions are fully documented and stored in a library. So there's no guessing which report does what. Just call for your favorite report and it's done.

Write or call for your free brochure, "How To Keep Errors Out Of A Database." See for yourself what data checking can do to save you time and aggravation. Write to:

> Applied Software Technology 14125 Caprl Drive Los Gatos, CA 95030 or call 408/370-2662

NAME		
COMPANY		
ADDRESS		
OTTY	STATE	ZIP






Figure 6: Installing the new operating system. First, the MOVCPM instruction reads the current version of CP/M from the disk into memory at location 900 hexadecimal and relocates it to run at a location specified in the command. The SAVE instruction then places the relocated version of CP/M onto the disk under the filename CPMNN.COM. The DDT command reloads the relocated version of CP/M into memory at location 900 hexadecimal and transfers control to the DDT program. Next, the command I NEWBIOS.HEX reads the new BIOS from the disk and overlays the existing BIOS. The command I NEWLDR.HEX then reads the new system loader from the disk and overlays the existing loader. Finally, the WRITE utility program writes the properly configured operating system to the first track of the Winchester disk.

new system to the Winchester disk drive starting at track 0, sector 0. In this process you should first use the MOVCPM utility (provided by CP/M) to create a new copy of CP/M that is properly sized for the system. Then, as instructed in the MOVCPM utility, this new copy of the operating

system must be saved on the disk for later retrieval by using CP/M's standard SAVE utility. Once the new copy of the system is saved, the next





378

The new Transtar 130 daisy wheel printer generates a full-page letter in 78 seconds. The least expensive 40 cps printer does it in 36. Only 42 seconds difference...for twice the price.

At only \$895, the Transtar 130 letterquality printer makes speed its only compromise. Shannon-text rated at 16 cps, the Transtar 130 gives you better printing quality than any 40 cps printer. It allows you the full range of wordprocessing functions such as proportional spacing, superscript, subscript, underscoring and a true boldface. The 130 is "plug and go" compatible with the bestselling word processing packages. It's quiet: only 65dB. It's durable. It boasts a unique new autoload feature that automatically loads paper to one of four preselected positions with the touch of a button. And, as if that weren't enough, its end-user warranty runs a full six months—twice that of most of its competitors.

Affordable and loaded with all the features of printers costing twice as much, the Transtar 130 letter-quality printer retails for less than \$900. But it's up to you: Is 42 seconds really worth \$1000?

Transtar
Box C-96975, Bellevue, Washington 98009

step is to read the system back into memory using the DDT utility. If the system was saved under the name CPMNN,COM you can use the following CP/M command to initiate DDT and read the new copy of the system into memory:


DDT CPMNN.COM

After this command is executed, the new system will be located in memory starting at location 900 hexadecimal, and DDT will be running. The next step is to overlay the new system. loader and new BIOS on top of the copy of CP/M in memory by using two DDT commands: I (insert) and R (read). These commands place the new system loader into memory at location 900 hexadecimal and place the BIOS at location 1F80 hexadecimal. Once these overlays are complete, the system is properly configured for the Winchester disk drive. Next we must get out of DDT and return to CP/M while leaving the newly created copy of the system in memory. First, issue a G0 command to DDT that transfers control to CP/M. Once you are back in CP/M. the final remaining task is to run the system-generation utility to load the newly constructed system, which now resides in memory starting at location 900 hexadecimal, onto the Winchester disk starting at track 0. sector 0. Figure 6 graphically summarizes these steps.

Building a New Bootstrap

At the completion of the process we just described, a copy of a properly configured CP/M system and system loader is on the first track of the Winchester disk. The one remaining task is to develop the software to bootstrap this system into memory and to configure the hardware so that this bootstrap is executed when a hardware boot command occurs. The actual bootstrap code is very simple. All it has to do is read the first 128 bytes from track 0, sector 0 on the Winchester disk drive into memory starting at location 80 hexadecimal and, when the read is complete, transfer control to the beginning of this code. This bootstrap code should be written to run at whatever location is going to be assigned to the PROM (programmable read-only memory) chip on the HCA, which we mentioned last month. When properly assembled and linked, the bootstrap code is burned into the HCA PROM and the software installation is essentially complete. The processor board is then "restrapped" so that the bootstrap address corresponds to the beginning of the PROM on the HCA.

Once this modification has been completed, a hardware boot command (i.e., pressing the RESET button) results in the sequence of events presented in Figure 7. At the boot command, the processor begins executing code at the beginning of the HCA PROM. This code reads the first 128 bytes of data from the first physical sector of the first track on the disk into memory starting at location 80 hexadecimal. When the read is complete, the code in the PROM






Figure 7: The Bootstrap process. Pressing the hardware bootstrap (Reset) button causes the microprocessor to transfer control to the PROM chip on the host computer adapter. The code in the PROM reads the first 128 bytes of data from track 0 of the hard disk into memory starting at location 80 hexadecimal and then transfers control to that location. This code in turn loads the CP/M system off the first track of the Winchester disk. Then, when the load is complete, the code transfers control to location 0 hexadecimal to start CP/M running.

transfers control to location 80 hexadecimal, which now contains the system loader. This code now reads the remainder of the CP/M system from the first track on the disk into memory and then transfers control to the CP/M system. The result is that a properly configured system, which includes the Winchester disk drive, is left running in memory, waiting to respond to any user commands.

System Debugging

No matter how careful you are in building the hardware and software we have just finished describing, it is a fact of life that when plugged into the system there will be something wrong. This is when the really interesting portion of the system integration process begins, namely, finding and correcting the inevitable bugs in the hardware and software. This debugging process can be broken into three separate areas. The first is debugging the HCA. The second is debugging and examining the HCA, disk controller, and disk system. The last is debugging the CP/M interface software. We will now describe some of the techniques that can be used in each of these areas.


Make your spooling network sing in six-port harmony.

Add MultiSpool - the hardware spooler that's truly flexible. Now, thanks to MultiSpool. there's no more need to buy individual spoolers, no more wasted computer time or memory. With its enormous memorysharing power, this dynamic six-port switching device not only lets you network any combination of computers and printers; it also provides the spooling function within that network. With its 60K of buffer memory, con-

trolled by 4K of memory management firmware. MultiSpool can orchestrate up to five computers or

five printers simultaneously. Only this degree of flexibility can meet the ever-changing port-expansion needs of today's multiuser environment. Note, too, that MultiSpool mixes

four serial and two Centronicscompatible ports. It also handles X-on, X-off protocols and DTR. So, with the unit's dipswitch, you can configure each port to accommodate either a computer or printer; and you can define the discipline of that port. Best of all, MultiSpool sells for just \$995.00 - even less if you don't need all six ports. And that, we're sure, is music to your ears.



Digital Laboratories

600 Pleasant Street, Watertown, MA 02172, (617) 924-1680



plus \$4.75 shipping

Model TM-12PC-GX

12" P31 GRAPHICS

- **★ 1200** line resolution
- # 18,9 MHz band width
- (A) Apple III is a registered trademark of Apple Computer.

Monitors by:



VISA, MasterCard & American Express accepted, No C.O.D.

plus \$9.50 shipping

Model TN-1440

13" RGB COLOR

- **★** 360/230 lines resolution
- # Up to 80 characters
- Apple III and IBM customers please add \$29.50 for factory installed data led mod board and cable for 16 colors.

Call Toll Free 1-800-258-6370 18 Bridge Street, Salem, NH 03079 The first thing to debug is the HCA card. Debugging this device involves making sure that the various combinations of possible input conditions result in the expected outputs to the disk controller. You can do this most efficiently by writing a set of driver routines in assembly language to write messages to the various output ports on the HCA. If you write these routines to loop continuously, you can use an oscilloscope to check the output registers on the HCA to ensure that the card is acting properly.

When you've verified proper operation of the HCA to the maximum extent possible, next connect the disk controller and the Winchester disk drive to the HCA. This simple connection begins the debugging process for the Miniscribe disk drive, which has extensive self-test features and continuously monitors its own operation to check for faults. If a fault is detected, the drive communicates with the user by flashing a Morse code letter (using the drive select light) to identify the particular fault that was detected. Once the disk is

operating properly, the way to debug and test the rest of this total system is to pass various DCBs to the disk controller and see if the disk responds to these DCB inputs as expected. For example, you can test the disk by performing a controller self-test, formatting the disk, writing information to a particular sector, reading the information back, and testing for error conditions. This type of testing not only verifies proper disk operation but also provides you with valuable insight into the disk operation, which you can use during the remainder of the integration process.

Once the disk subsystem hardware is operating properly, the next step is to integrate the software. We described this integration process earlier. However, during the initial testing it is convenient to modify this procedure to allow use of some of the CP/M debugging tools to debug the interface software. To do this, you should create a "false" CP/M system that runs inside (i.e., at a lower memory address than) the current CP/M system running on the computer,

This keeps the initial user system intact and allows you to run the new CP/M system under control of an existing debugged CP/M system, so you have access to the standard debugging tools from CP/M, such as DDT, to aid in debugging the new version of the BIOS.

Conclusion

We have now described the entire process of adding a Winchester disk subsystem to an S-100 computer system running CP/M. As we have tried to show, this is a rather substantial undertaking and should not be started lightly. The main advantage in performing such an integration project is the learning that takes place during the project. If your main goal is to obtain additional storage capability for a microcomputer, you could obtain this storage less expensively and certainly with less effort by buying a commercially available unit such as the one we manufacture. Because of quantity pricing and volume discounts, complete Winchester disk-drive subsystems are commercially available at a cost comparable to what a hobbyist would spend for the hardware portion of the system alone.

However, if you are interested in doing the work yourself and you have the necessary time and expertise, we encourage you to attempt this project and use this series of articles as a guide.

The Winchester disk drive subsystem described in this series of articles is available as a completely assembled unit from ASC Associates of Lexington Park, Maryland. In addition to the S-100 version discussed, versions are also available for TRS-80 and Apple computers. The disk-drive systems for these computers use the same drive and controller hardware as the S-100 version but use a different host computer adapter and interface software. Until a nationwide dealer distribution network is established, these systems will be available by mail order for \$1995. To order or obtain further information, write to ASC Associates Inc., POB 615, Lexington Park, MD 20653, or phone (301) 863-6784.

DOGUMATE/PLUS T.M.

Indexes and Sorts WordStar

DocuMate/PlusTM Features ...

- 16 Level Indexing
- Table of Contents Generation
- Self-Contained Sort Feature
- · "See" and "See Also" References
- Output Format Control
- Cross-Document Index Generation

DocuMate/Plus generates completely collated tables of contents and alphabetical multi-level indexes from WordStarTM text files of any length as detailed as you desire.

DocuMate/Plus is refreshingly easy to use, and its internal sort feature can save you the cost of an expensive stand-alone sort program. Just type simple DocuMate commands right into your text file DocuMate/Plus automatically finds and places all index references in a separate work file for sorting and collating.

DocuMate/Plus builds master indexes for many documents, such as research notes, books and articles, speeches, hardware and software documentation, and business correspondence.

DocuMate/Plus is Today's Most Flexible Text-Based Indexing System for Professional and Business Information Processing.

Try Documate/Plus at your local Osborne Computer Dealer, or call us for the name of your local authorized Orthocode textware dealer.

Documate/Plus is available on standard 8" CP/M and 514" Apple. Northstar.
Osborne and Otrona diskettes.

- DocuMate/Plus Program with Manual \$165.00
- Manual Only.....\$ 25.00



THE ORTHOCODE CORPORATION P.O. Box 6191 • Albany, CA 94706 (415) 753-3222

. WordStar is a trademark of MicroPro International . CP/M is a trademark of Digital Research

We're building the world's third largest computer company.

come join us.

We're Victor Technologies, Inc., a most dramatic force in the computer industry today, with our powerful 16-bit desktop microcomputer, the Victor 9000.

You probably recognize the name Victor . . . a respected name in office products for 65 years. We've built a worldwide sales, service and support system unsurpassed in our industry. Now we're combining that experience with innovative technology for the office of the future.

We're aggressively expanding our local dealer network. We're planning substantial new product offerings and support for all our office systems. Now we're focusing our efforts on securing major national accounts, and we're looking for people with fresh ideas and initiative to make it happen!

National Accounts Computer Salespersons

Sell and support the Victor 9000, our powerful 16-bit desktop microcomputer, directly to Fortune 1000 companies. You must have a successful sales track record in a microcomputer hardware and software support environment, and the enthusiasm and initiative to contribute to our goal.

Technical Support Persons

Support business applications software, both third-party and internal; communications; graphics; operating systems; general accounting and word processing packages for end users and dealers. Good verbal communications skills necessary. BSCS and at least 4 years experience in a similar environment required. Support languages include BASIC, COBOL, Pascal, FORTRAN.

Our goal is to build the third largest computer company in the world. We're off to a fast start with the Victor 9000. We have the commitment of Victor's experience, stability and financial strength.

Come join us! Call or write Ian Reay at Victor Technologies, Inc., 5321 Scotts Valley Drive, #102, Dept. B-5, Scotts Valley, CA 95066. (408) 438-1144. We are an equal opportunity employer.



Take the New **Encyclopedia of Computer** Science and Engineering an \$87.50 value for only

when you join the Library of Computer and Information Sciences.

You simply agree to buy 3 more books
—at handsome discounts—



This up-to-date Second Edition contains:

- Over 1,870 pages of revised, expanded, and updated text
- 550 articles on virtually every aspect of the computer aciences
- Written by 301 distinguished authorities
- Over 500 photos, and over 250 diagrams, graphs and charts

ust published, the ENCYCLOPEDIA OF COMPUTER SCIENCE AND ENGINEERING is the most complete computer information resource available. Indispensable to consultants, business people, data processing pro-fessionals, and enthusiasts, it is a veritable data base of information on:

- Hardware
- Softwere
- Programming languages
- Artificial intelligence
- Operating systems
- Computer applications
- Personal computing

and much more!

The Encyclopedie is organized to make finding and using its wealth of informetion an ease. Articles are alphabetically arranged and are cross-referenced to related articles and to specific subject

matter. The clear and expanded appendices include abbreviations, acronyms, special notation and terminology, as well as numerical tables, the mainstay of applied technologies. A complete 5,000-term index contains references to sub-categories, doubles as a computer science dictionary, and is an invaluable tool for locating specific information. An international glossary lists terms in five languages—English, French, Germen, Spanish and Russian.

Praise For the First Edition: Called "Impressive...comprehensive ... well done" by Datamation, and "...a reel treasure cache" by Business Management, the new Second Edition


promises to eclipse Computer Management's statement on the original of There isn't another book like it.

Send for your free 10-day trial look

The Library of Computer and Information Sciences is the oldest and largest book club especially designed for the computer professional. In the incredibly fast-moving world of data processing, where up-to-date knowledge is assential, wa make it easy for you to keep totally informed on all arees of the information sciences. In addition, books are offered at discounts up to 30% off publishers' prices.

Begin enjoying the club's benefits


The Encyclopedia gives you information on:



SPECIAL PURPOSE COMPUTERS

You'll see how computers can be designed and constructed to serve specific application purposes. There's information on configuration specialpurpose machines . . . industrial control computers directly connected to physical processes, along with an indication of the specialized subsystems they require...analog input...ultra-high availability computers, such as NASA's computer interconnection for the Space Shuttle.


There's also a look at pipeline and array processors...computational special-purpose computers...vector processors versus scalar processors ... algorithmic processors... parallel processors...associative processors ...plus a look at the future of specialpurpose architecture and the cost ustifications for these large, specialized machines.



PROCEDURE-ORIENTED

LANGUAGES
The ENCYCLOPEDIA offers an indepth look at both the advantages and drawbacks of procedure-oriented languages. There are discussions of compilers. Program transportability from computer to computer. Programming styles and techniques. Modular construction of programs. Subroutine handling, Tracing, Decisions and decision structures.


Furthermore, there are overviews of the major procedure-oriented languages in use today, including FDRTRAN...COBOL, with an example, ...ALGOL...PASCAL...PL/1...BASIC and APL. In addition, there is a discussion of the future of procedureoriented languages and a look at the new languages that are being developed for future use.



SMALL COMPUTERS

- Q. Where can you find a concise overview of the booming small computer field?
- A. The Encyclopedia shows you how microcomputers developed and how they may become even more powerful in the future. There are details on personal computing software packages and how new applications can be developed on small computers—including coverage of everything from financial software to speech synthesis to computer games.


Also spelled out are the basic functional units of a microcomputer...storage techniques such as bubble memory and magnetic diskettes...the use and application of microcomputers in controlling industrial processes...the small computer as an intelligent terminal...and much more.



OPERATING SYSTEMS

The Encyclopedia introduces a survey article on the features and functions of operating systems. You'll find fingertip access to details on CPU's, memory, and peripheral devices...I/O buffering, library routines, file handling, system logging...multiprogramming... memory protection and relocatability spooling and off-line processes.

Further topics covered include: an overview of commercially-available systems...system types (dedicated transaction, interactive, extensible)... multitask capabilities.,.interruptbased systems...task dispatching and control...file storage...distributed operating systems...and more.



DATABASE MANAGEMENT

The Encyclopedia examines database concepts...record types and their physical and logical relationships... structure diagrams...and optional relationships. You'll find coverage of generalized database management system (DBMS) software...network, hierarchical, and relational databases ...how DBMS facilities are provided... and ways in which designers can integrate separate applications in one database.

Further articles examine the role of the database administrator...the design and construction of distributed detabases which support computer networks...on-line database organization...new advances in database technology...and much more.

4 Good Ressons to Join


- 1. The Finest Books. Of the hundreds of books al the Finest BOOKS. Of the hundreds of books are submitted to us each year, only the very finest are selected and offered. Moreover, our books are always of equal quality to publishers' editions, never economy editions.
- never economy editions.

 2. Big Savings. In addition to getting the ENCY-CLOPEDIA OF COMPUTER SCIENCE AND ENGINEERING for \$2.95 when you join, you keep saving substantially—up to 30% and occasionally even more. (For example, your total savings as a Irial member—including this introductory offer—can easily be over 50%. That's like getting every other book free!).

 3. Romas Ronks. Also, was will immediately
- 3. Bonus Books. Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings up to 70% off the publishers'
- 4. Convenient Service. At 3-4 week intervals (16 nimes per year) you will receive the Book Club News, describing the Main Selection and Alter-nate Selections, together with a dated reply card. If you want the Main Selection do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card, and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want. we guarantee return postage.

if the reply card has been removed, please write to The Library of Computer and Information Sciences Dept. 7-852, Riverside, N.J. 68075 to obtain membership information and an application

Bring thousands of dollars worth of information home for only \$14.95!



The best reason to buy a computer. Packed with useful information—it's an absolute must for computer owners everywhere." - Gary G. Reibsamen, Vice-President of NewsNet Inc.

Your passport to the electronic universe-how to turn any personal computer or word processor into a communication/information machine of incredible versatility and power, even without a knowledge of programming. Here's just a sampling of what you get * How to select a modem and communications software * How to send electronic letters, telexes and MailGrams™ * Money-saving lechniques for using The Source, Dow Jones News/Retrieval, DIALOG BRS and more * Get Iree software! Download thousands of programs * Get privi-leged information from \$30,000 worth of newsletters * Get discounts of 10% to 40% by shopping on-line * Trouble-shooter's guide to problem-free communications * Hundreds of free computer bulletin boards (CBBS) * Access vast libraries (Library of Congress, N.Y. Times, magazines, and whole encyclopedias) * Get real-time computer games and tournaments * Electronic banking, investment management, and then barter * Get toll-free numbers, valuable short-cut commands * Get on-line advice from experienced users of your equipment.
Plus much more! In just two days you'll

see what this unique handbook can do for you-but we'll give you two weeks to decide. Send for your copy now; if you're not satisfied return it in two weeks for a full refund. Main Selection of The Small Computer Book Club Alternate Book-of-the-Month Club/Science Selection

Please send me___copy(iea) of The Compilete Hand-book of Personal Compilete Communications is \$14.95 paperback each. Please add \$1.50 per book to postage and handling. My check or money order is enclosed in the amount of \$_______) may examine the book for two week and, if not 100% satisfied, I can return it for a complete refund.

City Zio.

Listing 1: A complete listing of the BIOS needed to integrate a Winchester disk drive into a CP/M-based microcomputer.

CP/M MACRO ASSEM 2.0 4001 BIOS FOR A.S.C. ASSOC. HARD DISK SUBSYSTEM. 7/18/82 TITLE 'BIOS POR A.S.C. ASSOC. BARD DISK SUBSYSTEM, 7/18/82' COMBINED BIOS INDICATES WHERE THE USER IS TO OPDATE SPECIFIC SUBROUTINES IN ORDER TO MERGE HIS EXISTING CP/M BIOS WITH THE A.S.C. ASSOCIATES CUSTOM BIOS. COPYRIGHT (C) A.S.C. ASSOCIATES 1982 THIS BIOS USES THE DIGITAL RESEARCE CBIOS, DISKDEF LIB, AND SECTOR BLOCKING AND DEBLOCKING ROUTINES SUPPLIED WITH THE STANDARD CP/N 2.2 SOFTWARE PACKAGE AND IS THEN COMBINED WITH THE A.S.C. ASSOCIATES HARD DISK SOFTWARE DRIVERS. THROUGHOUT THIS CODE COMMENTS DELIMITED USING THE FOLLOWING PORMAT ARE TO BE CHANGED WHEN ADDING USER DISK ROUTINES. >>>> CONMENT <<<<< MSIBE :CP/M VERSION MEMORY SIZE IN SILOBYTES 003A # EOU 58 9800 -BIAS EQU (MS188-20) *1024 ;BASE OF BOOS ;BASE OF BIOS ;CURRENT DISK NUMBER 0~A,...,15-F CC00 = CCP FOU 3400H+BIAS CCP+806H B 105 CCP+1600B 0004 -COLSE 2011 DOGAH 0003 = 0001 = INTEL 1/0 BYTE IOBYTE EOU 0003H NUDISKE NUMBER OF DISKS IN SYSTEM ROU DORGIN OF THIS PROGRAM 220D ORG 8105 MSECTA (BIOS-CCP)/128 ; WARM START SECTOR COUNT 0020 -EGO VECTOR FOR INDIVIDUAL SUBROUTINES JUNP E200 C385E2 E203 C394E2 JHE MROOTE. JMP WROOT - WARM START E206 C3F3E2 JNP CONSOLE STATUS CONST CONSOLE CHARACTER IN E209 C3F6E2 JMP CONIN EZDC C3F9E2 C3PCE2 CONCUT JMP 220P LIST CHARACTER OUT E212 C302E3 E215 C305E3 JMP PONCH DUNCH CHARACTER OUT READER READER CHARACTER OUT JMP MOVE HEAD TO HOME POSITION E218 C308E3 E218 C30EE3 THE BOMP JMP SELDSK SELECT DISK E21E C32AE3 E221 C332E3 SET TRACK NUMBER SETTRK JMP SETSEC E224 C339E3 E227 C348E3 JHP SETONA SET DMA ADDRESS READ DISK JMP READ 22A C366E3 JMP WRITE WRITE DISK RETURN LIET STATUS E22D C3PPE2 JMP 8230 C341E3 JMP SECTRAN DUMNY LIST OF JUMP VECTORS, USED TO TRANSPER CALLS TO USERS PLOPPY IDISK SYSTEM. THIS TABLE IS OVERLAYED WITH THE USERS JUMP TABLE >>>> REMOVE THIS SECTION OF DUNNY JUMP VECTORS. <CCCC EZ33 0000C9 XBOOT: NOPINOPIRET COLD START E236 0000009 E239 000009 XWBOOT: NOP ! NOP ! BET XCONST: CONSOLE STATUS CONSOLE CHARACTER IN NOPINOPIRET NOP | NOP | RET E23C 0000C9 XCONIN: CONSOLE CHARACTER OUT E23F DODDC9 XCNOUT: MOPINOPIRET XLIST: NOP ! NOP ! RET E245 0000C9 XPUNCH: NOPINOPIRET PUNCH CHARACTER OUT KREADR: NOPINOPIRET TREADER CHARACTER OUT 224B 0000C9 XHOME: NOPINOPIRET NOVE HEAD TO HOME POSITION E24E 0000C9 E251 0000C9 SELECT DISK SET TRACK NUMBER KSLDSK: NOPINOPIRET XSETRE: NOP | NOP | RET NOPINOPIRET E254 000000 XSTARC: SET SECTOR NUMBER £257 0000C9 NOPINOPIRET SET DMA ADDRESS XSTOMA: E25A 0000C9 E25D 0000C9 XREAD: NOP! NOP! RET READ DISK XWRITE: WRITE DISK 2260 0000C9 RLSTST : RETURN LIST STATUS SECTOR TRANSLATE NOPINOPIRET E263 0000C9 XSCTRN: MOPINOPIRET NACLIB DISKOUP DISES DPBAGE 200 2266+= BASE OF DISK PARAMETER BLOCKS E266+000000000 DH XLTO, 0000H TRANSLATE TABLE DPEQ: DIRBUP, DPBO SCRATCH AREA E26A+00000000 DW E26E+B5E676E2 DW CSV0,ALV0 ; CHECK, ALLOC VECTORS 0,0,63,,2048,4896,612,0,1 E272+99E935B7 DW DISTORP E276++ DPRO EQU Wd DISK PARM BLOCK E276+4000 E278+04 64 : SEC PER TRACK BLOCK SHIFT BLOCK MASK EXTHT MASK DB 15 E279+0P DB DB 0 4895 R278+1P13 DW DISK SIZE-I 27D+6302 DW 611 IDIRECTORY MAX 2280+C0 192 : ALLOCI

An exact copy. Fax is the only system that sends it most anywhere in the world. Speed. Economy. Confidentiality. Fax puts it together like no other system can.

All you need to send hard copy overseas is a telephone and a facsimile machine. The same machine you may already be using domestically. The price of a Fax transmission is the price of a call. And our 1-minute overseas minimum makes it more economical than ever. See the chart for sample rates.

Send signed documents. Graphs. Pictures. Fax transmits an exact duplicate from your original. Sending them requires no special training or personnel. Send them any time.

Many terminals can receive without an operator. Send them with Fax. It's the only way for hard copy to travel.

Comming the

For a free brochure, call toll free 1800 874-8000 or write: Fax Facts, P.O. Box 397, East Brunswick, NJ 08816-0397.

TRANSMISSION	COST				
TIMES**	Std. Tel Rate (7am-1pm)	Dis Tel Rate (1pm-6pm)	Econ Tel Rate (6pm-7am)		
1 MINUTE	\$2.37	\$1.78	\$1.42		
3 MINUTES	\$5.03	\$3.78	\$3.02		
6 MINUTES	\$9.02	\$6.78	\$5.42		

*Similar attractive rates to other areas.

**Transmission times vary depending on type of equipment used.







LOW-COST

You can have a powerful sixuser WICAT computer with the acclaimed Motorola 68000 processor, hard disk and plenty of memory for only

\$12,850.

BUSINESS AVAILABLE

Integrated Accounting System General Ledger Accounts Receivable Accounts Payable Order Entry with Inventory Payroll

GOAG -

CHTRL

WECOT:

ULTRACALC Spread Sheet Integral Database MenuSystem

You can count on Concurrent after the sale as well as before. There's a telephone hotline for your convenience. On-site service is also available. And we are always ready to discuss your needs and particular applications.



Concurrent corporation 1870 Madison Road Cincinnati, Ohio 45206

(513) 281-1270

Listing I cont	inued:			
E281+0000		DW	0	CHECK SIZE
E283+0100		DW	1	OPPSET
0000+=	XLTO	EQU	0	INO XLATE TABLE
	3			
	3	>>>>>	ADD	YOUR HAND CODED OR MACRO GENERAT
	7	>>>>>	DISK	PARAMETER TABLES HERE.

UTILITY MACRO TO CONPUTE SECTOR MASK SMASK MACRO HBL# COMPUTE LOG2(HBL#), RETURN &X AS RESULT (2 ** 0X = HBLK ON RETURN) 2.1 自己的 HRC.Ir

CECCC

COUNT RIGHT SHIPTS OF BY UNTIL = 1 REPT EXITH

ENDIP BY IS NOT 1, SHIPT RIGHT ONE POSITION SET

ex she 1 SET ENDM

CP/M TO HOST DISK CONSTANTS *************** BLKSIZ 2048

0800 -; CP/M ALLOCATION SIZE 0100 = HETSIZ 256 HOST DISK SECTOR SIZE HOST DISK SECTORS/TRF HSTSPT EQU HSTSI2/128 ;CP/K SECTS/HOST BUFF HSTBLK * HSTSPT ;CP/K SECTORS/TRACK HSTBLK-1 ;SECTOR MASK 0002 -**HSTBLK** POU FECTOR MASK CONPUTE SECTOR HASK 0001 -SECHSK BOU

SHASK HETBLK ODOL -SECSHE EQU ; LOG2 (HSTBLK) K9

BOOS CONSTANTS ON ENTRY TO WRITE 70040 0000 = WRALL EOU 0 WRITE TO ALLOCATED 0001 -WRDIR EQU

WRITE TO DIRECTORY 0002 = EOU MRUAL ~~~~

> A.S.C. HOST INTERPACE TO KEBEC HARD DISK CONTROLLER CONSTANTS.

> > CONHAND CONTROL PORT

00A1 -QA1H QA2H ;DATA I/O PORT, ;BIT 5=1 PROM ON, BIT 5=0 PROM OPP ;CONTROLLER RESET PORT DATA EQU ASCPROM COAT . RSTPT EQU DASH WRTCHD 900A = BOU CAU SERVE COMBAND . 8000 FREAD CONTAND READCMD TRETREIVE ERROR COMMAND TSELECT DISK COMMAND TOMMAND/DATA DIT 0003 = ERRCHD EQU 0311 0001 -SELECT EQU 0111 CHDAT ROU 0211

0007 -0004 BUSY EQU + CONTROLLER BUSY BIT 041 0010 = REO REQUEST CONDAND RIT

INDIVIDUAL SUBROUTINES TO PERFORM EACH PUNCTION
;SIMPLEST CASE IS TO JUST PERFORM PARAMETER INITIALIZATION
RRA A ;2ERO IN THE ACCUM
STA CDIER ;SELECT DISK RERO
STA HSTACT ;HOST BUPPER INACTIVE. BOOT1 E285 AP E286 320400 E289 32A4E5

E28C 32A685 E28F D3A2 STA UNACHT CLEAR UNALLOC COUNT. OUT TURN OFF BOOT PROM ASCPROM

ADD ANY SPECIFIC SYSTEM HARDWARE INITALIZATION לכככב KEEKK CODE HERE (EG. USART INITIALIZATION CODE) E291 C3D2E2 ; INITIALIZE AND GO TO CP/H

SIMPLEST CASE IS TO READ THE DISK UNTIL ALL SECTORS LOADED

E294 AP E295 32A4E5 XRA HSTACT THOST BUFFER INACTIVE. STA E298 32A6E5 E298 318000 CLEAR UNALLOC COUNT. SUSE SPACE BELOW BUPPER FOR STACK UNACHT STA LXI SP. 80 H C.0 SELECT DISK O 2298 DE00 MVI SELDSK

B2A0 CD0EE3 E2A3 CD08E3 GO TO TRACK DO CALL HOME E2A6 062C E2A8 0E00

MVI B, MSECTS | B COUNTS | OP SECTORS TO LOAD
MVI C, B | C HAS THE CURRENT TRACK NUMBER
NVI D,1 ;D HAS THE NEXT SECTOR TO READ
NVI D,1 HAT WE BEGIN BY READING TRACK O, SECTOR 1 SINCE SECTOR 0
CONTAINS THE COLD START LOADER, WHICH IS SKIPPED IN A WARM START
LXI H, CCP ;BASE OF CP/M (INITIAL LOAD POINT) E2AA 1601 E2AC 2100CC

LOAD1 : LOAD ONE MORE SECTOR E2AF C5 E2BO D5 PUSII ; SAVE SECTOR COUNT, CURRENT TRACK ; SAVE NEXT SECTOR TO READ PUSH

Listing 1 continued on page 390

"SUPER SIX"

ITS POWER IS AWESOME!

- 6MHz Z-80B CPU
- S-100 IEEE-696 Compatible
- 6MHz Z-80 SIO, PIO
- 128KBytes Bank Selectable RAM
- Floppy Disk Controller, Simultaneous Operation of 5-1/4 and 8-inch Drives
- DMA Controller
- CTC Interrupt Clock
- CP/M* 3.0 (Plus), TurboDos* and MP/M II* Compatible

We ASTONISHED the industry when we introduced SUPER QUAD*, the first single board S-100 computer. Now you're going to be AMAZED when you discover "SUPER SIX"TM. It's power, it's speed, it's AWESOME.

The SUPER SIX runs 1-1/2 times faster than any other S-100 computer available today. 128KBytes of RAM with DMA is standard. So is simultaneous operation of 5-1/4 and 8-inch

floppies. No more worries about non-standard 5-1/4 inch formats.

Combine the power and speed of the SUPER SIX as the Master and the proven performance of SUPER SLAVETM processor boards, and you've got a multi-processor, multi-user system that is nothing short of AWESOME.

SPEED UP WITH SUPER SIX...see the SUPER SIX at your quality local dealer or contact:

389

*CP/M and MP/M are trademarks of Digital Research Corp

TurboDos is a trademark of Software 2000 Inc.

SUPER SIX, SUPER QUAD, and SUPER SLAVE are trademarks of Advanced Digital Corp.



12700-B Knott Avenue Garden Grove, California 92641 TEL: 714-891-4004 TELEX: 678401 TABIRIN

"VISIT OUR OPEN HOUSE DURING NCC 8:30-5:00 PM DAILY MAY 16-19, 1983"

MTACTIC DDICECUII
INTASTIC PRICES!!!! DIGITAL DIMENSIONS
A 0 COL., 80 CPS
03.4K & 200 Sprint
RONICS 10100 CPS, 2.3K BUFFER \$409 15\$519
Col. 120 GPS, Parallel
RONA CPB \$549
n Microfazer illet to Parallel, \$189 illet to Parallel\$199
S Color I
ES Peripherals Plus
BM P.C. nwriter 355033CPS \$2,045 in Quadboard w/64k \$469 in Quadboard w/128K \$519 in Quadboard w/192k \$609 in Quadboard w/256k \$699 arlo Card 64K \$429
R BOARD Apple II or Apple II Plus. demo software and OR Editor \$199 tems \$279
lext-to-apouch synthesizer. rakist interface included
ITAL DIMENSIONS
el Rd., Manchester, CT 06040

	ng 1 contin	*******	JNE	WBOOT	FRETRY THE ENTIRE GOOD IT AN ERROR OF URA
		‡ 7			TO NEXT SECTOR
E2C3			POP 1	D .	TRECALL DAY VIDERES
	118000		DAD	D, 128	TOWA-DWA-128 THIS IMA ADDRESS IS IN N. I.
E2CE			POP	n n	PRECALL SECTOR ADDRESS FROM THE CHEREST THE
E2C/			DCR	gocian N	FREETORS-SECTORS-1 FALL HAVE THEN GRADED
EZCE		;	INR	U CONTAIN	traveller of the H. Wei inskt picke bridling
	C3APE2		JMP	LOAD1	; LOAD MORE BOOS CODE
		GOCPHE			
Bana	3 BC3	7	END OF		NATION, SET PARAMETERS AND GO TO CF/M 1C3 IS A JMP INSTRUCTION
E204	320000		STA	0	FOR JMP TO WEGOT
	2103E2 220100		LXI	H, WBOOTT	: ; ; wboot entry point ; set address pield for Jup at 0
Pani	320500		STA	5	FOR JMP TO BOOS
EZE(2106D4		LXI	H,9DOS	BDOS ENTRY POINT
	220600		SALD	6	ADDRESS FIELD OF JUMP AT 5 TO BOOS
	018000 CD3923		CALL	B, 80H Setona	DEPAULT DNA ADDRESS IS 80H
			LDA		AND ALICEPIE DANG MINISTER
E2EI	3A0400 4P		VON	C,A	GET CURRENT DISK NUMBER SEND TO THE CCP
E350	C300CC		JMP	CCP	1GO TO CP/A FOR FURTHER PROCESSING
		2	14370	THE DATE	MATTER CTURED T/A DOMINISTO WHOM BY 2222
		3 7	>>>>>		OWING SIMPLE 1/O ROUTINES MUST BE <<<<
		CONST:	CONSO	E STATUS	RETURN OPFH IP CHARACTER READY, OOH IF NOT
E2F	C339E2		JMP		SENT TO USER JMP VECTOR
		3		E 500010	and the second second second
2276	C33CB2	CONIN:	JAP		FER INTO REGISTER A SEEND TO USER JMP VECTOR
		3			
		CONDUT:			TER OUTPUT PROM REGISTER C
E2P	C339E2	3	JMP	XCNOUT	; SEND TO USER JMP VECTOR
		LIST	-1.1ET ("HADA"#PD	FRON REGISTER C
EZP	C342E2	2105.	JMP		SEND TO USER JMP VECTOR
		Listet:	RETUR	H LIST ST	ATUS (O IP NOT READY, 1 IP READY)
E2PI	F C360E2		JMP	XLSTST	I SEND TO USER JMP VECTOR
		PUNCH:			R FROM REGISTER C
DJU.	2 C345E2	7	JMP	KPUNCH	; SEND TO USER JMP VECTOR
		READER:	READ (CHARACTER	INTO REGISTER A PRON READER DEVICE
E30	5 C348E2	,	JHP		SEND TO USER JMP VECTOR
		7			the extra factor
		7	POR NO	W, WE WILL	THE DISK FOLLOW L SIMPLY STORE THE PARAMETERS AWAY FOR USE
		7	IN THE	READ AND	WRITE SUBROUTINES
		BOME:			ACK 00 POSITION OF CURRENT DRIVE
E30	010000	7	TRANSL,	B, Q	CALL INTO A SETTRE CALL WITH PARAMETER OF
E30	B C3ZAE3	7	JMP		WE WILL MOVE TO DO ON PIRST READ/WRITE
		F			
		seldsk:	; SELEC	r DISK	
	E 79 P 3298E5		YOU	A,C SEKDSK	; selected diek number , seek diek number
E31	2 OD		DCR	C	LOAD ALTERNATE DRIVE
E31.	B7 C24EB2		ORA JRZ	x SLDSK	GO BELECT ALTERNATE DRIVE
	7 DC 8 210000		LXI	B. 0000	RESTORE HARD DISK NUMBER LOAD ERROR CODE
E31:	PEO1		CPI	NUDISKS	CHECK AGAINST MAX 1 DISKS
E31	E 6F		RNC HOV	L,A	, NO CARRY IF GREATER , DISK NUMBER TO HL
E31	P 2600		REPT	B, 0	MULTIPLY BY 16
			DAD	H	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	1+29		DAD	H	
	2+29 3+29		DAD	H	
	4+29 5 116682		DAD	D, DPBAS	E PASE OF PARK BLOCK
E32	8 19		DAD	b,urbaa	; BL DPB (CURDSK)
E32	9 69		RET		
		SETTRE		RACK GIVE	N BY REGISTERS BC
	A 60 B 69		MOV	H,B	
	C 229CE5		MOV SHLD	L,C SEXTRE	TRACK TO SEEK
		8	>>>>	ENTER YO	UR SYSTEM SET TRACK ROUTINE HERE <<<<<
	E5		PUSH	11	; SAVE DHA ADDRESS
C.2 B.	CD32E3		HOV.	C,D Sétsec	GET SECTOR ADDRESS TO REGISTER C
E28	I CDAKES				I

It's True — We Did It!

We have met or have beaten most advertised prices.

Don't be foolish. Buy Direct!



HORIZON

- Multi User System
- Z80A Operating System
- S-100 Bus
- SMb-I8Mb Hard Disc Available

Super Super Super 52,495.00

NORTHSTAR

ADVANTAGE

- 64K, Z80A Operating System
- 2 Quad Capacity Floppy Drives
- Business Graphics Software
- 12" Green Phosphorus Screen
- Bit Mapped Graphics
- 6 I/O Business Slots

Super Super Super \$2,619.00



- Proportional Spacing
 B Character Styles
- 200 CPS Bi Directional Color Optional
- Sheet Feed Graphics

Prism 80 W/Sprint 5899.00
Prism 80 Loaded W/Color \$1,239.00
Prism 132 W/Sprint 51,039.00

Prism 132 Loaded W/Color 51,395.00



- Dot Graphics 144x144
- Correspondence Quality
- B Character Pitches
- I Year Warranty
- 8 Foreign Character Sets
- Serial Interface Standard

Model 910 200 Cps \$1,329.00

Model 920 340 Cps \$1,889.00



ALTOS ZENITH TELEVIDEO SANYO FRANKLIN HAYES NOVATION UDS OMNITEC VENTEL AMDEK BMC

TAXAN DIABLO NEC EPSON OKIDATA OSBORNE COMREX DAISYWRITER GTC ADDS DEC MANY OTHERS

For FREE Information and Price Quotes Call:

1-800-328-8905

In Arizona Call:

41) South Madison Tempe, Arizona 85256 (Mall Order Only)



Everything in computer related products:

- Computers
- Modems
- Printers
- Software
- Monitors
- Terminals
- AccessoriesPaper
- Ribbons
- Diskettes
- Office Furniture

Prices issed reflect a cash discount and are subject to change without notice. We welcome Certified and Cashiers Checks, Bank Wires and Money Orders. Allow 2 to 3 weeks for personal checks to clear. No C O D s. Product is subject to availability. Equipment is in factory sealed boxes with manufacturer's warranty. There will be a restocking charge for returned merchandise. Call first for an RMA number. Software not waranteed for suitability. No return of Software which has been opened. Add. 2% for shipping charges (minimum \$2.50).



COMPUTERS

I	(-Pro w/software	\$1649
	Superbrain Jr, S/S, D/D	\$1875
	Superbrain OD. D/S, D/O	\$2250
	Franklin Ace 1000,	\$1049
	NEC A.P.C.	Call

DISK DRIVES

Tandon 100-2 (IBM)	\$269
Apple Compatable w/cabinet,	\$239
Corona 10MB/IBM HD	\$1799
Corona 5MB HD , ,	\$1719

MONITORS

NEC JB1201 HI Res Green.	\$169	
BMC Green 12"	\$85	
Princeton Graphics R6B	\$629	
Taxan I R6B.	\$315	
Amdek Amber	\$159	

PRINTERS

Gemini 10 100cps.		\$359
Gemini 15 100cps		\$519
Okidata 92, 160cps		\$529
NEC 7710, 7730 _		\$2190
IDS Prism 132		\$1179
Daisywriter .		\$1099
Brother HR-1		\$829
Other Brands	1 1 1	Call

EXPANSION PRODUCTS

AST Boards 64k, Ser, Par	clock \$389
Mountain Computer	Call
Practical Peripherals	Call
Micro Soft	Call

MODEMS

Hayes	Smarlmodem _		\$219
Hayes	1200 baud modem		\$529

ORDERS ONLY 1-800-531-3133

INFORMATION: (206) 641-7233 Mail & Phone Orders Only. Prices reliect 3% cash discount. Sorry, no COD's.

13256 Northup Way #7 Bellevue, WA 98005

Listing I conth		
E286 C1 E287 C5		TALL DMA ADDRESS TO B,C
E2B8 CD39E3		DMA ADDRESS FROM B.C
	prive set to 0, trac	R SET, SECTOR SET, DAA AUDRES SET
E288 CD48E3	CALL READ	
EZRE PEOO	CPI DON /ANY	L BEROEZ!
	MAYBE THIS CALL IS FOR ANOT	
E32P C351E2	BETTER GO SET THE TRACK NUM JMP XSETRK	IBER
	1	
	SETSEC: (SET SECTOR GIVEN BY	Y REGISTER C
E332 79	NOV A,C	
E333 329EE5	STA SEKSEC	SECTOR TO SEEK
		FSTEM SET SECTOR ROUTING HERE. <<<<
	MAYBE THIS CALL IS FOR ANOT	THER DRIVE
2336 C354E2	BETTER GO SET THE SECTOR NU	JMBER
0330 (23402) ASISOC	
	SETDMA: SET DMA ADDRESS GIV	JPN RV RC
E339 60	HOV H,B	ama tra
E33A 69 E33B 22B3E5	MOV L,C SHLD DMAADR	LOAD DHA ADDRESS
	1	
		STEM SET DMA ROUTINE HERE. <<<<<
	# MAYBE THIS CALL IS FOR ANOT	
E33E C357E2	JUP ASTOMA	ESS .
233,24	1	
	SECTRAN: TRANSLATE SECTOR NU	IMBER RC
E341 3A9BE5	LDA SEKDSK	GET DISK NUMBER
E344 B7	ORA A	CHECK FOR HARD DISK
	; >>>>> CHANGE THE POL	LOWING JNZ XSCTRN CODE TO JUMP TO VECCO
	t >>>> Your System se	ECTOR TRANSLATION ROUTINE. CCCCC
E345 C263E2	JNZ XSCTRN	TRANSLATE OTHER SECTOR NUMBER
E348 60 E349 69	MOV L.C	
E34A C9	RET	
	1	
	****************	*****************
	* THE READ ENTRY POINT	TAKES THE PLACE OF
	1 THE PREVIOUS BIOS DE	

	READ:	
E34B 3A9BE5	read the selected of LDA Sekder	IGET DISK NUMBER
E34E B7	ORA A	TCHECK POR HARD DISK A:
	; >>>>> CHANGE THE FO	DLLOWING JNE XREAD TO JUMP TO YOUR CCCCC
) >>>> SYSTEM READ R	COUTINE, CCCC
E34F C25AE2	JNZ XREAD	READ ALTERNATE DISK
E352 AP	XRA A	***************************************
E353 32A6E5 E356 3E01	STA UNACHT	
E358 32B1E5	STA READOP	READ OPERATION
E35B 32B0E5 E35E 3E02	STA RSFLAG NVI A,WRUAL	TMUST READ DATA
E360 32B2E5	STA WRTYPE	TREAT AS UNALLOC
E363 C3D8E3	JMP RWOPER	1TO PERPORM THE READ
	******************************	*******************************
	* THE WRITE ENTRY POIN	T TAKES THE PLACE OF
	THE PREVIOUS BIOS DE	
	100000000000000000000000000000000000000	************************
	WRITE:	
E366 3A9BE5	;WRITE THE SELECTED LDA SEKDSK	CP/N SECTOR rGET DISK NUMBER
E369 B7	ORA A	CHECK FOR HARD DISK A:
	; >>>> CHANGE THE FO	DLLOWING JNE XWRITE CODE TO JUMP TO 44444
	1 >>>> YOUR SYSTEM N	DLLOWING JNE XWRITE CODE TO JUMP TO 44444 FRITE ROUTINE.
E36A C25DE2	JNZ XWRITE	WRITE ALTERNATE DISK
E36D AF	X RA A	O TO ACCUNULATOR
E36E 3281E5	STA READOP MOV A,C	INOT A READ OPERATION WRITE TYPE IN C
E372 328285	STA WATY PE	
E375 PED2 E377 C291E3	CPI WRUAL JNZ CHKUNA	TWRITE UNALLOCATED?
	1	
237A 3E10	WRITE TO UNALLOCATED MVI A,BLKS12/128	
E37C 32A625	STA UNACHT	
E37P 3A9BE5 E3B2 32A7E5	lda sekdsk Sta unadek	IDISK TO SEEK IUNADSK = SENDSK
E385 ZAPCES	LHLD SEKTRX	
E388 22A8E5 E38B 3A9EE5	SHLD UNATER LDA SEKSEC	JUNATRK - SECTRK
E38E 32AAE5	STA UNASEC	;UNASEC = SEKSEC
	CREUMA:	
		Listing 1 continued on page 394



TAKE WILLIAM

A LOAD OFF YOUR MIND WITH A FREE FINANCIAL PLANNING GUIDE FROM IDS.

Financial worries can spoil your appetite in a lot of ways. Interest rates fluctuate, tax laws change and inflation hasn't disappeared. Banks, brokers and insurance companies all seem to give conflicting advice. It's confusing. What you need is a carefully thought-out, completely objective plan that's flexible enough to work in the years ahead. And that's where IDS comes in. We're offering you a free guide to financial planning that explains what a financial plan is and how it can diminish your money worries.

An IDS representative can help you to achieve your financial goals. You'll be talking to a career professional who understands the importance of financial planning. Someone who will regularly review your progress.

And because IDS offers over 50 different financial products and services, you'll get timely ideas to help you reach your goals.

Begin taking a load off your mind. Send for your free 24-page guide to personal financial planning. Or call toll-free 1-800-437-4332.



	es, see th	nat I rece	ive my	free 24	page	guide	to
p	ersonal	financia	planni	ing.			
			_	-			

Name____

Ackinger

Cip. Salv. Zp.

Mail to: 112s, Dept. 583, 103s Traver, Minneapolis, MN 55-02. Or call toll-free 1-800-IDS-IDEA, that's 1-800-437-4332.

60-52-382-191-001-C

Listing 1 continued: Frames CHECK POR WRITE TO UNALLOCATED SECTOR E391 BAASES LDA UNACNT IANY UNALLOC REMAIN? 8394 B7 8395 CADDE3 ORA ALLOC SKIP IF NOT MORE UNALLOCATED RECORDS REMAIN JUNACHT = UNACHT-I DCR E399 32A6E5 E39C 3A9BE5 UNACNT I SAME DISK? LDA SEKDSK E39P 21A7E5 H, UNADSK SEKDSK - UHADSK? E3A2 BE E3A3 C2D0E3 CMP JN2 H ALLOC 30 Models of Enclosures DISKS ARE THE SAME E3A6 21ABE5 E3A9 CD73E4 CALL H, UNATRK Assembled and tested SEXTRACHP SEKTRK = UNATER? Quasi-Coax Motherboards ESAC C2D0E3 JNZ ALLOC SKIP IF NOT Power Supply TRACKS ARE THE SAME E3AF 3A9EE5 E3B2 21AAE5 E3B5 DE Card cage and guides SAME SECTOR? LXI H, UNASEC Fan, line, cord, fuse, power & reset switches CMP : SEKSEC - UNASEC? E306 C200K3 JNZ ALLOC SKIP IF NOT MATCH, MOVE TO NEXT SECTOR FOR PUTURE REP funasec = unasec+1 fend op track? fcount cp/m sectors fskip ip no overplow E389 34 E38A 7E INR HOV A.M E3BB P840 E3BD DAC9E3 CP1 ac NOOVE OVERFLOW TO NEXT TRACK E3C0 3600 MVI N. D :UNASEC = 0 E3C2 2AA8ES E3C5 23 LHLD UNATRK INX E3C6 22ABES SHLD UNATRK :UNATRK = UNATRK+1 . . NOOVP 1 8" Floppy Main/Frame MATCH POURD, MARK AS UNNECESSARY READ IN TO ACCUMULATOR E3C9 AF E3CA 32B0E5 XRA \$482 RSPLAG STA E3CD C3D8E3 JMP RWOPER TO PERPORM THE WRITE ALLOC: FROT AN UNALLOCATED RECORD, REQUIRES FRE-READ RRA 10 TO ACCUM EJDO AF BJD1 32AGE5 STA UNACNT : UNACHT = 0 1 TO ACCUM E3D4 E3D4 3C E3D5 32BQE5 INR RSPLAG 8" Disc Enclosure j. COMMON CODE FOR READ AND WRITE POLLOWS \$250 PENTER HERE TO PERFORM THE READ/WRITE E3D8 AP E3D9 32APES :ZERO TO ACCUM :NO ERRORS (YET) XRA A ERPLAG E3DC 3A9EE5 LDA REPT SEKSEC COMPUTE HOST SECTOR ; CARRY = 0 ; SHIFT RIGHT ORA RAR ENDM E3DP+B7 ORA A CARRY = 0 E3E0+1P \$525 83E1 32A3E5 STA SEKHST HOST SECTOR TO SEEK Phase 180 8" Floppy Mainframe ACTIVE HOST SECTOR? E3E4 21A4B5 E3E7 7E FX I H. HSTACT HOST ACTIVE PLAC A.N E3EB 3601 E3EA B7 ALWAYS BECOMES I WAS IT ALREADY? PILL HOST IP NOT MVI M, J DRA E3EH CA12E4 FILUST HOST BUFFER ACTIVE, SAME AS SEEK BUFFER? E3RE 3A9BE5 E3P1 219PE5 E3P4 BE LXI SEKDSK H, HSTDSK :SAME DISK? CMP | SEKOSK = USTOSK? E3P5 C20REA JN2 NONATCH SAME DISK, SAME TRACK? LXI H. HSTTRE 23PB 21A0E5 R3FB CD73E4 R3FE C20DE4 CALL SEKTRKCMP NOMATCH ; SEKTRE - HSTTRK? \$900 SAME DISK, SAME TRACK, SAME DUFFER? Phase/80 Desk + Mainframe E401 3AA3E5 E404 21A2E5 LDA SEKHST H. HETSEC : SEKHST = HSTSEC? E407 BE E408 CA2PE4 CHP Write or call for our MATCH ISKIP IF MATCH brochure which includes our ? ROMATCH: application note: ; PROPER DISK, BUT NOT CORRECT SECTOR "Building Computers -A Recipe" E40B 3AASE5 HOST WRITTEN? HSTWRT DRA E40P C47PE4 WRITERST CLEAR HOST BUFF CHZ ? Pilhet: ; MAY HAVE TO PILL THE BOST BUPPER LDA STA E412 3A9BE5 E415 329PE5 SEKDSK 8620 Roosevelt Ave. Visalia.CA 93291 E418 2A9CES LSILD SEKTRE 209/651-1203 E41B 22A0E5 E41E 3AA3E5 SHLD HSTTRK We accept BankAmericard/Visa LDA SEKHST E421 32A2E5 STA RSTSEC and MasterCharge

Our Prices Will Get Your Attention. Our Service Will Keep It.

TV-970 Televicideo 970. TV-9010 Second Page Option 912/920. TV-9051 One Additional Pages for 925/950. TV-9051 Three Additional Pages for 925/950. Tries Additional	
TELEVIDEO SYSTEMS	
TELEVIDEO SYSTEMS NE-3510-1 NEC-3510 spirmwifter R/O Serial JS CPS NEC-3510 spirmwifter R/O Serial Dioblo Comparilible 4925 Call Apple CP/M 51/4" Apple DOS — Cassette Apple DOS — Diskette Apple DOS — Diske	
TELEVIDEO SYSTEMS NE-3510-1 NEC 3515 spirwwitter R/O Serial Dioblo Compatible 1925 Call Apple DOS — Casette Apple DOS — Casette Apple DOS — Casette Apple DOS — Casette Apple DOS — Diskette Apple DOS — Call Atomic Cost Apple DOS — Diskette Apple DOS — Call Atomic Cost Atom	ABLE
Second Properties 1986 Second Properties 1995 Second Properties	
NE-3530-1 NE-3	
Integrated Single User	
Tilde Tild	
TS-802H Integrated Hard Disk Computer September Septembe	
NE-7740-1 NEC 7740-5 NEC	
TS-803 Computer Coll NE-774S-1 NE-774S-1 NE-774S-1 NE-774S-1 NE-774S-1 NE-774S-1 NE-774S-1 NE-772S-1 N	
15-1602G	
15-802/GH 16-81-802H Type	
TS-806-20 Multi-User Computer 7195 Coll	*******
TS-806-20 Multi-User Computer 7195 Call NE-7725-1 NE-7725-1 NE-7725-5 NE-7730-1 NE-7	
Is-816	
TV-910	
TV-910 Televideo 910	CALL
TV-912 Televideo 912C 925 685 737 745 TV-920 Televideo 925 995 745 TV-920 Televideo 920 TV-920 TV-	
TV-920	FOR
TV-955 Televideo 925	IOK
TV-970 Televicide 970 Coli	
IN-9010 Second Page Option 912/920	CURREN
12-920	
V-9051	PRICING
P-8480-15 80 Column Dat Martix Printer - Serial Printer - Seri	11101110
N-MM	
120 120	
For Any Televideo Terminal 700 53 Gemini-15 15" Carriage - Parallel 649 Call 58-806H/20 Televideo Terminal 790 Call	
TS-806H/20 TeleSolutions WordStar TS-TW Call Standard CP/M 8 S	
19-TW - CalcStat	
20 MB Expansion for TS-806 3600 2948 Porollel or Serial	
Telewriter - NEC 3500 2195 1629 OKID ATA TRS-80 Cossette Models I & III	
CIKITATA IRO-BU COSSINE MOCIES I IL III-11	14 4 4 2 9
INORTHSTAR	
OK-82A Oktdoto Microline 82A Televideo CP/M 5½	
NS-94404 Act-2G-64K Computer . 3599 Coll OK-83A Olddoto Microline 83A ., 1195 743 Wong CP/M 5% 8"	17 200m4 40
NS-97404 Adv-1G-64K-HD-5 OK-84A-P Oxidata Microline 84A Xasox 820 CP/M 51/1	
Computer 4999 Call Parallel 1305 Call November 1	** *** * * * *
NS-94401 Hz-2Q-64K Horizon 3599 Coll Ox.844.5 Objection Microtice RAA	
NS-97401 Hz-1Q-64K-HD-5M8 4999 Call Safet 1895 Call Polantir Word Processor w/Molfoul	. 450 Cc
PLUS OTHER NORTH-STAR PRODUCTS OK-G-82 Oktograph 1 for 82A 99 45 For use with Apple II (64K) CPM	. 350 Cc
OK-G-83 Okigraph i for 83A 99 45	
CK-2K 2K Buffer/Sertol BD MAY SPECIAL	
CII Models 140 119 WIRL SECTAL	
ZENIIA	
MANNESMANN TALLY TELEVIDEO™	040
ZVM-121 Green Screen Monitor 160 99	710
7.10.CN 2.10 Terminol 155.00 895 672	
Alter Auto-Dia Idillato Antonio Day 320	
100 4400 MT1002 Potosial 200 CPS 1005 1461	00
Z-89-81 Z-89 Computer System 1995 Coll M17805 Sential - 200 CFS of 50 CFS 1995 Coll ONLY *555	30
Z-90-82 Z-90 Computer System 2799 2176 Milrouz Forcillot - 200 CFS	
2-04-1 2-04 Mio living to 144 Trans Fard 140 Cos and 900 9 4 2MICHODIS FULL	lations
2.90-80 Z-90 w/o Integral Drive 2895 1930	
2-37 2-37 Duot 5" Disk Drives 1995 1593 PLUS: MORROW • ALTOS • EAGLE • 4 Strappable Lan	quages

GUARANTEE

999

5005

3405

898

898

4747

Cali

PROVEN PRODUCTS

Z-87-89

Z-87-90

Z-47-DA

75-67

- SYSTEM DESIGN HELP
- BENCH TESTING AND CONFIGURING
- TECHNICAL SUPPORT STAFF

ZB7 Dual 5" Disk Drives ...

Z47 Dual 8" Disk Drives ...

Same Disk add 400K

Floppy Drive

SERVICE AFTER SALE:

(800) 854-7635 TECHNICAL SERVICE SUPPORT We will pay the freight — both ways — for repair on verified returns within 30 days of sale.

TERMS AND CONDITIONS

Prices change daily. Call for current pricing and availability. Prices based on piepaid adsh orders. We accept coshies checks, money orders, bonk wires, or personal checks (10 days to order), COD — standard charges plus 2% handling for orders outside California. Mastercharge & Visa — 5% handling. California residents add state and local sales to.



PLUS: MORROW • ALTOS • EAGLE •

NEC PERSONAL • ANADEX • C-ITOH

DIABLO • COMREX • TOSHIBA

ALBO AVAILABLE: MODEMS . DISKETTE STORAGE BOXES .

DISKETTES . CLIPSTRIP . RIBBONS

These prices prepared 3/83 Prices change daily -

Up to 19.2 boud

8×10 character set

call for current pricing and shipping charges.



800-854-7635

(619) 562-7571

AUTOMATED EQUIPMENT, INC.

8775 Olive Lane, Suites I & J - Santee, CA 92071



IN CALIFORNIA CALL:




Epson MX70/80 Cartridges



Reloads \$2.50 each Min. 12 \$30.00 a Doz. of Same Color Cariridges and Reloads Available in Black, Red, Green, Blue, Brown



B.T. Enterprises Dept. 15C 108 Carlough Rd. Bohamia, N.Y. 11716



& T. Britistprises is a division of Bi-Tech Enterprises inc

Circle 74 on inquiry card.

Created at AdT in 1886, ELIZA has become the world's most celebrated erbitical intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyses each statement as you type if in earther responde with her own opinimals or question—and her remarks are often startlingly appropriate.

idential its run on a large metricance, ELSA has hitherto been reliable to personal computer users except in greatly stripped are versions laceting the sophistication which made the original grams as seatmenting.

Order your copy of ELIZA today and you'll never again wonder how to respond when you has seemone say "Okey, let's see what this computer of yours can actually dop"

ELIZA IS AVAILABLE IN THE FOLLOWING DISK FORMATS:

- Standard 6 such single standary for all CPAS based computers \$35 for ELIZA COM add \$28 for Microsoft BASIG-60 Source
- 5% wich CPVM for Apple II manapped with Z-80 SoftCard \$35 for ELIZA COM and \$20 for Microsoft BAMC-80 So
- 5% arch for ABIC Apple II with Appleant RIGH and DGS 2.3 528 for Protected File add 530 for Appleant Source
- 5% such for Bulk 1956 Personal Computer \$25 for Protected Fire add \$30 for 1956 Ctsh, SASSC Source
- B.5. High Ster Chapters: I Microscopyster \$25 for Protected Frin add \$20 for Microsoft SASRC-80 Source

ARTIFICIAL INTELLIGENCE RESEARCH GROUP
RY NORTH LA JOLLA AVENUE
LOS ANGELES, CALIFORNIA 80048
NEA'
LIST 565-7300 (213) 848-2214
MC, VISA and CHECKS ACCEPTED





Circle 46 on inquiry card.

51/4" Floppy Disk Drives

(Direct IBM® Plug-in)

TANDON Model TM 100-1 \$189" es. TANDON Model TM 100-2 \$249" es. 12" Green Phospher Zenith Monitor \$109" es.

IBM EXPANSION BOARDS

64K	Memory	9	,			4	*	*	4	+		18	3	27	5°	88.
128K	Memory		,										\$	37	5*	68,
192K	Memory					4							\$	45	0.	ea.
256K	Memory	4				-				*		4	\$	510	0.	ea.
	y Contro															
	System B															
	VISA or C															
or mo	ney order	. 4	A	ri	12	91	18	18	15		FI	88	ide	enl	ts	bbs

For information or orders, call 501-777-9859

G-H Computer Systems, Inc. P.O. Box 871 . Hope, AR 71801

· Plus Shipping

Listing I conti	nued:				
E424 3ABOES E427 B7		LDA ORA	RSPLAG A	HEED TO READ?	
E428 C487E4		CNZ	READHST	TYES, IF 1	
E42B AP E42C 32A5E5		STA	A HSTWRT	10 TO ACCUM 1NO PENDING WRITE	
	HATCH:				
	HILL	COPY	DATA TO OR F		
E42P 3A9EE5 E432 E601		LDA ANI	SECMSK	MASK SUFFER NUMB	
E434 6P		VOM	LA	READY TO SHIFT	
R435 2600		REPT	B, 0	DOUBLE COUNT SHIFT LEFT 7	
		DAD	ä	,	
E437+29		DAD	H		
E438+29 E439+29		DAD	H		
E43A+29		DAD	H		
E43B+29 E43C+29		DAD	A H		
E43D+29		DAD	H		
243E 11B5E5	r	LXI	D, HSTBUF	ST BUFFER ADDRESS	
E441 19		DAD	D	HL = HOST ADDRES	s
E442 28 E443 2AB3E5		LHLD	DMAADR	NOW IN DE GET/PUT CP/M DAT	A
E446 0280		IVN	C,128	LENGTH OF MOVE	
E448 3AB1E5 E44B B7		DRA ORA	READOP	WHICH WAY?	
E44C C255E4	7	JNZ	RWNOVE	SKIP IF READ	
	,			MARK AND SWITCH DIRECTIO	N
E44F 3E01 E451 32ASE5		MVI	A, 1 HSTWRT	BSTWRT = 1	
E454 EB		XCRG		SOURCE/DEST SWAP	
	RHHOVE	F			
		C INI	-	DE IS SOURCE, AL IS DES	T
E455 1A E456 13		LDAX	D	ISOURCE CHARACTER	
E457 77		MOV	A, K	TO DEST	
8450 23 8459 0D		DCR	E	LOOP 128 TIME	
645A C25584		JNZ	RMMOVE	I marks and i hearts	
	3	DATA H	AS DEEN HOVE	D TO/PROM HOST BUFFER	
E450 3AB265 E460 PE01		LDA	WATYPE WRDIR	WRITE TYPE	
E462 3AAPES		LDA	ERFLAG	110 DIRECTORY?	S
E465 C0	2	RNZ		ING PURTHER PROCES	SSING
	2			POR DIRECTORY WHITE	
E466 B7 E467 C0		ORA RNS	N	PERFORS?	
E468 AP		XRA	A months and	10 TO ACCUM	
E469 32A5E5 E46C CD7FE4		CALL	HSTWRT WRITEHST	BUFPER WRITTEN	
E46P 3AAPE5 E472 C9		LDA	ERPLAG		
2412 (3	1				
	1 =	******	*****	**************	
		UTILIT	Y SUBROUTINE	FOR 16-BIT COMPANE	•
	,	*****	********	*********	
	SEKTAKO		HEATEN OR	HOTEL PANTAGE MISH FO	rmb k
E473 kB		XCHG		HSTTRK, COMPARE WITH SE	N I M N
E474 219CES E477 1A		LXI	h , sektrk D	LOW BYTE COMPARE	
E478 BE		CMP	H	SAME?	
E479 C0		RNS LOW BY	TES EDUAL. T	RETURN (F NOT	
E47A 13	•	INX	D	HAWH 10	
E478 23 E47C 1A		LDAX	ft D		
E470 BE E47E C9		CMP		ETS FLAGS	
01/E UJ	,	ne.			
	1	*******	*********	************	
	2.9				
	74			THE PHYSICAL WRITE TO DEST READS THE PHYSICAL	
	7.4	DISK.	ANNIE MEN	December with Little Court	
			********	************	
	WRITEHS		W m jarkinen men	R S RECEIPTED - DESCRIPTION OFFICE AND	
		HETSE	C - HOST SEC	K #, NSTTHK = HOST TRAC T #. WRITE "DSTSIZ" DYT	KDK
				ETURN ERROR PLAC IN KRF -BERO IF KNROR	liAG.
E47F JEOA		HVI	A, WRTCHD	THOAD WAT	PE COMBAND
E4Bl CD8FE4		CALL	CONCODE	ISHNO COMMAND TO	CONTROLLER
	WRTBUPE		LOOP SENDS B	UPPER TO CONTROLLER	
E484 C3ECE4		JMP	OUTLOOP	; SEND OUT THE BUF	PER
	1				
	READHST		K = HOST DIS	K 0, HSTTRK - HOST TRAC	K A.
		RSTSE	C = HOST SEC	T . READ "HSTSIE" BYTE ETURN ERROR PLAG IN ERP	S
		IANTO	nasper Will K	PIONE BRANK FLMS IN EMP.	MINE .

Listing 1 continued on page 398



for a complete selection of microcomputer hardware, software and accessories.

Apple/Franklin
Hayes Smartmodem, Serial Card, Dow Jones Analyzar — or — Micromodem &
Dow Jones Analyzer Reg 779 NOW \$ 619
ASHTON-TATE D-Base II
ASPEN SOFTWARE Grammatik , \$ 60 Proofreader , 42
CONDOR III Dala Base , \$455
CONTINENTAL SOFTWARE Home Accountant\$ 65
CHARLES MANN Basic Teacher
*Visicalc Training \$ 45
DENVER SOFTWARE *Easy (Exec, Alt'g) \$ 535 Financial Pariner 188 Pascal Tutor 97 Pascal Programmer
DOW JONES Markel Analyzer , .\$279 Markel Manager 240 Microscope ,, 569
HOWARD SOFTWARE Real Estate Analyzer . , \$ 145 Tax Preparer '83 . , , 175
KRELL CO. Logo \$ 75
LINK SYSTEMS Datafax
MICROPRO Wordstar (Reg. CP/M) . 5Call Malimeroe
CalcStar
SuperSort
MICROSOFT Basic Compiler
OMEGA
Locksmith

PEACHTREE Peachpak 40 G/L + A/R + A/P (Special) \$ 359 Series 40
G/L, A/R. A/P ea
Peachcaic 279 Telecommunications . 279 PENGUIN SOFTWARE
Complete Graphics \$ 57 Graphics Magician , , . 48
TERRAPIN Logo \$ 135
VISICORP Visicalc
MISC. ISM Mathemagic ,
or Graph 112
CP/M
ASHTON-TATE *D-Base II \$ 450
SOFTWAREBANC D-Base User's Guide w/ D-Base Purchase\$ 15 w/o D-Base Purchase 20
COMPUVIEW V.Edil 8080 Z80, IBM PC\$ 130 V.Edil CP/M86, MS DOS 165
DIGITAL RESEARCH Pasqal Mt + W/5P \$389 MAC 85 SID (8000 Debugger) 65 2SID (280 Debugger) 90 CP/M 2.2 · DD 170 C Basic 2 125 PL/1-80 439
FOX AND GELLER Quick Screen \$ 125 Quick Code , 222 D-Util
MARK OF UNICORN "Final Word ,
MICROPRO *WordStar

computer	
MICROSOFT Basic 80 , , , , , , , , , , , , , , , , , ,	.\$ 275 . 289 . 345 550 150 . 199
OASIS 'The Word Plus _ + = + 'Punctualion and Style	.\$ 120 . 99
PEACHTREE *Peackpask 4 (G/L. A/R., A/P. (Special) General Ledger Series Accounts Receivable Series 4 Accounts Payable Series 4 Inventory Series 4 CPA Citent Write-up Senes 8 Modules each Peachtex! Pickles 8 Trout	4 399 399 399 399 799 425 350
PRO/TEM SOFTWARE *Footnote REVASCO Z80 Disassembler	
SORCIM Supercalc Trans 86	. \$ 225
STAR COMPUTER SYS G/L, A/P, A/P or Pay Legal Time, Billing , Properly Management	-\$ 350 845
SUPERSOFT Disproatic II.,	+ 84 + 299 + 225 + 120 + 400 + 400
IBM PC	
Pieses see CP/M Nation	las

"Please see CP/M listing in products with a "" " All pe grams with a "" will run o PCDOS.	·o-
Peackpak 4 (GL-AR-AP) 5 Graphic Software	35
"Charlman #"	34
Multiplan (Microsoft)	19
IUS EnsiWhiter II	19
IUS EasiSpeller	12
IUS Accounting Module	39
Alpha DataBase	
Manager	17

Alpha Mailing List	4 4	. in	85
Wooll Move It			125
Sorcim Spellguard			247
Lifetras Volkswrite	er .		145
Ecosoft Microsial			257
Northwest Statpak			397
Organic Software			
Milestone F + 1		. 2	269
Datebook II			269
*Microstuf Crosstali	k,		139
Copy il Plus			34
SYSTEMS PLUS			
I andied from me	en i		275

GAMES

Sir-Tech, InfoCom, Broder-bund Hayden etc.

Accessories/ Hardware

BOARDS	
APPLE/FRANKLIN	
CoProcessors 68 card . \$	795
Softcard (ZBC CP/M)	245
Applescope (your Apple	
as an Oscilloscope) .	595
Videx 80 Col. Board	247
Microsoft Premium Pak	599
Videx Enhancer I	149
K&D Enhancer	115
ALS Smarterm	379
ALS Z-card	269
Versacard	160
Bit 3 Dual Comm-plus .	209
18K RAM WIZARD	79
Microsoft 16K RAM	89
Echo II Speech	
Synthesizer	159
East Side Software	
Wild Card + -	110
IBM PC	
BYAD DS-1	
(64K, Z80, CP/M) 1115	599
Datamac 64K	399
Zedex Baby Blun	495
Quadram Quad Board ,	445
Quadrem 128K Ram	495

AST Combo + 64K w/se	rial
& parallel port	350
Hercules Graphics	
Board	555
Orchid Monochrome	
Grahic Adplr	432
QuCeS Big Blue sare	499
Vista Maxicard 64K	325
MISCELLANEOUS	
Percom Doubler II 3	167
Eventon I tobi Don	

Symtec Light Pen	
(APRICIT)	200
Microlazer BK Printer	
Buffer , . ,	135
Maynard Floppy Drive	
Controller w/Par Port	
(IBMPC) Prometheus (64K upgrade	229
	e)
Apple Surance	120
64K Upgrade	75

COMPUTERS Franklin/Televideo Nac/Xerox - Call for Price Information

	_
MONITORS & TERMINAL	.5
PGS RGB Color	Cul
Amdek Video 300	160
Amdek RGB Color	699
NEC 12" Hires Green .	158
Sanyo 12" Hires Green	199
USI Hi-RLS 12" Amber .	199
Zenith ZVM 12° Green .	115
MODEMS	
Novation Apple Cai II	\$ 269
Novation 212 Auto Cat	585
Hayes Smarlmodem	225
Hayes Smart Modem	
1200	520
Micromodem II	319
Marcon Channagerah	1300

US Robotics Auto-Dial (Full

Auto-Line (Auto Answer300/100	ŭ	1	,		399
RINTERS Épson FX-80 . ,	*		-		SCall
C, itch Starwriler	1				1450
C. Hoh Prowriter	1			ï	ABS
Generic Prowriter		ì.	į,		425
NEC 3530	ı	4	è		1850
NEC 3550 .		4	ï	,	SCall
NEC 8123A		*	į.	į.	489
Okidala Microline	8	2	A	¥	460
Okidala Microline	8	3	A		685
Parama DO traile and				. "	

Auto300/1200) 439

Dkidala Microline 83A , Posm 80 (w/4 options)	68
	139
	154
Smith-Corona TP-1 .	62
SK DRIVES	
Rana Elite I (AP II)	
(Special)	299
Rana Elite II	
Rana Elite III	550
Rana Controller (APII)	90
Micro Sci A35 (AP II) .	399
	-

. . . and many more!

CDC 1800

140

299

ORDER TOLL FREE - Outside WI - 1-800-826-1589

Please: * Wisconain residents - add 5% for sales tax.


- Add \$3.50 for shipping per software and small items Call regarding others.
- Foreign add 15% handling & shipping for small items & software.
- · Prices subject to change without notice.
- · All Items subject to availability

We welcome: - Visa, Mastercharge — (Add 4%)

- . Checks (Allow 1-2 weeks for clearing)
- COD (Add \$1.50 per shipment)

(IBM PC)

Working Hours: Mon.- Th. 8:30 - 5:30 . Fri. 8:30 - 6:30 . Sat. 10:00 - 2:00





5%" disk storage capacity without adding a drive.

Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 5%" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and doublesided, single and double-density, 8" and 5%" drives - simultaneously.



Controlled Data Recording Systems Inc. 7210 Claimont Mesa Shel., San Diego, CA 92111 (714) 560-1272

Circle 89 on Inquity card.

Micro Frame

has new life

New Sources of S-100 Bus

Mainframes & Disk Enclosures

Power Regulation meeting previous standards

Ann Arbor Terminals

60 Lines Display 48 Programmable Keys 1,499 prepaid

CALL FOR PRICES

MICRO MIDWEST

10205 W. 69 TERR. **MERRIAM, KS. 66203** 913-362-3462

Circle 299 on inquiry card.

Televideo USERS!

COGITATE Fast Dump/Restere System for TS 802H, 806.

· Back-up files twice as fast as PIP. Double the storage, up to 700K/diskette, with multiple diskette capability
 \$80.00

COGITATE Type Ahead With Print Screen

 Print key prints screen.
 64 character type ahead butter 590.00

TurboDGS · MULTI-USER

. SEMINARS \$250.00

CP/MP is registered trademark of Digital Research, Inc. TurboDOS is a registered trademark of Software 2000, inc. PLUS OTHER GOOD TELEVIDED STUFF!

COGITATE, Inc.

SPECIALISTS IN UNIQUE TELEVIDED SOFTWARE 24000 Telegraph Road, Southfield, MI 48034 (313) 352-2345 VISAMASTER CARD Accepted

Listing 1 continued:

E489 CD8FE4	C	A READ		GET READ COMMAND COMMAND TO CONTROLLER
E4BC C3FDE4		OUTINE READS	DATA INTO BUPP	ER THE DATA
Dide Carbei	1	I INDOOR	, none	and with
	CONCODE:	COMMON CODE P	OR READ AND WRI	TE TO CONTROLLER
E48F 3295E5	51	A CHOBYT	. STOP	E CONNAND BYTE
E492 3A9PES		A HSTDSK	; MOVE	DISK NUMBER TO BIT POSITION
	RJ	IDM	î	
E495+17		iL	F	
E496+17 E497+17	RJ RJ	-	7	
E498+17	RI	L	í	
E499+17 E49A E6E0	RJ Al		MAST	OPP HI ADDRESS DATA
E49C 3296E5	S	A CMDBYT	1 SAVE	IN COMMAND BLOCK
E49P 2AA0E5		LD HSTTRK		TRACK NUMBER 2 SECTOR/TRACK =# SECTORS
		AD R	i	
E4A2+29		IDM ID H	1	
B4A3+29	D/		1	
E4A4+29 E4A5+29	DI		,	
E4A5+29 E4A7 3AA2E5	D.		t .cpm	SECTOR .
BAAA SP	M	W E.A		UP FOR ADD
E4AB AP E4AC 57	XI M		1	
E4AD 19	Di	D D	; ADD	IN SECTOR NUMBER
E4AE 7D E4AF 329BE5	Mi St	A,L CNDBYT	3 SAVE	IN COMMAND BLOCK
E4B2 7C	240	W A,R	; MSB	OP ADDRESS
E4B3 329785 E4B6 3201	ES:			IN COMMAND BLOCK
E488 329925		A CMDBYT		SECTOR COUNT
E488 AP E48C 329AES	X.	A CMDBYT	5 ; DESE	ELECT HALP STEP OPTION ECT HALP STEP OPTION
EABP 2195E5 E4C2 CDCCE4	L	I H.CMDB	YTO :STAF	RT OF COMMAND BLOCK
E4C5 CDDFE4		LL SENDOM	CLEA	COMMAND BLOCK TO CONTROLLE.
E4C8 21B5E5 E4CB C9	L:	i H,HSTB	UP POIN	IT TO TRANSPER BUPFER
2402 03	ľ			
	SENDOND:	END THE COMM	AND BLOCK POINT	TO BY HL
E4CC CD11E5	CI	LL SELCT	: SELE	CT THE CONTROLLER
E4CF CD26E5 E4D2 0606		IL WAIT		FOR REQUEST
E4D4 7E	SENOCD:	·		COMMAND BYTE
E4D5 D3A1	Q	T DATA	; S END	IT TO CONTROLLER
E4D7 23 B4D8 05	11			BYTE TRACK
E4D9 C2D4E4	वा	Z SENDCD	1	
E4DC C32685	1 21	IP WAIT	7WALT	POR REQUEST
	CLRCHD:	LEAR CONNAND	DIOCK	
E4DP AF	X1	A A		ZERO
E4E0 0606 E4E2 2195E5	H\ L)		7BYTE	COUNT
	CLRCMD1:	i By Child	110 11018	T TO FIRST BITE
E4E5 77 E4E6 23	I)		7 CLEA	R DYTE
E4E7 05	DO	R B		COUNT
E4E8 C2E5E4 E4E8 C9	JI RI		l r	
	}	-	•	
	CUTTLOOP:	END OUT DATA	UNTIL C/D BIT	SIGNALS FINISH
		CNTRL	READ	STATUS
		I CMDAT	CHEC	K C/D BIT , CHECK POR KRHORS
E4EE E602	A) J2	CREBR		
E4EE E602 E4P0 CA2EE5 E4P3 7E	Al J2	H,A V	:GET	OUTPUT BYTE
E4EE E602 E4P0 CA2EE5 E4P3 7E E4P4 D3A1	Al Li NO Ol	T DATA	GET	OUTPUT BYTE CONTROLLER
E4EE E602 E4P0 CA2EE5 E4P3 7E E4P4 D3A1 E4F6 CD26E5 E4P9 23	A) 32 86 00 01 11	OV A,H OT DATA LL WAIT IX H	:Get :TO C ; requ ; next	OUTPUT BYTE CONTROLLER JEST BYTE
E4BE E602 E4PO CA2EE5 E4P3 7E E4P4 D3A1 E4F6 CD26E5 E4P9 23	Al JZ NC OU CJ	T DATA	:Get :TO C ; requ ; next	OUTPUT BYTE CONTROLLER JEST
E4BE E602 E4PO CA2EE5 E4P3 7E E4P4 D3A1 E4F6 CD26E5 E4P9 23	INLOOP:	T DATA LL WAIT IX H IP OUTLOOK	:GET :TO C :REQU :NEXT P :KESP	OUTPUT BYTE CONTROLLER SEST BYTE LOOPING
E4EE 8602 64P0 CAZEES 64P3 7E 64P4 03A1 64P6 CD26ES 64P9 23 64PA C32CE4	INLOOP:	T DATA LL WAIT R H LP OUTLOO	:GET :TO C ;REQU ;NEXT P ;KESP	OUTPUT BYTE CONTROLLER SEST BYTE LOOPING
E4EE E602 E4P0 CAZEES E4P3 7E E4P3 7E E4P4 D3A1 E4P6 CD26ES E4P9 23 E4PA C3ECE4	INLOOP: INLOOP: INLOOP: INLOOP:	NY A,M IT DATA LL WAIT K H IP OUTLOO READ DATA UNT C CNTRL II CNDAT	GET TO C REQUIRER NEXT KEEP IL C/D BIT SIGN READ CHEC	OUTPUT BYTE CONTROLLER LEST BYTE LOOPING MALS FINISH DETATUS K C/D SIT
E4EE E602 E4F0 7E E4F3 7E E4F3 7E E4F4 03A1 E4F6 CD26ES E4F9 23 E4FA C32CE4 B4FD DBA0 E4FF E602 E501 CA2EES	INLOOP:	NY A, M IT DATA LLL WAIT IX H IP OUTLOOK READ DATA UNIT I CHOAT I CHOAT I CHOAT I CROAT	GET TO C TREQUE REQUE REXT REXT REXT REXT REXT CHEC CHEC CHEC REXT REXT REXT REXT REXT REXT REXT REXT	OUTPOT BYTE CONTROLLER LEST BYTE LOOPING LALS FINISH STATUS E C/D BIT EX FOR ERRORS
E4EE E602 E4P3 7E E4P3 7E E4P4 D3A1 E4P6 CD26ES E4P9 23 E4PA C32CE4 B4PD DBA0 E4FF E602 E504 DBA1 E504 DBA1 E504 DBA1	INLOOP:	NY A,H IT DATA LL WAIT IX H IP OUTLOO READ DATA UNT CMTAL II CMDAT CKERR	;GET ;TO C ;REQU ;NEXT ;KEEP IL C/D BIT SIGN ;READ ;CHEC ;CHEC ;READ ;TO H	OUTFOT BYTE CONTROLLER LEST BYTE LOOPING LALS FINISH DETATUS EX C/D BIT EX FOR ERRORS DETATUS LEMONY
E4EE E602 E4P0 CAZEES E4P3 7E E4P3 7E E4P4 D3A1 E4P6 CD26ES E4P9 23 E4PA C32CE4 B4PD DBA0 E4PF E602 E504 CAZEES E504 DBA1 E506 77 CD26ES E507 CD26ES E507 CD26ES	INLOOP:	NY A, M TT DATA LLL WAIT IX H IP OUTLOOK READ DATA UNT CMTAL II CM	GET ;TO C ;REQU ;NEXT ;KEBP IL C/D BIT SIGN ;READ ;CHEC ;CHEC ;CHEC ;READ ;TO H ;REQU ;NEXT	OUTPUT BYTE CONTROLLER LEST BYTE LOOPING MALS FINISH DESTATUS EX C/D BIT EX FOR ERRORS DEVTE DEMORY LEST LOCATION
E4 EC DBA0 E4 EE E502 E4P0 CAZEES E4P3 7E E4P4 D3A1 E4F6 CD26 ES E4P9 23 E4PA C3 ECE4 B4PD DBA0 E4FF E602 E501 CAZEES E504 DBA1 E506 77 E507 CD26 ES E50A 23 E50B C3PDE4	INLOOP:	NY A,M T DATA LL WAIT X H LP OUTLOOK READ DATA UNT CNTRL I CMDAT CREAR DATA NY M,A LL WAIT	GET ;TO C ;REQU ;NEXT ;KEBP IL C/D BIT SIGN ;READ ;CHEC ;CHEC ;CHEC ;READ ;TO H ;REQU ;NEXT	OUTPOT BYTE CONTROLLER EST BYTE LOOPING MALS FINISH DETATUS K C/D SIT K FOR ERRORS DETATUS BYTE BEMORY EST
E4EE E602 E4P0 CAZEES E4P3 7E E4P3 7E E4P4 D3A1 E4P6 CD26ES E4P9 23 E4PA C32CE4 B4PD DBA0 E4PF E602 E504 CAZEES E504 DBA1 E506 77 CD26ES E507 CD26ES E507 CD26ES	INLOOP: INLOOP	NY A, M TH DATA LLL WAIT IX H LP OUTLOOK READ DATA UNT CNTRL II CMDAT CKERR DATA NY M, A LLL WAIT IX H SP INLOOP	GET TO C REQUI READ READ IL C/D BIT SIGN READ CHEC CHEC READ TO H REQUI RECUI	OUTPUT BYTE CONTROLLER LEST BYTE LOOPING MALS FINISH DETATUS EX C/D BIT EX FOR ERRORS DETATUS EX FOR ERRORS D
E4BE E602 E4PO CAZEES E4P3 7E E4P4 J3A1 E4P6 CD26ES E4P9 23 E4PA C3ECE4 B4PD DBA0 E4PF E602 E501 CAZEES E504 DBA1 E506 77 E507 CD26ES E50A 23 E50B C3PDE4	INLOOP: INLOOP	A A M T DATA LL WAIT IX H P OUTLOOK READ DATA UNT CNTRL II CMDAT CKERR DATA N M, A LL WAIT IX H INLOOP RESET THE XED	;GET ;TO C ;REQU ;NENT P ;KEEP IL C/D BIT SIGN ;READ ;CHEC ;READ ;TO H ;REQU ;NENT ;KEEP	OUTPUT BYTE CONTROLLER LEST BYTE LOOPING MALS FINISH DETATUS EX C/D BIT EX FOR ERRORS DETATUS EX FOR ERRORS D
E4EE E602 E4P0 CAZEES E4P3 7E E4P4 D3A1 E4P6 CDZ6ES E4P9 23 E4PA C3ECE4 E4PD DBA0 E4PF E602 E501 CAZEES E504 DBA1 E506 77 E507 CDZ6ES E508 C3PDE4	INLOOP: INLOOP: INLOOP: IRESET:	A A M T DATA LL WAIT IX H P OUTLOOK READ DATA UNT CNTRL II CMDAT CKERR DATA N M, A LL WAIT IX H INLOOP RESET THE XED	;GET ;TO C ;REQU ;NENT P ;KEEP IL C/D BIT SIGN ;READ ;CHEC ;READ ;TO H ;REQU ;NENT ;KEEP	OUTPOT BYTE CONTROLLER EST : BYTE LOOPING MALS FINISH DETATUS EX C/D BIT EX FOR ERRORS BYTE EMMORY EST LOCATION LOOPING

WILD HARE REPROGRAMS THE TORTOISE



MORE GREAT NEWS FOR DATA GENERAL USERS!

Speedy Hardware puts you out front. Our Enhancer Hardware series is designed to dramatically improve the overall response and throughput of your Data General systems. Designed to look like an incredibly fast disk drive to your operating system, it accesses its 1MB of data in 2.5 microseconds and transfers It at 2 megabytes/second. Make ICOS (CS/COBOL), RDOS and INFOS streak with a 30-day trial run. AOS/Enhancer available soon!

Productive Software wins the race! In the race for productivity, Wild Hare gives you that extra edge by multiplying the capabilities of your Data General system. Wild Hare's TSS operating system enhancements give Data General NOVA and ECLIPSE users the most from their system. TSS allows you to transform RDOS, ICOS (CS/COBOL) and INFOS into true multilingual, multi-user Time Sharing Systems.

This state-of-the-art system accommodates up to 26 users. Each user can independently edit, compile and execute programs using the language of his choice, like FORTRAN, ALGOL, BASIC, COBOL, Pascal, Assembler and more.

TSS combines RDOS, INFOS and ICOS compatibilities with AOS capabilities at a mere fraction of the cost. Try a 30-day trial run and get an even greater run for your money.

Wild Hare wins the marathon. Wild Hare has a new hardware/software scheme. It allows you to take advantage of the latest hardware and software technology, yet lets you preserve your valuable Data General user software investment. Our new "Hare Brain Scheme" is on the starting line, so watch for the latest solutions from Wild Hare. Our good ideas keep multiplying.

wild hare



Deluxe COMSTAR F/T PRINTER — \$299.00

The Comstar is an excellent addition to any micro-computer system. (Interfaces are svallable for Apple, VIC-20, Commodore-64, Pet, Atari 400 and 800, and Hewlett Packard) At only \$299, the Comstar gives you print quality and features found only on printers costing twice as much. Compare these features.

- BI-DIRECTIONAL PRINTING with a LOGIC SEEKING CARRIAGE CONTROL for higher through-put in actual text printing. 80 characters per second.
- PRINTING VERSATILITY: standard 98 ASCII character set plus block graphics and International scripts. An EPROM character generator includes up to 224 characters.
- INTERFACE FLEXIBILITY: Centronics is standard. Options include EIA RS232C, 20mA Current Loop. (Add \$20.00 for R\$232)
- LONG LIFE PRINT HEAD: 100 million character life expectancy.
- THREE SELECTABLE CHARACTER PITCHES: = 10, 12 or 18.5 characters per inch, 132 columns maximum. Double-width font also is standard for each character pitch.
- THREE SELECTABLE LINE SPACINGS: 8, 8 or 12 lines per inch.
- PROGRAMMABLE LINE FEED: programmable length from 1/144 to 255/144 Inches.

- VERTICAL FORMAT CONTROL: programmable form length up to 127 lines, useful for short or over-sized preprinted forms.
- FRICTION AND TRACTOR FEED: will accept single sheet paper.
- . 224 TOTAL CHARACTERS
- . USES STANDARD SIZE PAPER

if you want more try

Premium Quality COMSTAR F/T SUPER-10" PRINTER — \$389.00

More Features Than MX-80 For \$250 Less

For \$389.00 you get all of the features of the Comstar plus 10" carriage, 100 cps, 9 x 9 dot matrix with double strike capability for 18 x 18 dotmatrix. High resolution bit Image (120 x 144 dot matrix), underlining, backspacing, 2.3K buffer, left and right margin settings, true lower descenders, with super and subscripts, and prints standard, Italic, Block Graphics, special characters, plus 2K of user definable characters. For the ultimate in price performance the Comstar F/T Super 10" leads the pack!

WE HAVE THE LOWEST PRICES

We self to customers and you save the profit margin normally made by computer stores, department stores and distributors, we are willing to take a smaller margin to develop volume. WE LOVE OUR CUSTOMERS — OUR PRICES PROVE IT!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer falls within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge via United Parcel Service, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

15 DAY FREE TRIAL

OTHER OPTIONS

Extra Ribbor	18			×	×	4		*	4	+	w		*	+	ē		ø	_	1	5.95
Roll Paper H	olo	le	1	*			*		4							a				32.95
Roll Paper																				
5000 Labels																				
1100 Sheets																				

Add \$20.00 shipping, handling and insurance. Illinois residents please add 8% lax. Add \$40.00 for CANADA, PUERTO RICO, HAWAII, ALASKA orders. WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose cashiers check, money order or personal check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail available!! Canada orders must be in U.S. dollars.

PROTECTO

ENTERPRIZES (FACTORY DIRECT)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Phone 312/382-5244 to order

COMSTAR FIT

ABCDEFGHIJKLMNDFQRSTUVWXYZabcdefahijk lmn opgratuvwxyz 1234567890

ABCDEFGHIJKLMNDPQRSTUVWXYZabcdefshijklmnopqrstuvwxyz1234567890

SUPER-10"

ABCDEFGHIJKLMNOPGRSTUVWXYZ ABCDEFGHIJKLMNOPGRSTUVWXYZ 1234567890

VIC-20

(a real computer at the price of a toy)

COMPUTER AND SOFTWARE COMMODORE 64

(more power than Apple II at half the price)

\$300_00 FREE PROFESSIONAL

(when you buy the Commodore-64 Computer for \$595.00)

\$134₋00

(when you buy 6 programs)

You get the Commodore VIC-20 computer for only \$134.00 when you buy 6 tape programs on sale for only \$59.00. These 6 programs list for \$100.00 to \$132.00. You can choose one of three packs; 6 games pack, 8 home finance pack, or 6 small business pack. The VIC-20 computer includes a full size 66 key typewriter professional keyboard, color command keys, upperflower case, full screen editor, 16K level II microsoft basic, color, sound and music, real time, floating point decimal, easy to read self leaching instruction book, connects to any TV, includes console case.

33K COMMODORE VIC \$199.00 with 2% times more power

You get the ViC-20 computer plus we expand the total memory to 33,000 bytes to give you 2% times more programming power

41K COMMODORE VIC \$249.00 with 4 times more power

49K COMMODORE VIC \$299.00 with 5 times more power

49K COMMODORE VIC PROFESSIONAL WORDPROCESSOR \$299.

You get the powerful VIC-20 computer with expended memory - plus we add The Quick Brown Fox professional wordprocessor This combination gives you a 49K professional wordprocessor. (80 column formalling and mailmerge \$100 extra).

TRACTION FRICTION PRINTER \$299.00

Comstar F/T deluxe line printer, prints 8%x11 full size, single sheet, roll or (an lold paper, labels etc. 40, 66, 80, 132 columns, Impact dot matrix, bi- directional, 80 CPS.

60K MEMORY EXPANDER \$79.00

Sixslot - Switch selectable - Reset, button - Ribbon cable. A must to get the most out of your VIC-20 computer.

VOICE SYNTHESIZER \$79.00

Makes your VIC-20 talk, VOTRAX based plus leatures found only in \$295 versions.

TOP 10 ARCADE GAMES

Name Soper Paralizoper (Fantasis) \$40 \$19.95 Exterminator Plus 519.05 (Bellet Iban Continueto) Crickel (Better than Fragger) 515 BA Sneckmen (Beller than Packment) \$15.65 Galactic Crosslife Iyou in the mid 218 95 Anti-Matter Spietter (Nuclear Disasters 218 84 Bug Blast (Creecy) 214 85 Bombs Away (Great) 315 65 3 D Mare Escape \$14 95 Krazy Kono E14 95

BUY ANY FOUR - DEDUCT 10% MORE VIC 20 DOCCDAMMING AIDEU

	IC-20 PROGRAMMING	AIDS!!
	Infroduction to basic programming (manual and lapes)	\$22 95
•	Advanced basic programming (manual and logis)	22 95
	Programmers reterence manual (200 pages — you must have this!)	13.95
	Programmers easy reference card risolds hats drawings)	3.95
	VIC 20 Revealed (267 pages of VIC secrets)	11 96
	9502 Machine Language Assembler	24 95
•	IER Programming carridge (gives 400% more programming power —	79 00

Commodore 64 Computer

PROFESSIONAL SOFTWARE

Name	Sale
word processing pack	\$69 00
complete Data Base pack	
(includes Mailmerge)	\$69.00
Electronic spreadsheet pack	
(like visicalc)	\$59 00
Accounting pack	
(personal & business)	\$49.00
Programmers Helper	\$59.00
Programming Reference guide	\$18.95
Basic Tutor	\$19.95
Turnery Turky	\$19.95

80 column BOARD

80 characters per line on the screen at one time, includes word processing pack (list \$89.00), complete data base pack (list \$89.00). Electronic spreadsheet Dack (Hist \$89.00) ALL FOR ONLY \$275.

> We have over 300 Programs for the Commodore 64 Computer WE LOVE OUR CUSTOMERS

You get the extra powerful Commodore-64 computer (64,000 bytes RAM plus 20,000 bytes ROM). Full size 66 key typewriter keyboard, 320 x 200 high resolution graphics, text is 40 columns by 25 lines. 1000 displayable characters, 8 moveable spriles, programmable synthesizer (4 wave forms, full ASDR). In addition to these features we give you FREE PRO-FESSIONAL SOFTWARE VALUED OVER \$300.00.

PROFESSIONAL WORDPROCESSING PACKAGE

This wordprocessor is specially designed for the Commodore-64 utilizing the latest techniques. Allows powerful text editing capabilities without long hours of orientation or training. Complete oursor and insertidelete key controls are used. Block movement and/or duplication, line insertion and/or deletion, automatic centering, margin settings, tab settings, copy, disk or tape handling, and all printer types. Up to 99 continuous pages of text can be output to the printer. List \$89.00.

COMPLETE DATABASE PACKAGE

A user friendly data base system that makes information easy to find and store. You can add, change, delete, and search for data. Print the information on a printer in any format desired. When combined with the word processor pack you have a powerful merge program that allows custom documents and personalized mailing tiets. List \$89.00.

COMPLETE ACCOUNTING PACKAGE (Home or Small Business)

This general ledger program is perfect for small business as well as home. It utilizes a double entry bookkeeping system. You only need enter one transaction and the computer will handle the other. All accounts are user defineable and will build for t year, resulting in a file of all transactions by account number, month and year to date. Each month a current month's transactions can be viewed at any time (99 accounts 187 entries per month). With this accounting program you will be able to monitor your financial growth as well as your expenses. List \$59.00.

COMMODORE-64 PROGRAMMERS REFERENCE GUIDE

This is the in-depth guide that goes into the heart of the 64. All aspects of the basic and machine language are covered, (A must for anyone wishing to program the Commodore-84). List \$20.95.

LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY

• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashlers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars.

PROTECTO

ENTERPRIZES (WELOVEOUR CLISTOMERS)

BOX 550. BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Using IBM's Marvelous Keyboard

It's simple to change IBM's keyboard to the Dvorak layout or use the keyboard with other computers and software.

> David B. Glasco Murray Sargent III Optical Sciences Center University of Arizona Tucson, AZ 85721

Perhaps the most stunning feature of IBM's Personal Computer is its beautiful streamlined keyboard. Slim, solid, artistic, and versatile, it defines a new standard in keyboard design. Where did its unique layout come from, and is it superior to others? Can you obtain just the keyboard itself, and how can it be used with other computers? In this article, we'll study the IBM keyboard from the inside out to answer those questions. You'll see how to take full advantage of its power, and we'll show IBM Personal Computer owners a simple way to redefine the keyboard using the operating system. This will allow you to switch to the more efficient Dvorak keyboard layout, or to create your own layout that better suits special needs, such as entry of foreign-language and mathematical text.

Solidly built and with excellent tac-

Acknowledgments

We thank Mike Aronson, Curtis Feigel, Rick Shoemaker, and Mark Tiddens for helpful suggestions.

About the Authors

Murray Sargent III is a professor of optical sciences at the University of Arizona and an author of textbooks on laser physics and microcomputer interfacing. David B. Glasco, a microcomputer owner, is a senior at Canyon Del Oro High School.

tile feel, the futuristic IBM Personal Computer keyboard can rest on a flat surface or be inclined and is detached from the main case of the Personal Computer so you can move it around to suit your mood. The choice of characters includes the English letters, Arabic digits, complete ASCII (American National Standard Code for Information Interchange) punctuation characters, 10 specialfunction keys (labeled F1 to F10), three shift keys (Ctrl, shift, and Alt), two shiftlock keys (Caps Lock and Num Lock), and 15 "cursor/ numeric keypad" keys. One badly needed key that isn't provided is a key labeled "Help." What might be accomplished by typing a Help key depends on software, but user-friendly systems should support such a key. Because the IBM Personal Computer lacks this key, the use of F1 as the Help key is becoming standard procedure in a lot of software.

The Layout

A fair amount of controversy exists concerning IBM's placement of some keys-specifically the shift, backslash, carriage-return, and delete keys. The latter two are often thought to be a bit farther from standard positions than desired, considering the high use they are likely to get. The location of the backslash (between the left shift key and the Z key) is heavily lamented in the U.S.A. because touch-typists are used to finding one large shift key that starts in the backslash position. A point partially justifying IBM's choice is that it's symmetric. On standard keyboards, e.g., the IBM Selectric typewriter, the forward slash occupies the position between the right shift key and the period, so why not have the backslash intervene between the Z and the left shift key? Furthermore, the right little finger has to move the same distance to reach its shift key as the left little finger does to reach its on the IBM Personal Computer keyboard.

The design follows the German DIN (Deutsche Industrie Norm) standards, for which extensive ergonomic studies were made to determine the most comfortable way for people to type. The backslash (or some other) character is often found between the left shift key and the Z on European keyboards, so Europeans feel this is quite natural. At any rate, after a few hours of experience, the backslash no longer presents a problem for a touch-typist (and it never did for anyone else; if this placement really bothers you, the programs provided here show how to change the keys to any order you desire). In addition, the standards specify labeling the backspace, tab, shift, and carriagereturn keys with various arrows,

which is a bit confusing at first and presents typographical problems when one writes about these keys. Curiously enough, the IBM Personal Computer is only just now being marketed in Europe, despite the support of special foreign-language characters on the display screen.

Of Keyboards and Codes

IBM sells just the keyboard itself for \$279. But, as with other components of the Personal Computer, the keyboard has been "cloned" by other manufacturers; it is available from Key Tronic, of Spokane, Washington, for \$212, so you have more than one source for this kind of keyboard.

The Key Tronic version of the IBM Personal Computer keyboard has the same layout and comes with a variety of encoding options. One, called "IBM Personal Computer plugcompatible," works fine with the IBM Personal Computer. This particular model has small red indicators that light up when the Caps Lock or Num Lock functions have been activated. The keys have a very different feel from the IBM keys. As you press one of the Key Tronic keys, it offers almost no initial resistance, then when contact is made, it offers substantial resistance, thus giving a nice tactile feedback. If desired, you can continue to push down against this increased resistance until the bottom of travel is reached. With some practice, this keyboard requires less effort to type on than the IBM keyboard. In addition, it is less expensive and substantially quieter (you can type away while on the telephone without offending the other party), On the other hand, the keyboard doesn't feel or look as solidly built as the IBM version and lacks the IBM's convenient ledge that is useful for storing pencils and for supporting dust covers. Having used both fairly extensively, we prefer the IBM version somewhat but feel the Key Tronic is better than virtually any other keyboard we've used (and the people at Key Tronic would probably be willing to add a Help key).

One super feature of the IBM keyboard (and the Key Tronic clone) is that you can cause any key combination to create any code you want. To understand how this is done, let's examine the key-encoding scheme. The keyboard contains an Intel 8048 single-chip microcomputer that constantly scans all the keys. It sends out a serial pattern of bits (called the make code) when a key makes contact, and a similar pattern (the same pattern but with the high-order bit set, called the break code) when the

Like other components of the PC, the keyboard has been "cloned" by other manufacturers.

contact is broken. If the contact is present for more than 1/2 second, the keyboard sends out the make code repetitively 10 times a second.

Each key is treated identically by the keyboard; any key could represent a shift key, a number, or a special function. And, because the duration of the depression of a key is reported precisely, you can use the keyboard for playing music and simulating simple joysticks, in addition to the usual typewriter applications. Meanwhile, the main computer doesn't have to waste time monitoring and "debouncing" the keyboard-that's all done by the dedicated 8048 microcomputer. The penalty one pays for this completely general flexibility is that the main computer does have to translate the make and break codes into standard ASCII, but that seems a minor price to pay.

The Joy of Software

Because of the great flexibility of the keyboard, you're really limited only by software—specifically, by the operating system. In this connection, perhaps the most significant improvement of PC-DOS over the 8-bit versions of CP/M is run-time extensibility. You can run a program that defines or redefines some capability in the system and leave it resident until the system is reloaded. Furthermore, when PC-DOS is reloaded, it

automatically executes programs named in the AUTOEXEC.BAT file, so that you can bring up a substantially modified operating system with very little effort.

One example of run-time extension is the program in listing 1; it can redefine the keyboard to your specifications. The incoming make code or break code may be translated into any other make code or break code. so that any key can be made to play the role of any other. Then, if neither the Ctrl nor the Alt key is pressed. control is transferred to an appropriate point in the ROM BIOS (read-only memory basic input/output system) to finish the processing, translate the key's code into ASCII, or perform the function specified by the key.

If the Ctrl key is pressed, a couple of special values are checked to give meaning to Ctrl-uparrow and Ctrldownarrow combinations. For these cases, the jump into the ROM BIOS occurs after all ROM translation and just before the final bit pattern is stored in the keyboard buffer. If the Alt key is pressed, a second table lookup translates the code into any desired 8-bit value and jumps to the ROM BIOS to store the new code in the keyboard buffer. (It is easy to convert our Z80 translator in listing 2 to run on the IBM and bypass the ROM BIOS routine altogether; however, it requires somewhat more memory, so we prefer this hybrid version.)

For the sake of demonstration, the program is initialized to set up the infamous backslash key as a shift key and the cursor pad's minus key as the backslash key. In practice, we've decided we really prefer to leave these keys alone so that they do what they are labeled to do. When running the program, you can switch to a Dvorak key layout by typing a Ctrl-enter combination. (This layout was proposed by Dr. A. Dvorak and his associates after carrying out extensive research on the relative use and sequences of letters. In particular, they placed the keys A, O, E, U, I, and D, H. T. N. S under the left-hand and right-hand standard positions, respectively. Because these characters

Listing 1: This program takes over the IBM PC keyboard interrupt (INT 9), translating input codes to values given in the internal tables. Initially, the layout is changed as detailed in the text. Typing a Ctrl-Enter combination switches the computer to the Dvorak keyboard layout; a Ctrl-Esc combination returns to the initial layout. Ctrl-backtab, Ctrl-uparrow, and Ctrl-downarrow combinations are translated to O, U, and I for use with the Pmate screen editor. Certain uppercase and lowercase letters are given alternate values. Control is then passed to the ROM routines for further processing.

kb data	equ	60h	:Keyboard data port
kb_ctl	equ	61h	;Keyboard control port
data	segment	at 40h	
	org	17h	
kb flag	label	byte	;RAM keyboard flag byte (see Tech Ref Man, p. A-2)
data	ends		
cseg	segment		
assume	cs:cseg,d	s:data	
dvorak	db	3	;Dvorak flag
	org	100h	
start:	mov	dx, 5Ch	Set DS:DX to loc. 5CH in program prefix
	mov	al,9	;Set the keyboard interrupt (INT 9)
	mov	ah,25h	; to DS:DX via DOS function call
	int	21h	
	mov	di, dx	Move keyboard routine down so it starts
	mov	si,keyadr	; at loc. 5CH in program prefix
	mov	cx,keylen	; (saves space)
	imp	finish	

;Keyboard interrupt routine. Copy beginning of IBM PC ROM routine to ;allow easy jump to later ROM code

```
Save registers used
keybrd:
            push
                       aw
            push
                      bx
            push
                      CX
                       dx
            push
            push
                       Si
                       di
            push
            push
                       ds
            push
                       es
            cld
            mov
                       ax,data
            mov
                       ds,an
            Sti
                       al,kb data
                                    :Get key code
            in
            push
                       al,kb ctl
                                    :Restore keyboard
            in
                       ah,al
            mov
                       al.80h
            OF
            out
                       kb ctl,al
            xchg
                       ah,al
            out
                       kb_ctl,al
```

```
ah,al
            mov
                                    ;Save key code
End of copied ROM code. Start special translations
                       al,Offh
            cmp
                                    SommerO.
                       romkey
            jz.
                       di, tabadr
                                    ;Translate key code
            mov
                      cs:dvorak,28
                                    :Use Dvorak table?
            cmp
            Jnz.
                       keybr0
                       di, tabddr
                                    :Yep
            mov
keybr0:
                                    :Kill make/break bit
            and
                       al,7fh
            call
                       trans
                       ah,80h
                                    ;Break code?
            test
            inz
                       romky0
                       kb flag.4
                                    ;No. Ctrl key pressed?
            test
                       di,ctadr
            mov
                       altran
            įz.
                       al,28
                                    :Yep. Enter key? (Use Dvorak?)
            cmp
                       keybr2
            12
keybr1:
                      al,1
                                    :Escape key? (Leave Dvorak?)
            CMP
            inz
                      tran
keybr2:
                      cs:dvorak,al
            may
            imp
                       far ptr k26
                                    ;Restore regs and reti
altran:
                       kb flag.8
                                    :Alt key pressed?
            test
                      romkey
            Z
                      di,oaltle
            MOY
                       kb flag,43h ;Shift?
           test
                        tran
            jz.
                      di oaltuc
           mov
tran:
            call
                      trans
            inz
                      romkey
            imp
                      far ptr k61
romky0:
                      al.80h
           OF
romkey:
                       ah,al
            MOY
                      far ptr romadr
            gmi
;Translate routine. Replaces byte in string [di] by byte following
matched byte. Returns Z if no match found; NZ if match found.
trans:
                      al,cs:[di]
            CITIE
                      xfnd
            įΖ
                       ďi
            MC
                      di
            inc
                      byte ptr cs:[di],0
            CITE
            jnz
                      trans
                      al,al
           Of
            ret
                                    RNZ
xfnd:
                      al,cs:1[di]
           mov
```

:RZ

ret

pop

ax

2	į
	-
2	

Listing 1	continued:		
finish:	rep	movsb	
	mov	dx,di	;End program but leave keybrd resident
	int	27h	
table	db	43,42,74,43,0) ;backslash -> left shift, keypad> backslash
For a Dv	orak keybo	ard use	
cabled	db	16.40.17.51.1	18,52,19,25,20,21,21,33,22,34,23,46,24,19,25,38,26,53
100.00	db		32,18,33,22,34,23,35,32,36,35,37,20,38,49,39,31,40,12
	db	44,39,45,16,	16,36,47,37,48,45,49,48,50,50,51,17,52,47,53,44,0
ctable	db	15,15,72,21	, backtab -> 0, puparrow -> U
	db	80,10,0	**downarrow -> **)
altic	ф	30,132,46,13	5,18,130,49,164,24,148,22,129,23,161,51,174,52,175
	db		8.03.253.13.240.32,235.0
altuc	db	30,142,45,12	8,18,138,49,165,24,153,22,154,02,173,53,168,05,156
	db	41,247,13,24	1,32,127,0
keyend:			
cseg	ends		
rom	segment	at OfOOOh	;IBM ROM BIOS keyboard entry points
	assume	cs:rom	
	Org	0e9a8h	
romadr	label	far	;Perform all but initial processing
	org	0ea5eh	
k26	label	far	Restore registers and return
	org	0ea61h	
k1234	label	far	;Reboot (Ctrl-Alt-Del addr)
	org	0ec0ch	
k61	label	far	Store char in keyboard buffer and return
mon	ends		
keyadr	equ		erd - offset start) + 100h
keylen	equ		nd - offset keybrd
tabadr	equ		e - offset keybrd) + 5Ch
tabddr	equ	100000	ed- offset keybrd) +5Ch
ctadr	equ		le- offset keybrd) + 5Ch
oaltic	equ	1	- offset keybrd) + 5Ch
oaltuc	equ	(offset altu-	c - offset keybrd) +5Ch
	end	start	

Listing 2: KYBRD is a program to convert IBM PC keyboard codes, given by call to KEYR, into extended ASCII codes (returned in A with extension code in C). Standard keys work as they do for regular ASCII, with ASCII code returned in A and C equal to 0. If the Alt key is pressed, bit 7 of A is set. Special-function keys, TAB, BS, CR, and cursor-pad keys return a code in A (the ASCII code if relevant) with C equal to hexadecimal FE for TAB. BS and CR, and C equal to hexadecimal FF for all others. For these special keys, pressing Alt sets bit 7 of A, pressing Ctrl sets bit 6 of A, and pressing the shift key sets bit 5 (so that the numeric keypad works reasonably). The program includes the routines (starting with KEYR) to time the keyboard waveforms using a TRS-80 (printer-port pin 28). For practical use, one should use a UART to read the keyboard and preferably incorporate KYBRD as part of an interrupt-handling routine.

, Z80 , radix 16

comment 1KYBRD is a program to convert IBM PC keyboard codes given by call to KEYR into extended ASCII codes (returned in A with extension code in C). Standard keys work as for regular ASCII, with ASCII code returned in A and C=0. If the AIt key is depressed, bit 7 of A is set. Special function keys, TAB, BS, CR, and cursor pad keys return a code in A (the ASCII code if relevant) with C=0feh for TAB, BS, and CR, and C=0ffh for all others. For these special keys, AIt depressed sets bit 7 of A, Ctrl depressed sets bit 6 of A, and SHFT depressed sets bit 5 (so that numeric keypad works reasonably). The program below includes the routines (starting with KEYR) to time the keyboard waveforms using a TRS-80 (printer port pin 2B). For practical use, one should use a UART to read the keyboard and preferably incorporate KYBRD as part of an interrupt handling routine.

;Test program

START:	KOT	а	;Turn off shift bits
	ld	(SHIFT),a	
LOOP:	call	KYBRD	;Get next character
	or	C	:Test for null in c
	jr	z,LOOP3	;Display char alone if c=0
	inc	C	
	ld	c, "\$".	;Offh codes are displayed following "5"
	jŕ	z,LOOP2	
	ld	C, "#"	;0feh codes are displayed following "#"
LOOP2:	push	af	
	call	co	
	рор	af	
LOOP3:	ld	c,a	
	call	CO	
	jr	LOOP	;Continue

:Main decode routine

KYBRD:	call	KEYR	Get next code
	M	C,a	:Save it
	10	a	
	ret	2	
	res	7,a	:Turn off break bit
	ld	M,TAB1-1	Point to TABLE1
	Id	do	Clear d

	ld			1	ir	z,OTH2	
		e,a	;Index table		cp	Sa	:Test for code above uc letters
	add	hi,de	Get ASCII code		jr	nc,OTH1	:Go if above letter
	id	a,(hl)		i i	ld	hI,TAB2	Between "" and "=". Point to shift table
	łd	e,a	;Save key code			ata and a series	:Move lowest code to zero
			Ct. 4.7. Let 1	ľ	sub	c,RET	MOVE MINEST CODE to TELL
	ld	M,SHIFT	Check for shift keys		jr		5 1 1
	cp	83	;Alt key?		ld ld	d,O	Clear d
	ld	b,80				e,a	;Put code in e
	jr	z,SHF			add	hi,de	;Index table
	ср	82	;Ctrl key?		ld	a,(hl)	;Get shifted code
	ld	b,40		-	ir.	RET	A
	je	z,SHF		OTH1:	set	5,a	;Between "Z" and "a"
	cp	81	;Left SHIFT key?		je	ret	
	ld	b,2		OTH2:	ld	a,7e	;Shift *** to ***
	jr	z,SHF					
	ф	80	;Right SHIFT key?	RET:	ld	c,0	;Clear c (non-special char)
	ld	b,4	-		ld	HI, SHIFT	Point to shift status
	jr	z,SHF			bit	6,(hl)	;ls Ctrl on?
	J .				jr	z,RET1	
	bit	7,c	algnore break codes for shift locks		and	1f	Yep. Turn off bits 5 and 6
	jr	nz,RET3	, and all non-shift codes				
	Jr.	HE, ILE 13	, and an non-state codes	RET1:	bit	7, (hl)	ils Alt on?
	-	84	NumLock key?	156111	ret	Z	373 -102 4411
	kd CD	b.20	hamirock reli		set	7,a	Yep. Turn on high bit
				ľ	ret	. 140	Tardes Lance out suffer par
	jr	z,SHFL	.C I. I. I		ICL		
	CP .	85	;CapsLock key?				
	ld	b,1		;Process :	shift key	5	
	jr	z,SHFL					
				SHF:	bit	7,c	:Test for break
rocess r	non-shift	kevs		SHF1:	ld	a,b	
		•			jr	nz,SHFOFF	Reset shift bit if break code
	ср	1f	;Special char?		OF	(hl)	Set shift bit
	jr	c.SPEC		SHF2:	ld	(hl),a	;Update shift bits
	ср	7b	No. Letter?	RET3:	KOF	2	;Return a=0
	jr	nc,OTHER	pros accessi		ret	_	
	-	61		SHFOFF:	cpl		
	ср	C,OTHER		Janoir:	and	(hl)	;Turn shift bit off
	jr Id	•	:Yes. Check shifts		jr	SHF2	Go update
		a,(hl)			j.	34 H &	No shape
	bit	O,a	;CapsLock?	SHFL:	ld	- 6	Toggle SHIFT Lock keys. Load bit into a
	jr .	z,KYBRD1	Was Chile if white while I was a second	DULT:	_	a,b	Check bit in shift memory
	and	6	;Yep. Shift if neither shift key depressed		and	(hl)	, check on at start memory
	ld	a,e			jr	SHF1	
	jr	z,KYBRD2				and become	4.6
	jr .	RET	and the state of t	Process	TUNCTION	and cursor par	a keys
BRD1:	and	6	;No CapsLock. Shift key depressed?				At the should be a divided
	ld	a,e		SPEC:	ср	11	:NumLockable key (digit)?
	jr	z,RET			ld	a,(hl)	Get shift codes
BRD2:	res	5,a	;Shift character		jr	c,SPEC0	The state of the s
	jr	RET			bit	5,a	Yep. NumLock on?
					jr	z,SPEC0	10.000
HER:	ld	a,(h1)	Not letter, shift, or special		and	6	;Yep, Shift?
	and	6	Must be number or punctuation		ld	a,e	
	ld	a,e	;Shift?		ir	nz,SPEC2	
	jr	z,RET			je	SPEC1	:No. Convert to number
							:No Numlock. Shift?

	ld	a,e	
	jr	z,SPEC2	
SPEC1:	set	S,a	;Yep. Convert to number
SPEC2:	bit	6,(H)	;Ctrl on?
	jr	z,SPEC3	
	set	6, a	;Yep. Set control bit in code
SPEC3:	ld	e,a	;Save code
	ld	a,c	
	ld	c,0feh	;Load return code for TAB, BS, and CR
	СР	0e	;BS?
	jr	z,SPEC4	
	СФ	Of	;TAB?
	Īr	z,SPEC4	
	ср	1c	;CR?
	je	z,SPEC4	
	inc	C	:Offh is return code for all others
SPEC4:	ld	a,e	
	jr	RETT	Choose Alt bit and return

;TRS-80 waveform decode programs

DATA	equ	ofe	;Input port of keyboard (printer handshake port ; on TRS-80)
KEYR:	in	a,(DATA)	Get keyboard byte
	bit	7,a	is bit keyboard bit high (Change this bit check to the bit you are inputing the keyboard signal on)
	jr	nz, KEYR	:Try again if not high
	di		:Disable interrupts
	ld	b,22	
STALL:	djaz	STALL	:Stall until next bit is ready
	ld	c,6	
	1d	b,8	
GETIT:	îm	a,(DATA)	;Get bit
	ria		;Shift into carry
	nr	C	Shift carry into c
	call	DELAY	;Delay until next bit is ready
	djnz.	GETIT	;Read 8 bits
	ld	a,c	;Put code in a
	cpl		
	ei		;Reenable interrupts
	ret		
co:	ret		:Console display routine
DELAY:	id	a,b	
DELAYO:	dec	a	;Delay for 1 bit period
	je	nz,DELAY0	
	ret		
SHIFT:	db	1	;Shift byte: 80=CapsLock, B1=SHIFT, B2=SHIFT ;B3=, B4=, B5=Ctrl, B6=NumLock, B7=Alt

-comment *Key code translation table. Translates ASCII characters into ASCII, shift characters into codes 80-84 and special characters into codes 1-194. These codes are

further processed by the program. Key changes can be made by substituting desired translated codes for those in table. The appropriate table rows for the Dworak keyboard are given as comments following the table.

```
TAB1:
               :For key code value, add units and decade
:Key code units:
                0 1 2 3 4 5 6 7 8 9
                 Esc 1 2 3 4 5 6 7 8
        db
                  15, 31, 32, 33, 34, 35, 36, 37, 38 :00 (Code decade)
                9 0 - = BS TB q w e r
        db
               39,30,2d,3d,08,09,71,77,65,72 ;10
               t y u i o p | | CR Ctri
        db
              74,79,75,69,6f,70,5b,5d,0d,82 ;20
               asdfghjkl;
       db
              61,73,64,66,67,68,6a,6b,6c,3b
               1 ° SH 0 7 x c w h n
       db
              27,60,81,5c,7a,78,63,76,62,6e
               m , . / SH PS AL
        db
              6d, 2c, 2e, 2f, 80, 0f, 83, 20, 85, 01
              F2 F3 F4 F5 F6 F7 F8 F9 F0 NI
        db
              02,03,04,05,06,07,08,09,0a,84
                                             :60
              SL K7 K8 K9 K- K4 K5 K6 K+ K1
        db
              Oc, 17, 18, 19, 0d, 14, 15, 16, 0b, 11
                                             :70
              K2 K3 K0 Del
        db
              12,13,10.0e
                                              :80
```

-comment 1The Dvorak keyboard is given by substituting the following lines for the corresponding lines above (identified by the decade code at the end of each line)

```
9 0 - = BS T8 ' , . p
     39.30,2d 3d,08,09,27,2c,2e,70 ;10
db
      y f g c r l / [CR Ctrl
db
     79,66,67,63,72,6c,2f,5b,0d,82 ;20
      aceuldhtns
db
      61,6f,65,75,69,64,68,74,6e,73 ;30
      1 ° SH · ; q j k x b
db
     5d,60,81,7a,3b,71,6a,6b,78,62 ;40
      m w v z SH PS AL
                          CL F1
db
      6d,77,76,7a,80,0f,83,20,85,01 ;50
```

Shift table for punctuation and numbers follows

```
; ( ) * + , - . / 0 ; Char to be shifted TAB2: db 22,00,00,00,00,3c,5f,3e,3f,29 ; Shifts codes 27H (***)

1 2 3 4 5 6 7 8 9 : ; to 3dH (***)

db 21,40,23,24,25,36,26,2a,28,00

; < = db 3a,00,2b
```

Text continued from page 403:

occur more than 75 percent of the time in English text, this arrangement contributes to very efficient typing.) Entering a Ctrl-Esc combination returns you to the initial mode, so you can switch back and forth at any time. See figures 1a and 1b for a comparison of these two keyboard layouts.

You can also assign alternate values for a number of keys. For example, the alternates for A, O, and U

are Ä, Ö, and Ü. Similar translations are made for Spanish and French characters. The choices are dependent on values stored in the program, and so require a little work to change, but the program does show how to modify the keyboard output. In our technical word-processing system, we assign alternates that correspond to the characters on the IBM Selectric symbol type ball. Along with a screen character-generator change, this

allows you to edit mathematical text on screen. The program takes over the keyboard interrupt (number 17) accessed by PC DOS. Hence all standard software receives character codes set up by the routine (this method is very powerful). See the references for detailed information on these techniques.

Encoding

With this overview in mind, let's




Figure 1: Comparison of the standard layout (1a) and the Dvorak layout (1b) on the IBM Personal Computer.





Figure 2: Make codes, expressed in decimal. When a key contact is made, the keyboard transmits the corresponding code serially as an 8-bit binary number. The same code, but with the high bit set to 1, is sent when a contact is broken.

now consider the encoding scheme in detail. Figure 2 shows the decimal values of each key's make code. The corresponding code when the key closure is broken (break code) is the same code plus 128. In binary, this corresponds to setting the high-order bit of a byte to 1.

Internally the keyboard generates this bit stream using the Intel 8048 as diagrammed in figure 3a. Five output bits from the 8048 cause a datadistributor circuit to pull one of 23 normally high lines to a low level. A particular key connects one of these lines to one of four interrogation lines that run to a data-selector circuit read by the 8048. The 8048 scans the keyboard-switch array by continually checking the four lines one at a time to see if any are low. When it finds a closure, it waits a few milliseconds (ms) to let the contacts stop bouncing. The 8048 then stores the make

code in a buffer for transmission to the remote computer.

Similarly, if the 8048 notices that a key closure is broken, it stores the break code. The codes are sent out serially as described above. The 8048 also automatically repeats any key that remains down for longer than ½ second. The circuit in figure 3a includes a clock output line used by the IBM Personal Computer interface, reproduced in figure 3b, and an input






Figure 3: Interface circuitry used by IBM. Figure 3a is a partial diagram of the transmission circuitry used by IBM in its keyboard, as shown on page D-12 of the IBM Personal Computer Technical Reference Manual. The Personal Computer's keyboard input-port interface, from page D-10 of the manual, is shown in figure 3b.




Figure 4: Diagram of the serial bit stream generated by the IBM PC keyboard when a key is pressed. The graph shows the voltage output (pin 2) versus time, starting when the C key (code 46 decimal, or 00101110 binary) is pressed. The voltage levels are TTL-compatible. In the absence of transmission, the keyboard sends a 0-V level. Two +5-V (high) "start bits" define the start of a character. Eight bits follow, each lasting 0.1 ms, except for the last, which is slightly shorter.




Figure 5: Interface circuit for using the IBM keyboard with another computer. The 1489-type inverting buffer changes the signal levels from the keyboard for use with the UART, which then changes the serial data to parallel format.

reset line. (The reset line is toggled by the restart routines of the IBM Personal Computer, but it's not necessary. The Key Tronic keyboard does require toggling of this line to function. The effect is that you can disconnect your IBM keyboard and reconnect it with no problem, but you have to perform a power-on restart before expecting the Key Tronic keyboard to continue after unplugging it.)

You can unscrew the covers of either keyboard to examine the circuits inside. This is necessary to exercise the many options available inside the Key Tronic but, as far as the IBM goes, will only satisfy your curiosity about how the IBM looks—there's nothing to change. The Key Tronic options allow interchanging the codes of certain keys and other features. We prefer to implement most of these options in software rather than by modifying jumpers inside the enclosure.

Figure 4 represents how the IBM keyboard transmits a code serially. When no code is being sent, the output remains low (0 volts). To indicate the start of a code, the keyboard output line goes high for 0.2 ms. The 8-bit pattern then follows at 0.1 ms per bit, low-order bit first.

This serial encoding is similar to that used on standard serial terminals. For these, an LSI (large-scale integration) circuit called a UART (universal asynchronous receiver/ transmitter) is typically used to translate between the parallel and serial formats. One difference. however, is that the UART output stays high in the absence of character transmission—the opposite of the IBM Personal Computer keyboard. Also, UARTs start a character with a low signal for one bit period, whereas the IBM keyboard uses two high bit periods. But the IBM keyboard does send low-order bits first, followed by a parity bit.

Interfacing to Other Hardware

Fortunately, you can easily take care of these differences. Although IBM did not choose to do so, the serial output of the keyboard can be read using a UART, provided you invert the signal. The keyboard's output is, in fact, very close to the ElA's (Electronic Industries Association) RS-232C voltage convention: effectively, the voltage polarity of the bit stream is inverted by this convention: a 1 is represented by a signal in the range of -3 V to -15 V, while a 0 falls between +3 V and +15 V. This convention is so common that standard integrated circuits (ICs) are manufactured to convert UART levels to the RS-232C standard.

The 1489-type quad line receiver yields a high for any signal less than about 0.8 V, and a low for any signal greater than about 1.7 V. To use the IBM keyboard with an RS-232C serial port, simply use the connection shown in figure 5. The data-transfer rate is usually 10,100 bps (bits per second, slightly less than 0.1 ms per bit period) because the break bit is a little shorter than 0.1 ms in duration. Except for the breaks, 9600 bps would work fine.

The next problem is that the "start bit" from the IBM keyboard is 2 bit periods long (hence you must disregard what the UART perceives as the low-order bit). Meanwhile, 8 significant bits follow, but the UART accepts only as many as 8 bits plus a parity bit, so we've developed the program in listing 3. It ignores the low-order bit, shifts all the more significant bits down one place, and replaces the high-order bit with the parity bit. (You can run this program and use a standard IBM serial port with the data rate set to 10,100 bps. but be very careful not to plug the output of the keyboard directly into an RS-232C line, or you'll destroy the output driver.) This method can also be used for the Key Tronic keyboard, which uses a data rate of 30,000 bps.

Other methods of reading the serial stream come to mind. You can copy the circuit used in the IBM Personal Computer itself, since it's published in the IBM Personal Computer Technical Reference Manual on page

D-10. This manual is a must for working with the keyboard because it gives the internal schematic of the keyboard. Figure 3b shows this circuitry but includes only those lines and integrated circuits that pertain to keyboard functions. (One advantage to using a UART is that it can communicate directly on a computer system's bus and requires no intervening parallel-port hardware.)

Very quickly, the operation of the circuit is as follows: The KBD CLK clock line from the keyboard is delayed two system clock periods and inverted by the pair of 74LS175 latches. This new signal is used to shift the KBD DATA bits into the

The bit stream is quite simple and can be decoded directly.

74LS322 serial-parallel shift register. When 8 bits have been shifted in, the 74LS322 carry is latched to provide an interrupt on the IRQ1 line. This calls IBM's INT 9 interrupt handler to read the character through the 8255 parallel input/output (I/O) circuit and to clear the interrupt. No data rate needs to be specified because the data is shifted in synchronously with the KBD CLK generated by the keyboard 8048 microprocessor.

Because the bit stream is quite simple, it can also be decoded directly using a single input line of a parallel port. To do this successfully, the computer must begin reading immediately after the start bit is sent. To avoid wasting time waiting for start bits, the rising edge of the start bit should be used to interrupt the computer. This interrupt should have the highest priority of all interrupts and require that the other interrupts be disabled for the 1 ms required for decoding the bit stream. (Such an interrupt-driven scheme is not undesirable; keyboards are substantially more powerful when interrupt driven, as described in references 1 and 2. In particular, you don't lose

Listing 3: UART decode program.

```
title
        rs232 decoder
280
.radix
STATUS
        equ
                          Status port of UART
DATA
                 O
                         ;Data port of UART
        egu
CI t
                 a, (STATUS)
                                  ;Get status of UART
        in
                         Put status byte into b
        10
                 b, a
                         :Is a character waiting
        and
                 2
        本
                 z,CI
                         ; Wait if no character
        14
                 a. 37
                 (STATUS).a
        out
                                  ;Clear status port
        in
                 a, (DATA)
                                 ', Get character
        OF
                 e, EVEN ; Go if even parity in a
        dt.
        bit
                 3,5
                         Check for a parity error
                 nz, CONT ; Go if no error
        ir
        jr
                 STC
                         ;Go if error
FVFN .
                         ; Check for parity error
        bit
                 3,b
                 z, CONT
                         Go if no error
        TE
STC:
        acf
                         ; Set carry
CONT:
        rra
                         ;Rotate carry into high bit of character
        col
                         (Complement a
        push
                af
                         Save character
        14
                 e, 37
                 (STATUS), a
                                  Clear status
        out
                         Get character back
        pop
        ret
        end
```

Listing 4: Parallel-bit decode subroutine.

```
DATA
        eau
                         ;Port being used
WAIT:
        in
                a. (DATA)
                                  ; Input from port
        bit
                2,8
                         ; Is input bit high
                z, WAIT
        14
                         ; Wait if not high
        di
                         ;Disable interrupts. If interrupt-
                b.38
        18
                         ; driven, this is already done
STALL:
        dinz
                 STALL
                         Stall through two start bits
        14
                C, 6
        14
                b, 8
                         Number of bits
GETIT:
                 a, (DATA)
        in
                                  ,Input bit
                         Rotate into carry
        rra
                         ;Use one rra for input bit zero
        IIA
                         ; Two for input bit one, etc.
        TIA
        TT
                 C
                 DELAY
                         Stall until next bit is ready
        call
                 GETIT
                         (Continue until all 8 bits received
        dinz
        14
                 a, c
                         ;Put character into a
        ret
DELAY .
        14
                a. 8
                         ;Delay, ld a with 8 for 4 MHZ clock
DELAYO: dec
                nz, DELAYO
        jr
        ei
        ret
        end
```



Circle 141 on inquiry card.





Where to find: Disk Drives, RAM Extensions, Printers, Moderns, Keyboards, Game & Serious Soltware, Books, Periodicals, Programming Aids, and

other Exciling Accessories!
Articles on: Special applications like Control Circuitry, Enhanced Graphics, Voice Generation, Music Synthesis, Video Inversion, Light Pens, Joyaticka,

Complete Descriptions: We'll tall you what it i what it does, how much it costs, and where to

Jam-packed w/photographs: We knew you'd want to see what these products look like. So, we got pictures and put them in!

Only \$5.00 ... Postpaid!

To Order Send check, money order, or VISA/MC number and expiration date. MN residents add 6% Dealer Inquiries Welcome.

Arthur Brown Company
BM-2 1702 Cak Knoll Drive
Indria, MN 56308 Ph: 612/762-8847 Dept. 8M-2 Alexandria, MN 56308






Figure 6: Flowchart of complete keyboard-encoder program shown in listing 2.

characters when you type faster than a program can process, and you can stop a program gone haywire to examine things with a machine-language monitor.) The IBM Personal Computer itself has several hardware interrupts, including the one for the keyboard, and is all the more powerful because of them. A program to decode the serial stream is shown in listing 4.

Interfacing to Other Software

To perform truly useful functions, you must translate the complete set of make codes and break codes into the standard ASCII codes and useful extensions. Our translation scheme





works the same way as the IBM Personal Computer's for the ASCII subset but differs with respect to the special-function keys and the Alt key. The incompatibilities can be removed easily. Our algorithm is more powerful, simpler to understand and implement than IBM's, and one third as long. In any event, it illustrates how one can go about translations in general. IBM's program is published for the Intel 8086 microprocessor in the technical reference manual star-

ting on page A-24.

Figure 6 shows the flowchart for a keyboard translator written for the Z80 microprocessor using the Microsoft M80 assembler. (The program itself is given in listing 2.) The 128 standard ASCII codes are returned in the accumulator (the A register) with values given in table 1. If the Alt key is pressed when one of these codes is deciphered, bit 7 of the accumulator is set to 1. This immediately produces an alternate set of codes that round

out the 256 possibilities available with 8 bits. We often make the alternate set correspond to a second daisy wheel for printing mathematical documents. The alternate set plays the role of the IBM Selectric symbol ball, but other uses abound.

These 256 standard-key codes are returned in register A with a value of 0 in register C. The codes returned by the special-function and cursor-pad keys are also returned in A but with register C equal to hexadecimal OFF.

he	xadecimal	decimal	hex	adecimal	decimal		hexadecimal	decimal	t	exadecimal	decim
-@	0	0	space	20	32	0	40	64	•	60	96
A	1	1	1	21	33	A	41	65	а	61	97
B	2	2	14	22	34	В	42	66	Ь	62	98
C	2	3	#	23	35	C	43	67	C	63	99
D D	4	4	\$	24	36	D	44	68	d	64	100
¥`ヹ゚ヹ゚ヹ゚ヹ゚ヹ゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚		5	%	25	37	E	45	69	e	65	101
F	5 6 7	6	&	26	38	F	46	70	f	66	102
G	7	7	1	27	39	G	47	71	g	67	103
"H	8	8	(28	40	H	48	72	h	68	104
3	9	9)	29	41	1	49	73	Ī	69	105
-	OA	10		2A	42	J	4A	74	Í	6A	106
~K	08	11	+	2B	43	K	48	75	k	6B	107
L	OC	12	4	2C	44	L	4C	76	1	6C	108
[*] M	OD	13	_	2D	45	M	4D	77	m	6D	109
OZ	OE	14		2É	46	N	4E	78	п	6E	110
O	OF	15	1	2F	47	0	4F	79	0	6F	111
*P	10	16	0	30	48	P	50	80	р	70	112
ā	11	17	1	31	49	Q	51	81	q	71	113
`Q.R.S.T.U.Y.X.Y.Y.Y.V.	12	18	2	32	50	R	52	82	Г	72	114
S	13	19	3	33	51	S	53	83	S	73	115
7	14	20	4	34	52	T	54	84	t	74	116
°U	15	21	5	35	53	U	55	85	U	75	117
V	16	22	6	36	54	٧	56	86	V	76	118
"W	17	23	7	37	55	W	57	87	W	77	119
X	18	24	8	38	56	X	58	88	30	78	120
Y	19	25	9	39	57	Y	59	89	У	79	121
Z	1A	26		3A	58	Z	5A	90	2	7A	122
T	18	27		3B	59	1	5B	91	1	7B	123
1	1C	28	<	3C	60	į	5C	92	ĺ	7C	124
1	1D	29	=	3D	61	1	5D	93	1	70	125
20	1E	30	>	3E	62	-	5E	94	-	7E	126
	1F	31	?	3F	63		5F	95	Del	7F	127

Table 1: The ASCII table of character codes. The program in listing 2 returns these codes in the Z80 accumulator (A) and returns a value of 0 in the C register, indicating a code from the regular keyboard. The symbol "~" indicates the Ctrl key has been pressed while another key was pressed. Capital letters are returned when a shift key is pressed. The same codes with bit 7 set to 1 are returned if the Alt key is pressed as well. See table 2 for codes returned from the special-function keys and the cursor/numeric keypad.

Their values are given in table 2. As for the codes in table 1, if the Alt key is depressed, bit 7 of the code is set to 1. The shift and Ctrl keys set bit 5 and bit 6, respectively. This somewhat strange (relative to ASCII) choice was made so that the codes correspond to their names. For example, the numeric keypad's numeral keys should return their ASCII codes when the shift key is depressed, in contrast to their counterparts on the typewriter portion of the keyboard, which return the ASCII codes while unshifted.

The special-function keys F1 through F10 correspond to codes 1 through hexadecimal OA (decimal 10), and the numerals 0 through 9 correspond to codes hexadecimal 10 through 19, allowing you to remember them easily. The backspace, tab, and carriage-return (enter) keys give the values 8, 9, and D, respectively; but, unlike their counterparts Ctrl-H, Ctrl-I, and Ctrl-M, the value hexadecimal OFE is returned in the C register. This allows you to distinguish between the control characters, the function keys, and these special keys-a very useful feature for word-processing systems.

Because any combination of Ctrl. shift, and Alt keys are returned along with the special keys, many combinations are available for word processing and other applications. In particular, the software used by the IBM Personal Computer doesn't return anything for Ctrl-uparrow. This is too bad because text editors typically use Ctrl-leftarrow to mean move back a word and Ctrl-rightarrow to mean move forward a word, and similarly, you'd like Ctrl-uparrow to mean move up a few lines, and Ctrldownarrow to mean move down a few lines. In this connection, it's interesting to note that touch-typists typically find the regular control characters easier to use for cursor motion than cursor-pad or specialfunction keys because the regular keys can be touch-typed without departing from the usual typing position. For example, this article was written using the super Pmate context/screen editor, which fully supports both the regular control characters and all IBM's special keys. However, we seldom use the special keys because they require looking at the keyboard.

		Shift	Ctrl	Alt
Key	Value	value	value	value
	00	20	40	80
F1	01	21	41	81
F2	02	22	42	82
F3	03	23	43	83
F4	04	24	44	84
F5	05	25	45	85
F6	06	26	46	86
F7	07	27	47	87
F8	80	28	48	88
F9	09	29	49	89
F10	OA	2A	4A	AB
+	OB	2B	4B	88
Scroll Lock	OC	2C	4C	8C
_	OD	2D	4D	8D
	0E	2E	4E	8E
•	OF	2F	4F	8F
0	10	30	50	90
1	11	31	51	91
2	12	32	52	92
3	13	33	53	93
4	14	34	54	94
5	15	35	55	95
6	16	36	56	96
7	17	37	57	97
8	18	38	58	98
9	19	39	59	99
	1A	3A	5A	9A
	18	3B	5B	9B
	1C	3C	5C	9C
	1D	3D	5D	9D
	1E	3E	5E	9E
BS	08	28	48	88
TAB	09	29	49	89
CR	OD	2D	4D	8D

Table 2: Hexadecimal key values returned in register A for special-function and cursor/numeric keys with no shift keys pressed, or one alone. Additional combinations can be made by pressing two or three shift keys simultaneously, e.g., shift-Ctrl-F1 yields 61. Shift sets bit 5, Ctrl sets bit 6, and Alt sets bit 7. Register C returns with hexadecimal OFF for all combinations except BS, TAB, and CR, for which C equals hexadecimal OFE (so as not to be identical to F8, F9, and —). BS stands for backarrow, and CR stands for carriage return. Note that codes returned in A for keys like the regular keyboard keys (e.g., the shifted digits 0 through 9) are the same as the ASCII values. The value in register C allows the user to differentiate between these codes.

Finishing Up

We've described the aesthetic and practical features of the IBM Personal Computer keyboard, showing how the keyboard both looks and acts like the leader in the field. We've shown how you can tailor the keyboard input driver to suit your needs, including an implementation of the Dvorak keyboard layout. The keyboard plays a significant role in making the IBM Personal Computer such a pleasure to use. With the simple interfacing described in this article, you can increase the pleasure of using other computers.

References

- Sargent, M., III, and R. L. Shoemaker, The IBM Personal Computer from the Inside Out, Reading, MA: Addison-Wesley, 1983.
 This book contains a program that lurns the IBM PC keyboard into a piano keyboard, with the shift keys shifting up an octave and the Alt and Caps Lock Keys shifting down an octave.
- For further discussion, see M. Sargent III and R. L. Shoemaker, *Intertacing Micro*computers to the Real World. Reading, MA: Addison-Wesley, 1981
- The IBM Personal Computer Technical Reference Manual, available wherever IBM Personal Computers are sold.

PC/FORTH"

Complete FORTH program development systems for the IBM® Personal Computer. Packages include interpreter/compiler with virtual memory management, line editor, custom screen editor, assembler, decompiler, utilities, file and record occess modules, and many demonstration programs. 150 page user manual.\$100.00

Software flooting point, Intel 8087 support, color graphics extensions, and larget compiler available at additional cost.

Specify PC-DOS or CP/M-86[®]. One disk drive and 48 kbytes RAM required. Software supplied on 5% Inch single sided soft sectored double density diskettes.

Luboratory Microsystems 4147 Bestheren Street Les Angeles, CA 90066 (213) 306-7412

Wife of a regularized traditional of homogeneously Moneyer, speciations Com-

Circle 514 on Inquiry card.

APPLE® COMPATIBLE SYSTEM SALES

Package Inct:
APPLE® COMPATIBLE W/64K
RANA ELITE ONE W/CNTR
12" AMBER MONITOR
SMITH/CORONA TP—I PRINTER
WORD PROCESSING SOFT

ON SALE \$1899 AND MORE—Sevings & Selection

Apple III .				CALL
(ayPro II.			1.1	\$1499
Franklin Ace 1000		11000		.\$ 929
Colt mbla MPC			4	\$2295
Syscom 2				\$ 849
BM P/C				On Sale
Smith-Gorona TP-I				\$ 559
Semini 10 Dot Mai	trut	11.50		\$ 329

For Complete Selection and Lowest Prices — Free Catalog

COMPUTERS and more

2420 University Ave., Suite 3, San Diego, Ca. 92104 (619) 291-1442, Telex 697120, Detamax Attn: Dept. 322

Circle 513 on inquiry card.

MediScript

MediScript I is a powerful word processor designed for the IBM-PC and newcomer to word processing. Simple to use yet has all common functions (such as word wrap and paragraph relocate), Additional functions in MediScript II include right justification, character graphics, fleided forms, and mailing list generation.

MediScript II — — — — \$49.50

MediScript II — — — — \$99.50

(plus 6% in CA) 30 day satisfaction guaranteed or your money back, minus \$4.00 for shipping and handling

MediSoft



Medical Professions Building 1595 Soquel Drive, Suite 350 Santa Cruz, CA 95065

At Palomar Graduate



And get an Advanced Degree of (1) expert technical advice, (2) fast response on orders, (3) in-house service repairs, and (4) guaranteed satisfaction.

APPLE SYSTEMS SPECIAL



Apple-Compatible 48K Computer with Super 5 Disk Drive and Controller.

BMC 12" Green Screen Monitor ... NOW—\$1,25500

PERSONAL COMPUTERS


ALTOS		MORROW	
ACS 8000-2	3199.00	Micro Decision with Terminal & 1	Drive
ACS 8000-15	4399.00		CALL
APPLE		Micro Decision with Terminal B.2	
Apple II Plus	CALL		CALL
Disk II D.O.S. 3	CALL	OSBORNE	
Disk #	CALL	Osborne I Portable, Includes \$20	O D
BASIS		Extras	1795.00
108-0003 (64K)	CALL	With Couble Censity Drives	1995.00
108-0004 (128K)	CALL	TELEVIDEO	
CHAMELEON		TS 802	3119.00
iBM-Compatible	1995.00	TS 806	5735.00
	1000.00	TS 816	10365.00
FRANKLIN	0.444	XEROX	
ACE 1000 (84K) AGE 10, Disk Drive	CALL	820 with CP/M, Wordstar	1995 00
	CALL	VICTOR	
IBM		9000 (SS) 2 Single-sided Drives	CALL
IBM PC	CALL	9000 (SS) 2 Single-sided Drives	
SANYO		9000 (HD) 1 Double-sided Drive.	WHILL
MB1000	1795.00	10 Mb Hard Disk	CALL

MODEMS

HAYES		NOVATION	
Micromodem II (Apple II)	289 00	CAT (Acoustic)	145 00
Micromodem II With Terminal		D-CAT	159 00
Program	315.00	J-CAT	139 00
Micromodem 100 (S-100)	339.00	Smart CAT 103/212	205 00
Smartmodern 1200 Baud	599.00	212 Auto CAT	599 00
Chronograph (AS-232)	195.00	Apple CAT II	299.00
Terminal Program	75.00	212 Apple CAT	609.00

DISK DRIVES

DISK DRIVES		
Dusk II With Controller Card CALL	Super 5 Disc Orive	299.00
Media Distributing 11 Mb Winchester	Super 5 Controller Card	89.00
Subsystem 2595.00	Super 5 Double-sided	
Media Distributing 22 Mb Winchester	Disk Drive	429.00
Subsystem 3495.00	Super 5 Controller Card for	
Media Distributing 44 Mb Winchester	Double-sided Disk Drive	109.00
Subsystem 4270.00	Corona 5MB Winchester	CALL
Microsci A35 With Controller Card 375.00	Corona 10MB Winchester	CALL
Microsci Controller Card 99,00		
Rana Oisk Onve 319,00		
Rana Controller 109.00		





HARDWARE			
ALS 2 Card	159.00	Mountain Computer Ramplus (32K	179.00
ALS CP/M Card	379.00	MPC Serial Printer Card	89.00
ALS CP/M Card with SuperCate	595.00	M & R Super Fan	40.00
Apple I) Plus	CALL	Nikrom Master Diagnostics	45.00
CCS JEEE Gard	175.00	Novation Apple Cat	299,00
CCS Analog/Digital Card	105.00	Novation Expansion Module	35.00
Computer Paripherals		Novation J-Cat	139.00
Octopus 16K Buffer	165.00	Novation Handset	27.00
CPS Multifunction Card	179.00	Numeric Key Pad	150.00
Echo II Speech Synthesizer	125.00	Paymar Lower Case Adapters.	
EDP AC Surge Protector	49.00	Old (Nev. 1-5)	.29.00
EOP EMI-RFI FILLER	39.00	New (Rev 7)	19.00
Expandaport-6 Ports With Speaker	55.00	PCPI Appli-card, Multifunction	
Hayes Micromodem (I	299.00	Z 80 Card	249.00
Microbutter II 16K	219.00	PCPI 88 Card-18K CPU	659.00
Microbuffer II 32K	245.00	Soliworks R.O.S.	559.00
Microsoft Z60 Softcard with CR/M	265.00	STB 64K Expansion Card	239,00
Microtek 16K Ram Card	79.00	STB 128K Memory Card	399 00
Microtek Parailel Printer Card	69.00	System Saver-Fan/Outlets/Switch	79.00
Microlek Graphics Card	109.00	TG Game Paddles	29.00
Microlek Graphics Card—16K	185.00	TG Joy Sticks	45.00
Microtek Graphics Card—(32K)	235.00	TG Select-A-Port	45.00
Alcrotek Graphics Card—(64K)	305.00	Videx 80 Column Card	279 00
Microtek @ Disk (128K)	399.00	Videx Enhancer II (Rev 7)	119.00
dicrotek Magnum 80-Column Card	209.00	Videx Function Strip	65.00
Mountain Computer Romwriter	145.00	Viswmax 80	199.00

Palomar leatures a complete selection of Apple and IBM Software. Call for details.

IBM

HARDWARE			
IBM PC	CALL	Computer Peripherals 64 t/Q	
Amdek Calar It RGB Manitor	799.00	Memory Card	299.00
Amdek 3" Dual Disk Drive	785.00	Computer Peripherals Octopus	
BMC 12" Green Monitor	149.00	Printer Buffer	165,00
BMC Color Composite Monitor		Computer Peripherals	
with Sound	399.00	64K Memory Card	199.00
BMC HI-Res RGB Monitor	759.00	MPI 320K Drive	299 00
Computer Peripherals 64K Ram	199.00	PGS HI-Res RGB 12" Monitor	759 00
Computer Peripherals #/0 Printer		PMC Disk Drive	199.00
Interface (4 Ports)	159 00	Ram Plus Quad Board	415.00

MONITORS

BMC BM-12AU 12" Green	89.00	ZENITH 12" Green	119 00
BM 12AU 12" Amber	99.00	1	11000
BM-12 BUN 12" Green BM-1401 RGB with Card	149.00	NEC PC-8041A-12" Green	159.00
and/or Cable	399.00	AMDEK	
BM-AU918U Color, Composite		Video 300-12" Green	165.00
Sound	399 00	Color 1 -13" Color Composite	349 00
BM-AU9191U RGB for IBM-PC	759.00	Color II -Hi Res RGB	749.00
COMREX		Color III -Lo Res. RGB	439.00
CR 5500-12" Green	155 00	RGB Apple II Card	165.00
CR 6500-13" Composite	315.00	SANYO	
CR 6600-13" RGB	429.00	9" Hi Res. Green	159 00
	120.00	12" Green Screen	135.00
ELECTROHOME		12" Hi Res. Green	209.00
13" RGB	339.00	13" Color	419.00
13" Hi Res RGB	589 00	13" H) Res. Color	899.00
Apple II Interface	199.00		U.S.S. LUCE
IBM 15 Color Gable	35	U.S.I.	
TAXAN		9" Green Screen	119,00
KG 12N-12" Green	CALL	9" Amber Screen	155 00
KA 12N-12" Amber	GALL	12" Green Screen	155.00
RGB Vision I-12" RGB	CALL	12" Amber Screen	175.00
RGB Vision (8-12" RGB	CALL	P.G.S.	
RGB Apple II Card	CALL	12" Hi-Res RGB for IBM	759.00

PRINTERS

BMC BM/PB101 Parallel	825.00	OKIDATA	
	023,00	Microline 82-A	489.00
EPSON		Microline 83-A	689.00
ASAP 2K Serial	59.00	Microline 84-S	1199.00
Comrex 4K Serial Buller	139.00	Microline 84-P	1059.00
Microbuffer-16K Parallel	139.00	2K Parallel Interface	129.00
Microbuffer-8K Serial	139.00	Forms Tractor (82-A)	55.00
FACIT		OLYMPIA	
4510	635.00	COMPACT Serial Interface	849.00
	030.00	ES 100 KRO	949 00
NEC		ES 100	899.00
3510 RO Serial	1515.00	Serial/Parallel Interface	250.00
3520 KSR Serial	2100.00	CCS Apple Serial Card	135.00
3530 RO Parallel	1695.00	CHITH CORONA	
3550 RO IBM	1880.00	SMITH CORONA	F40 00
77 10 RO Serial	2325.00	TP-I	599.00
7730 RO Parallel	2395.00	STAR MICRONICS	
8023-A Dot Matrix	489.00	Gemmi 10	CALL
Bi-Directional Tractor (3500)	230 00	Gerruni 15	CALL
Cut Sheet Guide (3500)	90.00		-1146
Envelope Handler (3500)	270.00	TEC	
forzontal Tractor (7700)	150.00	PMC 8510 Parallel	465 00
Bi-Directional Tractor (7700)	345.00	PMC 8510 Serial	585 00
riction Attachment (7700)	35.00	ITOH 8510-A Parallel	469.00
NOVELL		ITOH 8510-A Serial	619.00
		ITOH 1550 Parallel	750.00
mage 800	999.00	ITOH 1550 Serial	789.00
		ITBH F-10-40	1395.00
		ITOH F-10-55	1795 00





Palomar makes buying easy ...



ORDER TOLL-FREE! Call

In California call 800-338-5555

Telex 697120-150

TERMS OF SALE: Cash, Check, money order, bank wire transfer, credit card, or purchase orders from qualified firms and institutions. Please include telephone number with order and expiration date on credit card orders. California residents add 6% sales fax. Advertised prices are for prepaid orders F.O.B. shipping point. Add 3% or \$3.00 minimum for shipping in the U.S. Pricing and availability subject to change without notice. Address written orders to.

910-105 W. San Marcos Blvd., San Marcos, CA 92069 Telephone (619) 744-7314

COMPUTER PRODUCTS

Strongly Typed Languages

Ada, Pascal, and other new languages let you define your own data types

In recent years, new programming languages have introduced the concept of strongly typed data-a novel idea for persons experienced in the earlier, weakly typed languages such as FORTRAN, COBOL, BASIC, and PL/I. This article explains the reasons behind the strongly typed concept and how it can be used to the programmer's advantage.

Background

All high-level programming languages define a set of basic data types, such as INTEGER or REAL, and operations appropriate for those types. A data type and the set of legal operations for that type have come to be known as a data abstraction. Abstraction is not used here in the sense of complex or difficult; it merely means the essential feature of a datum, such as the fact that it is an integer quantity. This is an extremely useful concept because it lets programmers concentrate on the problem at hand, rather than on the details of its solution.

First-generation languages such as FORTRAN, COBOL, and PL/I support useful and powerful data ab-

Earl E. McCov 71 Cedar Hill Rd. Newtown, CT 06470

stractions. In FORTRAN-77, for example, a character-string operation, say concatenation, cannot be legally applied to data of type REAL. If this were attempted, the compiler would indicate an error.

Many problems, however, can snare the unwary programmer. For example, the FORTRAN data abstractions for REAL and INTEGER types are ambiguous: they use the same symbols for most operations, Both types, for example, use the slash symbol (/) for division, but its meaning differs in each case. This results in the common error of 1 divided by 2 returning 0 when 0.5 was expected. An experienced programmer is aware of the problems resulting from poorly defined data abstractions and avoids them.

The problem with data abstraction in first-generation languages, however, goes even deeper. First-generation data types are too abstract. It is possible, for example, to add IN-TEGER variables, even though they represent different classes of objects. such as apples and oranges. Because the language does not recognize such concrete data types, it cannot warn the programmer when they are incorrectly combined. In listing 1, for example, a FORTRAN compiler cannot prevent the addition and assignment operations because it is not "apples" and "oranges" being summed, but rather integer values for which addition and assignment are legally defined. Note that in this values problem. FORTRAN would allow the identifiers to assume negative values, even though such values might be meaningless. Programmers are expected to recognize and avoid such illogical operations. The result is usually a longer and more tedious debugging phase than would otherwise be necessary.

A Solution

Problems such as these have led to the extension of the data-abstraction concept into a more powerful form in a new generation of strongly typed languages of which Pascal and Ada are representative examples. Developed as a teaching tool, Pascal is widely available and is used at most universities as the language of choice among computer science faculty and students. Ada, an extension and generalization of Pascal, was sponsored by the Department of Defense and is expected to attain wide use in both civilian and military applications. Ada is more strongly typed than Pascal; some examples discussed in this article apply only to Ada.

About the Author

Earl E. McCay is a professor at Central Connecticul State College in New Britain. He teaches courses in computer science and management-information systems.

Nobody offers you a wider variety of computer printers and printer experience than Facit/Dataroyal ... all the way from low cost (\$695 list) matrix printers, to sophisticated graphics and color matrix printers, to models that print variable size characters and bar codes, to "daisy wheels" and a multimode near letter-quality printer. Industry standard parallel and RS232C serial interfaces are available in all printers.

Our products are built to perform day after day in the most rugged

environments. We achieve that kind of reliability by incorporating modern, trouble-free LSI circuitry, and fewer moving mechanical parts along with a high level of quality control.

Hundreds of computer systems manufacturers choose Facit/Dataroyal products with confidence, as do a great number of Fortune 500 companies who use facit/Dataroyal peripherals with their systems.

If you want a trouble-free printer, contact your local computer

printer dealer or Facit/Dataroyal, 235 Main Dunstable Road, P.O. Box 828. Nashua, NH 03061, (603) 883-4157.



Circle 151 on Inquiry card.



Listing 1: Defining an integer identifier in FORTRAN.

INTEGER apples, oranges, pears

pears = apples + oranges

Listing 2: Ada allows a programmer to define new data types derived from built-in types.

TYPE apples IS NEW INTEGER RANGE
0..1000;
TYPE oranges IS NEW INTEGER RANGE
0..1000;
redapples, greenapples, totalapples;
apples;
[lorida, california : oranges;
.
totalapples := redapples+greenapples;

florida := redapples + california; --illegal

-- Jegal

Listing 3: This Ada subprogram defines a data type for digital images and specifies valid operations for the new type.

TYPE size IS NEW INTEGER RANGE
0.295;
TYPE pixel IS NEW INTEGER RANGE
0.63;
TYPE picture IS ARRAY (size, size) OF
pixel;
iramel, frame2, frame3 : picture;

PROCEDURE contrast (a ; IN picture, b :
OUT picture);

END contrast;
PROCEDURE edgedetect (a : IN picture, b ;
OUT picture);

.

END edgedetect;
PROCEDURE brighten (a : IN picture, b :
OUT picture);

A strongly typed language like Ada helps programmers avoid contextual logic errors by allowing them to define their own data types. The Ada program shown in listing 2, for example, uses the TYPE statement to define two new data types, "apples" and "oranges," which may have integer values ranging from 0 to 1000. Because both types are instances of the predefined type INTEGER, they inherit all the operations allowable for integers. Thus, all identifiers of the type "apples" may be added among themselves; so too may all identifiers of type "oranges." However, identifiers of type "apples" and type "oranges" may not be added together because they are of a different type. Identifiers of differing types may not be operated upon, even though they may be of the same underlying primitive type, as in this case. Thus, the data-abstraction concept provides a mechanism for enforcing logical correctness upon a program.

For this enforcement policy, a penalty must be paid in processing overhead. For instance, subrange values must be checked during program execution, which slows down the program somewhat. However, if the subrange check guarantees correct operation of the program, it's probably worth the price. Moreover, most type checking can be done at compile time, which exacts a small penalty for the benefit returned.

Programmers may avoid the overhead penalty. For example, in listing 2, a programmer could have avoided the subrange checking by not specifying a range in the TYPE statement. To eliminate the compile-time type check, the programmer could omit the TYPE statements entirely and simply declare the identifiers as integers, as is done in PORTRAN.

More Data Abstractions

In addition to inheriting operations from primitive data types, user-defined types can also specify new operations. This allows a programmer to define a data abstraction in the full sense of the term.

In an image-processing program, a programmer might want to opera-

Listing 4: Ada's enumerated types make for more readable programs.

TYPE automobile IS (ford, chevy, butck, datsun);

TYPE emissions IS (clean, dirty);

cars : ARRAY (automobile, emissions) OF

INTEGER

air : emissions;

cars(ford, clean) := cars(ford, clean) + 1;

tionally limit contrast enhance, edge detect, and brighten digitally encoded "pictures." In Ada, this may be accomplished by first defining a type "picture" in terms of more primitive types as shown in listing 3. Specifically, a picture datum is defined as a 256 by 256 array of picture elements (pixels), each having 64 possible gray levels.

The type "picture" does not inherit any of the operations valid for an array because it is defined (implicitly) as a private type (a special feature of Ada). Instead, the programmer defines the operations valid for picture data via the subprogram units shown in listing 3.

The advantage of user-defined data types is that they enable the computer to ensure that procedures process only data of the correct type. For example, defining a data structure as in listing 3 enables the computer to ensure that only pictures with the proper size, picture elements, and valid shades of gray are passed to the picture-processing procedures. Weakly typed languages can offer such protection only for predefined primitive data types.


New Primitive Data Types

Complementing the usual predefined primitive data types, such as INTEGER, CHARACTER, and REAL, Pascal and Ada have a new data type, called scalar in Pascal and enumerated in Ada.

Enumerated types make for more readable programs. Identifiers of this type may assume only those values listed by the programmer (see listing 4). The enumerated values may be

END brighten;

RAMS TO GO.



During the month of May, we are offering special pricing on two of our quality RAM products: RAM67 and RAM128/256.

Reg. Price		Special Price
RAM67	\$ 1200.	\$ 1095
RAM256	795.	695
RAM128	495.	395

RAM67 provides the high performance you expect from a static RAM, but also, provides low power and high density usually associated with a dynamic RAM. The CMOS RAM insures long, cool reliable service. RAM128/256 provides high density and a low price. Our dynamic RAM is ideally suited to memory intensive sixteen bit application and RAM disk emulations. Both LDP boards meet the specifications of IEEE 696 and are backed by our one year guarantee.

To order your RAM, call LDP or one of our authorized dealers—but, don't delay... special pricing ends May 31, 1983.

Lomas Data Products offers a full line of quality \$100 bus products . . . systems, software and other "no-nonsense" boards.

Dealer and OEM inquiries invited.



LOMAS DATA PRODUCTS, INC. ☐ 66 Hopkinton Road, Westboro, Mass. 01581 ☐ (617) 366-6434

Circle 265 on Inquiry card.



In every battle, we came up the victors. Not only in price. but in service and support as well.

Call to order:

(in NJ 609-424-4700)

We carry:

Intertec Data Systems Corvus Concept Corvus Hard Disk C. Itoh Printers Victor 9000

KSTA


TriStar Data Systems 2 Keystone Avenue Cherry Hill, NJ 08003 609-424-4700 215-629-1289

FOR YOUR IBM PO

Programming Made Easy

Stop struggling with incomplete, disorganized IBM-PC Manuals. Learning to program can be a relaxed, enjoyable experience with Dr. David Lien's definitive 450-page handbook for the IBM-PC. Learning IBM BASIC's easy-to-follow format will soon have you writing custom software for your PC — even if you're completely new to computers.

30-Day Money Back Guarantee
You just can't lose, if you're not totally
satisfied with this book for any reason,
return it to CompuSoft in salable condition within 30 days for a full refund. Fill out and mail the coupon today, or call our 24-hour orderline at 800-854-8505; in California call 819-588-0996 (8:00 s.m. - 5:00 p.m.)



CompuSoft® Publishing P.O. Box 19669, Dept. #030583 San Diego, CA 92119

9 11.10	handl	M. I	per L	100	١.									
d		_ N	ame	_	_				_		_			
	Visa					Ma	ster	Card	1					
count #		1		I			I					Expirate	on Date	
									Pla	PASA	allo	w 4 to 6	weeks	
	-	d	d N	d Name	Name _	Name	d Name Name	d Name Master	d Name	dName Visa ☐ MasterCard	dName	dName Visa ☐ MasterCard count #	dName	Name Name

strings of alphabetic characters but are not to be confused with character strings. In listing 4, the identifier "air" could be assigned a value by executing the following statement:

air := clean:

If that identifier were of type character string, the assignment statement would have to read:

air := "clean":

Enumerated types can also be used as array subscripts, which can lead to very readable programs because arrays can be indexed by names of objects rather than as integers, as in FORTRAN or COBOL, In addition. enumerated data can be used in CASE statements to make very readable multibranch tests.

In sum, the full-blown data-abstraction mechanisms of modern languages enable a computer to check the logical consistency of a program, which is all to the programmer's benefit. A programmer may choose to ignore this feature out of laziness or to avoid extra overhead. But once learned, this concept is easy and can help to produce error-free programs and ease maintenance of existing programs.

References

- 1. Cherry, George W. Pascal Programming Structures, Reston, VA: Reston Publishing Co., 1980.
- 2. Findlay, W., and D. A. Watt. Pascal: An Introduction to Methodical Programming. Rockville, MD: Computer Science Press, 1978
- 3. Grogono, Peter, Programming in Pascal, revised edition. Reading, MA: Addison-Wesley Publishing Co., 1980.
- 4. Holl, R. C., and J. N. P. Hume, Programming Standard Pascal. Reston, VA:
- Reston Publishing Co., 1980. Jensen, K., and N. Wirth, Pascal User Manual and Report, 2nd edition, New York: Springer Verlag, 1974.
- 6. Preliminary Ada Reference Manual, and Rational for the Design of the Ada Programming Language. ACM SIGPLAN Notices. Parts A and B, volume 14, number 6, June 1979.
- 7. Wegner, Peter. Programming with Ada: An Introduction by Means of Graduated Examples. Englewood Cliffs, NJ: Prentice-Hall, 1980.
- Welsh, J., and J. Elder, introduction to Pascal. Englewood Cliffs, NJ: Prentice-Hall, 1979.



A multi-functional Octopus

It's a printer buffer, a printer spooler, frees computer time and enables copying capability.

A data protocol translator:

parallel to parallel parallel to serial serial to parallel serial to serial

A multitask data channel controller:

- enables host computer to communicate to multiple peripherals simultaneously.
- enables multiple computers to communicate with multiple peripherals simultaneously.
- · compatible to most interface protocols.

All in one for only \$197.50.

Standard product includes: Z80 CPU
One parallel input port (centronic printer and IBM PC compatible), one parallel output port (centronic printer and IBM PC compatible), two Serial RS232 Asynchronous ports, 8KB resident memory.

Options include:

Up to 256KB upgradable memory
Graphic enhancements.
Modem with Auto Dial capability.
Two additional parallel ports
Two additional Serial RS232 Asynchronous ports.
Customized software enhancements.

computer peripherals

1117 Venice Boulevard Los Angeles CA 90015 Call Collect (213) 298-1297 Telex: 194561 L5A

computer mail order

PRINTERS SMITH CORONA

TP-1	\$369 08
Tractor Fand	\$129.00
Ultrastnic Typewitter	\$439 00

C.ITOH (TEC)

Plomine Bylar	238.6
Prounter B&LOS	\$179 0
Promitter 1510P	\$649.0
Presenter 15505	1749 5
Starutter F10-40	\$13590
Printmaster F10-83	\$1649 0

OKIDATA

E3A	2019 0
NJA ACH	8459 0
34 (Parattet)	51049 0
D4 (Seront)	\$1149 0
92	1559 (
43	\$899.0

MonterPresen	8449 00
(33 (Fully Configured)	\$1599 00
00 (Fully Configured)	\$1399 00
Call for usher candigs	M drivery

German 10	3349 60
German 15	1484 88
Senal Board	\$75 00

2020 (Leues Quality)	\$949 00
Tractor Ford	\$104.00

DIABLD

620	\$449.00
636	\$1769.00

♦ TeleVideo

TERN	INALB
410	\$659 0
412C	5689 G
4500	5734 G
AZSC	5719 9
150	\$934 0

COMP	UTERB
BOOA	\$1259 00
893	52649 00
BOZH	\$4645 00
804/70	54444 00
815/60	ERRAG OG
603	51949 00
Indeg	\$3394 88
1603	LALL

NEC

6600		LAU
BOOLA		\$719 00
803)		\$719 m
0012		\$549 00
	PRINTERS	
-		2410 A

7749/7730	\$274
3910/3938	8154
MONIT	386

38-1100	9 1 f A 40
39-1201	\$149.00
AC-1212	6299 00
3C-11-202	8399 00
AC. 1903	4400.00

Eagle



CHARMEN -

Call on Eagle 6 Bit & 16 Bit Computers and Software

MODEMB

HAYES

Smart	\$214 08
Smart 1200 (1266 Baud)	8549 00
Chronograph	1199 00
Micromoden LDS	\$309.00
Mirramendem ()	1279 80
Microprodess (f fuelle turn)	\$299 00

NOVATION

ALM	\$119.0
Cat	E144 0
fh4, er	\$159 0
103 Smart Cal	1107 0
Apple Cat II	\$279.0
103/212 Small Cat	3439.0
212 Apple Cat II	\$609.0
Apple Car II 212 Upgrade	\$307 8

ANCHOR

Large I (Mar-1941)	3140
Mark II (Atart)	\$79.0
Mark III (11-44)	\$1090
Mark IV (CBM/PET)	\$125 0
Mark V (Schorne)	\$95 0
Mark VI (MIN-PC)	31790
Mark VII (Aum Answer Calit	\$619.0
TRS-80 Color Cumputer	3994
4 Volt Power Supply	\$9 0
Mark VIII	CAI

MONITORS AMDEK

300G	\$159
300A	5149
310G	5179
BISA	5149
Color 1	\$299
Loter H	8.549
Color H A	\$799
Caler III	6349
BA	10

579 99 1401 13"Culor (Mid. Hen.) 91910 15" Com

TAXAN

MCB I (PN-N+4)	2544
NGB NI	1400
12 N Green	8119
12 A Amber	\$125
ZENIT	ПН
2VM 121	599
27-1 Terminal	5347
BHAF	P
13" Color IV	\$247
197 Cales BU	5110

(A. Colot IA	2334
U.O.	4.
Pt 1, 9" Green	599
Pt 2. 12" Green	3399
Pt 3, 12" Andres	\$159
Pt 4, 9" Austern	2134
1400C 14" Culor	F244

3550 PRINTER ... 21998

PERCOM/TANDOM DRIVES

Sto" table Deak Drave	\$769 00
5W 2500, Desk Draw	2244 00
AMDEK	
318A Amber Mantina	\$144.00
310G Green Mamme	\$179 00
Amdish (3% Drive)	\$479 00
XV Platter	1649 00
Codes II	6.540 AM

ART 1429 00

QUBIE	

BOFTWARE	
Mires Pou Wood State Mad Merge	1349
195 Enquerters N	5249
I U.S. Approprier	5119.
Frack Fachage (GL/AP/AR)	5419

PAOFESSIONAL

SOFTWARE IBM-PC Word Processing \$319.00 CONTINENTAL

SOFTWARE		
fat Class Mail/Porm Letter	589	0
The Hotter Accountant Phin	3109	

field saidlest and a decreased as a summ	
SYNAPSE	
File Manager	\$119 0

IMMS 5239 66

I'm Z'Address Labels (Fractic Hind)	59 95
15" Report Paper (Trat tes Fuell)	524 95
Birk Black When Paper Bearing i and	819 95

SANYO

MS 1000 Campater	81299 00
INCLUDES FREE BOPTS	
MICROPRO-Wordstar,	Calestar.
Mail Merge & Report	Star
MB 640 Add on Drive	1529 mg
3500 Letter Quality Printer	\$699 00

TIMEX SINCLAIR

1000 \$64.95

16K Memory Pladule	\$44.95
Vu-Calc	117 95
Check Sook Manager	\$13.95
The Organizer	\$14.95
The Budgeter	513 95

\$14.95

Spiris inti

ORBYTE BOF	TWAR
Coophers	50
Home Budgeter	84
Home Inventory	- 11
tinteres Can	81
Mega Mind	81
Salve	11
The Gett	1)

127 00

633 00

530.00

513.00 516.00

8149 80 1525 00 Cal Printer 1339.90 \$69.00 1330 Battorne. 1341 Shugle Dick Drive \$339.00 1400 UIC Mades 545.00 1618 VIC Term 48. \$49 00 1650 AD/AA Nodem 1701 LA" Color Man 1269 00 \$4.95 1314 Joyettch (each) 1312 Paddles HIND USE IN 542.00 144 00 HILL VIC 16K . 1211 Super Expandes \$53.00 173 00 1966 Super Allen 673 00

EASY BUBINESS

1917 VonDeo Carrie

1923 Gorf 1924 Omego Roce

1922 Counts Crunches

(18 VIC 20 Reference Gold

SERIES-	64	
Easy Pile		\$79.0
Easy Finance		\$39.6
Easy Mail		. \$39 (
Easy Script		579 (
Word Marhine/Name Ma-	chine	FE3 (

PROGRAMMER

BERIES-S	4
Assembler,	\$39
Logo	579
Prior	579
Pet Emulator	\$25
Serven Editor	125
Video/Blusic Support	439

ART AND MUSIC ----

Muse Machine	425.
Muser Company	925
Muse Machine Muser Compiner Note Music I	579

\$23.06

Froggaz/26	\$33 00
Fragget/84	123 80
CREATIVE SE	PETWARE
Antre Mille	532 00
Misels Histor	\$12 00
Trankman	\$37 00
Hamr Finance	527 00

Autoli	. \$30 0
Mateer Run	\$40,0
Alten Blue	830 0
Visited A	E14 6
The Allen and	. 010.0

SHARP



PC-1500 POCKET COMPUTER

\$169.

PC-1250...\$89.00

CE150 Printer. Flatter and		
Cass. Interface Unit	\$172.00	
CE157 Casa Recorder	\$61.00	
CE155 BK Ram Expans. Mod.	94.00	
CE125 Printer/Micro Cass.	\$129 00	

(I commodore

CBM 64

\$399 **VIC 20**

\$139

6739
\$364
\$144
544
8441
81279
81430
\$1000
\$319
930
1584
\$140
501
1541
745
4110
3701
5131
C
881
¥ \$4
NL.

uld.	-		679
Pre			3319
id Pro 2	plus.		
of the 3	plus.		5199
d fru 4	plus.		5299
rd Prin 5	plus.	,	5299
maning francis			1374
of Pen fo	4		179

VIC 20 & CBM 64	
he Pen	837
serito interfere	234
allel Preser Interface	564
in Expans Interior (20 amily)	\$32
ine Lapane Imerfper (20-migt.	379

+==		
Shaunua (SUCM)		639 6
Protector (NOM)		\$13 6
Rober Panie (ROM)	4.0	\$24.0
Pinnen (HCM)		\$29 (
HES WYNE (ROM)		. 529 (

t amounted desirable		644
Rober Panie (ROM)	4.0	524.
Pleases (RCM)		529
HES WYNER (ROM)		. 529

Call on our Large Selection of VIC 20 and CBM 64 Software, such as: EPYX, Microspe

and Kanses Cit Boftware.

PANASONI	C
INEQUI 32N Pero Computer	5309
MONITORE	
TR-120 12" Helles Green	\$159
CT-150 10" Duel Hade Calos	5299
DT-D1900 10" RG8	\$347
DT-D1300 13" NGN/Command	BATS

computer mail order west

DEPT. 501, P.O. BOX 6689, STATELINE, NV 89449 Circle 123 On Inquiry card.

INTERNATIONAL DISCOUNTS. All supercess associate the Continental Florid States must be perspect by certained closely life interest 55 00 chapping and handling

SOURCE FEC. Add maintains 55 00 chapping on all states.

SOURCE STATE AND S. FEC. Add maintains 55 00 chapping on all states.

computer mail order



Call on FRANKLIN Computers. Disk Drives, Software and Special System Offers!

MICRO-BCI DISK DRIVES FOR APPLE & FRANKLIN

12	3264 00
40	5349 00
70	\$457 84
2 Controllet	679 80
147 Controlles	109 60

BANA DIBK DRIVES

a from todaline to commerce	
1 (Atares	\$349.00

SYBCOM

4EK Calor Computer APPLE COMPATIBLE

\$629

VISICOAP

Discription to a second	mashinas.
Intellera	\$ 1H4.00
tethle	\$189.00
maghint .	\$159 00
issterm.	144 00
intered/Plm	1229 00
niSchodolo	. \$224.00
history Flori	\$109.00
totale (Apple 1). CBH. MM	\$179.00
ligación proces for ISM may en	ry eligibily.

BRODERBRUND

\$23 00
\$27 00
\$25 00
\$34 PP
117 00
\$17.00
A

\$35.00 ino (Apple, Atan. (B)4) 529 00 7-4 L U = 44

MPC AXLON oblin 128K Hom

le/Franklin Ram Onds

KRAFT CONTINENTAL

1994 00

Tav Rdusstage (Apple/Atait)	845 00
Honey Azene (Apple/Asset)	\$59 90
Isr Class Mail/Prom Lynns (Apply)	\$79.00
The Book of Apple	514 95
The Book of Atop	\$14 95
The Book of Apple Graphics	\$14.98

DIBKDRIVES	FORATARI
AT RE-SI	\$399.00
AT BR-AI	\$249.00
AT 88-52	\$649.00
RFD 40-51	\$549.00
RY1) 40-A1	\$349.00
MF17 40-52	SAB9 00
HPD 44-S1	\$674.00
NED 44-52	\$999 00

FLOPPY DIBKS

MAXELL

VERBATUM

ELEPHANT

HEAD

BIRIUS

INTERPACED &

ACCESSORIES

Apple Passifel Princer Interface \$49.00

Common Parallel - Parallel Caldes 127 00

Laft on 1814, Ochuray Barmurites Annis

daer, Apple and Franklin Impelier

540 00

519 99

529 99

\$14 95

528 mi

\$24.00

624 60

124 00

521 00

521 00

579 MB

Po ter's

FD N (8"OD)

56" 85 DO

56" 05 00

5W" 55 5D

34" 05 00

Dick Head Cleaner

redute (Apple)

Beyt Run (Apple)

Pres Fall (Apple)

Sincabors (Apply)

Snahe Byer (Apple)

Turmett (Atari)

80 Celt Apple Card

HN232-HSP32 Cabby

HEWLETT

\$209

Lards, Labbra and accessors

PACKARD -

Deadly Duch (VIC)

Fau Fidde (Ataril

ATARI

ATARI BOO

\$489



ATARI 600-16K

ATARI 1200-64K

Call for price and availability on these two new Computers from Atari.

HOME

COMPUTERS

18K		•
32K		
4BK	\$299)
64K	\$359	a

COS

SPYK

PPINNAKER

POKLAN

BIG S

\$13 00

9.37 HS

\$24 100

\$24 LW

514 00

514-98

519 00

\$10 mu

524 00

529 40

\$29 00

\$34 00

124 00

\$45 00

\$21 00

\$34 00

\$29 00

575.00

\$35 00

484 WS

5109 00

\$174 00

529 00

521 45

E770 00

Berary Show the

K-tazy Antes

Berney Patrol

I could be amounted the filterance

Leggs of the Photocal

Descriptions & Non

Invasion (Train

Meather & Torques

Revenue at Rige!

Tennile of Ambur

Street Irong-1

Miseard of Was (60164)

tirluse invades (IIIIIII)

Seesa Marken

itelia Drawson

Count 19003290

Mar Warren

		ON-LINE	
110 Dad Direc	\$474.00	Aportorpher	327 00
shawe Kayboard life Arari 400	584 00	Softpare	527 00
010 Program Reporder	814.00	Wisand and Premyon	220 NO
1029 (O Cat Printer/Places	3254 60	The Hest Step	634 60
1025 BD Call Printer	1454 00	Minager Astered	\$22 89
ISB Acusolic Mudem	\$159.00	Managara ar h	531 00
SSO Intertory Medicio	8169.00	Тонддет	\$31 mb
CK46 Pv Joyatiche	514 00	Crome Pare (800300)	\$34 66
TCG16 Home Manager Kit	564 00	Some CIN-LIMI Products are	give avadable
21419 Bankherper Kit	\$193.00	des Apple and IRM Call for	Impactions
X482 Educator Kit	8129 00	SYNAPSE	E .
CK463 Programmer Kit	\$54 00	Ede Manager 800 plus	564 DB
Killi Communicator Mir	\$229 00	Chirben (IGL)94)	534 HH
CK7101 Entertainer Kir	544 00	Permit Parameter Mills	\$34 00
Impitation to Programming 9	510 DO	6 lipter Jumper (Rt.186)	\$34 00

520 00

141 90

\$18.50

934 00

519 50

513 50

518 50

618 50

574 66

\$18 50

513 50

\$13.50

n Assembler	\$44.00
or Soft	264 00
(Lde)	\$105.00
(Blume)	\$72.00
et Weijer	579 00
Placeton	3114 tm
cale	8114 00
ATARI	
	044.00

Invitation to Programming 16

4002 Bank Lane

8121 Mer

405 Pilos

4618 PHo

8034 Atm

004 Word

Test Carmatter

Layerin For

Family Cash

Demokski

Hely Grati

Player Flator

Bumper Post

mbys Blass

ann's Assembler Editor

Termen	\$13.00
Compade	533 00
Defender	273 00
delenien	\$33 60
Haste Lammand	234 m
iter Hetders	\$33 m
Canada of Maso	5.32 1000
Dog Eling	\$ 22 00
Danbey King	LAIL
ET Phone Home	839 00
Castern From (1941)	834 80
DIX.	133 00
Superman ())	\$39 00
Sign Trup	133 00
Andrew media	\$29 00
Joshethall .	\$29.00
Compiler Chris	\$29.00
Juggles Phase	321 Ou

1 1 1 2 2 3	ET Phone Home
3.1.00	Cattern From (14
	QIX
No. 20 20 20	Superman ())
7 7	Sine Trup
	Autermets
- 5 1	Besketball .
	Computer Chris
	Juggles Phase
\$748.	Ny fina Alphain

HP 75 \$	748.
HP41C (Free Memory Medicks)	\$149.00
HP INC	\$59.00
HP 16L	172 00
HP 12C	544 90
IPP ISC	\$44.90
HP 16C	\$44 BH

	F	or	- H	P	41	/4	٩	C'	٧
_	_								-

harman and the second of	- T
17PIL Medule ; ;	\$99.00
HPIL Consette or Pothter	9359.00
Card Brader .	\$144 00
Extended Functions Module	844 00
Time Mudde	\$44.00
Mathematics Fac	\$24 30
Real Estate Pac -	140 00

Anning spices	327 00
Subpres	527 00
Witzard and Presy year	220 NO
The Hest Step	\$38 mg
Minager Antered	\$22 RG
Manage Spart and B	531 60
Engger	\$31 00
Crime Pare (860)000	\$34 66
Some CHILIM Products are	also avadable
in Apple and IRM Call for	minimum.
	_

CHIEF LAL (MC368)	239 00
Some CH-LIM Products are	also avadable
In Apple and IRM Call for	Impaintment
SYNAPSE	E
File Manager 869 plus	\$64 BB
Chirhen (IRL)94)	534 40
Permit Paramentificati	534 60
E ligito Jorngon (REIM)	\$34 00
Stone (81(374)	\$34 00
Shames (ROM)	534 40
Pentersus (SCIPI)	\$34 00
Dudge Races (C/D)	524 00
Manachin (L /EI)	576 90
Shadow World (C./)71	52 b 100
Sarvious (L/III)	575 au
Dreibs (C/D)	52h ##
Nectomances (L/D)	\$26 DB
Phorob's Curse (1/14)	524 BB
Fact Agus aligne ((/31)	\$2h 00
Page 6	819 00
Assembles	136 00
Dub Honoger	124 00
DATABOR	*
Parthr Laust Highway	\$25 00
Canyon Chathre	875 00
Tuesda Hogo	\$25.00
Shooting Arrade	\$23.00
Cheves and Rafforms	\$25 00
Leeaphie Manore	33N (III
Grapher Generalise	\$13 tm
Morro Painter	825 00
Test Wisand	\$79.00
Spell Wiesed	\$64 (6)
Biship's Square	\$25 00
Sands of Egypt	\$25.00
Hous Shurfe	825 00
facron.	1.79 00

four Shurtle	825 00
action.	\$24.00
ALIEN	
Mart Voter Box	\$119 00
pple Vaure Ros	\$149 06
MEMORY	
ialno 32H Kam	284 00
alan till Hom	\$139.00
ulos (76K Stom	5.799 00
mer 32% Board	574 00
mer 48H Baard	199 00
nips 64H Buard (400 andy)	\$149 00
WICD	

359 00

33n ye	GAMEST
\$13 tm	Baja Doggers
\$25 OO	f matheff
\$79.00	BUOGEG
364 (6)	
\$25 00	Names Blance
125 00	LJ.K
825 00	Lesson Forders 40/0014 ml
124 00	Letter Perfect 40 Cul Re
*	Letter Perfect 80 Cal H
	Data Porters 40/20 L uf
	Mail Merge
00 P11	CALL FOR APPLL/I J
149 06	mit :
	60 Cal Card In Atore II
200 00	
134 BO	
399 00	
574 00	We also stock t
199 00	Adventure Int
1149 00	
	Eduware, Cre
824 95	ware, Dorsett E
	•
526 95	IDSI, Romox a

oftware by: ernational. ative Softducational. IDSI, Romox and Artworx. Call for details and prices.

computer mail order east

IN PA. CALL (717)327-9675 DEPT 501, 477 E. Third Bt. Williamsport, PA 17701 Circle 123 on inquiry card.

ous Bed Ball

Arges/VIC Transhall

No righ, no deposit on C.D.D. orders. Pre-paid orders received for shapping within the UPS Continuental Immeditates Delivery Core, with now uning pointed to certified that has in more; orders. Add 3% interneous 33 00 chipping and handling on all C.O.D. orders. Larger shipments may require additional charges. NV and PA residents and sales rac. All tiems subject in availability and page changes. NOTE: We stock example charges and third party influence for most all computers on the market. Call today for one capability.

Software Review

Solarsoft A Design Package for Solar Buildings

Winslow H. Fuller Equinox Inc. The Granite Block Peterborough, NH 03458

Designing efficient passive solar residences and small office buildings is a complicated process. Although the basic principles of passive solar design are simple, their successful execution requires a thorough understanding of their physics and practical application. The four programs in the Solarsoft package enable the experienced architect/engineer or owner/builder to fine-tune the design of any passive solar building. The following is a review of the four programs.

Sunpas

Sunpas is an interactive program that can quickly estimate the auxiliary (or backup) heating requirement and solar contribution ("percent solar") of a passive solar building. The program uses monthly correlations developed at the Los Alamos Scientific Laboratory (LASL) in Albuquerque, New Mexico. This Solar Load Ratio method has become the standard estimation technique in the solar industry and is described in detail in the Passive Solar Design Handbook, vol. 2. (DOE/CS-0127/2), available from NTIS (National Technical Information Service), 5285 Port Royal Rd., Springfield, Virginia 22161.

The method uses the Solar Load Ratio (SLR) as the main parameter for estimating building performance. The SLR is the ratio of solar gains absorbed by a building in a given period of time (usually a month) to the heat lost during the same period. From this, the program cal-

culates the Solar Savings Fraction (SSF), which yields the auxiliary heating requirement. The SSF is the building's "solar savings" divided by its "net reference thermal load." For most buildings, the net reference thermal load is the load on an equivalent building without the passive system, and thus the SSF is in fact the percent that the solar system contributes toward the heating of the building.

Sunpas is menu driven. A setup menu specifies the required input data, including building heat loss, internal heat gains, shading, and location information.

The "climate responsive takeoff" menu asks the user to define each building surface as to type (solar or nonsolar), area (width and height), and overall u-factor (heat-loss coefficient). If a surface is solar, the user must specify its azimuth and tilt, solar absorption, night insulation R-value (resistance, or measurement of the tendency of a material to retard the flow of heat), two key fixed shading overhang parameters, and one of five user-defined monthly shading patterns.

The "ground responsive" heat-loss menu allows the designer to specify heat loss with reference to a constant temperature source such as the earth—a nice feature. Although the heat-loss value may not be entirely accurate, it gives a good approximation of basement heat loss when the ground temperature is accurately estimated.

The "infiltration and perimeter" menu asks only for the total building volume and the average air infiltration rate in air changes per hour (AC/hr). The AC/hr value is important because it is generally a large part of the total heat loss. Average uninsulated houses have values approaching 1.0 AC/hr, while superinsulated houses are near 0.2 AC/hr. If there is a slab instead of a basement or crawl space, the perimeter heat loss can be defined in this menu section by the length of the exposed perimeter and a single heat-loss coefficient.

About the Author

Winslow H. Fuller is a licensed professional engineer and a principal in the architectural and engineering firm of Equinox Inc. in Peterborough, New Hampshire. He has analyzed hundreds of passive solar buildings for Equinox and for several state and national design competitions.

COMPUTER & EQUIPMENT DISCOUNT PRICES **BUY DIRECT**

It's simple. CALL & SAVE MONEY MICRO MANAGEMENT

SYSTEMS

Since 1978

PARCEL DIVISION DEPT. NO. 1 2803 THOMASVILLE RD. E. CAIRO, GA. 31728 GA. INFO. 912-377-7120

GA. 912-377-7120 INFO



MODEL	12.		a	ı					9		4			\$CALL
MODEL	16.													\$CALL
MODEL	Ш.	ŧ	*		,	Ŧ		1	8	b	¥			\$CALL
COLOR	CO	٨	٨١	9	U	T	E	i						\$CALL

We carry complete line of TRS-80 Computers. ALL TRS-80'S ARE PURE RADIO SHACK EQUIP.





MODEMS..... \$CALL

commod

VIC 64 COMPUTER	\$CALL
VIC 20 COMPUTER	\$CALL
VIC 1541 DISK DRIVE	\$CALL
VIC 1530 DATASETTE	\$CALL
VIC 1525 PRINTER	*CALL

We carry many more products..... \$CALL

DISKETTES.....

PRINTERS

MX-80 PRINTER.	1 19		¥	\$CALL
FX-80 PRINTER			Þ	SCALL
MX-100 PRINTER.			p	\$CALL



CORONA

PRINTERS

ML	80	. SCALL	ML	92P.
MAL	82A	. SCALL	ML	93P.
ML	83A	. SCALL	PM	2350
	0.10	ACALL	FALL	2410

.... SCALL SCALL 2410. ... SCALL

.... SCALL

TP-I DAISY WHEEL PRINTER

- LOWCOST 12 CPS
- Microprocessor Electronics
- . 10 or 12 Pitch
- Simple, reliable mechanism

SCALL

COLOR SCALL MONITORS..



MODEMS \$CALL

ATARI 800 COMPUTER... ATARI 1200 COMPUTER SCALI



APPLE PARALLEL CARD/CABLE. IBM PC PARALLEL CARD/CABLE.. MICROFAZER PRINTER BUFFERS..... \$CALL



DAISY WHEEL PRINTERS..... \$CALL



ACE 1000.....\$CAL ACE 1200..... \$CALL

FREE UPON REQUEST

- Complete Discount Price List
- · Copy of MFR Warranty

Prices and products subject change without notice.

At a Glance

Sunpas, Sunop, Tswing, and Solgain

Monthly SLR correlation method and economic analysis of passive solar buildings

Manufacturer

Solarsoft Inc. POR 124 Snowmass, CO 81654 13031 927-4411

\$700 for all four programs together, \$395 for Sunpas and Sunop only, \$395 for Tswing and Solgain only

Format

514-inch floppy disk

Language

Applesoft BASIC

Computer Needed

Apple II Plus with 48K bytes and two disk drives with an optional 80-column printer

Documentation

160 pages, in 3-ring binder (includes 11 complete examples)

Audience

Architect/engineers and owner/builders involved in design of passive solar buildings.




Figure 1: Sunpas can produce a bar chart of the monthly auxiliary heating load and solar saving fraction.

The "internal gains" menu allows the user to specify the average daily level of internal heat gains from people, lights, and appliances. These gains partially reduce the heating load. The menu also asks for the average thermostat setpoint. This is the setting, weighted hourly, of the thermostat. For instance, a 68°F day and 60°F night setting would yield an average of about 65°F. This value has a pronounced effect on the total heating load of a building and should therefore be selected with care.

Before running the analysis, the user must ensure that the disk contains monthly average climatic data for the building site. The data includes the latitude and altitude of the site, the monthly average ambient temperatures and daily swing (needed to calculate monthly average degree-days for any base temperature), and the average daily solar radiation. (This information is available for some 200 cities in the U.S. and Canada in the DOE handbook previously mentioned. The data disk of examples supplied with the software has approximately 15 cities on it.)

You run the program from the analysis set of menus. During the calculation phase, the program periodically delivers messages of its status so that the user is not left in the dark. The calculations usually take less than a minute, although the execution time may be longer if a large number of passive systems are present. The results can be printed directly and saved on disk as well.

The analysis menu lists three printing options for the computed results: the "complete print," which gives detailed information for each passive system specified; a "partial print," which repeats all important input data and all total building results (table 1); and "final results," which gives only the monthly SSF and auxiliary heating values.

I find that the "partial print" option is the best, because it repeats the input values and gives a nice breakdown of heat-loss sources and a summary of the monthly solar radiation absorbed. The final monthly results lists the net backup fuel requirement, the yearly total auxiliary use, and solar saving fraction. The complete printout gives the same information, but with the solar radiation data listed for each system.

A Sunpas graphics routine, available from the general graphics menu, produces a bar chart of the monthly auxiliary heating load, with the solar contribution highlighted. Title labeling requires user-supplied graphics text-editing software. Figure 1 shows what is possible.

Sunop

Sunop accepts input from the Sunpas program and either calculates life-cycle costs of the passive solar system or determines the optimal mix of energy conservation and passive solar features for particular design and system cost regimes. Additionally, Sunop can graph a variety of parameters for presentation. Economic variables and analysis menus are used to set up and run the program.

The economic-variables menu allows the user to enter or edit default economic values, including financial period, down payment fraction, mortgage term, annual loan interest rate, discount rate, inflation rate, fuel inflation rate, taxes, maintenance and insurance costs, and fixed and variable system costs. The analysis follows the method found in the Passive Solar Design Handbook (see chapter H and appendix E of that publication for defini-



The Micro-One is a professional computer that takes advantage of the CP/M[®] 2.2 Operating System to give the user access to thousands of business programs. Its excellent hardware capabilities are matched only by its outstanding software package valued alone at more then \$1600.

All these features, coupled with its remarkable size of 2.75"x8"x12" and light weight of only 5 lbs., makes it an offer hard to beat.

Micro-One Hardware Features

- 4MHZ Z80A® CPU
- 64K bytes RAM memory
- 500K bytes 3½" disk drive
- Two RS-232 serial ports
- Centronics parallel printer port
- Hard disk interface port

Micro-One Software Features

- CP/M® 2.2 DOS
- Perfect Writer_{TM} word processor program
- Perfect Speller™ spelling chekcer program
- Perfect Calc_{TM} spread sheet program
- Perfect Filer™ information filing program

Optional Features

- Additional disk drives
- 6MHZ Z80B® CPU operation
- Additional serial port
- Additional modem port
- Additional software
- CRT Terminal (available soon)
- Hard disk drive (available soon)

EMS Educational Microcomputer Systems
P.O. Box 16115 • Irvine, CA 92713 • (714) 553-0133

Circle 184 on Inquiry card.

HEAT LOSS BREAKDOWN

CLIMATE RESPONSIVE

HEAT	LOSS	(INCL.	GLASS)	= 7	712	BTU/HR-F
HEAT	LOSS	(NO GLA	= (22 <i>f</i>	549	BTU	I/HR-F

SURFACE	BTU/HR-F	% WITH	% WITHOUT
		GLASS	GLASS
S WALL	17.2	2.4	3.1
TROMBE	57.6	8.1	0.0
MINDOW	134.4	18.9	0.0
WINDOW	56.0	7.9	0.0
W WALL	19.1	2.7	3.5
DOOR	2.9	0.4	0.5
E WALL	17.9	2.5	3.3
MINDOM	20.2	2.8	0.0
WINDOW	8.4	1.2	0.0
N WALL	21.3	3.0	3.9
DOOR	2.9	0.4	0.5
MINDOM	6.7	0.9	1.2
MINDOM	13.4	1.9	2.4
GABLES	17.6	2.5	3.2
S ROOF	54.7	7.7	10.0
N ROOF	86.0	12.1	15.7

Table 1: A typical partial print report from Sunpas.

Net Present Value vs. the Area of Glazing




Figure 2: Graphic output of one of Sunop's life-cycle cost runs.

tion of terms and method of economic analysis). To perform the optimization routine, a builder's cost file must be created. In it, a user specifies different levels of insulation and their costs for each building component (wall, ceiling, etc.). From this information, Sunop can determine whether it is more cost-effective to add insulation or passive solar area.

Sunop will output results either in table or graph form. Figure 2 shows probably the most useful presentation for

life-cycle results. It is a plot of the net present value (discounted savings at current dollars) of a particular passive solar system versus the area of the passive system. For the building in this example, Sunop shows the optimal size of a passive solar system, given the economic assumptions in this program run. Another useful option is a printed table of annual cash flows for a particular system.

Tswing

Tswing is a thermal network analysis program that calculates the temperature at different locations throughout a passive solar building on an hourly basis. These locations are known as nodal points. A heating and cooling thermostat can be associated with any node (a maximum of two). Engineers will recognize this technique of network or nodal analysis as a generalized method for solving transient heat flow problems by the implicit finite difference technique. (In fact, this program is general enough to solve many nonsolar heat transfer problems.)

A thermal network consists of a system of interconnected nodes (figure 3). The user must specify the capacitance (ability to store heat) of each node and the conductance (rate of heat transfer between nodes) of each interconnection. In addition, the user must define heat gains from external sources such as sunlight, lights, and appliances. Tswing is able to calculate the hourly temperatures of each node for up to 14 days and plot any node over a 24-hour period. Graphic overlays are also possible.

Tswing is an ideal program for fine-tuning the thermal storage mass in passive buildings. In particular, it allows the designer to check for living space overheating and potential freezing problems in unheated areas such as sunspaces.

Tswing Submenus

Tswing contains five submenus that help the user to input data and run the program. From the main menu, the user can describe the building either node by node or zone by zone. Most novices choose the zone menu because it prompts the user for specific values and then automatically creates the matrix for the analysis. The experienced user usually selects the node-by-node menu because it is quicker. The user must define, in addition to building-related data, the weather data through the weather menu. Finally, the run menu is used to set up and perform the actual hour-by-hour analysis.

The zone menu is divided into three sections. The zone section prompts for such data as number of zones, floor area, thermal capacitance, exposed-wall area, volume, and heat-transfer coefficients. The mass section prompts for the number of nonwater thermal mass units and the number of their layers and amount of surface area, as well as the heat-transfer coefficient between them and the house air. The water section asks for the number of water mass units and their diameter and height, as well as various heat-transfer details.

The node menu requires that the user enter data via the submenus of capacitances, conductances, and constant

The Rixon PC212A... The Perfect Modem For Your IBM® PC ...Only \$495

The Rixon® PC212A offers you the only 300/1200 BPS full duplex card modem with auto dial and auto answer that plugs directly into any of the IBM PC® * card slots. Because the Rixon PC212A was designed specifically for the IBM PC, it is loaded with user benefits.

The PC212A eliminates the need for an asynchronous communications adapter card and external modem cable, this

alone saves you approximately \$190. The PC212A provides an extra 25 pin EIA RS232 interface connector, a telephone jack for alternate voice operation, and a telephone line jack for connection to the dial network.

Without question, the PC212A is the most user friendly, most reliable, and best performing modem for your IBM PC. An internal microprocessor allows total control, operation,

and optioning of the PC212A from the keyboard. A user friendly HELP list of all interactive commands is stored in modem memory for instant screen display. Just a few of the internal features are auto/manual dialing from the keyboard, auto dial the next number if the first number is busy and instant redial once or until answered. In the event of power disruption a battery back-up pro-

tects all memory in the PC212A. In addition, the PC212A is compatible with all of the communication programs written for the Hayes Smartmodem TM ** such as

CROSSTALK, TM + Also available for use with the PC212A is the

Rixon PC COM I, TM * a communications software program (Diskette) and instruction manual to enhance the capabilities of the PC212A and the IBM PC. PC COM I operates with or replaces the need for the IBM

Asynchronous Communications Support Program. The program is very user friendly and provides single key stroke control of auto log on to multiple database services (such as The Source SMA), as well as log to printer, log to file transfer and flow control (automatic inband or manual control). PC COM I is only \$59.00 if purchased at the same time as the PC212A. The PC212A comes with a 2 year warranty. For more information contact your nearest computer store or Rixon

direct at 800-368-2773 and ask for Jon Wilson at Ext. 472.

RIXON INC.

2120 Industrial Pky., Silver Spring, Md. 20904 301-622-2121 TWX 710-825-0071 TLX 89-8347

The Rixon PC212A Card Modem

Another Modem Good Enough To Be Called RIXON

Circle 395 on Inquiry card.

 IBM is a registered trademark of the International Business Machine Corp.

** Hayes Smartmodem is a product of the Hayes Stack ¹⁴ series, a registered trademark of Hayes Microcomputer Products Inc.

+ CROSSTALK is a trademark of Microstuf Inc.

* PC COM I is a trademark of Rixon Inc.

& The Source is a servicemark of Source Telecomputing Corp.

RIXON INC. 1983 3043




Figure 3: Tswing describes a building as a thermal network of heat conductances and capacitances.




Figure 4: Tswing enables a user to test the effect of various parameters such as airflow rate on a solar design.

loss. Next, the user defines other important parameters that describe the operation of the building through the following submenus: movable night insulation, internal heat gains, thermostat setpoint, and solar distribution patterns.

A nice feature of Tswing is that as many as five different solar distribution patterns can be defined and then varied in the run sequences. Thus one pattern may consist of radiation for a south-facing window with an overhang, another for a south-facing window without an overhang, another for a 30-degree skylight, another for an east-facing window, etc.

The weather menu requires the user to define the ambient temperatures and solar radiation for as many as fourteen days. In the solar radiation section, the user is able to enter hourly radiation values from sunrise to sunset for each of five different surfaces. These surfaces

a message to our subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Publications Inc
Attn: Circulation Department
70 Main St
Peterborough NH
03458



Micro lomputer Book Glub®

"The ONLY Book Club for micro users"

Play games . . . develop new programming skills . . . organize your finances . . . earn extra income . . . even build your own microcomputer . . .

HAVE IT ALL FOR ONLY \$2.95

Select any 5 books, (values to \$103.75) for only \$2.95 when you join The Computer Book Club®!





















List \$17.95



1278 List \$15.95



1108 List \$14.95





List 516.95



1485 List \$21.95



List STR.05









1062



1163 List 514.95









MICROCOMPUTERS

List \$13.95







7 very good reasons to try The Computer Book Club®

Blue Ridge Summit, PA 17214

- Reduced Member Prices. Save 20% to 75% on books sure to increase your computer know-how
- Satisfaction Guaranteed. All books returnable within 10 days without obligation
- Club News Bulletins. All about current selections-mains, alternates, extras -- plus bonus offers. Comes 13 times a year with dozens of up-to-the-minute titles you can pick from
- "Automatic Order." Do nothing, and the Main selection will be shipped automatically! But . . . if you want an Alternate Selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News Bulletin
- Continuing Benefits. Get a Dividend Certificate with every book purchased after fulfilling membership obligation, and qualify for discounts on many other volumes
- Extra Bonuses. Take advantage of added-value promotions, plus special discounts; on software, games, and more Exceptional Quality. All books are first-rate publisher's editions, filled with useful, up-to-the-minute information



é/Gomputer Book Club°

Blue Ridge Summit, PA 17214

Please accept my membership in The Computer Book Club® and send the 5 volumes circled below, billing me \$2.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership cancelled. I agree to purchase 4 or more books at reduced Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

334 335 337 338 1062 1108 1160 1183 1195 1205 1228 1276 1277 1295 1330 1332 1350 1369 1391 1396 1406 1407 1422 1455 1479 1485 1496 1513 1521 1526

Zip
2




Figure 5: Solgain computes the heat gained by a building as a result of the sun's rays passing through its windows.

must correspond to the five different solar distribution patterns mentioned above. Actually, a user needs to enter only the total daily radiation and the number of sunlight hours. Tswing will compute the values automatically in a sine-wave pattern with the peak at noon. The hourly ambient temperatures are entered in a similar fashion. The same sine-wave auto-entry feature can be used here as well. The user needs to enter only the average temperature and the daily temperature swing.

Before the actual simulation can start, the user must first define the initial temperatures of each node (default values are 65°F), the number of days in the simulation, and the specific display format on either the screen or the printer. The selection of the number and type of days is very crucial. For instance, the user can define a clear, cold day and a cloudy, cold day, etc. Then by simply changing the order or number of days, the user can quickly "see" the building's performance in all possible weather scenarios.

At this point, the user is ready to begin the simulation. The best way to do this is to print the results first (selected nodal hourly temperatures and net backup heating and/or cooling load) and then rerun selected parts of the simulation for graphic presentation. An unfortunate limitation of the software is that only one day can be graphed. It is possible, however, to overlay different simulations (as in a parametric study) on one graph (figure 4). This is an excellent feature to have when you are presenting different options of a design to a client for review.

Solgain

Solgain calculates the clear-day solar gains on the twenty-first of each month. It calculates, from the horizontal and overhang size, incident and transmitted radiation through single- or double-glazed windows, with varying shading coefficients, orientation, and tilt. Solgain menus prompt for some 16 input parameters. These include the window's latitude, angle from the horizontal, azimuth, shading coefficient, heat-transfer factor, dimensions, and fixed and adjustable overhang details and dimensions.

Solgain displays results either graphically or in table form. A nice feature is its ability to plot hourly solar gains (figure 5). The user has the choice of selecting any two of the following solar radiation components: incident, incident (shaded), transmitted, or transmitted (shaded).

Conclusion

The Solarsoft package is a tour de force for quantifying passive solar building performance. The Sunpas, Sunop, Tswing, and Solgain programs are the state of the art in microcomputer estimation techniques. Our architectural and engineering firm regularly uses the Sunpas and Tswing programs to analyze and fine-tune the passive solar buildings we design and are consulted about. They are a quick and inexpensive alternative to mainframe simulation methods.

WHY YOU SHOULD MAKE A CORPORATE CONTRIBU-TION TO THE AD

The Advertising Council is the biggest advertiser in the world. Last year, with the cooperation of all media, the Council placed almost six hundred million dollars of public service advertising. Yet its total operating expense budget was only \$1,147,000 which makes its advertising programs one of America's greatest bargains... for every \$1 cash outlay the Council is generating over \$600 of advertising.

U.S. business and associated groups contributed the dollars the Ad Council needs to create and manage this remarkable program. Advertisers, advertising agencies, and the media contributed the space and time.

Your company can play a role. If you believe in supporting public service efforts to help meet the challenges which face our nation today, then your company can do as many hundreds of

others—large and small—have done. You can make a tax-deductible contribution to the Advertising Council.

At the very least you can, quite easily, find out more about how the Council works and what it does. Simply write to: Robert P. Keim, President, The Advertising Council, Inc., 825 Third Avenue, New York, New York 10022.

Ad a

A Public Service of This Magazine & The Advertising Council.

The cost of preparation of this advertisement was paid for by the American Business Press, the association of specialized business publications. This space was donated by this magazine.

IBM Personal Computer

INTERNAL DISKS FOR IBM Tandon Internal Disk-160K . Tandon Internal Disk-320K

HARD DISKS FOR IBM Complete 5 Meg Systems from \$1550 Multi-computer Network Systems \$166A

QUADBOARD FOR IBM Includes 64K to 256K additional memory Serial & Parallel Port and Calendar Clock

PRINTERS FOR IBM STAR and EPSON NEC 3550 Spinwriter SCALL

MONITORS Med Hi Res-Green Comrex High Res-Green BMC from High Res-Color PGS \$89 \$89 \$CALL Malches IBM PC Low Res-Color-Taxon Vision 1

SCALL High Res-Color-Tuxon Vision 1 High Res-Green-Taxon SCALL

First DISK DRIVE includes controller, DOS 3.3, cables and manual SCALL Second DISK DRIVE with cable SCALL

APPLE to EPSON card and cable
APPLE TO GEMINI card and cable
Z 80 CARD
RAM CARD
Finiter interface Cards
SCALL
Scabbe Printer Interface Card
SCALL
Scabbe Printer Interface Card
SCALL APPLE to EPSON card and cable Graphic Spooler Interface Card available with 16K to 64K



FOR IBM, APPLE II AND APPLE III SPECIFY INTERNALIEXTERNAL 5 megabyte hard drive 12 megabyte hard drive

HARD DISKS from \$1889

10 Megabyle Hard Drive 20 Megabyle Hard Drive

SCALL SCALL SCALL SCALL

Add 5, 10 or 20 Megabyles of storage to your TRS-80 Model 1 Model (I Model II) Model 12 IBM, Apple, Atari, Heath Zenith, Intertec, S100 Osborne, Eagle Commodore 64 Xerox Superbrain Z89/90 DEC LSI---11 NEC PC-8001 and more

One or several computers can share A HARD DISK Ask about OMNINET for your Apple or IBM PC.



Dedicated To Being No. 1!

FEATURES

- 100 CPS 9X9 Dot Matrix True Decembers Super Scrips:(-Subscript-Underlining
- Friction and Tractor Programable Line Spacing
- 99% Compatible with software writin for No. 1 Printer
 High Res. Bit Image Block Graphics
 Backspacing-Doublestrike-And More
 5, 6, 8 1/2, 10, 12 and 17 Pitch
 Free 2 3K Buffer Extended Six (6) Months Factory Warrants-FREE

Gomini 10 (9 inch Carriage) Friction and Tractor Gemini 15 (15 inch Carriage) Friction and Tractor Senal Interface Apple Card and Cable Commodore Interface

Call and ask about the new High Speed Printers By Star Micronics

COMMODORE 64

VIC 20--DISK DRIVES--MONITORS DATASETTES--SOFTWARE **ACCESSORIES**

Call For Current Pricing Information.

PRINTERS

TCS has the LOWEST PRICES on IN-STOCK PRINTERS

LETTER QUALITY PRINTERS

CITON F-10 (40 CPS) DAISY WHEEL II (RS) NEC 3510-3550 NEC 7710 7730 BROTHER COMREX

MATRIX PRINTERS EPSON-MX & FX MODELS C ITOH 8510 TEC PMC OMP 100 OMP 200 OMP 400 DMP 500

NEC 3510-3550
NEC 7710 7730
BROTHER COMREX
CENTRONICS 352/353
OKIDATA PRINTERS
PRINTER CABLES AND INTERFACES AVAILABLE. CALL FOR CURRENT PRICING INFORMATION

LEADER in MAIL ORDER DISCOUNTS! 800 433-5184 Texas 817/274-5625

TCS MODEL III 48K 2 DISK

Systems come with 180 day warranty,

\$1444

With standard 40 track double density drives Over 340,000 bytes includes TDOS

With 2 dual headed 40 Inact dbl density drives Over 730,000 bytes Includes DOSPLUS 3 4 (\$150 value)

Fully assembled and lested systems that are suftware compatible and functionally identical to Radio Shack units sold at computer stores for Shundreds more

CONTROLLER BOARDS are high quality double aided apoxy boards with gold

plated contacts

proved contacts

proved supply is the linest switching type available.

proved SUPPLY is the linest switching type available.

proved SUPPLY is the linest switching type available.

proved Supply supply

TCS MODEL III DISK EXPANSION KITS

1 Controller, Power Supply. Mounting Hardware & Instruction
2 Controller, Power Supply. Mounting Hardware & one 40 track Tandon Orive 5478
3 Controller, Power Supply. Mounting Hardware & (wo 40 track Tandon Orive 5677
3 K II 3 but with two 80 track drives (dual 40's)
38 Kii 3 but with two 160 track drives (dual 80's)
51099

TCS Model III and Color Computer

Ask about the Green or Amber CRT for your austomized Madel III

Model III and Color Computer

With Original 90 day Manufacturer's Limited Warranty Call for current pricing information on the

Model II...Model 16...Model 12...Model 4

All Radio Shack Equipment shipped from our store in Brady, Texas.

TCS DRIVE CABINET is industrial grade heavy quage metal safety fused and comes with gold plated external connector with extender cable.

1 DRIVE in Cabinet

40 track single sided. 80 track (dual sided 40 track) 5949 160 track (dust sided 80 track

1 DRIVE/Double Cabinet

40 track single sided 80 track (dual sided 40 track) 160 track (dual sided 80 track) \$289

2 DRIVES/Double Cabinet

40 track single sided 80 track (dual sided 40 track) 160 track (dual sided 80 track) 5489 5639

Drives in cabinets came assembled/tested with power supply Order cable superately

BARE DRIVES ONLY

40 frack simple sided 80 frack (dual sided 40 frack) 160 track (dual sided 60 track) 8 inch Stimline sglidbi sided Winchester Hard Drives 5-30 Meg SCALL SCALL SCALL

Smith-C orona

Parallel/Serial \$535

TEXAS COMPUTER SYSTEMS

P.O. Box 1327 Arlington, Texas 76004-1327

TECHNICAL ASSISTANCE 817/274-9221 ORDER STATUS 817/277-1913 TELEX/TWX/Easylink ELN 62100790

800 433-5184

No tax out of state. Texans add 5%. Prices subject to change at any time.

Some of our biggest ideas aren't very big.



Datamaster

Small Systems from IBM.

In business, it's often the little things that count. And you can count on IBM for a lot of them.

That is, we make a wide range of low-cost, easy-to-use small computers to help businesses of all types and sizes solve big problems.

Like inventory control, for instance. IBM small systems can tell you what's what with your widgets: How many you have on hand. How many you need to fill existing orders. Where to ship and when.

If you want to improve customer

service, we're at your service. With small systems that help your sales force match orders to inventory, figure a price and guarantee a delivery date. (All of which helps guarantee a sale.)

IBM small systems can help your marketing manager make price changes quickly. And your billing department improve cash flow by invoicing customers more efficiently.

When you write your customers, you can get letters and reports out faster.



administrative systems that take the work out of paperwork. As well as distributed systems that simplify and speed up the process of sending information back and forth between several locations.

The point is, whatever your problem—sales forecasting and analysis, billing, payroll, job estimating, order processing,



production control, and even energy management—it's no problem for IBM.

We have the right small system for the right job. And an IBM professional to recommend the one best for you.

What's more, our small systems are designed to be



easy to learn and use. So you can put them to work quickly.

As your business grows, so can your IBM system with more storage capacity, work stations, printers and communication lines.

IBM Small Systems come with a special feature. IBM.

IBM small systems come with a lot of excellent features. But the best feature of all is that they come from IBM. Which means you can get IBM education, service and support.

For further information on

IBM small computers for your business, call your local representative or IBM's toll-free number below.

We'll show you hat an idea doesn't

that an idea doesn't

have to be big to be great.



Call IBM Direct 1 800 631-5582 Ext. 104. In Hawaii/Alaska 1 800 526-2484 Ext. 104. (Or write IBM 7AG/522, Dept. NO-104, 400 Parson's Pand Drive, Franklin Lakes, N.J. 07417.)

Displaywriter

The Ins and Outs of the TRS-80 Color Computer

Find out how the Color Computer interfaces with the outside world.

Colin J. Stearman 143 Ash St. Hopkinton, MA 01748

My TRS-80 Color Computer was not home long before I was searching through back issues of BYTE to find out what was known about the internal workings of the unit. My interest aroused by a few excellent articles (see references 1 and 2), I was soon "peeking" and "poking" around inside my new purchase to find out more.

This article should further whet your appetite for exploration by giving you details on how the Color Computer interfaces with the outside world. I have also included some other tidbits of information to help you on your way to a better understanding of the internal workings.

The Peripheral Interface Adapter

The MC6809E microprocessor interfaces with the outside world (and some other internal devices) through a PIA (peripheral interface adapter) integrated circuit (IC), numbered MC6821 by Motorola. The MC6821 pin configuration is shown in figure 1.

The purpose of the PIA is to enable the microprocessor to receive and transmit signals and interrupts from the outside world. Because these needs vary so much with each application, the MC6821 has been designed with maximum flexibility in mind. The IC contains two independent interface circuits, which are nearly identical in operation. Each circuit can receive or transmit as many as eight digital signals in any combination (three in, five out; one in, seven out; etc.). In addition, each has two

control lines, one dedicated to input and the other selectable as either input or output.

There are actually two PIAs in the Color Computer, one mainly for accepting keyboard entry (PIA1) and the other for external communication (PIA2). Each PIA is assigned four memory locations; PIA1 has hexadecimal addresses FF00 through FF03 and PIA2 has hexadecimal addresses at FF20 through FF23. In fact, only the least significant 2 bits of the address are used, along with the "chip-select" signal, making hexadecimal addresses FF04 and FF08 through FF1C for PIA1 equivalent to hexadecimal FF00. Also, only the least significant 2 bits are used with the other PIA1 and PIA2 addresses.

A block diagram of the input/output (I/O) components in the Color Computer is shown in figure 2. The PIAs receive and transmit signals to the digital-to-analog (D/A) converter, keyboard, joysticks, joystick fire buttons, cassette port, RS-232C port, video-display generator IC, analog comparator, audio-output selector, single-bit sound output (produces sound by switching one bit on and off rapidly), memory size jumpers, and interrupts used for timing purposes.

Figure 3 shows the allocation of the I/O and control lines of the two PIAs. The function of each of the identified lines is given in the following sections.

The Cassette Interface

Both the incoming and outgoing audio signals are passed through signal-conditioning circuits. Data is recorded on tape by a frequency-shift-keying (FSK) technique. This circuit can be used for many purposes not related to cassette storage. The output of the D/A converter is connected to lines PA1 through PA7 of PIA1 via

Colin Stearman is a field engineering manager for Boston Digital Corporation.

About the Author

CRUNCH!

The inventor of VisiCalc[®], the world's leading software product, introduces TK!Solver[™]—the revolutionary way to arunch problems on a personal computer.

With VisiCalc, Software Arts created an entirely new application for personal computers—the electronic spreadsheet.

Now Software Arts has developed TKISolver, another entirely new and different application for personal computers—the problem solver. Business and financial problems. Scientific and engineering problems. Architectural and building design problems. Any kind of problem you can dream up, in any area.

What's so revolutionary about that?
Simply this: the power of the TKISolver program comes from the ease with which you can set up problems, vary assumptions, find solutions, and display results. All the facilities needed to solve the problems—simple or complex—are built-in, and need not be developed. Once you

have stated your problem, simply enter the known values, then solve the problem with a single keystroke.

for even easier problem solving use a TKISolverPack* in which models for solving common problems in such areas as finance, engineering and education have already been formulated by professionals in these fields.

There is no software product in existence that solves problems as quickly, flexibly, and easily as TK!Solver—The Problem Cruncher. In fact, no other software product even works the way TK!Solver does. It

is a necessity for personal computer owners. See for yourself. Visit your nearest computer store for a demonstration and find out how much you can do with a personal computer when it thinks as flexibly as you do.

Software Arts

27 Mica Lane, Wellesley, MA 02181

TK!Salver, TK!SolverPack and TK!Solver—The Problem Cruncher are trademarks of Software Arts, Inc. Software Arts is a trademark of Software Arts, Inc. and Software Arts Products Corp. VisiCalc is a trademark of VisiCorp. Copyright © 1983. Software Arts, Inc. All rights reserved.




Figure 1: The peripheral interface adapter (MC6821) provides a flexible general-purpose interface between any of the 6800 series microprocessors and the outside world.

a scaling circuit. This results in an analog voltage at pin 5 of the cassette socket. This voltage varies from 55 millivolts (mV) to 1.126 volts (V) in 17-mV steps. Outputting numbers from 0 to 63 onto the upper 6 lines of PIA2 will set the voltage. To demonstrate this, connect a voltmeter or oscilloscope (set to direct-current coupling) to the cassette output, pin 5. Then enter and run this BASIC program:

```
10 FOR I=0 TO 63
20 POKE 65312, (PEEK(65312) AND 3) OR (I+4)
40 NEXT I
50 GOTO 10
```

Your meter or oscilloscope will show a slowly rising direct current (DC) voltage, which will suddenly fall to 0 and then start rising again. The result will be a positivegoing sawtooth waveform. The slowness is due to the relative slowness of the BASIC interpreter. A machinecode routine would be much faster.

In line 20, multiplying I by 4 shifts the value of I to bits 2 through 7. Using the AND function with 3 and the current contents of the address returns the value of bits 0 and 1. Use the OR function with the result and the desired number, and put the final result back into the PIA. This is an important technique that you will see used elsewhere in this article. It allows modification of selected I/O lines without interfering with others.

Remember that this output is a voltage signal and that no power can be drawn from it. However, it can be interfaced with operational amplifiers and other analog devices to perform an unlimited number of control functions, enabling your Color Computer to control a variety of analog hardware with the right interface circuit. Possibilities include temperature control, model train




Figure 2: The TRS-80 Color Computer input/output system. The two PIAs are efficiently used to perform all of the I/O tasks needed by the Color Computer. The PIAs pass signals that are used for functions ranging from keyboard entry to cassetterecorder control to graphic-display control.




Figure 3: The PIA pin assignments. All available connections to the two PIAs are used, in some cases for more than one purpose. The great flexibility of the MC6821 makes this efficiency possible.

RICE SLASHER! FRANKLIN ACE 1200 call

Professional Personal Computer



. TEXAS INSTRUMENTS CALL

DISK DRIVES	
HARD DISKS AVAILABLE	CALL
APPLE COMPATIBLE	
Single w/Power Supp &	
Shugart Dr	\$299.
Double w/Power Supp &	
Shugari Dr	599.
Controller card	
MICRO SCI	,
A35 w/Controller	399.
A40 w/Controller	
A70 w/Controller	593.
WIGHTONIA 10 -	- 400.

A40 w/Controller	
A70 w/Controller ,	59 3.
PRINTERS	
OKIDATA	
Microline 80A.	\$399.
Microline 82A	459.
Microline 83A	720.
Microline 84(PAR)	1149.
Microline 2410P	2599.
Microline 92	599.
Microline 93	CALL
BROTHER	
HR-1 Datsy Wheel Parallel	889.
HR-1 Daisy Wheel - Serial	
Forms Tractor	149.
STAR MICRONICS	
GEMINI 10	399.
GEMINI 15	559.
DIABLO	
630, RB-232, Dalay Wheel	
630 API-Apple, IBM TRS 80	
620	1324.

MONITORS & TERMI	NALS
US	
12" Hi Res Green	\$149.
12" Amber	159.
SANYO	
12" Black & White	123.
12" Green Screen	135.
13" Color	420.
13° Color Hi-Res	
HAZELTINE	
Espirit.	585.
Espirit I)	
AMDEK	
12" Green	189.
13" Color I	
Color II HI-Res	
Color III RGB Color	475.
TELEVIDEO	
910.	839.

912. , , , , , , , , 745.

MANNESMANN TALLY PRINTERS

NEC	
JB 1260 12" Econo Green	
	120.
JB 1201 12" Green Screen	
Hi-Res w/ Sound .	169.
JC 1201 12° Color	349.
JC 1203 12" Hi-Res Color	200
for IBM PC	
Cable for IBM PC.	19,
ACCESSORIES	
SORRENTO VALLEY ASSOCIA	TER
App-L-cache 256K Memory	
SSM	4003.
AS10 Apple Serial I/O Card.	120
AP10 Apple Parallel I/O Card	
AIO-H	
TG PRODUCTS	140-41
Game Paddles	32.
Joy 81lck	44.
DRANGE MICHO	
GRAPPLER PLUS	139.
KRAFT SYSTEMS	
JOYSTICK,	49.
HDC DEDIDHERALE	
MPC PERIPHERALS Bubble Memory NEW .	#70
	DIA.
16K Memory Board for	22
Apple ()	04.
32K Memory Board for	110
Apple II	130.
	70
Apple I)	12.
PROM-IT. Eprom for	, (20.
	0.0
the Apple It	39.
	440
for Apple II Memory	118.
Board.	195
00810.4	160-
MAD PHIERDONICS	
MAR ENTERPRISES SUP R TERMINAL 80	
	269.
PRACTICAL PERIPHERALS	203.
Microbuller II 18K for	
	230
Apple II	440.
Apple II	
&K Serial Buller for	410,
Epson Printer	129
16K Parallel Interface	120
for Epson Printer,	129.
MICROSOFT	
Z-80 Solicard for Apple	249.
MOUNTAIN COMPUTER	
CPS Multifunction for Apple	165.
The Clock for Apple	235.
Romplus	119.
Remplus 16K for Apple	135.
Rampius 32K for Apple	
Music System for Apple	
Rom Writer for Apple	139.
SEATTLE COMPUTER	
64K RAM + for the IBM PC	385.
128K RAM + for the IBM PC	529.
256K RAM + for the IBM PC	789.
CALIFORNIA COMPUTER SYST	TEMS
Asynchronous Serial	
Interface	145.
VIDEX, INC.	
Vidaolerm	269.
Softvideo Switch	29.
Inverse Chip	24.
Enhancer II	110.

Consolally MIC	CP/M
Pindardia min	ROSTUF .\$162.
Sugarrain SOP	CIM 206
The Word Plus. OAS	IS 119.
Spelfbinder LEX	ISOFT . , 279.
The Word Plus CAS Spelibinder LEXI T/Maker II LIFE Supervyze EPIC Condor III CON	BOAT 219.
Supervyze EPIC	SOFTWARE115
Condor III CON	IDQH 799.
WOLLING . INIE	
dBase II , .	-1 499.
MICROPRO	CALL
Wordstar	CALL
Mailmerge	CALL
Calcslar ,	CALL
Supersort	CALL
Spelistar	CALL
infociar	CALL
Reportstar	CALL
MICROSOFT	
Reportstar MICROSOFT Fortran 80 Macro 80 Basic Compiler	369.
Macro 80	189
Basic Compiler	, 319.
Cobol 80	5P5.
Basic 60	299,
Edit 80	95.
mu/LISP/mu/STAR 60	175.
Multi Plan 'Also	
Available For Apple. SOFTWARE DIMENS	205.
SOFTWARE DIMENS	IONS, INC.
Accounting Plus	CALL
SOFTWARE FO	DIRM
Write On DAT	N IOW
Condor II CON	COS 440
Crosstalk MICI	POSTILE 165
Mathiana ICM	
	75
The Tay Manager MICI	75. ROLAB 195
The Tax Manager MICI	75. ROLAB 195.
d Base II ASH	75. ROLAB 195.
d Base II ASH SORCIM Supercalc	75. ROLAB 195. YON-TATE 499.
d Base II ASH SORCIM Supercalc	75. ROLAB 195. YON-TATE 499.
d Base II ASH SORCIM Supercalc	75. ROLAB 195. YON-TATE 499.
d Base II ASH SORCIM Supercalc	75. ROLAB 195. YON-TATE 499.
d Base II ASH SORCIM Supercalc SuperWriter Spellguard SELECT IN FORMATIC Select Word Process	75. ROLAB 195. TON-TATE 489. 205. 295. 229. ON SYSTEMS
d Base II. ASH SUPERCAIC. SuperWriter Spellguard. SELECT IN FORMATIC Select Word Process w/Superspell.	75. ROLAB 195. TON-TATE 489. 205. 295. 229. ON SYSTEMS
d Base II. ASH SORCIM Supercalc . Superwriter . Spellguard . SELECT IN FORMATIC Select Word Process w/Superspell	75. ROLAB 195. TON-TATE 489. 205. 295. 228. ON SYSTEMS or 389.
d Base II. ASH SORCIM Supercalc SuperWriter Spelliquerd SELECT IN FORMATIC Select Word Process w/Superspell VISICORP Visicalc 256K Version	75. 701. 795. 700. TATE 488. 205. 295. 228. 208. 209. 389.
d Base II, ASH SUPERCAIC SuperWriter Spelliguard Select IN FORMATIC Select Word Process w/Superspell VISICORP Visicate 256K Versior Visitendi/Visipilol.,	75. ROLAB . 195. YON-TATE 499. 205. 296. 229. ON SYSTEMS 07 369.
d Base II ASH SORCIM Supercalc	75. TON-TATE 498. TON-TATE 498. 205. 229. ON SYSTEMS OF 389.
d Base II ASH SORCIM Supercalc	75. TON-TATE 498. TON-TATE 498. 205. 229. ON SYSTEMS OF 389.
d Base II. ASH SORCIM Supercate SuperWriter Spelliguard. Select INFORMATIC Select Word Process w/Superspell VIBICORP Visiciate 256K Versior Visitrendi/Visipilol. Visidex Visilite Desktop Plan I	75. TON-TATE 498. TON-TATE 498. 205. 229. ON SYSTEMS OF 389.
d Base II. ASH SORCIM Supercalc Supercalc Spellguard SELECT IN FORMATIC SELECT Word Process w/Superspell Visicalc 256K Versior Visitrend/Visipilot Visithe Desktop Plan I MICROPRO	75. 76. 77. 76. 76. 77. 77. 78. 78. 78. 78. 78. 78. 78. 78
d Base II. ASH SORCIM Supercalc SuperWriter Spellquard. Select IN FORMATIC Select Word Process w/Superspell VISICORP VIsicate 256K Versior Visitend/Visipilot., Visidex Visite Dasktop Plan I MICROPRO	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 79. 205. 295. 228. 20N SYSTEMS 27. 389. 389. 389. 389. 389. 389. 389. 389
d Base II. ASH SORCIM Supercalc SuperWriter Spelliguard. Select IN FORMATIC Select Word Process wSuperspell VISICORP VIsicalc 256K Versior Visitrend/Visipilot. Visidex Visitle Desktop Plan I MICROPRO Wordstar Mallmerge	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 79. 205. 229. 229. 229. 208. 389. 389. 389. 389. 389. 389. 389. 38
d Base II. ASH SORCIM Supercalc Supercalc Superwriter Spellguard SELECT IN FORMATIC Select Word Process w/Superspell VISICORP Visicalc 256K Versior Visitrend/Visipilot Visidex Visithe Dasktop Plan I Dasktop Plan I MicROPRO Wordstar Mailmerge Spellslar	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 79. 205. 229. 229. 229. 208. 389. 389. 389. 389. 389. 389. 389. 38
d Base II. ASH SORCIM Supercalc Supercalc Superwriter Spellguard Select IN FORMATIC Select Word Process w/Superspell Visicate 256K Versior Visitend/Visipilot Visidex Visidex MicRopro MicRopro MicRopro MicRopro Midmerge Spellster LU. 8.	75. 76. 77. 76. 76. 77. 77. 77. 78. 79. 205. 295. 295. 228. 20N SYSTEMS 27. 389. 389. 389. 389. 389. 389. 389. 389
d Base II. ASH SORCIM Supercalc. SuperWriter Spelliguard. Select INFORMATIC Select Word Process wSuperspell VISICORP VIsicate 256K Versior Visitrend/Visipilot. Visidex Visidex Worder MICROPRO Wordetar Mallmerge Spellster LU.S.	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 78. 78. 78. 78. 78
d Base II. ASH SORCIM Supercalc. SuperWriter Spelliguard. Select INFORMATIC Select Word Process wSuperspell VISICORP VIsicate 256K Versior Visitrend/Visipilot. Visidex Visidex Worder MICROPRO Wordetar Mallmerge Spellster LU.S.	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 78. 78. 78. 78. 78
d Base II. ASH SORCIM Supercalc. SuperWriter Spelliguard. Select INFORMATIC Select Word Process wSuperspell VISICORP VIsicate 256K Versior Visitrend/Visipilot. Visidex Visidex Worder MICROPRO Wordetar Mallmerge Spellster LU.S.	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 78. 78. 78. 78. 78
d Base II. ASH SORCIM Supercalc SuperWriter Spelliquard. Select IN FORMATIC Select Word Process wSuperspell VISICORP Visicalc 256K Versior Visited Visited Desktop Plan I MICROPRO Wordstar Mallmerge Spellistar LU, 8. Easyspeller Easywriter II. Easywriter III.	75. 76. 77. 76. 76. 77. 77. 77. 78. 78. 78. 78. 78. 78. 78
d Base II. ASH SORCIM Supercalc Supercalc Superwriter Spellguard SELECT IN FORMATIC Select Word Process w/Superspell VISICORP Visicate 256K Versior Visitrend/Visipilot Visitex Visitite Desktop Plan I MICROPRO Wordatar Mallmerge Spellster I.U.S. Easyapalter Easyllist Easywriter II SOFTWARE DIMENSI	75. 76. 77. 76. 76. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 77. 76. 76
d Base II. ASH SORCIM Supercalc Supercalc Supercalc Spellguard SELECT IN FORMATIC Select Word Process w/Superspell Visicate 256K Versior Visitrendi/Visipilot Visidex Visidex Visidex Visidex Visidex Loaktop Plan I MICROPRO Wordatar Mallmerge Spellstar LU.S. Easyapeller Easyllier Easyllier Easyllier Easyllier Easymiter II SOFTWARE DIMENSI Accounting Plus CONTINENTAL SOFT	75. 76. 77. 76. 76. 77. 77. 78. 78. 79. 79. 79. 79. 79. 79. 79. 79. 79. 79
d Base II. ASH SORCIM Supercalc Supercalc Superwriter Spellguard SELECT IN FORMATIC Select Word Process w/Superspell VISICORP Visicate 256K Versior Visitrend/Visipilot Visitex Visitite Desktop Plan I MICROPRO Wordatar Mallmerge Spellster I.U.S. Easyapalter Easyllist Easywriter II SOFTWARE DIMENSI	75. 76. 77. 76. 76. 77. 77. 78. 78. 79. 79. 79. 79. 79. 79. 79. 79. 79. 79
d Base II. ASH SORCIM Supercalc Supercalc Supercalc Spellguard SELECT IN FORMATIC Select Word Process w/Superspell Visicate 256K Versior Visitrendi/Visipilot Visidex Visidex Visidex Visidex Visidex Loaktop Plan I MICROPRO Wordatar Mallmerge Spellstar LU.S. Easyapeller Easyllier Easyllier Easyllier Easyllier Easymiter II SOFTWARE DIMENSI Accounting Plus CONTINENTAL SOFT	75. 76. 77. 76. 76. 77. 77. 78. 78. 79. 79. 79. 79. 79. 79. 79. 79. 79. 79
d Base II. ASH SORCIM Supercalc Supercalc Supercalc Spellguard SELECT IN FORMATIC Select Word Process w/Superspell Visicate 256K Versior Visitrendi/Visipilot Visidex Visidex Visidex Visidex Visidex Loaktop Plan I MICROPRO Wordatar Mallmerge Spellstar LU.S. Easyapeller Easyllier Easyllier Easyllier Easyllier Easymiter II SOFTWARE DIMENSI Accounting Plus CONTINENTAL SOFT	75. 76. 77. 76. 76. 77. 77. 78. 78. 79. 79. 79. 79. 79. 79. 79. 79. 79. 79

SOFTWARE FOR APPLE	_
Serpentine	529.
Choplifter	29.
MICROSOFT	
Typing Tutor II	18.
Adventure	25.
*Fortran 80	
A.L.D.S	100.
*Basic Compiler	
mu/MATH/mu/SIMP 80	200.
Olympic Decathalon	25.
*Cobo! 80	595.
M/Sort,	
Softcard Framium System	599.
Time Manager	
VISICORP	
Visicale	209.
Visiterm	. 85.
Visipiot.	209.
Visitrend/Visiplot	249.
Visifile	209.
Visischedule	
Desktop Plan II.	
MICROPRO	
*Calcstar ,	ALL
*Datastar C	
*Supersort	ALL
"Wordstar C	ALL
'Mailmarge	
'Spellatar, C	
Infoatar C	
Reportstar	
SORCIM	
Spellguard	229.
SOUTHEASTERN SOFTWARE	
Data Capture 4.0	. 58.
EDU-WARE	
Slep by Slep. PROG DESIGN Datalax LINK SYSTEMS	59.
Datalax LINK SYSTEMS	149.
dBase I ASHTON-TATE.	499.
CALL FOR MORE APPLE SOFTWARE!!	
Note: Apple is a registered to mark of Apple Computer, CIPM is a registered trades of Digital Research	Inc

MODEMS	
HAYES MICROCOMPUTER	
PRODUCTS	
Smartmodem	\$229.
Smartmodem 1200	599,
Micromodem II w/Term, Pgm	310.
Micromodem 100	325.
Chronograph	199.
NOVATION	
Cat	169.
D-Cat	185.
Auto Cat	293.
Apple Cat II	309.
Apple Cat II - 212 , , , , , , , , , , , , , , , , , ,	CALL
J-Cut	135,
103/212 Smart Cat	499.

WE ACCEPT • MONEY ORDER • C.O.D. • CASHIERS or CERTIFIED CHECK • PERSONAL CHECK (allow 10 days to clear) • SANK WIRE TRANSFERS • VISA MASTERCARD (add 2%) Add 3% for shipping, handling 5 insurance (\$5 min.) Calif. residents add 6% tax. All equipment its new, comes with manufacturers guarantees. PLUS we guarantee it for 30 days and pay shipping charges on any ratures. All equipment subject to price charge § availability without notice. Chock quantity discounts.



9434 Chesapeake Drive - San Diego, CA 92123

ORDERS ONLY: 800-752-1341 CALIFORNIA ORDERS: 619-277-8002 INFORMATION: 619-277-8006_

925...



DECADES OF SER

Washington Computer Services

97 Spring St., New York, NY 10012

MANAGEMENT OF THE PARTY OF THE

TO ORDER: Call our toll-free number: (800) 221-5416. In N.Y. State and for technical information: (212) 226-2121. Hours: 9 AM-5:30 PM (EST) Monday-Friday TELEX: 12-5606 CABLE: WASHCOMP NYK



The Professional's Workstation

/ APC

8086. 16 bit processor; Two 8" DSDD disk drives; 128K RAM (to B49K); green or RGB PERFECT FOR color screen.

Word Processing CAD/CAM graphics (1024 × 1024 resolution) DataBase Management Accounting Chang Lab's Microplan IBM emulations CP/M-B6, MSDOS, UCSD P.

This new state-of-the-art work station out-performs all others near its price range. (One disk drive, green)

NEC COMPUTERS AND MONITORS

On N.Y.S. Contract #P-07220

PLEASE! Do not confuse us with mall order dealers. We are a full service distributor please. Serving the data processing & installation needs of business & industry from micros to maintrames. System houses, educational institutions & governmental agen-cles given special consideration. Leasing available. N.Y. State agencies, municipalities, and schools—call us for information on our 0.6.S. term contracts on hardware & software.

Please call to make an appointment for demonstration of this extraordinary computer at our shownorm Prices subject to charge without notice, call for latest prices. Prices include 3% cash focus on 1% of residents and sales far. OF MP is a trademark of Digital Research. All sales subject to our standard sale conditions invaliable on request). Above prices do not include customization or installation.

speed regulation, and servomechanical-positioning systems. Applications are limited only by your imagination.

The cassette port also contains a relay contact for starting and stopping the recorder. The contact is rated at 0.5 amperes (A) at 6 V. It is completely isolated from all other computer circuits and can therefore perform any on/off function you wish, within the current and voltage limitations just noted. Figure 3 shows the PIA connection for this relay. To close the relay use:

POKE 65313, PEEK (65313) OR 8

And to open it use:

POKE 65313, PEEK (65313) AND 247

All kinds of possibilities should spring to mind for this simple digital output, including "reaction-timing" games and on/off control of lights, motors, and other electrical devices through interfacing relays.

The RS-232C Interface

This port interfaces with the outside world in a serial fashion, as does the cassette port. However, the voltage levels are consistent with the EIA (Electronic Industries Association) Standard, which says that a 1 is any voltage from -3 to -25 V and a 0 is any voltage from +3 to +25 V. (However, RS-232C inputs to the Color Computer should not exceed plus or minus 12 V.) Figure 3 shows you where the RS-232C lines connect. Notice that Carrier Detect is on an interrupt line. The associated control register could be configured to enable this signal to cause an interrupt, if it were necessary for your program.

The Color Computer has a subset of the available signals in the RS-232C standard. They are Data Transmit, Data Receive, Carrier Detect, and Signal Ground. The Color Computer owner's manual will give you the pin locations. Transmitted signals from the Color Computer are at approximately plus or minus 10-V levels.

The functions of all signals, with the exception of Carrier Detect, are implied by their names. Carrier Detect is a signal sent to the Color Computer by the other device (modem, etc.) to say that the device is there and ready.


You can output data through the port by connecting a 9-V battery between Signal Ground and Data Receive. Put the negative side of the battery to Signal Ground. Then, type LLIST to output your program through the port output line (put your oscilloscope on the line if you have one), and the OK prompt will reappear. If the program is long, it might take a while because transmit speed is only 600 bps (bits per second, or about 60 characters per second) using LLIST.

RS-232C data is transmitted serially as one 0 start bit, seven data bits (least significant bits first), a 0 for bit 8, and two I stop bits. A total of 11 bits are sent for each character, The "at-rest" condition of the line is a 1.

On power up, the serial-transmission rate is set at 600

NEW 2MB TONGLE A SINGLE

STATE OF THE ART MEMORY SYSTEMS




512KB SINGLE BOARD IBM MEMORY W/RS232-C PORT

- · Addressable as a contiguous block in 64KB increments thru 1 megabyte.
- · On board parity with interrupt on parity error.

SINGLE QTY. PRICE: \$795.00


MEMDISK 1 Allows memory to emulate disks, Increases system performance!! FREE with purchase of memory.



64KB SINGLE BOARD EXORCISER I, II, AND ROCKWELL SYSTEMS 65 MEMORY

- · Parity checker on board.
- Addressable as a contiguous block in 4K increments with respect to VXA or VUA.
- · Pin to Pin compatibility.

SINGLE QTY. PRICE: \$250.00




64KB SINGLE BOARD S100 MEMORY

- Addressable as a contiguous block in 4K word increments.
- Battery back-up capability.
- Functions with on-board refresh.

SINGLE QTY. PRICE: \$250.00





512MB TO 2MB SINGLE BOARD MULTIBUS MEMORY

- Pin to Pin MULTIBUS compatibility for both 8 bit and 16 bit systems.
- On board parity with selectable interrupt on parity ERROR.
- Addressable up to 16 megabytes.


SINGLE OTY, PRICE:

512KB \$ 895.00

1MB \$4495.00

2MB \$8700.00

NEW



256KB TO 1 MB SINGLE BOARD LSI 11 MEMORY

- · On board parity generator checker.
- Addressable as contiguous block in 256KB increments through 4 megabytes.
- Battery back-up mode.

SINGLE OTY. PRICE:

256KB \$ 595.00 512KB \$2650.00 1MB \$3995.00

DON'T ASK WHY WE CHARGE SO LITTLE, ASK WHY THEY CHARGE SO MUCH.



Chrislin Industries, Inc.

31352 Via Colinas • Westlake Village, CA 91362 • 213-991-2254 TWX 910-494-1253 (CHRISLIN WKVG)

443

bps to be compatible with Radio Shack printers. You can change this rate by putting parameters into hexadecimal addresses 0095 and 0096. The first holds the most significant byte, Initially the value is 87 (0 in 0095, and 87 in 0096), generating 600 bps. Experiment with different numbers, and you'll find that the speed can be varied from 110 to at least 4800 bps. An 18 will give 2400 bps, and 180 results in 300 bps, for example.

Many RS-232C interfaces are commonly implemented using a universal asynchronous receiver/transmitter (UART) IC. This takes care of all timing and synchronizing. A UART has the capability of receiving and transmitting data simultaneously. But the Color Computer doesn't have a UART, so these functions must be performed by software, requiring some pretty fancy programming. However, I can demonstrate here that the Color Computer is capable of transmitting at various rates through the RS-232C port,

The program in listing 1 is in machine code and will continuously send a character you type, at the rate you

select. It uses a machine-code loading technique described in the Color Computer BASIC manual. No heed is paid to the Carrier Detect or Data Receive lines for this demonstration. Repeating the character triggers your oscilloscope, allowing you to study the waveform of the data. Remember, it transmits the character in ASCII (American National Standard Code for Information Interchange),

Study the flow diagram in figures 4a and b to see how the program works. Delays are developed using loops in machine code similar to FOR. . . NEXT in BASIC. Small delays can also be created using the NOP (no operation) machine-code instruction, which causes the microprocessor to do nothing for two machine cycles, or the BRN 00 (branch never) instruction, which uses up three machine cycles.

The Color Computer runs at 0.895 MHz, making each cycle last 1.117 microseconds (µs). The machine-code routine must delay the program for 93 machine-code cycles times the bps code, between outputs of each bit. A

Listing 1: Variable-bps-rate R5-232C transmitter. This demonstration program polls the keyboard for a depression and continually transmits the ASCII code for that character via the RS-232C port. An oscilloscope lets you study the resulting waveform.

```
5 CLEAR 25,3950
6 DIN RATE (7)
7 FOR I=1TO7:READRATE(I): WEXT
8 DATA 64,32,16,8,4,2,1
10 A=3957
12 AA=A
17 DATA AD,9F,AO,00
79 DATA 27,08
21 DATA 81,03
23 DATA 26,04
25 DATA 4F
27 DATA 7E.84,F4
29 DATA A7.8C.6A
30 DATA A6.8C.67
31 DATA A7,8C,66
32 DATA 69,8C,63
33 DATA 4F
35 DATA 87,F2,20
37 DATA 26,00
39 DATA 26,00
41 DATA 26,00
43 DATA 26,00
45 DATA AD,8C,32
47 DATA 10,8E,00,08
49 DATA A6,8C,4D
51 DATA 84,02
53 DATA B7, FF, 20
55 DATA AD .8C . 23
57 DATA 66,80,42
59 DATA 31,A2
61 DATA 26,EF
63 DATA 26,00
65 DATA 12
67 DATA 86,02
69 DATA B7,FF,20
71 DATA 26,00
73 DATA 8F,00,04
75 DATA 26,00
77 DATA 30,82
79 DATA 26,FA
BI DATA AD, BC, 06
83 DATA AD,80,03
89 DATA 6E,8C,A5
91 DATA 8E.00.03.12.12.30.82
93 DATA 26.FA.E6.8C.15.C0.01
95 DATA 27,01,26,00,6E,00,06
```

```
96 DATA 12,12,30,82,26,FA,6E
97 DATA BC, EE, 39
96 DATA LAST
99 FRINT"LOALING MACHINE CODE ....
100 READ HEXS
102 IF HEXS="LAST" THEN 150
105 GCSUB 1000
110 FRINT"ADDRESS: "; A, "DATA: "; HEXS; " /"; BYTE
120 POKE A BYTE
125 A=A+1
130 IF A>4095 THEN FRINT"CUT OF BENORY": END
125 0070 100
150 B= INT(AA/256)
155 FOKE 275,P
160 POKE 276,AA-B*256
165 PRINT"CODE ENTRY COMPLETE"
166 INPUT" < RFTURN > TO CONTINUE"; AS 170 CLS: PRINT "BAND RATE SELECTION"
171 FRINT@36, "0 - STOP": PRINT@68, "1 - 150"
172 PRINT2100,"2 - 300"
173 PRINTP137,"3 - 600"
174 FRINT2164,"4 - 1200"
175 FRINT2196,"5 - 2400"
176 PRINTE228,"6 - 48CO": PRINTA260."7 - 9600"
177 PRINT#320, "SPEED";
178 INPUT BD
179 IF BD<0 OR BD>7 THEN
180 IF BD=0 THEN CLS:END
190 CLS
192 FRINTEZ30, "PRESS ANY KEY TC"
193 PRINTEZ62, "TPANSHIT ITS CODE"
194 PRINTEZ92, "<FREAK> TO SET SPEED"
200 POKE 4081, BATE (PD)
210 A=USR(0)
220 GCTO 170
1000 IF LEN(HEXS)>2 THEN FRINT-DATA ERPOR-: END
1005 UP=ASC(HEXS)
1010 10=ASC(RIGHTS(HEXS, 1))
1015 PYTE=0
1020 IF UP>64 AND UP<71 THEN BYTE=(UF-55)*16:GDT01050
1025 IF UF>47 AND UP<58 THEN EYTE=(UF-48)*16:GOT01050
1030 PRINT-DATA ERROR: "THEXS
1040 FND
1050 IF 10>64 AND 10<71 THEN BYTE=BYTF+(10-55):RETURN 1060 IF 1C>47 AND 10<58 THEN BYTE=BYTF+(10-48):RETURN
1070 GOTG 1030
```

Presenting the

ONE PRINTER

for letter-quality work, high-speed drafts, and graphics, too.



P1350 Toshiba's unique 24-pin most micros on the market to deliver capabilities you won't outgrow. At 100 CPS, it's twice as fast as a dalsy wheel printer and turns out perfectly formed characters with

The P1350 with Toshiba's quick, quiet, accurate sheet feeder.



our fine 8-mil pins and overlapping dots. Draft quality output climbs to 192 CPS. And our all-purpose printer also creates high-resolution graphics that are dot-addressable at 180×180 per inch.

You get crisp originals and up to 4 copies on letter sheet paper or continuous forms from 5" to 15" wide. Of course, the P1350 with Qume Sprint 5 emulation has all the industry-standard features including multiple fonts, pitches and line spaces. And any feeding system, including our optional integrated sheet feeder.

See this high-performance, ultrareliable, reasonably-priced printer in action at your Toshiba dealer. Or contact us for details.

> 1-800-648-5000 Ask for Operator #198 In Nevada, call 1-702-329-9411

In Touch with Tomorrow

TOSHIBA




Figure 4a and b: Variable-bps-rate flow diagram showing a variable delay subroutine (4b) used to minimize storage space consumption. The main routine (4a) could be modified to transmit one stop bit if desired.




Figure 5: Audio-signal-select multiplexer. A solid-state analog switching IC is used to route audio signals from one of three sources to the television modulator. The second half of the IC is used for selection of the joystick signals.

subroutine is used to create this time delay, resulting in the equation:

bps code × 93 × 1.117 = delay in microseconds

The bps code for each desired rate is computed by:

bps code = maximum bps/required bps

In this program, the maximum bps is 9600. The variable bit rates and codes are shown in the following table. After each bit is loaded into the output port, this delay is called and the associated data-rate output results.

Data Rate	Bps Code	Required Delay	Actual Delay
150			/ /5
150	64	6.67 ms	6.65 ms
300	32	3.33 ms	3.32 ms
600	16	1.67 ms	1.66 ms
1200	8	0.833 ms	0.831 ms
2400	4	0.417 ms	0.416 ms
4800	2	0.208 ms	0.208 ms
9600	1	0.104 ms	0.104 ms

The Audio Interface

When you use Color BASIC's sound-producing instructions, audible signals are routed through the television modulator to your television speaker. Complex sounds generated by the game cartridges may also be directed to the speaker. The switching is performed by one half of a dual four-channel analog multiplexer (Motorola MC14529B). The other half is used for the joystick inputs described later. The MC14529B selects one of four analog sources to switch to the output, based upon a 2-bit binary code. The IC can also be totally disabled by making PIA2, line CB2, equal to 0. Figure 3 shows the PIA outputs that feed to this IC. Figure 5 shows the logic circuit that accomplishes this switching.

There are only three sources of audio signals (AUDIO ON, SOUND, and a game cartridge), so the fourth line is unused. To select the audio multiplexer, PIA2, line CB2, must be a 1, and the right code must be output from PIA1, lines CA2 and CB2. The following table shows the audio-selection-code combinations and their effects.

PIA2 CB2	PIA1 CA2	PIA1 CB2	Resulting Output To Television
1	0	0	D/A converter
1	0	1	cartridge
1	1	0	cassette
1	1	1	not used

To set and clear PIA2, line CB2, use:

POKE 65315, (PEEK(65315) OR 8) POKE 65315, (PEEK(65315) AND 247)

DAX/N OF A NEX/ GENERATION



CMC 8/16 SuperSystem

- TurboDOS*,CP/M** and CP/M-86** operating systems
- Floppy and hard disk drives
- SuperNet, local area networking, accommodates up to 16 users with 6 MB to 52 MB storage
- All stand-alone models utilize 750K
 to,19 MB storage and can be field-upgraded to SuperNet status

RELIABLE EFFICIENT UPGRADABLE

- All 8-bit SuperSystems are easily upgraded to our new 8/16-bit system which features Intel's 80186 Processor and full CP/M-86 compatibility
- "Perfect Writer" word processing standard with all models.
- Generous dealer and OEM discounts
- 6 month warranty
- National on-site service in over 150 cities

CMC INTERNATIONAL 1058 Main Bellevue, WA 98004 (206) 453-9777 Telex: 152556 SEATAC

*TurboDOS is a registered Trademark of Software 2000

Circle 95 on inquiry card.

^{**}CIPM is a registered Trademark of Digital Research, Inc.

Listing 2: BASIC sound-generator program. The D/A converter may be used to produce audible sounds if you switch the digital number fed to it. This program demonstrates the technique.

```
10 POKE 65495,0

12 POKE 65315, PEEK (65315) ORB

14 POKE 65281, PEEK (65281) AND 247

16 POKE 65283, PEEK (65283) AND 247

20 POKE 65312,0

30 POKE 65312,252

40 GOTO20
```

To set and clear PIA1, line CA2, use:

POKE 65281, (PEEK (65281) OR 8) POKE 65281, (PEEK (65281) AND 247)

To set and clear PIA1, line CB2, use:

POKE 65283, (PEEK (65283) OR 8) POKE 65283, (PEEK (65283) AND 247)

Listing 2 shows a demonstration of the use of the D/A converter to generate a sound. This program switches the D/A converter lines from 0 to 255 and sends the resulting square wave to the television speaker. To increase the frequency of the sound (BASIC is rather slow), the microprocessor is run at the dual speed, as described in the articles in the references. (This technique may not work on your Color Computer and should never be used on disk-based systems.) Even so, the resulting sound is a low-frequency buzz and not the clean sound made by the machine-coded SOUND instruction.

Finally, it's worth mentioning the existence of a singlebit sound output. PIA2, line PB1, is normally configured as an input. However, it is connected to the same point as the audio multiplexer output, as shown in figure 5. Therefore it is possible to reconfigure the port to make PB1 an output and send bit-stream sound to the television. Imaginative programming in machine code should create some interesting sounds from this output. Care should be taken when using this feature to prevent conflicts between this output and the one from the multiplexer,

The Joystick Interface

In the section on the cassette interface, I discussed how an analog signal can be obtained from the Color Computer under program control. It may have occurred to you that it would be nice to also have the unit read in an analog signal from outside. Not only can your Color Computer do this, but it can do it for four different analog signals! This is because the joysticks develop two analog signals each, depending upon the up-down, left-right position of the stick. But the range of the analog input signal is 0 to +5 V, so care should be taken not to exceed either of these limits.

If analog signals are to be read in by the Color Computer, they can be connected to the joystick pins and read by the JOYSTK instruction. Don't forget, though, that you must execute a JOYSTK(0) before reading any other joystick input (see the Color Computer BASIC manual).

The joystick selection is made by PIA1, lines CA2 and CB2, as shown in the following table of joystick input selection codes.

P	IA2	Resulting
CA2	CB2	Input From
0	0	right joystick (side-to-side motion)
0	1	right joystick (up-and-down motion)
1	0	left joystick (side-to-side motion)
1	1	left joystick (up-and-down motion)

With the information in the preceding table, you should be able to write a BASIC routine to perform the successive-approximation A/D conversion and read the analog value at any one of the analog ports. The possibilities for this capability are endless. Some that quickly come to mind include using your Color Computer to monitor indoor/outdoor temperature, monitor and analyze weather variables, and digitize and display analog waveforms like an oscilloscope wave.

Just as the cassette output provided a digital output signal via the motor control relay, the two joystick inputs can be used to enter digital inputs to the Color Computer. The "fire" push buttons on each joystick change the contents of address FF00 from 255 (or 127) to 254 (or 126), as described in the Color BASIC manual. The alternates to each number are due to the comparator being input into PA7 (the most significant bit) of this address; this bit could be a 1 or a 0.

The push buttons ground the input lines when pressed and are therefore digital inputs. Any digital input that goes from short to open (such as a relay contact) can be connected to these inputs and read by a program in the same way as described for the push buttons. Because there are two inputs of this type, the Color Computer could be made to read any 2-bit digital input, thus giving you four possible combinations.

Conclusion

From this article you should have some insight into how the Color Computer connects to the outside world. The microprocessor in the Color Computer is a powerful device, capable of performing many interesting and useful tasks. A better understanding of the I/O structure is essential if you want to take full advantage of these capabilities.

References

- Ahrens, Tim, Jack Browne, and Hunter Scales. "What's Inside Radio Shack's Color Computer?" March 1981 BYTE, page 90-130.
- Baker, Woody "A Closer Look at the TRS-80 Color Computer" October 1981 BYTE, page 334-340.

Lyco Computer Marketing & Consultants

TO ORDER

CALL US

TOLL FREE

800-233-8760

In PA 1-717-398-4079

FREE

DUST COVER with Purchase of

ATARI 800 48K\$489.00 ATARI 400 64K\$349.00

FREE CATALOG with over 60 manuf. for ATARI

ATARI 1200 64K RAM...\$CALL \$



ATARI HARDWARE

810 DISK DRIVE\$419.00
410 RECORDER\$75.00
1010 RECORDER\$75.00
650 INTERFACE\$164.00

PACKAGES

CX482 EDUCATOR5	119.00
CX 483 PROGRAMMER	\$54,00
CX488 COMMUNICATOR	219.00
CX419 BOOKEEPER	189.00
KX7104 ENTERTAINER	

NEW RELEASES

MINER 2049er \$29.75
ZAXXON,\$29.75
CHOPLIFTER ROM\$32.75
CRISIS MOUNTAIN\$25.95
WARLOCKS REVENGE\$25.95
HOME ACCOUNTANT\$59.75
MONKEY WRENCH 2 \$52.75

MONITORS

NEC J81260	\$125.00
NEC JB1201	. \$155.00
NEC TC1201	. \$315.00
AMDEK 300G	
AMDEK COLOR I	. \$329.00

MODEMS

ANCHO	R	M	ARH	i	١.			1	- 1			þ					\$79.00
ANCHO	A	M	ARH	: 1	IF.				ь і			6	ń				\$79.00
HAYES	S	MA	RT		1 +	+	ų			4		, ,			P	\$	239.00
HAYES	М	IC	RO	H			4	۵.	4 4	4	4					\$	309.00
CAT																	
J-CAT .								4			·				1	i i	CALL 5

PERCOM DISK DRIVES

SINGLE DRIVE AT88\$	359.00
ADD ON\$	289.00
SINGLE DRIVE 40S1\$	479.00
ADD ON\$	329.00
DUAL DRIVE 40S2\$	845.00
DUAL HEAD SINGLE DRIVE 44S1\$	649.00
DUAL HEAD DUAL DRIVE 44S2 \$5	989.00

SAVE on these PRINTERS

PROWRITER.....\$375.00 NEC 8023A.....\$439.00 SMITH CORONA TP1 ...\$569.00

VIC 20 & VIC64 INTERFACING AVAILABLE

STARWRITER	\$1475.00
PRINTMASTER 1	1675.00

PRINTER CABLES

for Atari

CITOH	\$35.00
EPSON	\$35.00
NEC	\$35.00
OKIDATA	\$35.00
SMITH CORONA	\$35.00

۰		@ MITH 10	
	OKIDATA	B2A	\$419.00
	OKIDATA	B3A	\$639.00
	OKIDATA	84	\$1029.00
	OKIDATA	TRACTOR	863.00

BUSINESS SOFTWARE

DISKETTES: In Stock

VISICALC\$159.75 LETTER PERFECT ... ROM ... \$159.75 DATA PERFECT......\$75.75 TEXT WIZZARD......\$79.75 ATARI WORD PRO......\$109.75

ELEPHANT\$19.25 MAXELL MDI\$32.75



POLICY

DURING APRIL



In-Stock items shipped within 24 hours of order. Personal checks require four weeks clearance before shipping. No deposit for COD orders. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 4% discount offered for cash. Add 4% for Mastercard and Visa.

TO ORDER CALL TOLL FREE 800-233-8760 In PA 1-717-398-4079 or send order to Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740 In the beginning, there was the printer.

And right on its heels came the first printer breakdown.

Unfortunately, the first printer service call didn't happen nearly so quickly, thus creating downtime – a problem that still plagues users today.

What's the answer? Non-Stop-Printing from Trilog.

Two heads are better than one.

Most dot-matrix line printers use only a single print head. That's fine – unless something goes wrong with the head. Then you're out of business until a service representative shows up.

On the other hand, the Trilog TIP-300 uses an exclusive twoheaded system. Both 150 lpm print heads run simultaneously. Giving you a total output of 300 lpm.

Should one print head temporarily fail, the user simply flips a switch and the remaining head continues printing at 150 lpm.

Now that's Non-Stop-Printing! Dual heads offer another advantage, too. Instead of being pushed to capacity like most single heads, each Trilog head runs at a 50% duty cycle. This makes them much

Non-Stop-Printing advance since the p



more reliable than conventional print heads.

Advanced innovation isn't just in our heads.

That's why we also gave Trilog printers dual tractors. They not only stabilize the paper and minimize friction, but allow the paper to move forward and backward. This gives you plotting capability and lets you generate forms. You can also print

bar codes. Plus business and engineering graphics.

Five printers for the price of one.

Besides graphics, the TIP-300 gives you four other types of printing: standard data processing characters. Letter quality characters that approach the sharpness of fully formed characters. And two versions of compressed characters for paper

savings and special formats.

For more information contact: Trilog, Inc., 17391 Murphy Ave., Irvine, CA 92714. Or call toll free in the continental U.S., except California: (800) 421-7164. In California call (714) 549-4079. TWX (910) 595-2798.

Non-Stop-Printing starts with

TRILOG®

The single greatest rinter was invented.



A Conceptual Approach to Real-Time Programming

You can use various real-time programming techniques to turn a lazy computer into a real worker

> Craig R. Wyss Department of Physiology, SJ-40 University of Washington Seattle, WA 98195

If you have worked with a word processor or played a game of Asteroids, then you have used a realtime program. And if you have ever wanted to collect data in your home or laboratory or control something using a computer, then you've needed a real-time program.

Indeed, any situation in which events happening in the logical world of the computer must interact in a timely fashion with events happening in the outside world requires realtime programming. Furthermore, using efficient real-time programming techniques even when a particular job does not absolutely require them is always good practice. A program that spends equal time on computation and output can run almost twice as fast if it's based on a real-time approach. A well-crafted real-time program can be written in a high-level language, do its job, and still be loafing while a poorly designed assemblylanguage program doing the same job barely keeps up, Finally, skills developed in writing real-time applications

About the Author

Craig Wyss is a cardiovascular physiologist, He began writing real-time programs in 1969 using a Digital Equipment Corporation PDP-8.

programs can be transferred directly to systems programming-all multiuser operating systems are real-time programs.

This article presents a conceptual approach for defining real-time problems and specific programming techniques for solving them. All real-time programming jobs involve three or more of the following subjob types:

- Data collection—This subjob class includes reading the keyboard, reading analog and digital inputs, etc. All real-time programs collect at least some data, and usually this task is their first priority.
- Data analysis—Analysis may be as simple as monitoring the input data for special values or as complex as performing Fourier transforms on blocks of data. As a general rule, the time required for data analysis depends on the input data: for example, in a word processor the time required to deal with an input character calling for a block move is much greater than the time necessary for data analysis on most characters.
- Data display—Display includes not only output to a video display or printer but also any outputs-digital

or analog-used to control events in the real world. Outputting results may be a high-priority job (if, for example, the computer is in a control loop) or a low-priority job (as in word processing, where keeping up with the keyboard is much more important than displaying characters).

•Data storage—Writing results to a mass-storage device is logically equivalent to displaying data, but it is practically different in that data typically has to be transferred in blocks. Thus, data storage is an ultrahigh-priority task during the actual transfer but is at the bottom of the pecking order most of the time.

Batch-Programming Approach

The normal or batch-programming approach to these four subjobs is to do them serially, i.e., wait for input, analyze it, and provide an output. The problem with this approach is twofold. First, peripherals are much slower than microprocessors so that a vast amount of time is wasted waiting for input or output devices to set their READY flags. Second, a batch program that may have plenty of time to analyze data, output results, and get back to the top of its loop when deal-

How Can A Software Make Operating Your CP/M" Micro Easier?

Plug in MENU/POWER!®

CP/M is a fantastic operating system.
Too bad it's so hard to use.

If you're like most new owners of CP/M-based computers, just learning how to use the fundamental commands is hard enough—let alone trying to get extra handholding and learning sessions from your busy dealer. That's frustrating!

Solution. Plug in a brand new, exciting software called MENU/POWER! It simplifies CP/M commands and utilities so much, even a first-time computer user won't be embarrassed to put his hands onto the keyboard.

What MENU/POWER! Does.

It's an ingenious menu-driven utility package that demystifies CP/M, doing all the housekeeping for you.

No more PIP, STAT and other undecipherable commands to deal with.

No more typing errors with alphabetsoup file names again. MENU/POWER! numbers all the disk files. All the user has to do is pick the file number and CP/M is fed the file names.

And no more glitched disks, too.

In Plain English!

From a screen menu of about 20 commands, you pick the number to COPY, ERASE, SPACE, TEST, RECOVER, RENAME, RUN, COMPARE, TYPE, SIZE, PROTECT, UNPROTECT, etc. Your computer feeds the file name automatically. No more typing errors. And you can even run programs from the numbered menu.

MENU/POWER! includes a special program that lets you lock sensitive files, so that only you can access them. Without the secret PASSWORD which you can

create and change at will, no prying eyes will ever know your secret file even exists. Call For

Making Friends With Your Computer.

Let's face it. Whether you're a beginner or

veteran computer-user, you bought your CP/M-based computer to make life and business easier for yourself. What better reason for buying MENU/POWER! It makes friends with the CP/M operating system for you, controlling it to let you enjoy the ease of computer use every day of the year. Just plug in the MENU/POWER! disk and it's ready to go. The menus are automatic, so there's no set up or installation needed.

How To Get MENU/ POWER! Fast.

You don't have to spend another day wrestling with CP/M.

MENU/POWER! costs only \$149. (In Calif. add 6½% sales tax). COD, VISA and Mastercard orders are welcome. Call our toll free number today. (MENU/POWER! is available for all CP/M-based computers and CP/M conversions, including IBM PC.)

COMPUTING! also offers a more powerful software package of over 50 utilities, called POWER!, which costs only \$169.

Call Today!

Toll Free: (800) 428-7825 Ext. 96H In CA: (800) 428-7824 Ext. 96H Dealers and Oem's: (415) 567-1634 Ext. M.

COMPUTING!

2519 Greenwich, San Francisco, CA 94123

MENU/POWER!®

ing with most inputs can have real trouble when it encounters input data requiring more extensive analysis. The efforts of the real-time programmer are directed at figuring out how to do useful work when the typical batch program is inactive while waiting for peripherals or performing only simple data analysis.

The basic ingredients necessary for writing efficient real-time programs are two powerful programming tools: buffering and coprocessing. To il-

lustrate these techniques I will show how any real-time task could be accomplished efficiently in an ideal hardware environment. The secret of success is to allow each of the subjobs to execute independently, and the easiest way to do that is to assign one processor to each subjob, as indicated here:

 Processor #1 collects data as it becomes available from an input device and stores it in a first-in/first-out (FIFO) buffer. A FIFO buffer can be thought of as a pipeline: one device puts data into one end of the pipe, while another takes data out of the other end.

•Processor #2 gets data, as the data is needed or as it becomes available, from the FIFO, which is fed by processor #1. Processor #2 then analyzes the data and passes results to FIFO buffers for display and storage.

 Processor #3 displays the data placed in its buffer by processor #2.

•Processor #4 transfers into a local buffer data from the buffer that is fed by processor #2. When its local buffer is full, processor #4 writes the buffer contents to the storage device and then returns to collect any data that processor #2 provided while processor #4 was busy. An alternate and more efficient approach involves having two or more local buffers for processor #4, which can tell processor #2 which buffer is available for receiving data.

This scheme is worth studying in some detail because it is more subtle than it appears. Note that everything works asynchronously. Processors are doing their job, waiting for a peripheral or waiting for data to appear in their input buffers, Processors may be temporarily ahead of or behind each other (as, for example, when processor #4 needs to write to the storage device or when processor #2 is performing an especially long analysis), but the FIFO buffers take up any slack. The only constraints are that the FIFO buffers must be big enough to absorb all the data generated by a source processor while the receiving processor is doing whatever jobs keep it from servicing its input buffer and that on the average each receiving processor must be fast enough to process its input data; time lost on long jobs must be made up later. Thus, if we all had multiprocessor computers, real-time problems could be solved simply by parceling out jobs and providing interprocessor-communication buffers. Unfortunately, most computer systems have only one processor; the rest of this article describes techniques for making one processor act like many,

* WE ARE BYTE MAGAZINE'S THIRD OLDEST ADVERTISER * *

COMPLETE SYSTEMS FOR A WIDE RANGE OF APPLICATIONS, FOR VARIED LEVELS OF SOPHISTICATION. 8 & 16 BIT, S-100 AND NON S-100, SINGLE AND/OR MULTI USER, FLOPPY AND HARD DISK CAPABILITY, SOFTWARE, PERIPHERALS, SERVICE AND SUPPORT.

COMPUPRO/GODBOUT SPOKEN HERE: We are proud of our recent designation as CompuPro Systems Center! We feature the high performance, versatile 8085/8088 dual processor 816 systems with unique version of MP/M (hat allows simultaneous use of both processors.

NEC APC: The best 8086 system on the markel! Given you more for your money! For under \$4,000: 8086 processor, two double sided, double density 8" drives, 128K RAM, elegant keyboard and monocolor display (color optional), MS DOS and/or CP/M 86.

EPSON QX 10: Truly user friendly. Our entire staff loves this system. You can draw pie charts and bar graphs in two minutes with no prior computer experience! Incredibly easy and satisfying to work with. For under \$3,000: 256K RAM, complete VALDOCS software, HASCI keyboard. We also stock HX20, new FX80 printer.

MASTER MAX: Z80, S-100 with dual 8" drives (Winchester option). Uses Intercontinental Micro CPZ48000 single card computer. 4 DMA channels & universal interrupt controller give great versatility and speed. \$2740 includes CP/M. OP-TIONS: double sided drives, TURBODOS, ICMS slave cards, 220v/50HZ operation.

IMS MULTI USER SYSTEMS WITH TURBODOS: 280, 5-100 CP/M compatible. Slave cards give each user 280 CPU. 64K RAM, 2 I/O. No speed degradation as users are added! Nationwide service depots.

GRAPHICS: MICROANGELO (5-100) OR MIRAGE (RS232). Monochrome or color. AUTOCAD: Interactive graphics software for architects, engineers, others. HOUSTON INSTRUMENTS digitizer and plotters.

ESQ 1: Legal time and billing software implemented on our MASTERMAX, IMS or GODBOUT. On site training and complete software for NY quad state area.

PERIPHERALS: CRTS (Televideo, WYSE, Hazeltine); dot matrix and letter quality printers, S-100 boards & mainframes, floppy disk subsystems (Shugart, Qume, Tandon, Per Sci). Full line of RAM and accessories for IBM PC.

SINGLE OR DUAL WINCHESTER SUBSYSTEMS: Dual version solves back up problems! implemented for CP/M, Turbodos, TRS 80, IBM PC, Osborne, Apple, many others. Very low prices.

CROMEMCO DUAL PROCESSOR: Z80/68000, Also Z80 C10 p. c.

MODEMS: US ROBOTICS DC Hayes compatible modems at lower prices.

HAZELTINE ESPRIT III: \$795, Televideo 950 emulator, comparable performance for \$200 less! Quantity, OEM and dealer discounts.

3270 NETWORK: Teletype controllers, printers and terminals. Cost effective.

CALL OR WRITE FOR FREE PRODUCT SPECS ON ANY ITEM WE CARRY

WE EXPORT Overseas Callers: Phone (212) 448-6298
TWX 710 588 2844 or Cable: OWENSASSOC

JOHN D. OWENS Associates, Inc.

12 Schubert Street, Staten Island, New York 10305 (212) 448-6283 (212) 448-2913 (212) 448-6298

We speak your language and translate your software needs into efficient and Quality Services...

DMA products operate on the full range of 8080-8088 processors, including the IBM-PC

Here's what you can do!

Data Base Management The FORMULA.

The Application Generator**

This unique software package lets you create sophisticated business application software without programming. The FORMULA builds files, reports, updates, sorts, and menus and links them all according to the user's specifications. It incorporates features of a data base manager, a word processor, and a compiler into the first "system language" for microcomputers.

Communications ASCOM™

ASCOM™ is the most versatile asynchronous communication package for microcomputers on the market. It features interactive, menu-driven, and batch operations; supports auto-answer and auto-dial modems; includes most popular protocols; provides network simulation; and many other options. Xerox Corporation, NCR, Monroe Systems for Business, and the big 8 accounting firms use ASCOM.

Utilities

EM80/86™

This software emulator lets you use eight bit software on sixteen bit microcomputers without hardware modifications.

UT-86™

This package of user-friendly utilities for the IBM Personal Computer and similar systems includes copying, directory sorting, patching, and a general purpose file print utility.

Coming Soon

DMA."C"" — A "C" language compiler which will generate either Z80 or 8086 assembly language code. Due to a unique optimization routine which is based upon a functional "P-code" model, the efficiency of DMA."C" will far exceed that of existing compilers.

SYNC/COM — A bisynchronous communication package that will be configurable for a variety of systems and include a flexible interface to the operating system.

The 8086 O. S. Converter* — A program which will permit programs written for Digital Research's CP/M-86* to execute under IBM's PC DOS.



WE SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE

DYNAMIC MICROPROCESSOR ASSOCIATES, INC. 545 FIFTH AVENUE, NY, NY 10017 Dealer Inquiries only • (212) 687-7115

To map the general real-time algorithm onto only one processor, you can set up a number of logically independent subprograms that pass control of the processor back and forth under either software or hardware control. These subprograms may be either subroutines or coroutines in actual structure, but it is best to think of them as coroutines in order to keep close to the multiprocessor model, Many programmers are unfamiliar with the concept of a co-

routines differ from subroutines both conceptually and structurally: Conceptually, coroutines can be thought of as equal partners in performing a job rather than as master and slave. Structurally, coroutines differ from subroutines in that control of the microprocessor may be relinquished at any point in the coroutine and then resumed at that point when other coroutines return control; in contrast, subroutines are initiated at their be-

ginning every time they are called. To logically model multiple processors, you set up multiple coroutines that relinquish control of the microprocessor when they are waiting for a peripheral, waiting for data to appear in their input buffer, or performing a low-priority task. The exact programming techniques to use depend on whether input/output (I/O) is programmed, interrupt driven, or under direct-memory-access (DMA) control.

Tune up your LA36

The DS120 Terminal Controller makes your LA36 perform like a DECwriter® III.

The Datasouth DS120 gives your DECwriter® II the high speed printing and versatile performance features of the DECwriter® III at only a fraction of the cost. The DS120 is a plug compatible replacement for your LA36 logic board which can be installed in minutes. Standard features include:

- 165 cps bidirectional printing
- Horizontal & Vertical Tabs
- Page Length Selection
- 110-4800 baud operation
- 1000 character print buffer
- X-on, X-off protocol
- Self Test

- RS232 interface
- 20 mA Current Loop interface
- Top of Form
- · Adjustable Margins
- Double wide characters
- Parity selection
- Optional APL character set

Over 5,000 DS120 units are now being used by customers ranging from the Fortune 500 to personal computing enthusiasts. In numerous installations, entire networks of terminals have been upgraded to take advan-

tage of today's higher speed data communications services. LSI microprocessor electronics and strict quality control ensure dependable performance for years to come. When service is required, we will respond promptly and effectively. Best of all, we can deliver immediately through our nationwide network of distributors. Just give us a call for all the details.



datasouth computer corporation
4216 Stuart Andrew Blvd. - Charlotte, North Carolina 28210 - 704/523-8500

Programmed I/O

When I/O is programmed, the microprocessor directly monitors the state of peripherals by reading status registers and doing conditional branches as appropriate. The big advantage of this approach is that programs can be written in a virtually hardware independent manner: for example, all commercially available programs designed to run under CP/M use programmed I/O. Some very sophisticated real-time programs have been written this way; Wordstar, a word processor, can concurrently print a file, monitor the keyboard, and update the screen display in real time. Unfortunately, the disadvantages of using programmed I/O for real-time programs are enormous. The major problem is that implementation of any useful real-time algorithm requires tricky and hardto-modify programming because the program must always check flags fast enough to catch desired inputs; these checks must be done at frequent intervals, no matter what path the program takes.

As an example of a solution to a real-time problem in a programmed I/O environment, listing 1 (see page 464) outlines a program that periodically reads analog data, analyzes it, and outputs results to a printer. Written in Pascal, the program uses three coroutines (the main routine, CHECK_A_TO_D. and ANALYZE_DATA) and two subroutines (OUTPUT_RESULTS and CHECK_KEYBOARD), all operating asynchronously and passing data to each other via FIFO buffers. In looking at the listing, note how awkwardly the coroutines are imple-

Collector Edition BYTE COVERS

The Byte covers shown below are available as beautiful Collector Edition Prints. Each full color print is 11 ln. x 14 ln., including a 1 1/2 in. border, and is part of an edition strictly limited to 500 prints. Each print is faithfully reproduced from the original painting on museum quality acid-free paper, and is personally inspected, signed and numbered by the artist, Robert Tinney. A Certificate of Authenticity accompanies each print attesting to its quality and limited number.

Collector Edition Prints are carefully packaged flat to avoid bending, and are shipped first class. The price of each print is \$25, plus \$3 per shipment for postage and handling (\$8 overseas). The prints are also available as 4-print sets: Set 9-12, Set 13-16, and Set 17-20. Each set costs \$80, plus postage and handling.

To order your own favorite Byte cover as a beautiful Collector Edition Print, use the convenient coupon below. Visa or MasterCard orders may call 1-504-272-7266.

























	send me the following Prints (\$25), or S	ets (\$80)	☐ I have enclosed check or money order. ☐ Visa ☐ MasterCard	Mail this coupon to: robert tinney graphics
QTY	IIILE & PRINT NO.	\$	Card No.	1864 N. Pamela Drive Baton Rouge, LA
= :			Exp. Date: SHIP MY PRINTS TO:	FOR VISA 0
\equiv			Name:	FOR VISA OR MASTERCARD ORDERS or for more information Daytime or Evenings
postage	& handling \$3.00 (Overseas \$8.00) TOTAL		City:Zip:	Daytime or Evenings
				avenings 206

mented necessarily (using CASE statements) and how the programmer must anticipate the execution time required for each program segment. Hardware interrupts can eliminate these problems.

Interrupt-Driven I/O

Almost all micro- and minicomputers support hardware interrupts. An interrupt is a subroutine CALL initiated at the request of a peripheral device; modern computers have vector-interrupt schemes that allow each interrupting peripheral device to initiate a CALL to its own service routine. Most bus standards specify a priority-interrupt arrangement whereby a high-priority device may interrupt the service routine of a lower-priority device. The main program usually does the lowest-priority tasks (i.e., any device may interrupt it), but the interrupts may be disabled (locked out) when it has a highpriority job to do or when intertask

communication buffers are being updated.

The advantages of using interruptdriven I/O for real-time jobs are substantial: first, the technique greatly reduces time lags in servicing input devices; this feature is especially important when you are sampling analog data at supposedly regular intervals. Second, programs run faster because they require little overhead for switching between coroutines or reading status registers. Third, devices requiring frequent servicing may be accommodated while the microprocessor is still doing useful data analysis. And last, clean realtime programs practically fall out of an interrupt-driven I/O environment; the main routine (usually doing the job of processor #2, data analysis) and the interrupt service routines can be thought of as coroutines doing one of the four types of subjobs in the general algorithm. The disadvantage of interrupt-driven programs is that they are hardware dependent, an insuperable problem for commercial CP/M programs unless a hardware package is provided with the software. Listing 2 (page 467) shows the same real-time problem treated in listing 1, but in listing 2, it is solved using interrupt-driven I/O. I have tried to illustrate most of the tricks you will need and pitfalls you will encounter in setting up an interruptdriven program; in particular, remember that you rarely know when any peripheral is going to request service.

In my discussion so far I have avoided one of the biggest real-time programming headaches-writing to mass-storage devices. I mentioned earlier the schizophrenic nature of the data-storage function; a low-priority job most of the time, it's absolutely uninterruptible during the actual data transfer (an 8-inch double-density floppy disk must get a new byte every 16 microseconds when writing a sector). And most storage-device-handling routines do not even allow interrupts during noncritical operations (e.g., when a disk is seeking a new track), thus further compounding the problem. There are, however, several solutions.

DECADES OF SERVICE

Washington Computer Services

97 Spring Street New York, New York 10012

TO ORDER: CALL DUR TOLL-FREE NUMBER: (800)221-5416

In N.Y. State and for technical information: (212) 226-2121

HOURS: 9:30 AM-5:30 PM (EST) Monday-Friday

an attitute of (((WASHINGTON))) est. 1912 CUSTOM COMPUTER ROOM WIRING SINCE 1960

Where Do You Turn To Solve Your Computer Puzzle?

Matched, Competible, Presen-Use Someone Else's Engineering to Supplement Yours.

NOW!

DIIME

IOLE MBI

HAZELTINE

DIGITAL EQUIP, CORP.

Over 2000 business scienabo, professional applications & equicational packages are available. Call with your requirements for our advice or a quoustion. We leasure thisses

8" SHUGART SASCIR \$385 8" SHUGART SA BSTR \$540 QUINE GATATRACK 8 or MITSUBIRH SEE Enclosure, power supply for 2 of drives A 6 T MORROW DISCUS 20 + CP/M* MICROSOFT BASIC, CSMT.

AMPEX

VISUAL

ANN ARBOR

ADDS

8" DISK DRIVE SALE

TERMINALS

TELETYPE

TRI EVIDEO LEAR SIEGLER

PRINTY ELS

- P. C.

Turn to us!

We'll show you

the easiest way

pleces together.

to pul the

2 to: \$1025

\$1850 \$350

TELEX: 12-5606 CARLE: WASHCOMP NYK

FULLY CONFIGURED BUSINESS SYSTEMS

The following are some examples of the fully assembled and tested fice scapilific paracular systems which we ofter

The Premier Multi-Liser Computer System

Strand St. multi-processor Turbo DOS 5000 IS. 5-100 desk top mainkame

COMPRESIDENTION

8000 B up to 16 user 3270 Software Available On-Site Service Contracts Available NEC APC-8086, 96 BR, 128K, 8" DRIVES, Optional 9024 x 9224 Color Graphic, 32 Bit FP Proc., MS DOS, CP/M 86 Brant 532

PC-8800 Personal Computer





Our most fluilible high performance system? Z-80 standard, 6086 16-bit pro-cessor optional, RDM Basic (8/16 bit), Graphic RAM, 64K user RAM standard, aupports up to 256K. Both 5'V and 8' Topples. Most sophisticated graphics include 3 Individually-controlled windows, 659/200 pout insolutions, overall liest & graphics. RGB or composite display, serial & parallel ports, cassette interface NEC on N.Y.S. Contract #9-07220

EPSON NEW QX-10 Micro with VALDOCS software: \$2

de IX 68000 15 to multi-war, \$-100 UNK! Y, 7 A STATUTE OF THE 8085 15 Mt. 128K RAM, 5-100, Garake

special consideration, Leasing available.

Systems Group

California luter Systems

ALTOS BOD BOMIT MORROW

SCALL

A SYSTEMS

SCION Microlagolo HI Res Graphics Systems SCALL. SIMILU SAVINGE ON BEM, DELYA, ETMARYTE, TELEVIRES, DIEGAC, ADRE, DEE. CATA GEN., ATAM, TECHMAN, EPSON, ZENTIN, MONROW, AND MANY DIHERS

Talbitype dll. 320 LPM-typerverite quality RS:332 viterince This quality privites in available in army ading home access, punitared case, sid. From Goly \$3200 from \$995 MANNESMANN TALLY ANADEX **QUABLO** CENTRONICS **EPSON NEC AMERICA** в пои FACIT DUME DATA PRODUCTS TOSHIBA OKIDATA DIGITAL FOLLIE CORP. TEL ETYPE OLIVETTI INTERGRAL DATA SYS TEXAS INSTRUMENTS DANTEX

PLEASE! Do not confuse us with mall order dealers. We are a full service distributor serving the data processing & installation needs of business & industry from micros to mainframes. System houses, educational institutions & governmental agencies given

N. Y. State agencies, municipalities, and schools - call us for information on our O.G.S. term contracts on hardware & software.


DEALER and INTERNATIONAL INQUIRIES WELCOME

For test derivery, send certilled check, money order or call to arrange direct bank white transfer. Personal or company checks require two to three weeks to clear Prices subject to change without notice, call for latest prices. Priges include 3% clear biscount. N.Y. residents add sales lax. Gentex is a jurglement of North Atlantic Industries, Inc. CP/M* is a Irademark of Digital Research. All sales subject to our standard sale conditions (available on request). Call for shipping charges. Above prices do not include customization or installation. Digast II is a trademark of Ashton Tate. P.O. 's accepted upon our credit approval, call for prices and terms.

Micromint will put both a computer development system and an OEM dedicated controller in the palm of your hand for as little as \$127.

The Z8 Basic Computer/Controller represents a milestone in microcomputer price-performance. The entire computer is 4" by 4½" and includes a tiny BASIC interpreter, 4K bytes of program memory, one RS-232 serial port and two parallel ports plus a variety of other features. The Z8 microcomputer board is completely self-contained and optimized for use as a dedicated controller. Can be battery operated. Comes with over 200 pages of documentation.

Z8 BASIC COMPUTER/CONTROLLER



- Uses Zilog Z8671 single chip microcomputer
- On board tiny BASIC interpreter
- 2 parallel ports plus serial I/O port. Just connect a CAT terminal and write control programs in BASIC 4K bytes of RAM. EPROM pin com-
- Baud rates 110-9600 BPS
- Data and address buses available for 124K memory and I/O expansion Consumes only 1.5 watts at +5, +12
- **BCC01 Z8 Basic Computer**

Assembled & Tested .. \$199.00 P **BCC02 Z8 Basic Computer** Kit \$169.00

COMING SOON

A/D Converter 8 Channel 8 Bit AC I/O Board 4 Channel 115Vac inputs

- · 4 Channel 115Vac outputs
- 20 MA ADAPTER

28 MEMORY, I/O EXPANSION & CASSETTE INTERFACE



The Z8 Memory, I/O Expansion & Cassette Interface Board (Z8 Expansion Board for short) allows you to add up to 8K of additional memory plus three 8-bit parallel ports to your Z8 Basic Computer/Controller. The memory expansion will support any combination of byte wide RAM memory chips or 2716 or 2732 EPROM. The cassette interface is 300 baud Kansas City Standard (2400Hz/1200Hz).

BCC03 Z8 Expansion Board

w/4K memory \$140.00 BCC04 Z8 Expansion Board w/8K memory . . \$170.00


28 EPROM PROGRAMMER



The EPROM Programmer board allows you to transfer application programs in BASIC or Assembly language directly from RAM to either 2716 or 2732 EPROMS. Requires Z8 Basic

2732 EPROMS. Requires 25 Basic Expansion Board for operation. NOTE: We recommend the higher cur-rent UPS03 or UPS04 power supply when using the EPROM Programmer.

BCC07 28 EPROM Programmer Assembled & Tested ... \$145.00 **Z8 SERIAL EXPANSION BOARD**



The Serial Expansion Board adds an additional RS-232C serial port to the Z8 system. It runs at 75 to 19,200 baud in all standard protocols. The 20 ma. current loop is opto-isolated for reliability and protection.

BCC08 Z8 Serial Board Assembled & Tested ... \$180.00

MOTHER-BOARD MB02 Z8 Mother Board with 5 connectors (Gold) Assembled & Tested \$81.00

UNIVERSAL POWER SUPPLY

+5@300 ma. +12 & -12V @50 ma. UPS01 Assembled and Tested

UPS02 Kit \$ 27.00

+5 @ 1 amp. +12 & -12V @ 50 ma. **UPS03** Assembled and

Tested \$ 60.00 UPS04 Kil 5 50.00

Z8 CROSS ASSEMBLERS

FROM ALLEN ASHLEY XASO1 For TRS-80 Mod | \$ 75.00 XASO2 For TRS-80 Mod | \$ 75.00 XASO3 For CP/M-8" \$150.00

FROM MICRO RESOURCES

MR01 CP/M-8" Diskette . \$ 75.00 MR02 APPLE II CP/M 51/4"\$ 75.00



To Order: Call Toll Free 1-800-645-3479 For Information Call: 1-516-374-6793

Circle 300 on Inquiry card.

s featured in Clarcia's Circuit Cellar, Byte Magazine, July, August, 1981.

The only solution available in a programmed I/O environment is just to work around the problem: output a Control-G to beep the console and write "stop typing" to the console before beginning any disk I/O; save the time when you start the write (if you have a clock), read the time when you get back, and then somehow deal with the gap in your input data. In an interrupt-driven I/O environment, two other solutions are available when floppy disks are the storage media: the first involves getting into your disk driver and moving the disable-interrupt instruction (DI) so that it executes just before the actual write command (after completion of all that time-consuming seeking); in this case, only 167 milliseconds (ms), at most, will be unavailable for interrupts (one revolution of the disk). If your peripherals interrupt infrequently, you can employ an alternate solution: remove all DI instructions from the disk driver. Occasionally a peripheral will interrupt when an actual data transfer is in progress, but such an interrupt generates only a soft error (a lost-data error condition set in the disk-controller status register) for most disk drivers. Data transfer should succeed on one of the error retries. I am somewhat ashamed to even suggest these stopgap measures, since the only proper solution is to buy, borrow, steal, or manufacture direct-memory-access hardware for your mass-storage devices (hereafter assumed to be floppy disks).

Direct-Memory-Access I/O

A peripheral with DMA capability can be set up to act exactly like an independent coprocessor for the allimportant fast-data-transfer task. It works like this: before sending a write command to the disk controller, the microprocessor tells the DMA controller where its buffer is located and how many bytes it needs to transfer, Then the write command is initiated, and the microprocessor goes on about its business. When the disk controller has found the proper sector it sets a flag indicating that it's ready for data. The DMA controller responds to the flag by requesting control of the bus from the microprocessor. At the end of its current memory cycle, the microprocessor relinquishes control of the bus and acknowledges the bus request. Upon receiving bus acknowledgment, the DMA controller reads a data byte from its buffer and transfers the data byte to the disk controller. The DMA controller then returns the bus to the microprocessor and increments its buffer address and byte count. If the byte count is exhausted, the DMA controller sets status flags and generates an interrupt if it has been so programmed (usually the disk controller is allowed to do the interrupt for end of transfer because the write command might abort on an error before transfer is complete). The whole process takes only a few microseconds for each byte; the microprocessor is hardly slowed down at all, and an interrupt can safely occur any time during the transfer.

A number of disk controllers with DMA capability are now available



Software Catalog. FREE. Get the lowest price on every software program you need. 1/3 off list price guaranteed. And look what else you get from ITM:

Unlimited Consultation! ITM's consultants work with an amazing database indexed with over 300 software selection criteria plus thousands of in-depth product reviews. You'll get the programs that are right for you. Quickly. Easily It's the most sophisticated consultation service in the industry. Call toll free!

Over 2,000 programs to choose from, Hundreds added every month. All categories. All formats

See any program demonstrated. Order any non-entertainment program for a risk-free, thirty-day trial. Full refund it not completely satisfied

No minimum order. Buy just one program if you like. Quick shipments.

Call ITM now. Or, mail the coupon today and receive our FREE Software Catalog. Save hundreds - even thousands -of dollars on all of your software purchases with ITM.

American Express, Visa, or MasterCard honored Call toll-free today

> (800) 334-3404 In California (415) 284-7540

☐ YES. Send complete information for my free copy of ITM's Software Catalog.	review. Please include
nee copy of ITMA Software Catalog,	ITM
NAME	- T T TAT
COMPANY NAME	Software Division
ADDRESS	We make software buying simple.

Software Catalog. FREE.

☐ Individual ☐ Dealer ☐ Consultant ☐ Company

CITY/STATE/ZIP

Alth Stevan Cloudtree 936 Dewing Ave , Suite E Lalayette, CA 94549-4292

(800) 334-3404 or (415) 284-7540

RYTE 583

DISKULATOR

THE MOST VERSATILE AND EXPANDABLE MEMORY BOARD FOR THE APPLE III COMPUTER IN THE WORLD 64K-512K **NOW SHIPPING!**

The DISKULATOR allows operation of virtually all software developed for use with other memory boards. By simple user selection you can operate the board in different modes.

The DISKULATOR will allow you to start BIG and get even BIGGER! Buy the 64/128K board now and arrange for an upgrade later to a higher size if you then need more memory.

The DISKULATOR has no cable and will operate like a language card in your Apple II or IIe,

If you already have a memory board, don't despair - DISKULATOR software allows you to combine boards from different manufac-

Incredible NEW utility software supplied includes

- MACRODISK-MULTI which automatically handles boards of different sizes or bank-select standards, and allows you to set the size and number of RAM-DISKS (up to 3) in 16K increments. Also supplied are MACRODISK for Pascal and CP/M.
- MACROSPEED, the fantastic HIGH-SPEED COPY program you've been waiting for. Multiple copies are now quick and easy!
- UPLOAD/DOWNLOAD programs which enable high speed backup and retrieval of a whole disk automatically or under program control.
- MEMORY DIAGNOSTICS

Dealers, distributors and software developers - you cannot afford to ignore the most expandable and flexible memory board on the market. Contact us today!

DISKULATOR, MACRODISK - Im of MACROTECH Computer Products Ltd. Apple II, Apple IIe are trademarks of Apple Computer Inc. CP/M is a trademark of Digital Research Inc.

Canada: 1370 Marine Drive, N. Vancouver, B.C. V7P 1T4 (504) 984-9305 USA: 3249 Hackett Ave., Long Beach, CA 90808.

MACROTECH Computer Products Ltd.

START YOUR OWN COMPUTER CO.

HOW TO START YOUR OWN SYSTEMS HOUSE

7th edition, November 1981 Written by the founder of a successful systems house, this lact-filled 220-page manual covers virtually all aspects of starting and operating a small systems company. Contracts, proposals, agreements and a complete business plan are included in full, and may be used immediately. Proven, field-tested solutions to the many problems facing small turnkey vendors are presented.

HOW TO RECOME A SUCCESSFUL COMPUTER CONSULTANT by Leslie Nelson, 4th revised edition, December 1981

The rewards of the consultant can be high: freedom, more satisfying work and doubled or tripled income This manual provides comprehensive background information and step-by-step directions for those interested to explore this lucrative field.

HOW TO START YOUR OWN COMPUTER STORE

1st printing, April 1983 Computer store strategies. Optimum product mix. Brands to avoid. Working with distributors. Software selection. When to consider franchises. Where to find good personnel. Selecting the right location. The start-up plan. The seven best promotion strategies. Financial plan. Three low budget approaches.

HOW TO START YOUR OWN WORD PROCESSING SERVICE by Lealle Nelson, 2nd edition. November 1962

Turn a small investment into a steady, money making business that adds \$10,000. \$50,000 or \$100,000 to your income. Detailed start-up, marketing and operations plans are included.

HOW TO SELL YOUR MICRO SOFTWARE

By B.J. Korites, Ph.D. May 1962
The best practical guide for those with software to sail. Detailed discussion of the eight best marketing strategies. How to sell through distributors, brokers, computer manufacturers. Advertising techniques, Pricing, Software security,

Send check, money order, VISA, Master Charge or American Express # and exp date. Publisher pays 4th class shipping. Add \$1.00 per book for UPS shipping (USA only), NJ residents add 6% sales tax. For faster shipment on credit card orders call (201) 783-8940.

> ESSEX PUBLISHING CO. Dept. 2 285 Bloomheld Avenue . Caldwall, N.J. 07005

Star Gemini-10 100 CPS, Ba9 hi res. Parallel Interface , SCALL



CPS top speed plus all the fi s of the MX-80 and more SC

Epon MX100 III- New to price. Call C. (tob Proffring 8510AP, 120 CPS, 80 col., Graphics, Parallel ... \$200

C. Itali Prawriter-II 1650, 120 CPS 138 cor., 2% buffer, parallel \$899



Ok-dets MLBDF, 80 CPS, 80 Col. track graphics, pin & freston feed. Parallal interface \$3329

perset interface. \$1,000 Oktidate MLBZ, The respect 80 cot. 160 CPS, interference food, pro-phigo, account installers. Oxidate ML93, The respect 160 CPS, 136 coi, tracspr/inction feed,



NEC SPINWRITER 3550 NEC of the couplity printer searceasty designed for the 18M PC. 203 columns, auto proportional stoco, justification, bi-directures, 350 words per min. Spatat. \$1,995



BROTHER HR-1 Letter quelty delsywheel proster 15 CPS, bi-directional, friction leng, parallel instrume. Super value \$769

Series envertice , 9829 Transfer , 5118 COMREX DILTE 17 CFE de

PS classyvetures princer, bi-direct si, Pacalle) 2785

DAMWHITER 2008

The intelligent letter-coulity printer w/18K built-in builts receiver, 17 CPS, bi-shrectonel, suto merger us CPS, bi-directional, suite merger-jui-difficultion, propositional specime, suite seud date selection from 50-18,700 bous Celepport graphics in-cludes absolute and setsular vector planting for charts & graph, 51085 universal dispersace 51085 Treeper for Delaywriter 2000 .5129 5735



AST

Multi-Function Cards for IBM PC and XT



Comboffus Cards offer a maximum of 6 features. The expendable party checked manners from 64K to 256K. The new cards now come with a battery-backed on clock/calendar, a while print and a pacified part as steedard features. Printer buffer, electronic disk annulator and clock satisfy programs are included on diskette along writt an extensive User's manulator memory installed on card.

65K 726K 1828 286K with 48 general parts & dock) — \$328 3389 \$466 \$539

- MagaPlus Cards ---

MegaPlus Cards offer a maximum of 8 heatures. User expandable parity manney from 64 K to 512K. Seriel port No. 1 and block/calender reducted with land card. Date services of 8 heatures, 10 and block/calender reducted with land card. Date services of 8 heatures in the charge of 8 heatures in the charge of 8 heatures in the card with separate programs are size included. Anticourt of 1 memory installand on series of 64 K 128 K 192 K 192

I/O Plus Cards -

I/O Plus Cards - Standard features include a virial port IS11, and a clock.
Printer buffer, clock utility and dist emulator programs are also included,
Options can be added: Garna port (G), Parallel open (P), Reral Port IS21,
Standard naced vijons serial port (S1) and clock/callender.
\$145
with ONE additional option (G, P, or S2).
\$185
with VIVO additional options (GP, OSZ, or PS2).
\$225
onth VIVO additional options (GPS2).



BATA MAC HARD DISKS

HARD DISKS
DATAMAC "Add-in" Winchester
Disk Syttem includes hand disk.
disk controller card, cable, softwars, sustliary power tagging which
mounts neatly benind IBM PC system unit, and all necessary documentation to insure cets of initialization. System is fully duffered with
automatic error correction code.
All hard disks will fit needs into
the right-rand did of the IBM PC.
6 MM 6 MB Formatical ..., \$1,598 6 M8 (6 M8 /ormatted) . \$1,598 12 M8 (10 M8 /ormatted) . \$1,998 19 M8 (15 M8 /ormatted) . \$2,999



The card will green high machiline by mapping graphics (720H x348V) on the 18M representative display. Complete with parallel printer port. Both tast and graphics can be displayed smultaneously. SCALL





* * * GREEN SCREEN * * *

Dynax GM-120, 12" green, 500 lins 20 Mhz. Made by JVC, Excalent Lite \$200,00 \$120,00 Taxan KG-12N, 12" green 800-dot, Lite \$159,00 \$145,95 Zenith ZVM121, 12" green, 15MHz Lite \$139,00 ..., \$119,00 Andisk 300G, 12" green, 900 lins, 18 MHz \$175

- NO AMBER SCHEEN . . .

Dynax AM121, 12" unities 500-doi: 70 MHz. Made by JVC. Earallant Lut 5250-00. \$149.00 Taran KA124, 12" uniter, 800-dot. Lut \$205.00. \$150.00

**** HGB COLOR ****

BMC 8M-AUB191MU, 13' RC color, w/ arbinet styll to men IBM (as thown above) . . . \$6 RGB



ce monitor for your IBM PC. Lint 795 . Best buy SCALL Tarish RGBurelon I, 12",380-dol, 18 MHz. 2,000 chan IbSV diob). Lint 399-00 . 3385.00 Taxan RGBuren II, 12",510-dol, 18 MHz. 2,000 chan IBN 7 doct. Taxan RGEvision III, 12", 630-det, 18 MHz, 16 colors, seas = | SOFTWARE FOR IBM PC |
1-2-1 (Reg. DS drivel | \$495 \$350 |
18ASE II. | \$700 \$465 |
7K (Spolver | \$240 |
7K (Spolver | \$240 |
7K (Spolver | \$495 \$339 |
7K (Spolver | \$495 \$319 |
7K (Spolver | \$495 \$31 Versionn Son Scholler (GL/AR/API, \$595 \$395 The Tas Manager \$250 \$179 Home Accountant Plus \$150 \$109 In Class Mail \$5125 \$98

minning and

IBM Personal Computers

The new XT Model available now Call for prices & configurations

SOFTWARE FOR IBM PC



5% TANDON DRIVES The newmi IBM PC comp S195



EASTERN ENTERPRISES, INC.

2937 S. VAIL AVE., LOS ANGELES, CALIF. 90040

TOLL-FREE (800)392-7081 Call (213)725 3080



To order, please send money order or carther's check. Personal or company checks require 2-3 weeks to clear. Prices reflect 3% cash discount. Visi/Mostercourt accepted, Shipping, insurance & frauding charges are 3% of lotal order value by UPS Surice, 5% by UPS Air or Parcel Post. COD's requires 20% deposit. California evidents add sales tax. No sales tax in out-of-state-orders. Prices & availability subject to change without notice. Send for catalog of other items at similar savings.

for the 5-100 bus and are definitely worth the extra \$100 if you ever plan to write a real-time program. Most manufacturers supply software, but to get to know a machine inside out, you should try writing an interrupt and DMA-driven disk I/O routine. Furthermore, standard software routines wait while the write takes place to prevent the calling program from corrupting the buffer area before the transfer is done. If the manufacturer supplies a listing of its software, a

little creative tinkering can defeat the wait and enable one of the coroutines in the calling program to monitor the transfer to see when the buffer is free for more data: alternatively, you could alter the end-of-transfer interrupt service routine to perform whatever services your data storage subjob needs then. Poor or enthusiastic hardware hobbvists might want to experiment with the powerful DMA controller chips available for most microprocessors.

cGraw-Hill Books, software, film, and other media on... ogramming Languages AcGraw-Hill Advanced Computing Computer W. catalog Users Guides General Interest Introductory Computing Information Systems **Word Processing** Software ...for all levels of computer users McGraw-Hill the professional's publisher Mail coupon today to: 95, send me a copy of the new 83 McGraw-Hill Computer Calalog Lown a personal computer: 1 Yes 1 No Jam a □ first-time user □ hobbyist □ engineer □ businessperson □ programmet/onclyst ☐ DP professional ☐ computer designer ☐ educator ☐ ofthe 1-CC-100-4440-3

Final Words and Warnings

There are some tricky spots where you should watch your step. Because the key to good real-time programming is buffering and asynchronous processing, some strange time relationships can develop between events in the real world and events in the logical worlds of the coroutines. In fact, the term real-time is misleading because all programs work on data that was collected at some prior realworld time. Consider, for example, a 500-byte input buffer filled at a onebyte-per-second rate by an analog/ digital-converter service routine: if the data analysis routine got temporarily behind for some reason (e.g., it needed to do a lengthy calculation), real-time for the data-analysis routine might be several minutes behind realtime from the point of view of a keyboard service routine. Normally, these time shifts are advantageous because they allow more useful work to be wrung out of the computer while still catching all input data. But they can cause problems in some situations. For example, if the computer is used as a smart controller in a feedback loop, then both data input and control output must have high priority: time-consuming tasks in the data-analysis routine should not interfere with delivery of timely control data to the output routine (two dataanalysis coroutines might be appropriate in this case; one to compute and pass along control data and a second to do other lower-priority analysis).

While data buffering occasionally can have some confusing side effects. it also comes with a bonus. After a program has been running awhile, the input buffer contains a log of the input data. Thus, any data-analysis routine can detect an event and then look back to see what led up to it. (This ability is the primary selling point for digital oscilloscopes and logic analyzers, devices that are just real-time-programmed digital processors.)

If you follow the general rules outlined here, you will find real-time programming to be a creative and rewarding activity.

ACTIVE, YOUR

NUMBER ONE

CHOICE

Smith-Corona TP-1 Daisy Wheel Printer

only\$49900

- · compatible with most micro-computers
- serial or parallel interface
- choice of 10 or 12 CPI models

Also for your TP-1 letter quality printerthe Smith-Corona Tractor Feed

- · Adjustable tractor widths · For continuous forms
 - · Quick, easy removal



FIGURE-LOGIC BUSINESS EQUIPMENT, INC. 6408 Gaston Avenue / Dallas, Texas 75214



WEARETHELARGEST BECAUSE WEARETHEBEST. Over \$40 million in stock. The world's most

Active Electronics is your one stop source for the widest variety of top quality semiconductors, microprocessors. memories, microcomputer systems, peripherals and electronic components.

complete hobbyist inventory.

Call or write for our FREE comprehensive catalogue. If you work with electronics you shouldn't be without It!

ACTIVE'S PRICE ONLY \$79.95

QUALITY


SERVICE

AVAILABILITY

Delaxe 2 volume set

Circle No. 5 on free Information card or write P.O. Box 8000, Westbord, Mass. 01581 CALL TOLL FREE: 1-800-343-0874 MASS, customers call (617) 366-0500

Revised Edition Now Available!



All New Text Added To The Original Atlas And Gazetter...

"What's Where in the Apple" A Complete Guide to the Apple Computer.

This revised edition of the famous Apple Atlas will:

- provide you with more information on the Apple's memory than is available elsewhere
- guide you with a numerical Atlas and an alphabetical Gazette to over 2000 memory locations of PEEKs, POKEs and CALLS
- give you names and locations of various Monitor, DOS, Integer BASIC and Applesoft routines and tells you what they're used for
- enable you to move easily between BASIC and machine language
- guide you through the inner workings and hidden mechanisms of the Apple

All Apple users will find this book helpful in understanding their machine and essential for mastering it. The Atlas and the All New Guide are now available in one 256-page Wire-O-Bound book for only \$24.95.

If you own the original What's Where in the Apple purchase The Guide to complete your edition. This 128-page Wire-O-Bound version contains all the new material to be used with the memory map and atlas. Don't miss this opportunity to complete your addition of What's Where in the Apple. Order your copy of The Guide now...only \$9.95

Please Rush D What's Where in the Apple @ \$24.95 (plus \$2.00 s/h)

☐ The Guide @ \$9.95 (plus \$2.00 s/h)

I'm paying by Check MO VISA MasterCard

Name

Credit Card #_

Address ____

Card Expires

_ Total Enclosed \$ ___

_____ State ___

(MA residents add 5% tax)

MICRO, 34 Chelmsford Street, P.O. Box 6502, Chelmsford, MA 01824

City ____

Call Toll-Free 1-800-345-8188 (In PA 1-800-662-2444)

463

KEY BUFFER ,

Listing 1: Furnishing an example of a solution to a real-time problem in a programmedl/O environment, this program periodically reads analog data, analyzes it, and outputs results to a printer.

PROGRAM MEASURE AMALOG PULSE: This listing illustrates a solution to a real-time task using programmed input-output; the program is not complete since hardware or implementation dependent procedures are shown as stubs only. The task that this program executes is as follows: 1) An A-D converter is read every time a clock flag is set by a programmable clock. The A-D converter is assumed to return values from 0 to 4095 (i.e. a 12 bit converter). 2) If the analog value is greater than some threshold (initially set to 2000) then the program keeps track of how many sample periods it remains supra-threshold and keeps a running sum of the values. 3) When the analog value then drops below the threshold value, the duration of the supra-threshold pulse and the average analog value during the pulse are printed to a listing 4) The threshold may be changed at any time by hitting one of the keys '0' through '9' to set the threshold from 400 to 4000 in increments of 400 (e.g. '5' sets the threshold to 2400). Whenever the threshold is changed the new value is printed on the listing device. Hitting any key other than '0' to '9' terminates execution. At no time should keyboard input be missed, and all analog values should be read within a few ms of each clock pulse. These conditions should continue to be met even during periods when analog pulses occur frequently. The program is largely self-documenting. *) (* Three FIFO buffers are used: one for the A-D values, one for keyboard input, and one for lister output. The first part of the definitions is related to implementing these buffers. *) CONST A D BUF LENGTH = 100: KEY BUF LENGTH = 20: OUT BUF LENGTH = 200; LONGEST BUFFER = 200: TYPE BUFFER HEADER = RECORD IMPUT POINTER. CUTPUT POINTER, BUFFER LENGTH : INTEGER: BUFFER FULL, BUFFER EHPTY : BOOLEAN EHD; (* The Buffer Header Keeps the current status of a FIFO buffer. The Input pointer points to the next location to be filled, and the output cointer is the next location to be read from the buffer. *) FIFU BUFFER = ARRAY[1..LONGEST BUFFER] OF INTEGER: STRING20 = ARRAY[1..20] OF CHAR: A D HEADER. KEY HEADER, OUT HEADER : BUFFER HEADER; A D BUFFER .

OUT BUFFER : FIFO BUFFER: (In this example all buffers occupy the

```
same amount of storage space even though their lengths are different.
    I had to do it this way here because of the strong type checking of
    standard Pascal; there are a number of ways around this problem in
    most implementations (e.g. use the NEW function to allocate space
    at run time and rewrite the buffer handling procedures to use accesses
    with true pointer type variables), *)
(* End of buffer definitions
& start of Globals needed by other procedures. *)
    LIST FILE : TEXT: ( File var for the listing device 1)
    A D SEGMENT.
    AMALTIE SEGMENT : INTEGER: (* Used to control flow of the Coroutines *)
    ERBOR, DOME : BOOLEAN: (* Booleans to control program termination *)
(* The following variables are used in the data analysis *)
    THRESHOLD, PULSE COUNT : INTEGER:
    PULSE SUN, AVERAGE PULSE HEIGHT : REAL;
    LAST VALUE WAS OVER THESHOLD : BOOLEAN;
(* The following three procedures implement the FIFO buffers *)
PROCEDURE INIT BUFFER(VAR B HEADER: BUFFER HEADER; B LENGTH: INTEGER);
BEGIN
    WITH B HEADER DO BEGIN
        IMPUT POINTER:=1: ( Next location to be filled )
        OUTPUT POINTER:=1: ( Mext location to be read 4)
        BUFFER LENGTH: B LENGTH:
        BUFFER FULL := FALSE:
        BUFFER EMPTY := TRUE
    END
END:
PRUCEDUNE STORE (VAN B HEADER : BUFFER HEADER;
               VAR BUFFER : FIFO BUFFER:
               VALUE : INTEGER);
DEGIN
    WITH B HEADER DO IF NOT BUFFER FULL THEN BEGIN
        ENFFER[IMPUT POINTER] := VALUE:
        IF INPUT POINTER = BUFFER LENGTH
            THEN INPUT POINTER:= 1
            ELSE INPUT POINTER:= INPUT POINTER+1;
        BUFFER FULL: INPUT POINTER = OUTPUT POINTER;
        BUFFER EMPTY := FALSE
    END
END:
FUNCTION RETRIEVE(VAR B HEADER: BUFFER HEADER:
                  YAR BUFFER : FIFO BUFFER) : INTEGER;
BEGIN
    WITH B HEADER DO IF NOT BUFFER EMPTY THEN BEGIN
        RETRIEVE:= BUFFER[OUTPUT POINTER];
        IF OUTPUT POINTER = BUFFER LENGTH
            THEN OUTPUT POINTER:= 1
            ELSE OUTPUT POINTER := OUTPUT POINTER+1;
        SUFFER EMPTY: = CUTPUT PUINTER = IMPUT POINTEN;
        BUFFER FULL:= FALSE
    EHD
END:
(* The following procedures are all implementation dependent and are
shown as stubs with a description of what they have to do. *)
PROCEDURE INIT LIST FILE:
BEGIN
```

```
Listing I continued:
   (* This procedure should initialize the file variable, LIST FILE,
   to the listing device; e.g. MSSIGN(LIST FILE, LST: '); etc... *1
END:
PROCEDUNE START CLOCKS
HEGIN
   (4 Set up the clock to set a flag whenever the A-D needs to be read,
   and start the clock 4)
END:
FUNCTION CLOCK FLAG SET : HUOLEAN;
   (* Returns TRUE if clock flag is set, FALSE otherwise. *)
END:
PROCEDURE START A TU D:
BEGIN
    (* Initiate an analog to digital conversion. *)
END:
FUNCTION READ A TO D : INTEGER;
BEGIN
    (* keads the A-D and returns a value from 0 to 4095 *)
END:
FUNCTION KEY HIT : HOOLEAM:
REGIN
    ( Returns TRUE if READY flag is set from the Reyboard WART )
END:
FUNCTION LST DEVICE BEADY : BUOLEAN;
BEGIN
    (* Returns TRUE if the list device is ready for a character *)
END:
PROCEDURE WRITE STRING TO OUT BUFFER(VAN STRING : STRING20);
(* This procedure puts the characters into the output buffer until
it encouters a "$". ")
RAY
        1 : INTEGER:
        C : CHAR:
BEGIN
    Itel:
    REPEAT
     C:= STRING[1]:
     I:= I+1:
     IF C <> 'S' THEN BEGIN
            ERBOR: = ERBOR OR OUT HEADER, BUFFER FULL:
            STORE(OUT HEADER, OUT BUFFER, ORD(C))
    UNTIL (I=21) OR (C='s') OR ERROR
PROCEDURE WRITE CRLF TO OUT BUFFER:
VAR
        LOCAL STRING : STRING20:
BEGIN
    LOCAL STRING[1]:= CHR(13): [* Carriage return *)
    LOCAL STRING(2):= CHR(10): (* Line feed *)
    LOCAL STRING[3]:= '$': (" String terminator ")
    WRITE STRING TO OUT BUFFER(LOCAL STRING)
PROCEDURE WRITE INTEGER TO OUT BUFFER(VALUE : INTEGER):
```

```
REGIN
    (* You need to work out some way here to write the character
    string conversion of a binary integer VALUE to the variable
    LOCAL STRING. Most Pascal compilers allow some way of doing
    "redirected I-O" so you don't have to write the integer conversion
    routines vourself.
       In this routine, the integer character string, followed by a space,
    and a "$" should be written to LOCAL STRING. Then: ")
    WRITE STRING TO OUT BUFFER(LOCAL STRING)
(* The following procedure sets everything up and is only called once *)
PROCEDURE INITIALIZE PROGRAM;
BEGIN
    INIT BUFFER(A D HEADER, A D BUF LENGTH):
    INIT BUFFER(KEY HEADER, KEY BUF LENGTH):
    INIT BUFFER(OUT HEADER OUT BUF LENGTH):
(* Initialize variables *)
    A D SEGMENT:= 1:
    ANALYZE SEGMENT:= 1:
    INIT LIST FILE:
    DONE := FALSE:
    ERROR:= FALSE:
    LAST VALUE WAS OVER THRESHOLD := FALSE;
    TMRESHOLD:= 2000:
    PULSE SUM:= 0.0:
    PULSE COUNT := 0;
    WRITE('Hit RETURN when ready to start'); (" File var OUTPUT is assumed
to be the console screen *)
    READLN: (* File var INPUT is assumed to be the keyboard *)
    START CLOCK
ERD:
(* The following procedure is the first coroutine. It monitors the clock,
reads the A-D when necessary, and puts the value in the A D buffer.
This procedure performs the highest priority task and is called as often
as possible. The coroutine function is implemented using the CASE
statement and the variable A D SECHENT to control the flow. 4)
PROCEDURE CHECK A TO U:
YAR
        VALUE : INTEGER;
BEGIN
    CASE A D SEGNENT OF
    1 : IF CLOCK FLAG SET THEN BEGIN
            START A TO D; (* but we don't need to wait for conversion *)
            A D SEGNENT:= 2 (* set up for next section of coroutine *)
        END:
    2 : BEGIN
            VALUE:= READ A TO D; (* plenty of time for conversion by now *)
            ERBOR:= ERBOR ON A D HEADER BUFFER FULL:
            STORE(A D HEADER, A D BUFFEH, VALUE);
            A D SEGNENT:: 1 (* set up for 1st section of coroutine again *)
    END (* of CASE statement *)
END:
(* The following procedures are subroutines to check and read the keyboard
and to output results. Both routines just check peripheral status flags
and do the data transfer as necessary. This is a simple, one-step task
so they are implemented as subroutines rather than coroutines. *)
```

VAR

LOCAL STHING : STRING20:

```
466 May 1983 © BYTE Publications Inc.
```

Listing I continued:

```
PROCEDURE HEAD KETBOARD;
       C : CHAR:
BEGIN
    IF KEY HIT THEN BEGIN
        READ(C):
       ERROR: ERROR OR KEY HEADER. SUFFER FULL:
        STORE(KEY HEADER, KEY BUFFER, ORD(C))
    END
END:
PROCEDURE OUTPUT RESULTS:
BEGIN
    IF NOT OUT READER. BUFFER EMPTY AND LST DEVICE READY THEN
       WRITE(LIST FILE, CHR(RETRIEVE(OUT HEADER, OUT SUFFER)))
END:
(* The following procedure is the coroutine that does all of the data
analysis. The coroutine structure is implemented with the case statement.
Note now the data analysis function has been broken up so that this
procedure does not hog the CPU while doing complex data analysis. The
coroutine relinquishes control whenever its buffers are empty and at
short intervals during data analysis: the whole idea is to make sure
the clock gets serviced at frequent intervals so that analog data is
sampled at close to the proper time. Note also that the amount of data
analysis necessary is highly dependent on the input data; e.g., a whole
bunch of stuff needs to be done when the analog value falls below the
threshold value. ()
PROCEDURE ANALYZE DATA:
RAY
       C : CHAR:
        END PULSE.
        SUPRA THRESHOLD : BOOLEAN:
        A D VALUE : INTEGER:
BEGIN
    CASE ANALYZE SEGMENT OF
    (* Case ) checks our imput buffers to see if we have any data to
    deal with. Some minimal analysis is done in case ) if we have data. *)
    1 : IF NOT KEY HEADER. BUFFER EMPTY THEN BEGIN
            C:=CHR(RETRIEVE(KEY HEADER.KEY BUFFLE)):
            DOWE:= NOT (C IN ['Q'...'9']);
            IF HOT DONE THEN
                THRESHOLD:= (ORD(C)-ORD('0')+1)*400:
            ANALYZE SEGNENT:= 5 (* We religquish control here because
        we've aiready spent a long time figuring out the new threshold.
        The coroutine transfers to case 5 where the new threshold is
        printed out (via the output buffer, of course). *)
ELSE (* if no data in keyboard buffer, we check A-D buffer. *)
    IF NOT A D HEADER BUFFER EMPTY THEN BEGIN
        A D VALUE:= METRIEVE(A D HEADER, A D BUFFER);
        SUPRA THRESHOLD: A D VALUE >= THRESHOLD;
       END PULSE:= LAST VALUE WAS OVER THRESHOLD
                    AND NOT SUPRA THRESHOLD:
       LAST VALUE WAS OVER THRESHOLD: SUPRA THRESHOLD:
        IF END PULSE THEN ANALYZE SEGMENT:= 2
       ELSE IF SUPRA TERESHOLD THEN BEGIN
            PULSE COUNT:= PULSE COUNT+1;
            PULSE SUN:= PULSE SUN + A D VALUE
       END
    END:
```

```
[ Cases 2 through 4 are the segments of the coroutine that analyze
    the data at the end of a pulse and output results. Case 2 does
    a time consuming floating point division and them relinquishes
    control; analysis is taken up again at case 3 which outputs the
    pulse length; integer to string conversion is time consuming so
    case 3 reliquishes control and analysis continues later at case 4
    where the average pulse height (computed in case 2) is output.
    Control then returns to case one to eatch up on any keyboard activity
    and accumulated analog values. 4)
   2 : BEGIN
            AVERAGE PULSE HEIGHT:= PULSE SUM/PULSE COUNT:
           ANALYZE SEGMENT:= 3
        END:
   3 : BEGIN
           WRITE INTEGER TO OUT BUFFER(PULSE COUNT);
            ANALYZE SEGMENT := 4
        END:
    4 : BEGIN
            WRITE INTEGER TO OUT BUFFER(ROUND(AVERAGE PULSE HEIGHT)):
            WRITE CRLF TO OUT BUFFER:
            PULSE COUNT := 0:
            PULSE SUH:= 0.0:
            AMALYZE SEGMENT:= 1
    (* Case 5 is a continuation of the analysis that occurs when a new
    toresmold is specified from the keyboard. It outputs the new
    coreshold value (already computed in case 1). *)
    5 ; BEGIN
            WHITE STRING TO OUT BUFFER( | New Threshold: $
            (* Note that the string had to be filled out to 20 chars
            to satisfy Pascal's type checking *)
            WRITE INTEGER TO OUT BUFFER(THRESHOLD):
            WRITE CALF TO OUT BUFFER:
            ABALYZE SEGHENT:= 1
        £#G
    END ( of case statement )
EMba
(* The following is the main program of MEASURE ANALOG PULSE. It should
properly be thought of as a coroutine whose function is to pass control
around to the other coroutines and subroutines on a priority weighted
basis. Note that the high priority routine, CHECK A TO D. is given
control as often as possible. *)
BEGIN
    INITIALIZE PROGRAM;
    REPEAT
        CHECK A TO D:
        ANALYZE DATA:
        CHECK A TO D:
        CUTPUT RESULTS:
        CHECK A TO D:
        READ KEYBOARD
    UNTIL DORE OR ERROR:
IF ERROR THEN WRITELR('Buffer overflow abort.')
END.
(* The reader may have noticed that there are alternate ways to
```

(* The reader may have noticed that there are alternate ways to accomplish the job of MEASURE ANALOG PULSE without the unusual CASE statement constructs. For example, the procedure ANALYZE_DATA could have been written in a straightforward manner and then sprinkled with calls to a procedure CHECK PERIPHERALS to make sure that peripherals

TYPE

were serviced in a timely fashion (see Listing 2 where this is done automatically by hardware interupts).

I used the approach shown here because it more clearly illustrates the concept of a coroutine and because a cleaner program structure can be developed if interlaced procedure calls are avoided. This program could be easily modified to do different or more extensive data analysis. *)

Listing 2: Able to handle the data-collection task outlined in listing 1, this program is based on interrupt-driven-I/O techniques.

PROGRAM MEASURE ANALOG PULSE USING INTERRUPTS;

Listing I continued:

(* This listing illustrates a solution to the same real-time problem treated in Listing 1, but here we use interrupt driven I-O rather than programmed I-O. Three types of interrupt situations are illustrated; 1) A case where random inputs must be captured (the keyboard input in the present example). 2) A case where a peripheral is allowed to interrupt when there is work for it to do, but not allowed to interrupt otherwise (outputting results to a listing device here). 3) A case where an interrupt from one device (the clock in our example) sets up another device (the A-O converter) to interrupt later.

The program is written in Pascal for general readability and because it should be every programmer's goal to do as much programming as possible in high level languages. However, interrupts are intimately associated with the hardware in a system, so there are restrictions on the types of high level languages that can be used in an interrupt driven environment. First, you must have some way of including assembly language instructions and/or procedures in your program. Second, the language should be of the direct compiling type since interpreters (e.g., p-code interpreters) are normally not written using reentrant code (in this case, interrupt service routines have to be written entirely in machine code so they won't trash the interpreter temporary storage locations). Third, if you are using a multi-user operating system or any other operating system designed to run with the interrupt on (e.g., ET-11 for the LSI-11 CPU's) then you must respect and understand the operating system's interrupt environment.

In this example, I have assumed that a direct compiling Pascal (such as Pascal/I or Pascal/MT+) is being used with an operating system that does not support interrupt driven I-O (e.g., standard CP/M). I have further assumed that there is a priority interrupt scheme such that the clock interrupts have the highest priority. *)

(* Three FIFO buffers are used: one for the A-D values, one for keyboard input, and one for lister output. The first part of the definitions is related to implementing these buffers. Buffers are implemented exactly as in Listing 1. *)
CONST

```
A D BUF LENGTH = 100;
KET BUF LENGTH = 20;
OUT BUF LENGTH = 200;
LONGEST BUFFER = 200;
BUFFER HEADER = RECORD
INPUT POINTER,
OUTPUT POINTER,
BUFFER LENGTH : INTEGER;
BUFFER FULL,
BUFFER EMPTY : BOOLEAN
END:
```

```
(* The Buffer Header keeps the current status of a FIFO buffer. The
input pointer points to the next location to be filled, and the output
pointer is the next location to be read from the buffer. *)
    FIFO BUFFER = ARRAY[1..LONGEST BUFFER) OF INTEGER:
    STRING20 = ARRAY[1..20] OF CHAR:
YAR
    A D HEADER,
    KEY HEADER.
    OUT HEADER : BUFFER HEADER;
    A D BUFFER .
    KEY BUFFER .
    OUT BUFFER : FIFO BUFFER:
(* End of buffer definitions & start of Globals needed by other procedures. *)
    LIST FILE : TEXT: (* File war for the listing device *)
    LISTER INTERRUPT OFF. (* Boolean used control list device interrupts *)
    ERBOR, DONE : BOOLEAN; (* Booleans to control program termination *)
( The following variables are used in the data analysis *)
    THRESHOLD, PULSE COUNT : INTEGER:
    PULSE SUM. AVERAGE PULSE HEIGHT : REAL;
    LAST VALUE WAS OVER THESHOLD : BOOLEAN:
(* The following three procedures implement the FIFO buffers *)
PROCEDURE INIT BUFFER(VAR B HEADER : BUFFER HEADER; B LENGTH : INTEGER);
BEGIN
    WITH B HEADER DO BEGIN
        INPUT POINTER:=1; (* Next location to be filled *)
        OUTPUT POINTER:=1: (* Mext location to be read *)
        BUFFER LENGTH:= 8 LENGTH:
        BUFFER FULL: FALSE:
        BUFFER EMPTY := TRUE
    END
END:
PROCEDURE STORE (VAN B HEADER : BUFFER HEADER:
                VAR BUFFER : FIFO BUFFER:
                VALUE : INTEGER):
BEGIN
    WITH B HEADER DO IF NOT BUFFER FULL THEN BEGIN
        BUFFER[IMPUT POINTER] := VALUE:
        IF INPUT POINTER = BUFFER LENGTH
            THEN INPUT POINTER:= 1
            ELSE INPUT POINTER:= INPUT POINTEB+1:
        BUFFER FULL: INPUT POINTER = OUTPUT POINTER:
        BUFFER EMPTY:= FALSE
    END
END:
FUNCTION RETRIEVE( VAR & HEADER : BUFFER HEADER:
                  VAR BUFFER : FIFO BUFFER) : INTEGER:
BEGIN
    WITH 8 HEADER DO IF NOT BUFFER EMPTY THEM BEGIN
        RETRIEVE: = SUFFERIOUTPUT POINTER):
        IF OUTPUT POINTER = BUFFER LENGTH
            THEN OUTPUT POINTER:= 1
            ELSE OUTPUT POINTER:= OUTPUT POINTER+1:
        BUFFER EMPTY:= OUTPUT POINTER = IMPUT POINTER;
        BUFFER FULL:= FALSE
    END
```

END:

END:

```
Listing 2 continued:
(* All procedures from here to WRITE CBLF TO OUT BUFFER are hardware and/or
implementation dependent. Most are shown as stubs with descriptions of what
they have to do but pecessary gode is also shown. *)
PROCESURE INIT LIST FILE:
BEGIN
    (* This procedure should initialize the file variable, LIST FILE,
    to the listing device; e.g. ASSIGN(LIST FILE. LIST: ): etc ... *)
EMD:
The procedures shown from here to RESET ALL PERIPHERALS are device
dependent. These procedures set up the peripherals to generate interrupts to
the proper service routine. The setup routines usually must: 1) give the
peripheral device its interrupt vector location. 2) place the address of the
service routine in memory at the proper vector location, and 3) send command
code(s) to the peripheral to set it in the proper operating mode. For those
devices where the interrupt must be turned on and off by the program, setup
still takes place as above except the command that enables the peripheral
interrupt is placed in a separate procedure. Example, the Z80 PIO (parallel I-
0) chip interrupt can be enabled by the command byte 83 hex and disabled by 03
her without interfering with its already programmed operating mode. *)
PROCEDURE SET CPU INTERRUPT MODE:
BEGIN
    (* Some CFU's (the ZBO, for example) have different interrupt modes
    or have to be initialized in some special way to deal with interrupts.
    For an 8080 CPU nothing needs to be done here since that processor
    has only one interrupt mode. *)
END:
PROCEDURE STANT CLOCK:
    ( Set up the clock to generate an interrupt to the procedure
    SERVICE CLOCK whenever the A-D needs to be read, and start the clock *)
END:
PROCEDURE SET UP A TO D:
BEGIN
    (* Set up the A-D so that it generates an interrupt to the procedure
    SERVICE A TO D at end of conversion. No conversion is started here,
    however. *1
END:
PROCEDURE START A TO D:
BEGIN
    ( Initiate an analog to digital conversion. )
END:
FUNCTION READ A TO D : INTEGER:
BEGIN
    (* Reads the A-D and returns a value from 0 to 4095 *)
END:
PROCEDURE SET UP KEYBOARD:
BEGIN
    ( Set up the keyboard interface so that it generates an interrupt
   to the procedure SERVICE KEYBOARD whenever a character is recieved
   from the keyboard, *)
```

```
PROCEDURE SET UP LISTER:
BEGIN
    (* Set up the list device interface so that it is capable of generating
    an interrupt to the procedure SERVICE LISTER when the listing device
    is ready for another character, but do not actually enable lister
    interrupts here since we won't have anything to print until later
    when some results are generated. The global Boolean variable
    LISTER INTERRUPT OFF lets the output routine know when the interrupt
    needs to be turned on. Thus. *)
   LISTER INTERBUPT OFF:= TRUE
EMD:
PROCEDURE PRINT CHAR AND ENABLE LISTER INTERRUPT( C : CHAR);
BEGIN
    (* This procedure is called when the list device interrupt is
    not enabled and we want to start listing results. Here we
    print a character to get things going (the list device Will
    always be ready to print when this procedure is called), and
    then enable the lister interface so that it interrupts to
    SERVICE LISTER when it's ready for another character. *)
    WRITE(LIST FILE.C):
    (* Enable lister interrupts here 4)
    LISTER INTERRUPT OFF: = FALSE
END:
PROCEDURE TURN OFF LISTER INTERRUPTS:
BEGIN
    (* This procedure is called by the lister interrupt service routine
    when it gets an interrupt but has nothing left to print in its buffer.
    The procedure justs disables list device interrupts, and: ()
    LISTER INTERRUPT OFF:= TRUE
END:
PROCEDURE RESET ALL PERIPHERALS:
BEGIN
    (* This procedure is called just before the end of the program.
    It should set up all peripherals so that they are as the normal
    operating system expects to find them (e.g., keyboard interrupts
    should be disabled for most operating systems). 4)
END:
(* The following procedures are utility routines that are needed
to deal with interrupts. They will generally have to be written in assembly
language; most Pascal compilers allow you to insert in-line assembly code
into programs and most allow you to externally compile assembly language
procedures. *)
PROCEDURE EMABLE INTERRUPTS:
BEGIN
    (* Enable CPU interrupt *acknowledge, Always a single assembly language
   instruction (e.g., El in 8080 and 280 assembly language). *)
EMD:
PROCEDURE DISABLE INTERBUPTS;
    (* Diamble CPU interrupt acknowledge ( DI in 8080 and Z80 code). *)
KND:
PROCEDURE SAVE REGISTERS:
BEGIN
   (* This is a crucial procedure. Its function is to save CFU registers
   and any temporary locations used by both the main routines and by
```

interrupt service routines. This procedure should also do whatever your CPU and peripherals need to let them know that the interrupt is being serviced. If sore than one device can interrupt at a time (i.e., if a priority interrupt scheme is used, as assumed in this arample) then the registers need to be saved on a stack rather than in local variables. As an example, the following would work for 280 CPU's:

```
(SP) HL :Get our return address & push (i.e., save) HL.
PUSH
                :Save A reg & flags
       BC
PUSH
                :Save BC
                : & DE.
PIISH
       DE
       HL
PUSH
                :Now push our return address back on the stack, &
BETI
                ; let peripherals know interrupt is being serviced.
```

Note that the above takes 10 bytes of stack space, plus whatever stack space the service routine uses, plus whatever stack space any routine that interrupts this one uses. In other words, you must ALMAYS have lots of extra stack available (Pascal is good about this, but operating systems sometimes switch to a small local stack when performing services for you); or you can switch to a local stack pointer here.

Nost CPU's turn the interrupt off when servicing an interrupt: we'll turn it on later before returning from the interrupt service routines. . END;

PROCEDURE RESTORE REGISTERS:

BEGIN

(* This procedure is called just before returning from an interrupt service routine to put the machine back into its original state: I.e.

```
: First get this routine's return address off stack.
POP
        HL.
        DE
POP
                : West, we get reg's off stack in reverse order
POP
        BC
POP
```

EX (SP) HL ; Finally, get old HL & push current return address. HET We already did the RETI in SAVE REGISTERS. 4)

EMD;

(* The following procedures are the interrupt service routines: they are presented in order from the simplest to the tricklest.

There are a few general rules for interrupt service routines that will avoid most common pitfalls. First, you never know where the main program is going to be interrupted, so save all registers and avoid calling non-reentrant routines that are also used elsewhere (e.g., multiple run-time routines are typically not written in reentrant code even if the Pascal procedures themselves are reentrant; avoid doing anything in the service routine that does not generate in-line code). Second, where the same procedures must be called from both the main program and interrupt routines (as in the calls to the buffer handling routines in this program) make sure to turn off the interrupt in the main program around sections of code where the same variables might be accessed by a service routine; don't be afraid to bracket short sections of code with disable-enable interrupt instructions - better safe than sorry, Third, in a priority interrupt scheme, remember that a service routine might be interrupted by a higher priority device. Lastly, for devices capable of interrupting frequently, make sure that the device does not interrupt its own service routine; the Service routine itself may be reentrant (the ones shown here are) but the FIFO buffers are not! - A device interrupting its own service routine will either corrupt the buffer pointers or will put data into the buffer in the wrong order. *)

```
PROCEDURE SERVICE KEYBOARD;
       C : CHAR;
```

BEGIN

```
READ(C); (* Leave interrupts off until we finish the read since
   the operating system routines might be short on free stack. *)
   ENABLE INTERBUPTS; (* We can allow higher priority devices to
   interrupt this service routine now if they need to. ")
   ERROR: = ERROR OR KEY HEADER BUFFER FULL:
   STORE(KEY HEADER, KEY BUFFER, ORD(C)); ( No need to turn interrupts off
   around this call since any routine that interrupts this one and wants to
   use the buffer handling routines will be using a different buffer header.
   The FIFO buffer routines are reentrant with respect to separate buffers.*)
   RESTORE REGISTERS
END:
PROCEDURE SERVICE LISTER:
VAR
       C : CHAR:
BEGIN
   ( This procedure is called on a list device ready interrupt.
   If the output buffer is empty then the lister interrupts are
   turged off, otherwise the next character is printed. *)
   SAVE REGISTERS:
   ENABLE INTERRUPTS; (* Clock can interrupt now if it wants *)
   IF OUT HEADER. BUFFER EMPTY
       THEN TURN OFF LISTER INTERBUPTS
        ELSE BEGIN
           C:= CHR(RETRIEVE(OUT HEADER, OUT BUFFER));
           DISABLE INTERRUPTS; (* No interrupts while using operating system
            services due to possible shortage of stack space. *)
           WRITE(LIST FILE.C):
           ENABLE INTERRUPTS
       END:
    RESTORE REGISTERS
END;
PROCEDURE SERVICE CLOCK:
BEGIN
    (* This is the highest priority device; it will interrupt the main
    program or any other service routine whenever it needs to, if CPU
    interrupts are enabled. All it does is start the A-D conversion:
    reading the A-D is done by the A-D interrupt service routine
    when conversion is complete. *)
    SAVE REGISTERS:
    START A TO D:
    ENABLE INTERRUPTS:
    RESTORE REGISTERS
END:
PROCEDURE SERVICE A TO D:
VAR
        A D VALUE : INTEGER:
BEGIN
    SAVE REGISTERS:
    A D VALUE:= READ A TO D:
    (* If multiple A-D channels were being sampled, a new conversion
    could be started here to read the next channel. *)
    ENABLE INTERRUPTS:
    ERROR: = ERROR OR A D HEADER. BUFFER FULL;
    STORE(A D HEADER, A D BUFFER, A D VALUE);
    MESTORE REGISTERS
```

(The following three procedures set up the output buffer for the listing

device; they are implementation, but not hardware, dependent. *)

SAVE REGISTERS:

```
Listing 2 continued:
```

1963

BYTE Publications

```
PROCEDURE MRITE STRING TO OUT BUFFER(VAR STRING : STRING20);
(* This procedure puts the characters into the output buffer until
it encouters a "s". ")
       I : INTEGER:
        C : CHAR:
BEGTH
    I:=1:
    REPEAT
        C:= STRING[1]:
        I:= I+1:
        IF C (> 's' THEN BEGIN
            ERROR: = ERROR OR OUT HEADER, BUFFER FULL:
            DISABLE INTERRUPTS: ( We cannot let the printer interrupt
            while the output buffer pointers are being updated. *)
            STORE(OUT HEADER.OUT BUFFER.ORD(C)):
            ENABLE INTERBUPTS
        END
    UNTIL (1=21) OR (C='$') OR ERROR;
(* Now we need to start printing if we actually put something in the
output buffer and the lister isn't already going. *)
IF BUT OUT HEADER. BUFFER EMPTY AND LISTER INTERRUPT OFF
    THEN PRINT CHAR AND ENABLE LISTER INTERRUPT
                                (CHR(RETRIEVE(OUT HEADER,OUT BUFFER)))
END:
PROCEDURE WRITE CRUF TO OUT BUFFEH;
        LOCAL STRING : STRING20:
BEGIN
    LOCAL STRING[1]:= CHR(13); (* Carriage return *)
    LOCAL STRING[2]:= CHR(10): (* Line feed *)
    LOCAL STRING[3]:= '$'; (* String terminator *)
    WRITE STRING TO OUTPUT BUFFER(LOCAL STRING)
END:
PROCEDURE WHITE INTEGER TO OUT BUFFER(VALUE : INTEGER):
        LOCAL STRING : STRING20:
BEGIN
    (* In this routine, the integer character string, followed by a space,
    and a "$" should be written to LOCAL STRING, Then: ")
    WRITE STRING TO OUT BUFFER (LOCAL STRING)
END:
(* The following procedure sets everything up and is only called once *)
PROCEDURE INITIALIZE PROGRAM;
BEGIN
    INIT BUFFER(A D HEADER, A D BUF LENGTH);
    INIT BUFFER(KEY HEADER, KEY BUF LENGTH):
    INIT BUFFER(OUT HEADER, OUT BUF LENGTH);
(* Initialize variables *)
    INIT LIST FILE:
    DONE := FALSE:
    ERROR:= FALSE:
    LAST VALUE WAS OVER THRESHOLD: = FALSE:
    THRESHOLD:= 2000:
    PULSE SUN:= 0.0:
    PULSE COUNT:= 0:
    WRITE('Hit RETURN when ready to start'); (* File var OUTPUT is assumed
    to be the console screen 6)
    READLM: (* File var INPUT is assumed to be the keyboard *)
    START CLOCK:
```

```
SET UP A TO D:
    SET UP KETBOARD:
    SET UP LISTER:
    SET CPU INTERBUPT MODE:
    ENABLE INTERRUPTS
END:
PROCEDURE AMALYZE DATA:
        C : CHAR:
VAR
        END PULSE,
        SUPRA THRESHOLD : BOOLEAN;
        A D VALUE : INTEGER:
    PROCEDURE DO END PULSE DATA ANALYSIS:
    BEGIN
        AVERAGE PULSE HEIGHT:= PULSE SUM/PULSE COUNT:
        WRITE INTEGER TO OUT BUFFER(PULSE COUNT):
        WRITE INTEGER TO OUT SUFFER(ROUND(AVERAGE PULSE HEIGHT)):
        WRITE CRLF TO OUT BUFFER;
        PULSE COUNT:= 0:
        PULSE SUN:= 0.0
    END:
BEGIN
    IF NOT KEY HEADER. BUFFER EMPTY THEN BEGIN
        C:=CHR(BETRIEVE(RET HEADER, KEY BUFFER));
        DOME:= NOT (C IN ['0' .. '9']);
        IF NOT DOWE THEN BEGIN
            THRESHOLD:= (ORD(C)-ORD(^{\dagger}O^{\dagger})+1)*400;
            WRITE STRING TO DUT BUFFER( New Threshold: 4
                                                              1):
            WRITE INTEGER TO OUT BUFFER (THRESHOLD):
            WRITE CRLF TO OUT BUFFER
        END
    IF NOT A D HEADER. BUFFER EMPTY THEN BEGIN
        DISABLE INTERRUPTS; (* We cannot have the A-D interrupting
        and trying to update the pointers in the A-D buffer while
        we are trying to do the same thing here. ")
        A D VALUE:= RETRIEVE(A D HEADER.A D BUFFER):
        ENABLE INTERRUPTS:
        SUPRA THRESHOLD: A D VALUE >= THRESHOLD;
        END PULSE:= LAST VALUE WAS OVER THRESHOLD AND NOT SUPRA THRESHOLD;
        LAST VALUE WAS OVER THRESHOLD: SUPRA THRESHOLD:
        IF END PULSE THEM DO END PULSE DATA ANALYSIS
        ELSE IF SUPRA THRESHOLD THEN BEGIN
            PULSE COUNT:= PULSE COUNT+1:
            PULSE SUM:= PULSE SUM + A D VALUE
        END
    END
EMD:
BEGIN
    INITIALIZE PROGRAM:
    REPEAT
        ANALYZE DATA
    UNTIL DOWE OR ERROR:
WHILE NOT LISTER INTERRUPT OFF DO : (* Loop til all printing is done. *)
DISABLE INTERRUPTS:
RESET ALL PERIPHERALS; (* So the operating system finds them as it expects *)
IF ERROR THEN WRITELN('Buffer overflow abort.')
END.
```

REE CP/M PLUS SAVE *350 WITH SPECIAL TARBELL PACKAGE

Buy Tarbell's Z-80A S-100 CPU/IO board and Double Density Floppy Disk interface, and get free new Digital Research CP/M Plus.

CP/M Plus features: I high performance file system □ CP/M 2.2 compatible □ time and date stamps on files
automatic disk login of removable media support for 1-to-16 banks of RAM and 1-to-16 drives up to 512 megabytes each
easy to use system utilities with HELP facility II banked or nonbanked memory and I high speed loading.

Total price is \$945. Ask nearest Tarbell dealer for demo.

CURRENT EMPIRE OWNERS: Special low prices for upgrading your unit to CP/M Plus. Call for details.



CHANGE YOUR LETTER WRITING DRUDGERY IN PUSHBUTTON LUXUR

If you're still writing all your business letters yourself, you're spending a lot of time, energy and money on needless drudgery.

You need LetterBANK".

The inexpensive word processing applications package designed to free you from all that - while making your essential day-to-day correspondence appear more businesslike and professional than ever.

LetterBANK is no ordinary form letter package. It's a sophisticated piece of applications software with over 200 professionally written letters you can use as is, expand, modify or even rewrite to exactly fit your needs.

There are letters for hiring and firing, sales promos, product introductions, collection of overdue accounts, information requests, internal memos, news releases you name it and there's a LetterBANK letter to cover it.

Best of all, LetterBANK is a luxury you can afford. Because the entire package costs just \$99.

Ask for it wherever you buy business computer software. Or order direct by calling 1-800-972-5600 (in NH 431-4800). C.O.D., VISA, and MasterCard accepted.



If you're not using LetterBANK, you're not really using your word processor.

A product of The Wyndham Group, Ltd. Business Applications Software / 125 Mirona Road / Portsmouth, NH 03801 / (603) 431-4800

From Plum Hall, an introductory Book on C.

 Learning to Program in Thomas Plum

It has been several years in the making and now it is here. Learning to Program in C, by Thomas Plum, teaches C language from the ground up. With or without previous programming experience, anyone acquainted with computers will find a clear description of how C works.

You will find guidelines for writing portable programs that will run on a wide variety of modern computers - micro, mini, and mainframe, with excellent efficiency in all these environments.

Topic greas include:

- · Environmental details starting C
- Data and variables using the memory
- Operators and expressions intuitive reasons for C precedence.
- Control structure readability rules
- Functions print and scan made easy
- Case study full Blackjack source, from design to documentation

Expiration Date

Pointer, struct clarified

PLUM HALL 1 Spruce Ave, Cardiff, NJ 08232 Phone orders: 609-927-3770

- explains C step-by-step
- practical "how to" approach
- describes what happens inside the computer

372 pp. 71/2"x10", Price \$25.

Send Information
on Plum Hail Seminars
on C and UNIXTM

1	(a	10	
_	-	-		


Mastercard	Q	Visa
American Es	-	0ee

al \$25. each. (N.J.	resident ad 6%) enclo	sed find \$
NAME		
COMPANY		
ADDRESS		
CITY	STATE	ZIP.

Cord No.

Circle 511 on inquiry card.

Dogged attempt to learn a second language.



18M. Apple and CP M are registered trademarks of IBM Corp., Apple Computers Inc. and Digital Research Corp. respectively.

And now, InfoStar.

The first DBMS you can use without speaking programmerese.

So put away your GO TOs and DO WHILES.

InfoStar is one microcomputer data base system that doesn't ask you to write in code. Or learn a programming language. Instead you make selections from an on-screen menu written in one easy language. English.

Which means you don't have to be a programmer or computer jock to use it. But, in case you are, there's

something in it for you, too.

you see is what you get.

not all you get. Fact is,

InfoStar has more

informative (and

But, of course, that's

With InfoStar, you can generate a custom application four times faster than with other DBMS software.

Reason being it has a lot of the features that made WordStar* the standard of the industry. For instance, select-as-you-go menus prompt you through all procedures. And to format a data entry form or report, you simply draw it on the screen. We've said it before: what

capabilities than you've come to expect from any microcomputer DBMS.

Starting with report writing, A custom report feature - complete with transactional updating and exception processing abilities - lets you format, manipulate and merge countless different ways. And a quick report feature lets you finish faster than you can count them - usually in 60 seconds or less.

Not that you have to slow down to sort things out either. Because InfoStar can sort five to six times faster than any other DBMS in its class.

And for data entry, there are high-end minicomputer features. Like batch editing. And 200 editing mask combinations, to name a few.

All that's required of you is that you have an IBM PC, Apple II or CP/M2 based computer. And that you take a

> trip over to your local computer store to ask about InfoStar.

They don't speak programmerese.

But they're happy to talk business.



WELCOME TO

Regression Fitting to Economic Indexes

An Apple II program can help determine base rates of inflation through analysis of the Consumer Price Index.

> Dr. John R. Merrill Hendrix College Conway, AR 72032

An interesting application of regression analysis fits an exponential curve to indexes such as the Consumer Price Index (CPI). Such fits provide historical information on prices and can also be used to extrapolate from recent behavior to future performance. Working with such regression analyses demonstrates determining the base rate of inflation despite variations on top of the base rate. The method and the program also suit analysis of many other interesting national indexes.

The Program

Although written for an Apple II computer with 48K bytes of RAM (random-access read/write memory), the program (see listing 1) can run with less RAM if you limit the amount of historical data stored or if you choose not to plot the results. This latter option releases the highresolution memory space.

In the program, the matrix designated CPI(26,12) stores 26 years'

worth (1955 through 1980) of monthly CPI data (lines 570 through 820), here taken from the Business Conditions Digest, published by the Bureau of Economic Analysis, U.S. Department of Commerce. The vector Y(26) stores the years of the data.

Lines 40 through 60 read in the values of the CPI and the corresponding years. Line 70 allows you to choose just to fit the data or to fit and plot it. Lines 90 and 100 allow selection of the starting and ending months and years, thereby permitting a subset of data values to be used in calculations.

Lines 170 through 320 form the subroutine that fits the best compound-interest curve to the chosen data. The routine's analysis is based on a linear-regression fit to the natural logarithms of the CPI data. In a sense, the analysis fits the best exponential curve to the raw CPI data for the years and months chosen, using logarithmic weighting factors.

Program variable XS sums the time, measured in years; YS sums the natural logarithms of the corresponding CPI values. Variable XY sums the products of times and logarithms; X2 sums the squares of the times. Lines 280 and 290 use these variables to calculate the best values of the slope M and the intercept B of the straight line representing the logarithm of the

CPI as a function of time. The variable R is the best value, according to the least-squares criterion, of the compound rate of increase,

Lines 330 through 520 form a subroutine that plots the chosen data in high-resolution graphics. Note that line 340 finds the best-fit curve using the subroutine beginning at line 170. CO and C9 are the bottom and top values for the graph. In lines 450 and 460, the variables X9 and Y9 are the points to be plotted. Again notice that the graph is a plot of the natural logarithms of the CPI against time. Lines 490 through 510 plot the best-fit line calculated by the line 170 subroutine.

The Regression Fit

Using a least-squares criterion, the program fits the logarithms of the CPI to a straight line. This fit is equivalent to fitting, by a regression analysis, the raw CPI data to an exponential curve, $y = Ce^{Mt}$, where C and M are the best-fit constants and t is the time.

This fit is equivalent to fitting the data to a compound-interest curve. $y = C(1 + R)^t$, where C is the same constant (notice the values at t = 0) and R is the compound-interest rate. If $Ce^{Mt} = C(1 + R)^t$, then log(C)+ Mt = log(C) + tlog (1 + R)where log stands for the natural

About the Author

John Merrill has used computers in his teaching at Dartmouth, Florida State, and Hendrix. He has published a book, Using Computers in Physics, and several monographs and journal articles. His present interests are uses of DEC VAX-11 systems and microcomputer systems.

STOCK-FOCUS

159.00

logarithm, matching the BASIC notation. Thus, M = log (1 + R), so that $R = e^{M} - 1$, which is the equation used in program line 300. In program line 290, the variable B is the best value of log(C).

The details of linear-regression analysis, including information on how to calculate the best values of M and B, are discussed in many statistical-analysis books. One such source is Hugh D. Young's Statistical Treatment of Experimental Data (McGraw-Hill, 1962), pages 145 and 146.

Program Results

Figures 1 and 2 illustrate program results. Figure 1 shows the fit of (the natural logarithm of) the CPI from January 1955 through December 1980. Because the CPI has several very different base rates of increase over that period of time, the best-fit line (a compound rate of increase of 4.2 percent per year) does not represent the data very well.

Figure 2, on the other hand, shows a fit for January 1955 through June 1956 (a period with little change in the CPI), and were the corresponding graph displayed, this fit would represent the CPI variation quite well with a compound rate of increase of 0.7 percent per year. The second half of the run in figure 2 and the plot shown there are the fit of the CPI from June 1978 through December 1980. Here, the compound rate of increase is 12.7 percent per year, and the straight line is a good representation of the actual base rate of inflation throughout this period. You can also see the relatively small variations around the base-rate line. A number of the points, which represent the raw CPI values, are covered by the best-fit line. This covering is quite clear on the video screen because the program plots the monthly points and then draws the line right over them. To estimate where the covered points lie, remember that the CPI values come in equal steps in time (every month).

Conclusion

The program reported in this note represents one illustration of an instructive application of regression

INVESTMENT ANALYSIS FROM CENTENNIAL

CENTENNIAL SOFTWARE / 410 17TH ST. SUITE 1375 / DENVER, CD 80202 / (303) 595-9193

STOCK-FOCUS

COMPUTER

Apple (plus) II

Find out how low is low and how high is high Using capital structure and performance data, Stockfocus objectively calculates the underlying value of a stock. The system was first developed by the management science department of a major money center bank, and is now in use by investment advisors, frust companies and brokerage houses. On your screen, Stock-focus will plot an estimate of lowest value, highest value and the current price. You then decide what to buy, sell or hold. REAL-FOCUS

Exhaustively analyze potential real estate (rivestments using the Wharton School's approach to real estate analysis. In minutes you can project profit, costs, and IRR for any project over a 10 year period. Reallocus accounts for amortization, debt, income, operating expenses, taxes, depreciation, and cash flows for both after-tax holding and the results of sale. With Real-focus you can analyze any potential investment from a single building project to a complex time-phased planned until development.

THE FOCUS TECHNIQUE

FOCUS is CENTENNIAL SOFTWARE's new approach to Program Architecture, providing a natural interaction between interocomputers and users, it provides worksheet style input screens, free access to all program segments, and the ability to com-

bine individual results likes for portfolio analysis. You also receive a usable reference manual, menu helps, a program glossary, multiple report formats and spooting. With our FOCUS technique even the most complex programs are versallie and easy to use.

REAL-FOCUS

149.00

TRS-80 (48 64	149.00 179.00	159.00 189.00
TRS-80 III	48	149.00	159.00
ALL PROGRAMS IN DISK IBM is a trademark of IBM. Apple in		, TRS-80 is a trademark of family Cor	poration
ORDER NOW! FILL IN OR I	ALL 800-525-2003 (T	all Free)	
PROGRAM NAME	C	OMPUTER	MEMORY
NAME		PHONE #	
LIVAK			

How to make dBase II" work magic. It's a snap with Autocode.

MEMORY-K

64 48

Finally, the first practical application of artificial intelligence in personal computer software. Autocode 1 is a powerful program generator for d8ASE II. No prior knowledge of programming required.

AUTOCODE 1

- Automatic menus & sub menus
- Automatic data entry screens
- Automatic data entry routines
- String, numeric, date & calculated fields
- Automatic multiple reports
- Automatic programs in dBASE II code with Interactive screens
- No prior knowledge of dBASE II required
- CP/M & MS DOS operating systems
- Handy pocket size manual
- Average learning time only 4 hours

STEMMOS LTD.

666 Howard Street, San Francisco, CA 94105

Just send the following to address above today.

- Your diskettle formal & hardware
 How many Autocodes you want at \$200 each
- Your name & complete address
- A check or money order

ORDER TOLL FREE 800-227-1617 (Ext. 417) IN CA CALL 800-772-3545 (Ext. 417)

Credit card buyers may substitute their card number and expiration date for the check. Or call us tall free and save the trip to the mail box.



VISA

Autocodio 1 Sterrinos I (d.

U.S. Address, 666 Howard St. San Francisco CA 94105/ U.K. Address, 344 Kensington High Street, London WM fel. (415) 777, 3800. Degler Inquires invited. Tel. 01 602 6242.

dept in facility to the controller of the controller in the soules for

J& L SOFTWARE FOR THE COMMODORE 64 AND S SAVINGS FOR YOU! GENERAL LEDGER \$ 84

- Audis Tinis
 Function Statements
 Reports
 Automatic Statement

ACCOUNTS RECEIVABLE & 64

- Involcing Ageing Reports Balancing Parentring

DATA BASE MANAGER 5 64

- Variable Feddy
 Arithmetic Operations
 Formatical Reports
 Sort/Search on all Fedgy

GET ALL I FOR \$150

Sand Chack or Manay Order to F.O. GOX 171

PA. RESIDENTS INCLUDE ON BALES TAX

Business Middlenes, Inc.

Them Programs also available for Apple Apple to a Tr

Circle 518 on inquiry card.

Wasting Money! We Have the World's Most Cost Effective Development System.



- Includes Hexkit 1.0, a powerful 100% machine code editor? debugger utility program that makes coding for 8-bit Micros s
- Program from Commodore VIC-20 keyboard into built-in 4K ROM emulator
- Jumper to larget ROM socket
- Test programs in circuit Built-in EPROM programmer and power supply
- Burns & runs EPROMS for the Commodors VIC-20, too
- . FILE EXPANSION PORT

PROMQUEEN CARTRIDGE ONLY \$199

Sand for Free Brochure

er Oberect vo 17-5 by Arthuren Total Soft, Inc., 4702 bi Heldingham, VYA 19225 Peorie 200-436-1262, in Vise Critoriad in Corunta by (BC/Blatriberlain Counts, 404 Januaren, BC YSZ 248 Phone 1804-1279-7812

VISA AND MASTERCARD ACCEPTED

C commodore approved product

and with 1 EPROM to with 1 EPROM-084

Circle 518 on inquiry card.

MicroScript" \$99

State of the Art Text Formatter

- generic markup pe with multiple columns fully definable page with multiple columns multime headers, footers, and tocknotes automatic widow and orphan suppression automatic table of contents and index automatic table of contents and index automatic table, number, and definition lists floating floures.

- automatic builet, number and definition lists floating highers soil alignment to left, center, right, or justiful jett and right indention with delay and duration bold, underscore, and proportional spacing macros and symbols mustale might files of unlimited size.

- direct printer control IDS, Qume, Diablo, NEC, C.170H, and all TTY

MicroEd S49

Customizable Full Screen Editor

- hall curses control by character, word, or line position to top or bottom of window or file scrib by fate. half window, or full window global or selective find and replace delete by character, word, bee, or block read external files into current file copy, move, and write blocks of tent
- Insert, overlay, or wordwrap text

town with U.S. minor U.S. att 110 CA mounts set #" \$550 CPAN 80", we CPAN 80", \$25" \$500 PC 000

MicroType"

6531 Crown Blvd., Suits 3A, San Jose, CA 95120 (408) 997-5026

AND CHINAS OF S of Digital Photograph PC-DQS

Circle 517 on Inquiry card.

Listing 1: This Apple II BASIC program fits the natural logarithms of Consumer Price Index data to a straight line and displays the results. Plotting is user-selectable.

10 REN CONSUMER PRICE INDEX

20 DIM CP1(26, 12), Y(26)

30 REM READ IN CPI DATA; NYR-# DF YRS OF DATA; YRO-IST YEAR

50 FOR I = 1 TO NYR: READ Y(I): FOR J = 1 TO 12: READ CP1(I,J)

60 NEXT J: NEXT 1: YRO = Y(1)

70 PRINT : INPUT "STOP(0), FIT EXPONENT(1), PLDT(2)?":CC

BO IF CC = O THEN END

90 PRINT : INPUT "1ST MG, YR (I.E. 6,1965)?":M1,Y1

100 INPUT "2ND MO, YR (YR2)YR1)?";M2,Y2

110 PRINT "FROM ";N1;"/";Y1;" TO ";N2;"/";Y2;":"

120 Y1 = Y1 - YRO + 1:Y2 = Y2 - YRO + 1

130 IF Y2 (= Y1 THEN PRINT "\$48CAN'T DU.": GUTO 90

140 IF CC = 1 THEN GDSUB 170: 60TO 70

150 1F CC = 2 THEN GDSUB 330: GOTO 70

160 GOTO 70

170 REM SUBROUTINE TO CALC BEST LINE

180 T = 0:XS = 0:YS = 0:XY = 0:X2 = 0

190 FOR I = Y1 TO Y2: FOR J = 1 TO 12

200 IF (1 = Y1) AND (J (M1) THEN 260

210 IF (I = Y2) AND (J > M2) THEN 260

220 T = T + 1:X = T / 12:Y = LOG (CPI(I.J))

230 XS = XS + X:YS = YS + Y:XY = XY + X & Y:X2 = X2 + X & X

240 IF (I = Y1) AND (J = M1) THEN X6 = X

250 IF (I = Y2) AND (J = M2) THEN X7 = X

260 NEXT J: NEXT I

270 REN M='BEST' SLOPE; B='BEST' INTERCEPT

280 M = (T & XY - XS & YS) \neq (T & X2 - XS & XS)

290 B = (YS & X2 - XY & XS) / (T & X2 - XS & XS)

300 R = INT (1000 & (EXP (N) - 1) + .5) / 10 310 PRINT * EFF. COMPOUND ANNUAL RATE = ";R; " %"

320 RETURN

330 REM SUBROUTINE TO PLOT LN (CPI) VS TIME

340 GDSUB 190

350 REN CO-BOTTON OF GRAPH: C9=TOP OF GRAPH

360 CO = LOG (INT (CPI(YI,NI))): IF CO ((M & X6 + B) THEN 380

370 CO = LOG (INT (EXP (M & X6 + B)))

380 C9 = LOG (INT (CPI(Y2,M2) + 1)); IF C9) (M 1 X7 + B) THEN 400

390 C9 = LOG (INT (EXP (M \$ X7 + B) + 1))

400 HGR : HCOLOR = 3: HPLOT 0,0 TO 279,0 TO 279,159 TO 0,159 TO 0,0

410 PRINT "Y SCALE: LOG("; EXP (CO);") TO LOG("; EXP (C9);"),"

420 T = 0: FOR 1 = Y1 TO Y2: FOR J = 1 TO 12

430 IF (I = Y1) AND (J (M1) THEN 480

440 IF (I = Y2) AND (J) M2) THEN 480

450 T = T + 1:X9 = ((T / 12) - X6) / (X7 - X6)

 $460 \text{ YP} = (\text{LOB} (\text{CPI}\{[, J\}\} - \text{CO}) / (\text{CP} - \text{CO})$

470 HPLOT 279 \$ 19,159 - 159 \$ Y9

480 NEXT J: NEXT I

490 Y6 = ((M 1 X6 + B) - CO) / (C9 - CO)

500 Y7 = ((M 1 X7 + B) - CO) / (C9 - CO)

510 HPLOT 0,159 - 159 # Y6 TO 279,159 - 159 # Y7

520 INPUT " PRESS RETURN FOR NEW COMMAND. ": YS: TEXT : RETURN

530 REM CPI DATA; EACH ROW: YEAR, 12 MONTHLY VALUES

540 REM VALUES FROM 1/1955 THROUGH 12/1980

550 REM VALUES FROM 'BUSINESS CONDITIONS DIGEST'

REM US DEPT OF COMMERCE, BUREAU OF ECONOMIC ANALYSIS

570 DATA 1955, BO.1, BO.1, BO.1, BO.1, BO.1, BO.1, BO.4, BO.2, BO.5, BO.5, BO.6, BO.4

580 DATA 1956,80.3,80.3,80.4,80.5,80.9,81.4,82,81.9,82,82.5,82.5,82.7

590 DATA 1957,82.8,83.1,83.3,83.6,83.8,84.3,84.7,84.8,84.9,84.9,85.2,85.2

600 DATA 1958, 95.7, 85.9, 86.4, 86.6, 86.6, 86.7, 86.8, 86.7, 86.7, 86.7, 86.9, 86.7

DATA 1959,86.8,86.7,86.7,86.8,86.9,87.3,87.5,87.4,87.7,89,88,88

```
Listing 1 continued:
```

```
1960,87.9,88,88,88.5,88.5,88.7,88.7,88.7,88.8,89.2,89.3,89.3
            1961,89.3,89.3,89.3,89.3,89.3,89.4,89.8,89.7,89.9,89.9,89.9,89.9
640
            1962, 89. 9, 90. 1, 90. 3, 90. 5, 90. 5, 90. 5, 90. 7, 90. 7, 91. 2, 91. 1, 91. 1, 91
650
            1963,91.1,91.2,91.3,91.3,91.3,91.7,92.1,92.1,92.1,92.2,92.3,92.5
044
     DATA
           1964, 92.6, 92.5, 92.6, 92.7, 92.7, 92.9, 93.1, 93.93.2, 93.3, 93.5, 93.6
670 DATA
            1965, 93.6, 93.6, 93.7, 94, 94.2, 94.7, 94, 8, 94, 6, 94, 8, 94, 9, 95, 1, 95, 4
680
     DATA 1966,95.4,96,96.3,96.7,96.8,97.1,97.4,97.9,98.1,98.5,98.5,98.6
690
     DATA 1967, 98.6, 98.7, 98.9, 99.1, 99.4, 99.7, 100.2, 100.5, 100.7, 101, 101.3, 101.6
700
     DATA 1968, 102, 102.3, 102.8, 103.1, 103.4, 104, 104.5, 104.8, 105.1, 105.7, 106.1, 106.4
710
     DATA
            1969, 106.7, 107.1, 108, 108.7, 109, 109.7, 110.2, 110.7, 111.2, 111.6, 112.2, 112.9
720
            1970, 113.3, 113.9, 114.5, 115.2, 115.7, 116.3, 116.7, 116.9, 117.5, 118.1, 118.5, 119.1
730
     DATA
            1971, 119.2, 119.4, 119.8, 120.2, 120.8, 121.5, 121.8, 122.1, 122.2, 122.4, 122.6, 123.1
740
     DATA 1972, 123. 2, 123. 8, 124, 124. 3, 124. 7, 125, 125. 5, 125. 7, 126. 2, 126. 6, 126. 9, 127. 3
750
     DATA 1973, 127.7, 128.6, 129.8, 130.7, 131.5, 132.4, 132.7, 135.1, 135.5, 136.6, 137.6, 138.5
760
     DATA 1974, 139.7, 141.5, 143.1, 143.9, 145.5, 146.9, 148, 149.9, 151.7, 153, 154.3, 155.4
770
            1975, 156.1, 157.2, 157.8, 158.6, 159.5, 160.6, 162.3, 162.8, 163.6, 164.4, 165.6, 166.3
780
           1976, 166.7, 167.1, 167.5, 168.2, 169.2, 170.1, 171.1, 171.9, 172.6, 173.3, 173.8, 174.3
790
     DATA 1977,175.3,177.1,178.2,179.6,180.6,181.8,182.6,183.3,184,184.5,185.4,186.1
800
           1978, 187.2, 188.4, 189.8, 191.5, 193.3, 195.3, 196.7, 197.8, 199.3, 200.9, 202, 202.9
810
           1979, 204.7, 207.1, 209.1, 211.5, 214.1, 216.6, 218.9, 221.1, 223.4, 225.4, 227.5, 229.9
820
     DATA 1980, 233. 2, 236. 4, 239. 8, 242. 5, 244. 9, 247. 6, 247. 8, 249. 4, 251. 7, 253. 9, 256. 2, 258. 4
830
     REM
           COPYRIGHT (C) HENDRIX COLLEGE 1980
840
     REN
           ALL RIGHTS RESERVED. PLEASE GIVE APPROPRIATE CREDITS.
850
    END
```

(1a) RUN

STOP(0), FIT EXPONENT(1), PLOT(2)?2

1ST MO, YR (I.E. 6,1965)?1,1955 2ND MO. YR (YR2)YR1)?12.1980 FROM 1/1955 TO 12/1980: EFF. COMPOUND ANNUAL RATE = 4.2 % Y SCALE: LOG(68) TO LOG(259). PRESS RETURN FOR NEW COMMAND.

STOP(0), FIT EXPONENT(1), PLOT(2)?0




Figure 1: The computer prompting messages and operator responses shown in (1a) produce the plot shown in (1b). This plot results from running the listing 1 program using Consumer Price Index data from January 1955 through December 1980. The best-fit line represents a 4.2 percent-per-year compound rate of increase.

What makes a streetwise kid from New York want to help rice farmers in the tropics?

Meet Mike Harvey. He's not out to change the world, just to understand it a little better. And because he thinks that underneath all the differences people are basically alike, he feels he can help.

It's what today's Peace Corps is all about. Americans from every kind of background, of all ages, making a commitment to live and work with people around the world to meet basic human needs.



You won't be asked to move mountains but you'll understand what volunteers like Mike Harvey mean when they talk of small miracles. Why they want to work hard at a challenge unique to the Peace Corps.

Above all, you'll be learning something about the world, making friends with people you can help. And that's what life should be all about.

For further information, call toll free 800-424-8580. Or write Peace Corps, Washington, D.C. 20525.

Peace Corps The toughest job you'll ever love.



A Public Service of This Magazine & The Advertising Council

STOP(0), FIT EXPONENT(1), PLOT(2)?1

1ST MO, YR (I.E. 6,1965)?1,1955 2ND MO, YR (YR2)YR1)?6,1956 FROM 1/1955 TO 6/1956: EFF. COMPOUND ANNUAL RATE = .7 %

STOP(0), FIT EXPONENT(1), PLOT(2)?2
(2b)
1ST MO, YR (I.E. 6,1945)?6,1978
2ND MO, YR (YR2)YR1)?12,1980
FROM 6/1978 TO 12/1980:
EFF. COMPOUND ANNUAL RATE = 12.7 %
Y SCALE: LDG(192) TD LOG(260).
PRESS RETURN FOR NEW COMMAND.

STOP(0), FIT EXPONENT(1), PLOT(2)?0

] (2c)




Figure 2: Demonstrating use of the listing 1 program, the prompting and response messages in (2a) and (2b), respectively, show program operation for Consumer Price Index data from January 1955 through June 1956 (at a 0.7 percent-per-year compound rate of increase) and June 1978 through December 1980 (12.7 percent-per-year compound rate of increase). The graph in (2c) results from the (2b) inputs; the discrete points are individual Consumer Price Index values.

analysis to curves of general interest. This regression analysis is actually a nonlinear, least-squares fit to an exponential curve representing a compound-interest function. However, the nonlinear regression is accomplished using well-known results from linear-regression analysis by fitting the best straight line to the natural logarithms of the particular index used, the CPI.

Using the program demonstrates the complexity of the CPI as a function of time. Such use also demonstrates that the CPI behavior in specific segments of time can be reasonably well represented by compound-interest curves with differing base annual inflation rates. Furthermore, using the program shows the relatively small variations on top of the base inflation rates in the different epochs.

Such an instructive analysis then leads to the questions that simple data manipulations are unlikely to answer-fundamental questions such as, "What occurred during the various, distinct epochs to cause the quite different base inflation rates?" "Can you see the effects of the Vietnam War or the price increase from OPEC in the appropriate epochs?" or "Are the effects of such major influences as war or energy prices delayed in time and why?" The point of the instructive illustration furnished by this program is to get people to consider questions of progressively deeper levels and to be able to test reasonable hypotheses against the data itself.

Through the Trap Door March 1979—#35

May 1983 © BYTE Publications Inc.



Breaking the Sound Barrier September 1977—\$35

BYTE COVERS

The prints shown at left are beautiful Collector Edition Byte Covers, strictly limited to 750 prints each, and signed and numbered by the artist, Robert Tinney. Each print is 18 in. x 22 in., and is accompanied by its own Certificate of Authenticity. To order, use the coupon below. Visa and MasterCard orders may call 1-504-272-7266.

Please send Through the	☐ Visa	☐ MasterCard	
Trap Door prints (\$35), Breaking the Sound Barrier			
prints (\$35), or sets of both prints (\$55). I have included \$3 per order shipping	THE COL		
and handling (\$8 oversess). I have enclosed check or money order	City:	_	

Robert Tinney Graphics - 1864 N. Pamela Dr. - Baton Rouge, LA 70815




- Supports BMB Arnlyn floppy. CP/M® and BIOS included.
- Package price: \$1,195.00 (OEM pricing upon request).
 May be purchased separately. Winchester and floopy drives availables

SIGEN Corporation

1800 Wyoti Dr., #6, Sonio Cloro, CA 95054 Contact: Allen Hauptman, 408/988-2527

CP/IA is a redemark of Digital Research



66 As a dBASEII beta test site the past two years, we were reluctant to even try Q-PRO4. Now we write all our commercial applications in Q-PRO4. We find it to be an order of magnitude more powerful than dBASEII.

Q-PRO4's 4th generation syntax is so efficient, we now complete complex jobs in weeks instead of months. Superb error trap and help screen capabilities make our finished applications far more user friendly. And our programs run much faster, too.

In my estimation, any application programmer still using outdated 3rd generation data base managers or worse, a 2nd generation language like BASIC, is ripping himself off. ??

O-PRO 4 - \$395. Ask about FREE trial ofter. Call (215) 968-5966 Runs on 8 bit micros with CP/M, MP/M, TurboDOS'*, MmmOST. Author's lock up package available.

<u>quic·n·easi products inc.</u>

136 Granite Hill Court, Langhorne, PA 19047

(215) 968-5966

CPM and MINM are registered transverts of Digital Passanch. TersoDCS in a satureart of Software 2005 big MinerCST is a legislatural of Tabifolius disASE II in a resistance (malescart of Ashtur-Table Inc.

DEVELOPING SOFTWARE UNDER CP/M? LIFE YOUR OUTPUT WITH MICROSHELL®



When you're into heavyweight software development you need more operating system power than CP/M can offer. MICROSHELL builds up CP/M with UNIX features that really help you put out software. Just for starters: MICROSHELL crunches long CP/M dialogs into one-line commands. Puts muscle and flexibility into SUBMIT commands. Captures CRT butput and redirects it to CP/M files without retyping. Pulls programs from another disk drive or user number automatically (makes hard disk handling a snap). And it's ready for more work with no time-consuming warm-start after a program runs. MICROSHELL fits your system—uses just 8K of memory in any CP/M computer from Apple to Zenith. Check out MICROSHELL today and find out what a powerful partner it makes—at only \$150.

"CP/M, Digital Research, UNIX, Bell Laboratories; Apple, Apple Computer, Inc.

Order Toll Free: 800-368-3359 -VISA, MasterCard accepted. Overseas add \$20.00 for air mail. Manual only: \$25.



2153 Golf Course Drive Reston, VA 22091 (703) 476-9143

Circle 327 on Inquiry card.

Go with McGraw-Hill's EXPERIENCE!

INTUITIVE IC ELECTRONICS: A Sophisticated Primer for Engineers and Technicians. By T. M. Frederiksen. 208 pp., illus. Covering both the simplest and the most complicated IC designs, this likely assystated volume provides. lively, easy-to-read volume provides a sophisticated, nonmathematical explanation of the basic internal mechanisms common to all semiconductor devices.

¢10.95 219/230

RADIO HANDBOOK, 22/e. By W. Orr. 1,136 pp., more than 1,300 ilius. Here's the latest edition of what is universally regarded as the most useful reference in the industry it's a course" in communications, a lact-packed relerence, and a how-to guide-all in a single book!

582442-6B 442-6B \$39.95 (Counts as 2 of your 5 books)

MICROWAVE SEMICONDUCTOR ENGINEERING, By J. F. White, 558 pp., 319 illus. Packed with an awesome amount of never-before-published material, this reference contains a wealth of formulas, constants, and practical design techniques needed by everyone who works in the field of microwave engineering.

MANUAL OF ACTIVE FILTER DE-SIGN, 2/e. By J. L. Hilburn and D. E. Johnson. 225 pp., 157 easy-to-use design graphs. This Ingenious mar-ual enables you to design filter circuits for virtually any application in minutes—without making a single computation! Covers all the latest de-

287/694B 7/694B \$37.50 (Counts as 2 of your 5 books)

MICROPROCESSOR DATA BOOK. By S. A. Money. 350 pp., 220 illus. Easily the most comprehensive collection of data on microprocessors and their support chips available any-wherel Provides important lacts on a wide range of popular devices from American, European, and Japanese manufacturers.

427/082B (Counts as 2 of your 3 books)

HANDBOOK OF SEMICONDUCTOR AND BUBBLE MEMORIES. By W. A. Triebel and A. D. Chu. 416 pp., il-lus., over 50 worked-out problems. Ius, over 50 worked-out problems. This detailed, comprehensive guide brings you right up to the minute on such newly developed devices as the PLA, FIFO, CAM, CCD, and magnetic bubble memory—as well as all the standard storage devices from ROMs and RAMs to shift registers.

INTRODUCTION TO RADAR SYSTEMS, 2/e. By M. I. Skolnik. 698 pp., 244 illus. This new edition of a widely used text on radar from the systems engineer's point of view brings you full discussions of the many major changes that have occurred in the field recently.

579/091B **\$30 05** (Counts as 2 of your 3 books)

TAKE ANY 3 BOOKS FOR ONLY \$100 EACH when you join McGraw-Hill's **Electronics and Control Engineers'** (Values up to \$87.00)* **Book Club**

McGraw-Hill's long-established club that saves you BIG money on the important new books of all publishers!

"If you join now for a trial period and agree to purchase three more books-at handsome discounts—over the next year. (Publishers' prices shown)



MAGNETIC CORE SELECTION FOR MAGNETIC CORE SELECTION FOR TRANSFORMERS AND INDUCTORS: A User's Guide to Practice and Specifications. By W. T. McLyman. 768 pp., 400 illus. This giant volume is brimming with time-saving tips to help you select the right magnetic core for virtually any application. 582494-9A \$65.00 (Counts as 3 of your 3 books)

ELECTRONIC COMMUNICATION, 4/e. By R. L. Shrader. 801 pp., 870 illus. This thoroughly updated edition offers all the theory and fundamentals you need to prepare yourself for the FCC commercial and amateur grade license exami-nations—and pass them the first

571/503 \$26.95

DIGITAL HARDWARE DESIGN, By J. B. Peatman. 428 pp., over 400 illus. Taking you beyond the microcomputer, this guide reexamines traditional techniques and locuses on the design of circuitry too fast for the microcomputer alone. \$35,50

491/321B (Counts as 2 of your 3 books) MICROPROCESSOR APPLICATIONS

HANDBOOK. Editor in Chief, D. F. Stout. 472 pp., 284 illus. At last — a reference guide to microprocessor applications to help you make your systems timely, versatile, and cost-effective.

617/988B (Counts as 2 of your 3 books)

SIGNALS AND SYSTEMS, By A, Oppenheim, A. Willsky, and I. Young 869 pp., more than 350 illus. This unique volume presents a comprehensive discussion of methods for analyzing discrete-time systems. Includes a look at feedback, convolution, and other concepts not treated in depth else-

\$32.50 (Counts as 2 of your 3 books) 582674-7B

MODERN ELECTRONIC CIRCUITS REFERENCE MANUAL. By J. Markus 1,264 pp., 3,666 circuit dia-grams. Complete with values of components and suggestions for revisions, plus the original source of each circuit in case you want additional performance or construction details.

(Counts as 3 of your 3 books)

ELECTRONICS ENGINEERS' HANDBOOK, 2/e. Edited by D. G. Fink & D. Christiansen. 2,272 pp. 2,189 illus. This updated and enlarged edition covers the latest knowledge in the field, including new advances in integrated circuits, pulsed and logic circuits, laser technology. telecommunications, and much more 209/812A \$75.00 (Counts as 3 of your 3 books)

PCM AND DIGITAL TRANSMISSION SYSTEMS, By R. Owen 320 pp., 186 illus. This useful volume allows newcomers to the field to famile. ws newcomers to the field to famillarize themselves with its problems and equipment in two weeks, instead of the three months it would ordinarily

(Counts as 2 of your 3 books)

ANTENNA THEORY: Analysis and Design. By C. A. Balanis 816 pp., illus. Packed with equations, design procedures, and plenty of nuts-and-bolts know-how, this is the first place to turn for answers to all your anienna design questions. 582493-08

493-0B \$39.50 (Counts as 2 of your 3 books)

ELECTRONICS ENGINEERING FOR PROFESSIONAL ENGINEERS' EX-AMINATIONS. By C. R. Hafer. 336 pp., more than 200 illus. Actually two books in one—a quick prepara-tion manual to help you pass your RE. exams on the first try and a rich source of practical electronics engineering information and know-how.

254/303 \$27 SA

16-BIT MICROPROCESSOR SYS-TEMS. By Texas Instruments, Inc. 576 pp., illus This broad-based guide presents a comprehensive overview-from basic concepts to advanced design principles. Covers programming methods, instruction sets, I/O design, memory design, and much more.

1601 B \$45.00 (Counts as 2 of your 3 books) 637/601B

OPTICAL FISER SYSTEMS: Technology, Design, and Applications. By C. K. Kao. 197 pp., Illus From a basic explanation of optical liber systems to the economic rami-fications of their use, this volume provides full coverage of a rapidly developing lield

332/770 \$25.00 DIGITAL CIRCUITS AND MICRO-PROCESSORS. By H Taub 608 pp., heavily illus. This fast-paced, carefully written guide gives you thor-ough explanations of all the basic principles of digital systems and logic design—plus a solid introduction to microprocessors and microprocessor-based designs.

629/455B \$32.45 (Counts as 2 of your 3 books)

McGraw-Hill's NATIONAL ELECTRICAL CODE® HANDBOOK, 17/e. By J. F. McPartland. 1,162 pp., 1,096 illus. Bigger and better than ever! This mammoth reference explains and clarifies the many com-plex provisions of the current (1981) Code* to help you meet rules exactly and pass inspections the very first time.

456/933 \$26.50

INTEGRATED CIRCUIT FABRICA-TION TECHNOLOGY. By D J Elliatt 480 pp., 220 illus Covering every step in the transformation of a silicon chip to an integrated circuit, this is the first book to combine, in a single volume, a cohesive examination of the equip-ment, materials, and techniques of IC

\$29.75

NETWORK SYSTEMS. By R Sharma, P DeSousa, and A Inglé. 321 pp., illus. Here's the lirst book to describe, concisely and comprehen-sively, all current stored programcontrolled (SPC) telecommunication network systems that use integrated modeling, analysis, and design tech-niques. Gives you the know-how you need to meet design specifications, 582557-0

HANDBOOK OF ELECTRONIC PACKAGING DESIGN AND ENGINEERING. By B. Matisoff. 480 pp., 312 illus. This handy volume examines the broad array of packaging techniques available today, providing the data you need to select the best one for a given application. Stresses the interplay between design criteria. \$32.50 582515-5B (Counts as 2 of Vour 3 books)

STANDARD HANDBOOK FOR ELECTRICAL ENGINEERS, 11/e. By D. G. Fink and H. Beaty. 2,448 pp., 1,414 illus. Today's most widely used source of electrical engineering information and data serves you as no other single work when you need detailed, timely, and reliable facts

(Counts as 3 of your 3 books)

Be sure to consider these important titles as well!

RADAR TRANSMITTERS. By G. W. Ewell 198/438

USER'S GUIDEBOOK OF DIGITAL CMOS INTEGRATED CIRCUITS. By E. R. Hnalek 290/679 \$29.00

ELECTRONIC CIRCUITS NOTEBOOK: Proven Designs for Systems Ap-plications. Edded by S. Weber. 192/4486 \$35.50 (Counts as 2 of your 3 books)

ELECTRONIC FILTER DESIGN HANDBOOK. By A. B. Williams. 704/309B \$41.50 (Counts as 2 of your 3 books)

INTRODUCTION TO THE THEORY AND DESIGN OF ACTIVE PILTERS. By L. P. Huelsman & P. E. Allen (Counts as 2 of your 3 books)

MICROELECTRONICS. By J. Millman. (Counts as 2 of your 3 books)

HANDEOOK OF OPERATIONAL AMPLIFIER CIRCUIT DESIGN. By D. E. Stout & M. Kaufman 617/97XB (Counts as 2 of your 3 books)

MICROCOMPUTER-BASED DESIGN. By J. Peatman. 491/380B (Counts as 2 of your 3 books)

BIT-SLICE MICROPROCESSOR DE-SIGN, By J. Mick & J. Brick 417/814

DESIGNING WITH FIELD-EFFECT TRANSISTORS. By Siliconix, Inc. 574/400 \$29.50

ENGINEERING MATHEMATICS HANDBOOK, 2/e. By J. J. Tuma. 654 2988 \$31.25 (Counts as 2 of your 3 books)

MAIL THIS COUPON TODAY



Why YOU should join now!

■ BEST AND NEWEST BOOKS IN YOUR PIELD! Books are selected from a wide range of publishers by expect editors and consultants to give you continuing access to the best and lates! books in your field.

■ BIG SAVINGS! Build your library and save money too! Savings ranging up to 30% or more off publishers' list prices-usually 20% to 25%.

BONUS BOOKS! You will immediately begin to participate in our Bonus Book Plan that allows you savings up to 80%, off the publisher's prices of many professional and general interest books!

■ CONVENIENCE: 12-14 times a year labout once every 3-4 weeks) you receive the Club Bulletin FREE. It fully describes the Main Selection and alternate selections A dated Reply Card is included, if you want the Main Selection, you simply du nothing—it will be shipped automatically. If you want an alternate selection—or no book at all—you simply indicate it on the Roply Card and return it by the date specified. You will have at least 10 days to decide. If because of late delivery of the Bulletin you receive a Main Selection you do not want, you may return It for credit at the Club's expense.

As a Club Member you agree only to the purchase of three additional books during your first year of membership. Membership may be discontinued by either you or the Club at any time after you have purchased the three additional books.

Accountants' and Controllers' Book Club • Architects' Book Club • Byte Book Club • Chemical Engineers' Book Club · Civil Engineers' Book Club · Mechanical Engineers' Book Club

For more information, write to:

McGraw-Hill Book Clubs • P.O. Box 582, Hightstown, NJ 08520

McGraw-Hill Book Club	8
Electronics and Contr	ol Engineers'
Book Club	
PO. Box 582, Hightstown, N	lev Jersey 08520
Please enroll me as a ment choices t have listed below. I as, postage, and bandling to the books within 10 days as canceled. I agree to purchas tional books during my first lined under the Club plan de- and handling charge is adde- ted to the books include the pensive books include in the than one choice.	lill me only \$3.00 plus loca if not satisfied, I may return not my membership will be a a minimum of three addly year of membership as out- scribed in this ad A shipping d to all shipments to hooks you want. A few re-
Name	
1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	
Address-Apt	
Cily-Sinter(Sp	
This order adoject to acceptan	neo by McGassy-Hill. All prices
subject to change without or mendions. Orders from out- capted.	office. Offer guod univ to new

Sorting Algorithms for Microcomputers

Programmer ingenuity and search of the existing literature can significantly improve sort performance.

> Terry Barron 1901 East Lynn St. Seattle, WA 98112

> George Diehr 1500 38th Ave. Seattle, WA 98122

Many applications require organizing data into ascending or descending order-sorting. This can be an extremely time-consuming job, especially if a too simple algorithm is used. On a large machine the inefficiency may not be noticed-one second versus ten may not be worth worrying about. On a microcomputer, however, one minute versus ten may be quite important, especially if you're sitting at a terminal waiting for the results.

In this article we examine two fairly simple and closely related sorting algorithms: Shuttlesort and Shellsort. Shellsort is a generalization of Shuttlesort, requiring only a small added expenditure of programming effort but yielding astounding improvements in performance.

In addition, we examine the sorts' performance on a variety of machinelanguage combinations to give some idea of their relative power on a common practical task.

When faced with a common problem such as sorting, someone has probably developed efficient methods-what you need to know is where to look, References 1, 2, 4, and 5 are convenient sources of sorting algorithms.

Types of Sorts

If the sort program and all the data to be sorted fit into central memory, we can use an internal sort. If not, some kind of external sort must be used. Such sorts involve sorting parts of the data in central memory, writing these sorted parts to a disk, and then merging the parts together to create a file of sorted data. This article deals with internal sorts, which can be used during the internal phase of an external sort.

Many internal sorting algorithms are available, each with advantages and disadvantages. Broadly speaking, we can classify the sorts by two characteristics: efficiency and complexity (see table 1).

Shellsort occupies an interesting position in this classification: it is in the same efficiency class as sorts such as Oulcksort vet is easier to program. In addition, it is more efficient than the Shuttle/Bubble varieties yet no more difficult to program. This is only a small exaggeration. Shellsort is slightly more complicated than those in the Shuttle category. Also, it is slightly less efficient, at least theoretically, than Quicksort and Treesort. Nevertheless, in most situations Shellsort represents the best choice in trading machine time for complexity, Furthermore, Shellsort requires no more space than Shuttlesort while Quicksort does require additional space.

About the Authors

Terry Barron is a doctoral candidate in the School of Business at the University of Washington. George Diehr is an Associate Professor of Quantitative Methods in the School of Business at the University of Washington,

	Complexity of Algorithm						
Efficiency	Low	Medium	High				
Low	Shuttle Bubble Pair Exchange						
Medium	Shellsort	Quicksort Treesort					
High			Linear-Time Sort				

Table 1: Common sorting methods can be classified by two characteristics: efficiency and complexity.

Listing 1: This Applesoft version of Shuttlesort includes a GOSUB at line 20 to branch to code that generates data used to perform the tests described in the text. The sort proper is the code from line 50 through line 200.

```
10
    DIM X(1024)
          BRANCH TO GENERATE N RANDOM VALUES
19
    REM
20
    GOSUR 1000
50
    FOR I = 1 TO N - 1
    FOR J = I TO 1 STEP
60
    IF X(J) < = X(J + 1) THEN 200
70
80 TX = X(J):X(J) = X(J + 1):X(J + 1) = TX
100
     NEXT J
     NEXT I
200
```

Because Shuttlesort serves as the starting point for Shellsort, we consider it first. It is useful for sorting small lists of items (e.g., up to 30 or 50 on a microcomputer). Shuttlesort is also used as part of more complex algorithms such as modified Quicksort. (Reference 5 is an excellent source for more information on all the sorts noted in the table except the linear-time sort, which is covered in reference 6.)

Shuttlesort

For a concrete demonstration of the Shuttlesort algorithm, we will assume that we want to sort the following list of single characters into normal alphabetical order:

The Shuttlesort algorithm starts by comparing the first two items, X and C, and exchanges them if they are out of order. Because X should come after C, they are exchanged. The algorithm next compares locations 2 and 3. Because X should come after D, they are exchanged.

The sort now determines how far up in the list the value D should be moved (to the left in our display). Therefore, C and D are compared. Because they are in the right order, no exchange is made. The comparisons resume at locations 3 and 4; X should come after M and they are swapped. The list is now

Location 6 Element D M X

Values at locations 4 and 5 are compared next. Because X should come after A, they are exchanged; next. M and A are compared and another exchange occurs. Two more exchanges-D and A, then C and Aplace A in location 1. The sort resumes by comparing X and B. B travels up the list until it stops at location 2, finishing the sort;





MC/N, Inc. SIMMS CENTER/Box 9393 San Rafael, CA 94912 (415) 453-7033

Circle 502 on inquiry card.

Touch Tone Decoding Modem

Convert Touch Tones to ASCII. The Touch Tone Decoder Modern offers a low cost solution to remote monitoring and data entry applications, it autoanswers and connects any host computer's asynchronous RS-232 port with the telephone system. Select 300, 600, or 1200 baud data rate or optional external audio input. \$500 single quantity. Touch Tone send/1200 baud receive terminal avallable.

the WicLobelibheis colbotation 2565 152nd Avenue NE Redmond, WA 98052 (206) 881-7544

Circle 307 on inquiry card.

CHIPS & DALE

THE INFLATION FIGHTERSI

Prices subject to change without notice. Shipping G. https://doi.org/10.1001/j.jping. WA. for all citic. Wash.

CHIPS & DALE 1-206-451-9770 10655 N.E. 4th St., Suite 400 Bellevise, WA 98004

Circle 93 on inquiry card.

\$30 SOLVES THE BACKUP PROBLEM FOR CP/M 2.2

Qbax is a revolutionary new backup program which saves huge amounts of time for users of either floppies or hard disks by copying only files which have changed.



Incremental backup for CP/M 2.2 Copies only files rewritten since the last backup Handles multiple backups Change or report the backup status of files Redirectable I/O.






Amanuensis, Inc. R. D. #1 Box 236 Grindstone, Pa. 15442 (412) 785-2806 8" SSSD & popular 51/4" formats OEM inquirles invited

Qbax TM Amanuensis, Inc.
CP/M Registered TM Digital Research

IT'S FREE!

Announcing the NEW, Summer 1983 Moore Computer Forms and Supplies Catalog

TIPE OF BUSINESS



Now with a NEW 34-page computer forms section!

- Our new, 80-page Summer Catalog features more than 800 quality, brand-name products all guaranteed to meet your 100% satisfaction or your money back
- For all your computer or word processor needs, a wide selection of magnetic media, disk storage, binders, ribbons and furniture
- Over 40 pages of multi-purpose computer forms and labels at low prices, including an ALL-NEW 34-page section of imprinted forms
- Unmatched customer services, like fast order processing, custom imprinting, emergency overnight delivery, plus exclusive toll-free Technical Product Assistance

Mail this coupon or call toll-free 1-800-323-6230 (In Blinois, Call (312) 459-0210)



Catalog Group
MOORE
BUSINESS
CENTER

A Division of Moore Business Forms

P.O. Box 20 Wheeling, IL 60090 Dept. 119411

	YE	S!	Send	me a	a FRI	EE 804	page,	full-col	10
copy	of	the	Sumi	ner	1983	Moore	Cat	alog	

YOUR NAME	THE	BUSINESS FROM
COMPANY HAME		
ADDRESS		
ČITV	STATE	ZP

Location 1 2 3 4 5 6
Element A B C D M X

Although our example sorts single characters, the algorithm applies equally to real values, integers, or arbitrarily long strings. The performance tests presented here use randomly ordered real values.

Listing I shows an Applesoft version of Shuttlesort for real-valued data. The FOR loop from lines 50 to 200 controls the traversal down array X so that the first comparison for a given value of I is X(I) and X(I+1). The inner FOR loop, lines 60 through 100, moves the value at X(I) up the list until it encounters a smaller (or equal) value or until it reaches the top of the list. The exchange of X(J) and X(J+1) in line 80 moves data elements up the list.

As noted in table 1, Shuttlesort is in the same class as the Bubble and Pair Exchange sorts. A sort shown in the Apple BASIC Programming Reference Manual (page 15) is a Pair Exchange sort. The efficiency of these sorts can be described by the increase in sorting time as the number of items to be sorted increases. If it takes T seconds to sort N items, these sorts will require about 4T seconds to sort 2N items: the sort time increases with the square of the number of items. Algorithms with this efficiency are said to be order N-square in performance. Sorting time can get out of hand very quickly with an order N-square sort. For example, if 100 items require 100 seconds to sort, 200 items will require 400 seconds. Sorting 1000 items becomes impractical-it would take about 3 hours.

A clue to this algorithm's inefficiency can be seen in our letter-sorting example. The value A starts in location 5 but belongs in location 1; Shuttle-sort needs four exchanges to move it to the top. Similarly, the movement of value B to location 2 also requires four exchanges. As the number of items to be sorted increases, the number of exchanges for each item increases. The total number of exchanges is proportional to the number of items times the number of exchanges for each—hence the order N-square performance.

AND THE STATE OFFICE A

	Before Sublist					After Sublist					
Whole List	1	2	3	4	5	1	2	3	4	5	Whole List
L W	L	W				к					к
D		W	D				Н	D			B
U				U					E		E
P					P					A	A
H	T	н				L	W				L W
N		.,	N				**	N			N
E				E				,,	U		ü
A					A				-	P	P
K	K					Ŧ					T

Figure 1: Shellsort creates five sublists when distance D=5; each sublist is sorted with a Shuttlesort. Before refers to the data order before the Shellsort pass; After refers to the order resulting from the Shellsort pass.

		iore olist				ter blist	
Whole List	1	2	3	1	2	3	Whole List
K	K			E			Ε
H		H		_	A		A
D			D			D	D
E	E			K			K
A		A			H		H
L			L			L	L
W	W			Р			P
N		N			N		N
U			U			U	U
P	P		-	W			W
T		T			T		T

Figure 2: These three Shellsort sublists result when distance D=3. The Before list is identical to figure 1's After list; it results from the D=5 Shellsort.

If Shuttlesort could move items more than one position at a time, it might be more efficient. One way to make larger moves is to compare items farther apart than just one location. This is the idea behind Shellsort; reference 7 discusses Shell's original work.

Shellsort

Shellsort works by dividing the list of data into sublists. Shuttlesort is used to order each sublist and finally merge them into the final, completely sorted list. The final pass of Shellsort is identical to a Shuttlesort. Earlier passes try to move small values near the top of the list in large steps. On the final (Shuttlesort) pass values don't have far to move.

To demonstrate Shellsort, we use the larger list of data shown in figure

1. Instead of comparing immediate neighbors, the algorithm starts by comparing items some fixed distance apart, 5 for the first figure 1 pass. The Before section shows the original list of data and the five sublists that result when items five locations apart are compared. The algorithm effectively applies a Shuttlesort to each of these sublists. The After section shows the now-ordered sublists and the resulting whole list at the end of the pass. Note that only six comparisons have managed to move letters in the first half of the alphabet to the top half of the list and letters in the last half of the alphabet to the bottom half of the list.

The next pass uses a distance of 3, resulting in the three sublists shown in figure 2. Each sublist is sorted (using Shuttlesort) with the result in

the After section. The first quarter of the list now contains letters from the first quarter of the alphabet and so on. The list becomes partially ordered very quickly.

The final pass uses a distance of 1, resulting in only one sublist, the entire list of values. Clearly, applying Shuttlesort to that list assures that the final result is completely ordered. Note the small distance items need to move in this final pass to find their final position; no item need move more than two locations.

The changes required to convert Shuttlesort to Shellsort are minimal. First, lines 50 through 200 in listing 1 are modified to use distance D rather than the fixed distance 1. After each pass, the value of D reduces to INT(D/2) at line 230 of listing 2. When D is reduced to 0, we know that the pass just completed was the Shuttlesort on the whole list. Thus, the sort is complete.

Determining Distances

How do we choose the distances? Although the algorithm's performance is known to be rather sensitive to the distances, there is no known way to select the ones that guarantee minimum sort time. However, the initial distance and all subsequent distances should be odd. One of the most commonly used set of distances with this property was developed by Hibbard (see reference 3), He uses an initial distance of

 $D=2^{INT(LOG(N)/LOG(2))}-1$

	Shuttle	Shuttlesort		ort
Number	Number of	Number of	Number of	Number of
of Items	Comparisons	Exchanges	Comparisons	Exchanges
32	280	251	159	70
64	1050	992	411	180
128	4186	4063	1142	555
256	16.802	16,552	2515	1108
512	64.761	64.255	6395	3089
1024	264,233	263,223	15,740	8131
2048	1,032,218	1,030,176	34,994	17,698
4096	4,141,646	4,137,563	84,969	46,277

Table 2: Comparing Shellsort with Shuttlesort illustrates the former algorithm's superiority.

Listing 2: Comparing this Applesoft version of Shellsort with the listing 1 program demonstrates that only two lines-45 and 230-need be added to a Shuttlesort program to form Shellsort. The variable D generalizes the distance between comparisons; this distance is fixed at 1 in Shuttlesort.

```
10
    DIM X(1024)
19
          BRANCH TO GENERATE N RANDOM VALUES
    REM
20
    GOSUR 1000
            INT ( LOG (N) /
45 D = 2 "
                              LOG (2)) - 1
    FOR I = 1 TO N - D
50
60
    FOR J = I TO 1 STEP
    IF X(J) < = X(J + D) THEN 200
70
XT = (II + I)XI(II + I)X = (IXI(I)X = XI 08
100
     NEXT J
     NEXT I
200
230 D = INT (D / 2): IF D > 0 THEN 50
```

Each subsequent distance is

D = INT(D/2)

(Note that LOG(N)/LOG(2) is the base 2 logarithm of N.) The values of D are always of the form 2"-1 for some positive integer P. For example, if we have 100 items to sort, the initial P is 6 and the initial D is 63. In subsequent passes, D equals 31, 15, 7, 3. and 1. (For our little example, we should have used an initial distance of 7, but we chose 5 to make it a bit more interesting.)

We now have all the parts necessary for the algorithm. The Apple BASIC program is in listing 2.

Performance Evaluation

We claimed in the beginning that Shellsort was well worth the minor programming changes. The acid test of this is the time required to sort. It

often turns out that an algorithm that has superior theoretical performance realizes its advantage over another algorithm only for very large values of N. For example, suppose we code an algorithm that is order N-that is, doubling the number of items to sort only doubles the time. But suppose it takes 1000 seconds to sort 100 items. while our order N-square algorithm takes 100 seconds. Sorting 200 items requires 2000 and 400 seconds respectively; sorting 500 items requires 5000 and 2500 seconds respectively. Only when we sort more than 1000 items will the order N algorithm be superior. In such situations, the choice of algorithm depends heavily on the number of items to sort.

Therefore, we compared timings for Shuttlesort and Shellsort for several machines and languages, In addition to time measurements, we also counted the number of exchanges and comparisons required by each method. While the time will certainly differ for different hardware, the counts will not, so they provide insight into algorithm efficiency independent of hardware/software considerations.

Another measure for a sort algorithm is the amount of memory required. Each method requires only minimal extra memory beyond the list to be sorted. Furthermore, this extra space does not increase as the number of items increases. Thus, space use is order N. In contrast, algorithms that are slightly more efficient than Shellsort typically require significant extra space. For example, some require space for pointerspossibly two pointers per item,

For the performance comparisons, random real values were generated. This probably represents the most challenging type of data for both algorithms-with integers or strings. duplicate values are more likely to occur and sort time would be reduced for both.

Table 2 shows the number of comparisons and exchanges for the two algorithms for lists of size 32, 64. ... 4096. The superiority of Shellsort is obvious throughout. Scanning the Comparisons and Exchanges columns under Shuttlesort reveals its order N-square nature-when N doubles, the number of operations increases fourfold. Also note how the number of exchanges is close to the number of comparisons. Exchanges are expensive—they require three LET statements.

The rate of growth of the number of comparisons and exchanges for

Number	Sort time in secon	nds for:
of Items	Shuttlesorl	Shellsort
32	7	3.5
64	26	7.5
128	103	20
256	413	51
512	(1652)	121
1024	(6608)	295
2048	(26,433)	(706)
4096	(105,730)	(1692)

Table 3: Comparison of sort times for Shuttlesort and Shellsort algorithms written in Applesoft BASIC support table 2's indication of Shellsort's superiority. The numbers in parentheses are estimated times.

Shellsort is far slower. Instead of an order N-square increase, it is approximately proportional to N1.24. Thus, doubling N results in an increase of roughly 2.4 times in the number of operations. Furthermore, the number of exchanges is much less than the number of comparisons, usually about half. (Note that different data produce different counts, but the relationships remain approximately equal to those we measured.) These counts show the effectiveness of early passes in moving items a long way up and down the list with few comparisons and exchanges.

From the counts of comparisons and exchanges, Shellsort should be much faster. It is: table 3 shows sort times in seconds for the two algorithms using Applesoft interpreted BASIC. (Some of the times have been estimated because they are so long. The estimation method is described in the next section.) As you can see, as N grows Shuttlesort becomes impractical very quickly:

sorting just 256 values requires almost 7 minutes. By comparison, Shellsort can order four times as many values, 1024, in less time. Even though the Apple has enough memory to sort 4096 values, do you have the patience to wait out a Shuttlesort? The estimated time is about 29 hours.

Using Shellsort, it is practical to sit at the machine while it sorts 1024 values. Sorting 2048 values calls for a coffee break (12 minutes), while you might schedule a sort of 4096 values for a quick lunch (about 28 minutes).

Predicting Sort Times

It is quite easy to develop simple and accurate estimates for sort times for both algorithms. Based on the order of the methods, estimates of the following forms are used:

> Time(Shuttlesort) = $C N^2$ Time(Shellsort) = $K N^{1.26}$

The constants C and K are estimated

from actual times from table 3. The estimates are usually better if larger values of N are used. For example, using N=256 to estimate C gives

$$C = 413/256^3 = 0.006302$$

Using this value for C gives an estimate for N=128 of

Time(Shuttlesort) = 0.006302*1282 = 103.25

agreeing with our observed time. The estimate for 1024 items is

 $Time(Shuttlesort) = 0.006302*1024^2 = 6608 seconds$

or almost 2 hours.

For Shellsort, the estimated K using N=1024 is

 $K = 295/128^{1.26} = 0.0475$

The estimate for sorting 128 values is

Time(Shellsort) = 0.0475*1281.20 = 21.5

agreeing fairly well with the observed 20 seconds.

Pushing Shellsort Further

Many algorithms can be "tuned" to give additional performance improvement, although often no improvement in order of performance. This is the case with Shellsort. We can reduce times by about 25 percent with the following change: when we find a value that is out of place, say X(I+D), it is stored in TX. TX is then

JAY WEINBERG: LIVING PROOF YOUR CONTRIBUTIONS COUNT.

These days, Jay Weinberg's most difficult battles take place on the tennis court. Five years ago, he had a different kind of fight on his hands: against one of the toughest forms of cancer.

Cancer research and treatment have made Jay's kind of recovery possible for almost 2 million people. Which means that your donations have helped buy Jay Weinberg a very beautiful gift: his life.

CANCER CAN BE BEAT.

American Cancer Society Listing 3: In an Applesoft version of Super-Shellsort, exchanges are delayed so that fewer LET statement executions are required than in the usual Shellsort algorithms. This program reduces sort times by about 25 percent compared with the listing 2 program.

```
DIM X(1024)
10
          BRANCH TO GENERATE N RANDOM VALUES
19
    REM
20
    GOSUR 1000
   D = 2 ^
45
             INT ( LOG (N) /
                               LOG (2)) - 1
    FOR I = 1
50
               TO N - D
55
                = X(I + D) THEN 200
    IF X(I)
             <
57
   TX = X(I + D):X(I + D) = X(I)
             =
               D THEN X(I) = TX1 GOTO 200
58
60
    FOR J = I - D TO 1 STEP
70
    IF TX >
              = X(J) THEN 120
BO X(J + D) = X(J)
100
     NEXT J
120 X(J + D) = TX
200
     NEXT I
230 D =
         INT (D / 2); IF D > 0 THEN 50
```

compared up the list, moving displaced values down by distance D until the proper place for TX is found. Thus, moving a value up in M steps requires only M-1 moves and one exchange instead of M exchanges. (This improvement is discussed in reference 3.) This version of the program appears in listing 3.

This tuning reduces the time to sort 1024 values from 295 seconds to 223 seconds. The time to sort 4096 values is now about 20 minutes compared to about 28 minutes.

In theory, there are quicker algorithms than Shell's. For example, based on statistics reported in reference 5 (page A41), Quickersort seems to be about three times faster. However, Quickersort involves significant manipulation of pointers and transfers of control, operations that are especially expensive with an interpreter. We once tried Quickersort on an 8080-based microcomputer using Microsoft BASIC. The results were miserable—the seconds required by Shellsort became minutes with Quickersort. We have not repeated the experiment with the Apple.

The Apple versus IBM and Two of the Dwarfs

How powerful is the Apple? What is the performance gain from compiling? How do BASIC and FORTRAN compare in performance? We did not embark on an exhaustive performance comparison, but having several computer systems available and for some time having harbored suspicions about Grosch's law (explained later) we coded Shuttlesort and Shellsort on several machines using several languages:

- Apple with Applesoft BASIC
- Apple with Microsoft BASIC compiler
- •IBM Personal Computer with Microsoft BASIC interpreter
- Digital Equipment Corporation VAX-11/780 with BASIC compiler
- DEC VAX with FORTRAN (compiled)
- Control Data Corporation Cyber
 170-750 with BASIC compiler
- CDC Cyber with FORTRAN (optimizing FTN5 compiler)

Table 4 summarizes the results and shows the ratios of sort times for 1024 values using Shellsort. The underlined values represent comparisons that are probably the most accurate reflections of machine power as opposed to comparison of languages or compilers/interpreters. For example, row 2 indicates that the VAX is about 47 times faster than the Apple (both using compiled BASIC). The CDC is somewhere between 2.6 and 4.3 times faster than the VAX depending on whether we compare BASICs or FORTRANS.

If you have a BASIC compiler for your Apple, you probably know

HARDWARE/SOFTWARE - WHOLESALE! Purchase your Hardware and Software directly from an OEM/Systems Integrator. Take advantage of our buying power! We stock a full line of Board

Purchase your Hardware and Software directly from an OEM/ Systems Integrator. Take advantage of our buying power. We stock a full line of Board Level Components, Software, and Peripherais. Call for your needs. We'll give you the Lowest Prices, and the Technical Employ and Know-How we are quickly becoming well-known for, Satisfied Customers Nationwide! The Nation & Custom Systems House for Business, Education, Science

SOME OF OUR CURRENT SUPER-SPECIALS

IMMEDIATE MORROW MICRO DECISION ALL CCT
DELIVERYM MORROW MICRO DECISION TESTED

1 DRIVE - \$819 2 DRIVE - \$1149 2 DS DRIVE - \$1299 MORROW - \$499

MICROSOFT MBASIC - 8" CP/M - \$199

ASHTON-TATE dBASE II \$459

MICROPRO WORDSTAR - 8" CP/M - \$259

WYSE 100 TERMINAL - \$769

MITSUBISHI DSDD 8" DRIVES - FULL OR HALF HEIGHT - \$449 (THE BEST)

SIEMENS SSDD 8" DRIVES - \$239

OKIDATA 82 - \$419 / 83 - \$679 / 84 - \$1029

BOARDS/SYSTEMS COMPUPRO CUSTOM BUILT BUSINESS SYSTEMS
LIMITED SPECIAL: SYSTEM 816A - \$4395 816B - \$5595 816C - \$7195

DISK 1 W/CP/M - \$489 M-DRIVE CP/M-128K-\$959 M-DRIVEH - \$1395 8085/88 - \$319 8086/87-\$519 CPU-Z-\$229 · DISK 1-\$369 DISK 2 - \$599 INTERFACER 1 OR 2 - \$199 INTERFACER 3-5 - \$449/3-8 - \$519 INTERFACER 4 - \$279 SYSTEM SUPPORT 1 - \$309 RAM 17 (12 MHZ) - \$359 RAM 16 (12 MHZ) - \$399 ENCLOSE 2-DESK-\$659/RACK-\$699 RAM 21 - \$849 CPU 68K - \$519

CP/M - \$149 CP/M 86 - \$259 MP/M 8-16 - \$769 HARD DISKS, CABLES, ETC. - CALL US!

SIEMENS DUAL 8" SSDD SUBSYSTEM - \$699 MITSUBISHI DUAL 8" DSDD SUBSYSTEM - \$1099 W/AM Cabbing
20 MEG FLUTSU HARD DISK SUBSYSTEM W/DISK 2, 8105. & ALL CABUNG - \$3199

WE ARE THE LARGEST IN THE CUSTOM CONFIGURATION OF COMPLETE STATE-OF-THE-ART S-100 SYSTEMS, AT PACKAGE PRICING. WITH INTEGRATION, BURN-IN & PROGRAMMING, WE CUSTOM BUILD COMPUPRO SYSTEMS/HARD DISK SYSTEMS FOR BUSINESS APPLICATIONS.

WE NOW FEATURE A SPECIAL LEASE/OPTION AND FINANCING ON BUSINESS SYSTEMS - CALL!

WOW! SE SPECIALS SS GOOD THROUGH MONTH END. As supplies last Reinchecks may be given it possible Cash Sales Only!

CUSTOM COMPUTER TECHNOLOGY

1 CRAFTSMAN COURT, BOX 4160, SEDONA, ARIZONA, 86340 (602) 282-6299

PRICES & AVAILABILITY SUBJECT TO CHANGE ALL PRODUCTS NEW AND CARRY FULL MANUFACTURER'S WARRANTEES CALL FOR CATALOB. FREE TECHNICAL HELP TO ANYONE WE CAN CONFIGURE BOARDS & SOFTWARE FOR YOUR SYSTEM. FULLEY HE GO AT RESIDENTS ADD APPLICABLE SALESTAX.

about the significant speed improvements it affords. Using the Microsoft BASIC compiler with integer variables for everything except the actual array of values to be sorted, 1024 values can be sorted in 33 seconds, and 4096 values require 166 seconds (there went your coffee break). The average improvement is a factor of about 7.5.

Now, what about Grosch's law? Herbert Grosch hypothesized a relationship between computer cost and performance that claimed a quadrupling of performance for a doubling of cost (a quadratic relationship). This seemed to hold true for many years, especially if performance was based on measures of raw computing power such as add times. Because internal sorting requires primarily brute computational power, as opposed to input/output operations, our performance measures should be a fair test of the law.

In order to make some sense of cost/performance trade-offs, we calculated for each machine the following quantity:

	Apple BASIC Com- piled	IBM PC BASIC	VAX BASIC	VAX FOR- TRAN	CDC BASIC	CDC FOR- TRAN
Applesofi Apple BASIC Compiled IBM PC BASIC VAX BASIC VAX FORTRAN CDC BASIC	7.6	<u>1,46</u> .19	360 47 247	1100 145 753 3,0	952 125 652 2.6 .87	4758 626 3259 13.2 4.3 5.0

Table 4: These relative performance comparisons of various hardware/software combinations are based on sorting 1024 values with Shellsort. Table entries are the ratio of the row-system sort time to the column-system sort time; for example, the VAX BASIC system runs Shellsort 47 times faster than the Apple BASIC Compiled system does. Underlined values are those most appropriate for comparisons of the relative power of different hardware.

System	Cost	Cost Index
Apple, BASIC	\$1500	1.00
VAX. BASIC	\$100,000	1.42
VAX. FORTRAN	\$100,000	0.47
CDC, BASIC	\$1,000,000	5.33
CDC, FORTRAN	\$1,000,000	1.06

Table 5: A comparison of the cost index of various computer systems.

*LASER

micro systems inc.



1321 N.W. 17th PORTLAND, OR 97209

Sales Office W. Commonwealth FULLERTON, CALF 92A23 714-525-7474

OTHER PRODUCTS AVAILABLE NOW

- Disc Drive
- Monitors
- Interface Card Printer Interface Card
- Bare 55A Drive
- 16K Ram Card • 51/4 "floopy" disc
- Hard Disc Drive • IBM 558 Drive
- DISTRIBUTOR INQUIRIES WELCOME.



- * Teac drive 55A 48TPI, 163 KB formated single side
- 40 Track
- Assembled and Tested in U.S.A.

51/4" SIIMII

cost index = cost of machine X/cost of Apple

performance of X/performance of Apple

Performance is 1/time to sort 1024 items. The results are shown in table 5. The cost index tells how many Apples you could buy for each unit of Apple performance obtained when using specific machine-language combinations. Even more to the point, if you could divide a job into pieces that could be run simultaneously, this indicates that in all cases except the VAX/FORTRAN combination it would be cheaper to buy a bushel of Apples in place of the larger machine. For example, with the CDC/BASIC combination you could buy 5.33 Apples for each unit of Apple performance that the CDC provides. Because the CDC/BASIC combination sorted 1024 values 125 times faster than the Apple, you would spend 125*\$1500 = \$187,000 in Apples versus about \$1,000,000 for the CDC.

Although this is certainly a crude comparison, it is quite interesting. If Grosch's law held, we should see the cost index dropping rapidly with increasing machine cost. Because the CDC costs about 667 times as much as the Apple, Grosch's law implies that its performance should be about 444,444 times better, that is, $(1,000,000/1500)^2 = 444,444$. In fact, the CDC performance is at best about 626 times better.

Martin Marietta Aerospace

Data Processing Opportunities

Martin Marietta Aerospace. NASA's prime Contractor for the Space Shuttle External Tank has immediate openings for Data Processing professionals. Because we actually manufacture the external tank, you'll get to see the actual results of your efforts.

COMPUTER PROGRAMMER/ ANALYSTS

Immediate opportunities exist for individuals experienced in:

 UNIVAC 1100 **ASC11 COBOL DMS 1100** DDL, SDDL, DMU DML, QLP **DPS 1100. TIP** D/B Editor

- APPLICATION **EXPERIENCE** Shop floor control, Scheduling, Manufacturing, Inventory, Purchasing, Configuration Management, Quality Engineering.
- DATA BASE OPENINGS Analyst, Design, Administrators with above hardware, software and applications experience.

These opportunities exist at our Michoud Assembly Facility located in suburban East New Orleans.

Qualified candidates interested in learning more about these opportunities at Martin Marietta should forward resumes, including salary history to Martin Marietta Aerospace, Denver Glazier, BYTE-51, P.O. Box 29304, New Orleans, Louisiana 70189. We are an equal opportunity employer, m#/h.

MARTIN MARIETTA

Conclusions

Small changes in a program can yield dramatic performance gains, About the only good reason for ever using one of the order N-square sorting algorithms is for illustrative or educational purposes. Minor tuning can also give significant improvements.

If you do a significant amount of numerical computing and are using an interpreted BASIC, you should probably look into a compiler. The performance improvement is much greater than the gain possible by moving to a faster chip (e.g., a Z80 or 8088 in place of the 6502).

Finally, if you have a spare quarter of a million dollars, you can purchase a machine that will give you a proportional performance improvement over the Apple, but don't expect to reap much in the way of economies of scale.

References

- Association for Computing Machinery. Communications.
- Association for Computing Machinery. Collected Algorithms of the ACM
- Hibbard, T. N. "An Empirical Study of Minimal Storage Sorting," Communications of the ACM, Vol. 8, No. 5, pp. 206-213.
- 4. Knuth, D. E. The Art of Computer Programming. Reading, MA: Addison-Wesley, 1968, 1969, 1973.
- Lorin, Harold. Sorting and Sort Systems. Reading, MA: Addison-Wesley, 1975.
- Magalhaes, G. C. and A. L. Furtado, "A Linear Time Sort Algorithm Applicable to Data Base Management." Monographs In Computer Science and Computer Applications, No. 13/76, Pontificia Universidade Catolica do Rio de Janeiro,
- Shell, D. L. "A High Speed Sorting Procedure." Communications of the ACM, Vol. 2, No. 7, pp. 30-33.

Marymas INDUSTRIES, INC.

In Texas Orders Questions & Answers 1-713-392-0747

22511 Katy Freeway Katy (Houston) Texas 77450 To Order 1-800-231-3680 800-231-3681

SAVE BIG DOLLARS ON ALL TRS-80° HARDWARE & SOFTWARE

TRS-80® BY RADIO SHACK. Brand new in cartons delivered. Save state sales tax. Texas residents add only 5% sales tax. Open Mon.-Fri. 9-6, Sat. 9-1, We pay freight and insurance. Come by and see us. Call us for a reference in or near your city. Ref: Farmers State Bank, Brookshire, Texas.

WE OFFER ON REQUEST

Federal Express (Overnight Delivery)

Houston Intercontinental
Airport Delivery (Same Day)

U.P.S. BLUE (Every Day)

References from people who have bought computers from us probably in your city. We have thousands of satisfied customers. WE WILL NOT BE UNDERSOLD!

ED McMANUS





No Tex on Out of Texas Shipments!

Save 10% 15% or more

Telex 77-4132 (Fleks Hou)

* TRS-50 is a Registered Trademark of Tandy Corp

WE ALWAYS OFFER

- We accept Master Card, VISA, and American Express.
- We use Direct Freight Lines. No long weits.
- We always pay the freight and insurance
- ☑ Toll free order number
- Our capability to go to the giant TRS-80° Computer warehouse 5 hours away, in Ft. Werth, Texas, to keep you in stock.

JOE McMANUS

VISA

12" B&W MONITOR



VIDEO 100 by AMDEK

FULL FACTORY WARRANTY

\$7995

for APPLE 16K RAM CARD

Language Transparent
COEX FACTORY
WARRANTY
\$ 6 900

51/4"Floppy DISKETTES

200

All Certified-100% Guaranteed

BOX of 100... \$14900 Above with Hub Rings...... \$169.00

FLOPPY DISK DRIVE

From Fourth Dimension Systems with • Track Zero Micro Switch • DOS 3.2.1 & DOS 3.3

● CP/M and PASCAL

FOR YOUR \$749

APPLE"..... 2 To

for above......\$99.00

COEX 80-FT DOT MATRIX

 Interface with Apple,[™] Centronics RS-232, IEEE-488

 9x7 Dot Matrix, 80 CPS, Bi-Directional Printing

2K Buffered Memory

 80, 96, 132 Columns, Graphics and Block Printing

 Selectable Char Pitch, Line Spacing and Feed
 COEXInterface Card to APPLE *39*5

*299°°

VISION-80[®]

80x24 Video Display Card

Vista Computer Company's new Vision-80 board is a sophisticated yet easy to use video display card for the Apple" computer.

PARALLEL INTERFACE EPSON TO APPLE

New From \$3995 CABLE COEX NCLUDED

PROTOTYPING CARDS

for APFLE....\$19.95 for I.B.M.,....\$49.95

EXTENDER CARDS

for APPLE...\$16.95 for I.B.M....\$19.95

"Have You Kissed Your Computer Lately"

Components Express, Inc.



1380 E. Edinger ● Santa Ana, Calif. 92705 ● 714/558-3972
Terms of Sale: Cash, Checks, Credit Cards, M.O., C.O.D. Calif. residents add 6% sales tax.





"What can Lanier systems do for my company over the next five years?

To get the best value in office automation equipment, you need a system that allows you to buy just the right products and configurations for your office today. No more. No less. But your needs may change. So you need a system that can adapt to those changes. A system like Lanier.

In 1977 Lanier designed the first fully programmable word processor. So that our systems would never become obsolete. Instead, they'll keep increasing in capabilities and value, expanding with you as you grow. And they'll continue giving you the best performance for the best price.

"What gives Lanier such a good price/performance ratio?"

"It's our tailor-made configurations. With Lanier, you can buy a system designed specifically for your users' current needs. With the right models and capabilities. Our flexibility means you don't overspend for excess capacity. It also means your users won't have to compromise by adapting to inappropriate systems. And since all our equipment is plug compatible, you won't have to replace whole systems if you want to expand. Just add on what vour users need."

"Just how expandable are Lanier's systems?"

"There's no limit. With Lanier, you can start out with standalone units and a variety of software capabilities. Then upgrade to a shared logic system, which keeps costs down by avoiding redundant pieces of hardware. Or, for users who need a common data base, we have shared resource systems. The transition is easy because recorded media is transferable from one configuration to another and documentation procedures are the same. However fast you grow, Lanier can keep pace with you. All the way to a fully integrated office automation system?


"When you enhance Lanier products, how do I know you'll anticipate what my users need?"

"We're known for doing just that. Lanier has a widely installed base. We're constantly in touch with people in multinational companies. We even conduct customer seminars to keep abreast of your changing needs. Drawing from this input. we can anticipate your future requirements with technological changes and improvements, implementing them smoothly and quickly. In all cases keeping use skills easy to learn!



"Increase in value".

Tom Anderson, National Marketing Manager, Electronic Office Systems Division



BYTELINES

News and Speculation about Personal Computing

Conducted by Sol Libes

Rumorse American Bell is reportedly readving a desktop workstation computer running the Unix System 5 operating system; it may be introduced this summer. The firm is also expected to introduce a minicomputer in the same class as Digital Equipment Corporation's (DEC's) VAX, as well as several personal computer products. There are rumors that American Bell has had discussions with Fortune Systems to purchase manufacturing rights to the Fortune 32:16 system (see page 82 of this issue for Steven H. Barry's review of the 32:16). ... Word has it that DEC is working on a desktop version of the VAX; already DEC has produced a "PDP-11-on-achip."

Apple Computer Inc. is believed to be working on a DOS (disk operating system) with a file format that will allow files to be moved between the Apple II, Apple IIe, Apple III, and Lisa.

Pick Systems may be close to releasing a version of its popular Pick Operating System for the IBM Personal Computer. , , , Several local telephone companies are reportedly seeking to sell personal computers in their telephone stores. . . . There are rumors that several low-cost portable computers are due here from Hong Kong and Taiwan. The portable market appears to be the hottest. considering the number of new units being introduced this year.

-ommodore News: Commodore appears to have scrapped its 16-bit microprocessor, in development for over four years, and has entered into an agreement to manufacture the Zilog Z8000 and related peripheral chips.

Apparently, Commodore will use the Z8000 in a new 16-bit personal computer because the agreement allows the company to use the Z8000 chip in its own products only and precludes Commodore from selling it on the open market. The fact that both CP/M and an excellent version of Unix developed by Zilog are already available for the Z8000 may have prompted Commodore's decision; however, little applications software is available for that device.

Apple Doings: At Apple Computer's January stockholders' meetings, Apple formally introduced the Lisa and Apple He (see Gregg Williams's review "The Lisa Computer System" and Robin Moore's "Apple's Enhanced Computer; the Apple He," pages 33 and 68, respectively, in the February 1983 BYTE). The company disclosed that the last month of Apple II Plus sales (December 1982) was the best they ever had (45,000 units were sold) and that a total of 750,000 Apple its had been sold by the end of that month.

Steve Jobs, Apple chairman, announced that Apple would institute a plan to donate 10,000 Apple He systems to accredited schools in California. A similar effort to receive federal tax credits for a national program of gifts to schools failed to get through Congress last year.

Apple has also made a request to the U.S. International Trade Commission to investigate "unfair" competition by manufacturers in Hong Kong, Taiwan, Singapore, and Switzerland. Apple alleges patent and copyright infringement and is asking the ITC to bar imports of these Apple II look-alikes. Despite the fact that the Customs Service has already seized a large number of these imports, more and more U.S. companies are importing them.

Kadlo Shack News: Tandy has announced that it will replace the present operating system used on the Model 16 with Xenix, the Unix-like operating system from Microsoft. It will be furnished to all owners of previously sold Model 16s. This will more than double the number of Xenix users. To run Xenix, a user will need 256K bytes of memory and a hard disk. The standard Unix utilities and software tools are extra. Thus a base-priced system will be over \$9000; still a low price for a Unix system. The two companies are also developing a singleuser, floopy-disk-based Xenix for mid-1983.

Finally, Tandy, the last hold-out among major suppliers, has agreed to furnish Digital Research's CP/M operating system for the new TRS-80 Model 12 system.

s integrated Software the Key to Success? The next generation of personal computers will be here shortly, and it will be characterized by highly integrated software/hardware systems. The first two such systems have already been demonstrated and should be in users' hands in the next two to three months. I am talking about the Apple Lisa, Visicorp's Visi On system, and a new unnamed operating system I am expecting Microsoft to announce shortly.

The new-generation systems offer a high degree of integration between applications software, operating-system software, and hardware. As a result, these systems will create an applications environment. Their common distinctive features are the new user interface, integration of applications programs, and greater reliance on graphics. Up until now, user interfaces have been geared to the programmer, a highly trained user willing to spend many hours studying cryptic manuals; but these new systems are designed with a degree of simplicity rarely seen before; networking and integration of multiple applications such as word processing, data handling, and spreadsheet use are also considered important, Many of these concepts were promoted by Xerox In its Alto system (built for internal use by researchers at Xerox's Palo Alto Research Center) but it now appears that personal computer designers will really bring them into wide use.

These systems encourage the user to view the graphics display as a desktop. Graphic representations of familiar objects (called icons) are visible on the desk, including sheets of paper on top of one another, in and out baskets, a mailbox, file folders, a printer, etc. These are actually windows allowing the user to view simultaneously the execution of multiple applications programs. Users can rearrange the overlapping papers to their hearts' delight and can point to a graphics representation of a desired function using a mouse, There is one icon that is always present, the Help icon. (The Visi On system as implemented on the IBM Personal Computer, with limited graphics capability, uses labeled, highlighted boxes instead of icons.)

Visicorp will no doubt be a leader in this area, if its product lives up to the recent

demonstations made at | shows around the country. With its applications packages of Visicalc, Visidex, Visifile, Visiplan, Visiword (the new word processor), and a relational database manager (in development) integrated under Visi On (acting as the window manager), Visicorp appears to have the first lowcost system that will work on many different machines, Visihost, similar to the BIOS section of CP/M, acts as the interface software module to accommodate different hardware configurations. Visicorp is promising versions for the IBM Personal Computer and DEC professional computer initially, with versions expected to follow for other machines, including Unixbased machines.

Visi On will probably not be available until mid-summer. Experts who have seen the limited demonstration are impressed but question whether the actual product can run as fast. Visicorp has released few details about the system, but I believe that on the IBM Personal Computer it will require 512K bytes of memory and a hard disk. Add the cost of the software and mouse from Visicorp, and it is likely that the complete system will cost more than the Apple Lisa. Visicorp is not too concerned about this because it expects that most Visi On systems will be sold to people who already have IBM Personal Computers or DEC machines and are looking to upgrade their systems.

The Lisa, with its higherresolution graphics and ability to run concurrent applications programs (Visi On supports only single tasks) and its integrated local-area networking facilities (still a question mark with Visi On), will most likely to appeal to businesses looking to purchase a complete system. However, there are still a lot of unknowns at this point. and it will be most interesting to watch how the competition develops.

The Apple Lisa will be sold with six integrated software packages for just under \$10,000. Apple furnished prototype machines to Unisoft, Microsoft, and Digital Research, and the companies have already demonstrated Uniplus, Xenix, and CP/M-68K operating systems on the Lisa (with limited graphics). Apple has demonstrated Smalltalk on the Lisa and plans to release it. The company appears to be following the same policy that made the Apple II a huge success. Apple has made detailed information available to independent software houses and will soon offer a toolkit for the Lisa the way it did for the Apple II.

Lotus Development Corporation, with its 1-2-3 package, which integrates a sophisticated spreadsheet with many advanced features, a database manager, and a word processor, will also be a contender in this arena. And Microsoft, with its new version of MS-DOS, Multiplan (one of the most powerful spreadsheets currently available), the Multi-Tools family, and Xenix compatibility, is also expected to be a strong competitor in this area.

Digital Research, which recently added a SIGGRAPHstandard compatible graphics interface to CP/M and improvements such as concurrency and memory- and diskmanagement features, still relies on independent vendors for applications software; this has resulted in a distinct lack of integrated software under CP/M. (SIG-GRAPH is the Association for Computing Machinery's Special Interest Group on Graphics.) Use of the standard will make it easier for outside software vendors to integrate their software; still, Digital Research seems to be missing the integrated-software boat.

It's still questionable whether the \$10,000-and-up prices for these integrated systems will limit their acceptance in the marketplace; after all, Xerox tried to pioneer this area two years ago with the Star (at a \$16,000 base price) and was not successful. Will users be willing to pay \$10,000 to \$12,000 for these features? It may be that Apple is really counting on its Mackintosh system, due for introduction later this year, that will have some of the Lisa features and a lower price.

AN Standard Endorsed: Thirteen firms have endorsed the LAN (local-area network) standard currently being worked on by an IEEE (Institute of Electrical and Electronics Engineers) committee. Called the IEEE P802.3 draft standard for CSMA/CD (Carrier Sense, Multiple Access with Collision Detection), it integrates the Ethernet and ECMA (European Computer Manufacturers Association) specifications. The companies endorsing the proposed standard include Bridge Communications, Data General, DEC, Fujitsu America, Hewlett-Packard, Intel, Interlan, National Semiconductor, Siemens, Tektronix, 3Com, Ungermann-Bass, and Xerox.

Prices Continue Dropplng: Toys 'R' Us, a large chain of toy stores, is opening computer sections that in some cases will occupy a quarter of a store's floor space. This is just a sign of the major changes occurring in the home computer marketplace.

The competition in the mass-merchandised personal computer market is getting fierce. I have already seen the Timex Sinclair 1000 advertised for \$66 minus a \$15 rebate (list price is \$79) and the Commodore VIC-20 for under \$135. Texas Instruments (TI), via its rebate program, has brought the model 99/4A down to under \$150. and now Atari has introduced a rebate for the model 400 that brings its price down to under \$200. The more powerful Atari 800 is now retailing for under \$500.

Mattel, Magnavox, Emerson, and Video Technology are also entering the fray in the under-\$200 market. Emerson expects to do this by offering a keyboard attachment for the Atari 2600 video-game unit; however. Atarl has announced its own keyboard for that unit. Mattel and Coleco are doing likewise for their game systems. Atari expects to double the number of stores carrying its units to 15,000 by the end of this year and to spend 50 percent more on advertising, with most going into television spots. Commodore has also dropped the price on its Model 64 and offered it for sale via mass merchandisers. The under-\$100 market, now currently dominated by Timex Computer Corporation, will soon see entries from Commodore, Sharp, and Casio.

ersonal Robotics: Numbers of home experimenters have built personal robots during the last few years. Tod Loufbourrow, for example, wrote a book five years ago describing the construction details for his robot, which had a primitive sensory system and could respond to a limited set of commands in its master's voice. Over the last three years, several companies have introduced robotic arms controlled by personal computers; however, these are essentially expensive teaching tools, some costing as much as \$5000.

The introduction of the HERO-1 from Heath will have a profound impact on personal robotics (see "Heath's HERO-1 Robot" by Steven Leininger, January 1983 BYTE, page 86). Although still intended as an educational product, its \$1500 price (in kit form) puts it well within the range of many schools and home experimenters. Thus we can expect to see homebrewed improvements, added features, and peripherals for this and similar robotic kits; perhaps newer kits will be available at even lower cost. For example, Nolan Bushnell (founder

SLUDER, THE COMPETITIVE EDGE

systems & subsystems since 1980 20-27% off list on Godbout, Lomas, Teletek, and Seattle Components SPECIALS - GODBOUT 816 SYSTEMS-CALL



GODBOUT 816 A&T \$8995. Disk II A&T 20MB HD TOTAL \$9691

COMPLETELY INTEGRATED. ASSEMBLED & TESTED COMPETITIVE EDGE BUDGET BOOT & RUN SYSTEMS TELETEK w/2 floppys from \$1995. LOMAS 8086 w/2 floppys from 3295. 85/88 sys w/2 floppys from 2995. Seattle w/2 floppys from 3295. OR, LET US CONFIGURE A SYSTEM TO YOUR NEEDS GODBOUT CPU Z 6MHz \$199 20MB w/D-II & CP/M\$3495.

DEALERS: GET THE COMPETITIVE EDGE, CALL OR WRITE UNIVERSITY PURCHASE ORDERS ADD 5% Prices subject to change. Tax & shipping extra.

CP/M is a trademark of Digital Research COMPETITIVE EDGE/SLUDER (714) 895-1746 P.O. Box 951. Westminster, CA 92683-0951

Model EP-2A-88 **EPROM Programmer**

Proven Reliability Easy To Use

Remarkably Fast



Almost as fast as Jackrabbits Recall that in Australia, two rabbits can reproduce over 13 million offspring in three years. Our EP-2A-8B-2 being not quite as fast, (105 seconds for 2716's) is capable of programming 1,892,160 Eproms in three years. Our new EP-2A-8B-1. Single push button control, checks if Eproms are grased, programs and vertiles, retains many of the outstanding features of the EP-2A-8B-2 selfiest, diagnostics and audio prompt.

. And getting faster The EP-2A-88-4 has typical programming times for the Intel 2764's, TI 2564's of only 50 and 80 seconds, just 100 seconds for the 27128. But that is not all since the EP-2A-88-4 can also do the 2716, 2732, 2732A, and 2532 Eproma.

Part No.	Description		Price
EP 2A 88 4	Eprom Programmer 115V 50/60 H2		\$550.00
7.7.	Non-standard voltage (220v. 240v. or 100v)	S 1	15 00

Copy Modules, Device Capability

CM-20 2732	\$25.00	CM-20A	2732A	\$33.00
CM-40 2532	25.00	CM-50	2716, 2516	25.00
CM-642 2564 ************************************	25.00		2764	
CM-645 27128	25.00	SE-64-2	Socket Expander for 2564	93.00

SE-64-3 Socket Expander for 2764, 27128 Optimal Technology, Inc.

Phone (804) 973-5482

Earlysville, Va 22936

BYTELINES.

of Atari) has formed a new company called Androbot, in Sunnyvale, California, that has announced two home robots. One is expected to sell for under \$1000 and use a radio link to a home computer; the second will be a \$2500 robot with onboard brains using three 8088 microprocessors and 3 megabytes of memory. The Robot Shack, of El Toro, California, is offering its 7-inch-high Droid for \$99 and a 38-inchhigh PR-1 for \$499; both offer remote-controlled motion. speech recognition, and speech output.

We are at a point in personal robotics comparable to the situation in the early 1970s when home experimenters were building primitive computers with the Intel 8008 microprocessor. It took only another three to four vears for these systems to move from basements to computer stores; by the end of the decade, computers were being mass merchandised. I therefore predict that by the end of this decade we will see personal robots mass merchandised just as personal computers are today.

apan Launches New Software Development Effort: Japan is attempting to enter the software business by making a long-term commitment to supporting software houses. Following the same technique used in other fields, the Japanese government and industry are cooperating to provide the stimulus. Japan's Ministry of International Trade and Industry has launched a five-year project to create new operatingsystem software, softwaredevelopment technology. and languages. Now in its third year, the project has \$192 million in funding, half coming from government and half from industry (participants include Nippon Electric Company [NEC], Hitachi, Fujitsu, Matsushita, Toshiba, Mitsubishi Electric, Oki, and Sharp). Of this sum, \$10.6 million was funneled to 2000 independent software houses.

Further, the Japanese government gave industry a 40 percent tax deferral on software revenues for the first four years of any developed program's life. Some of the larger companies, such as Hitachi, spun off their software operations into independent subsidiaries to make them less bureaucratic. Although most experts feel that Japan is still about 10 years behind the U.S. in software development, in some areas the Japanese have made significant strides. Japan has already developed banking and airline-reservation software considered equal to that used in the U.S. Further, its video games and robotics software are considered first rate.

U.S. Firms Establish Foreign Software Operatlons: More and more U.S. computer makers are setting up software development operations outside the U.S., most notably in England and Europe. For example, DEC, Hewlett-Packard, Honeywell, Prime, Perkin-Elmer, and Modcomp all have established software operations near London. This has led to the creation of a large number of independent software shops. Packages for software development, games, database management, videotex, electronic mail, transaction processing, and packet-switched communications have already appeared from these operations. Increasing numbers of these software packages are being sold in this country. Most notable are packages for microcomputers, such as The Last One, Pearl, and CIS COBOL, all developed in England by independent software shops.

ublic-Domain Software: It never ceases to amaze me how few personal computer users are aware of the existence of large libraries of public-domain software. That is, software that has not been copyrighted and thus can be legitimately copied. There are dozens of

Blue Wood 138

maxell

The Gold Standard.



5 14" MINI SINGLE-SIDED SINGLE/DOUBLE DENSITY SOFT SECTORED

Special Buy!

LIMITED QUANTITY

DEALER INQUIRIES INVITED


Call our Modem Hotline (anytime) - 619-268-4488 for exclusive monthly specials. Our free catalog contains more than 600 fantastic values.

ABC Data Products

8868 CLAIREMONT MESA BLVD. SAN DIEGO, CALIFORNIA 92123

ORDERS ONLY ITT TELEX INFORMATION 800-854-1555 4992217 619-268-3537

2000 letters per hour via your personal computer



delivered in 48 hours or sooner at 26¢ a piece.

Whether it's credit and collection applications, announcements to your customers, or sales promotions for new services, our MAIL-COM software turns your personal computer into a one-button mailing house of enormous power, All you need is a modern, a personal computer, and our MAIL-COM software.

Our software allows you to link up with the U.S. Postal Service's new ECOM System. After receiving your letters via modern, the Postal Service will then print, stuff, seal and deliver the letters usually by the next day and guaranteed within 48 hours.

MAIL-COM is a complete, interactive package supporting all ECOM formats. Available now for the IBM PC (\$195.00), CP/M (\$195.00) and the Alpha Micro (\$495,00).

To order, call or write.

Computers

1501 Third Avenue New York, NY 10028 (212) 734-3875

CHARACTER LAND



SuperBrain II™- CompuStar™ Network Systems

- Excellent dealer & EOM discounts
- CMC's own national on-site service
- · Toll-free Ordering & technical assistance
- · Six-month warranty
- High resolution graphics
- System support training in our facilities
- Module replacement
- Advertising co-op
- · After-sale support

CMC ALSO OFFERS

- · Optional green phosphor screen
- · Enhanced DOS software with advanced files directory, diagnostics, disk editor, communications

- software and others

MISC

Line Filters

Power Supplies

SOFTWARE, PERIPHERALS FOR SUPERBRAIN COMPUSTAR

SOFTWARE

Accounting Plus Wordstar dBase II Microplan Profilolan

P/L1 80 Bisynch 80 Chasic II

Microsoft **MBasic** Fortran 80 Cabal 80 M/T Pascal Spallguard

PAINTERS Datasouth Epson C. Hoh Okidala NEC Starwriter FID

MODEMS Anderson-Jacobson **CAT Novation**

HARD DISKS **CMC Targa** Corvus

MEDIA Dysan Verbalim CompuStar Hard Disk Systems

10mb, 32mb & 96mb

Control Data Corp. Phoenix Drives 9448-96 CMD 9448-32

LOWEST PRICES ANYWHERE!



A Division of Computer Marketing Corporal

11058 Main Street, Suite 220 TELEX: 152556 SEATAC

For Information Call (206)453-9777 To Order, Call Tall-free 1-800-426-2963

DEALER INDUIRIES, GSA, GOVERNMENT, EDUCATIONAL BIOS INVITED



Shariffan en Cornellos en reprimei reministra d' munte Sim Systeta Coppeta

these libraries in existence. run mainly by computer clubs. Typically, these clubs gather software donations from their members or from exchanges with other clubs.

For example, the club that I belong to (the Amateur Computer Group of New Jersey-ACG-NI) has a library of CP/M-compatible programs that fills over 100 disks. Each disk is packed with about 240K bytes of programs; in other words, there are over 24 megabytes of free software in the library. The club asks members to contribute \$1 each time they copy a "volume" (disk); if members wish, they may telephone a computer system maintained by the club that contains much of this software and is capable of downloading files. The club will furnish a printed catalog of its software offerings for just \$2 (request it from SIG/M, POB 97, Iselin. NJ 09930).

The ACG-NJ SIG/M and the CPMUG (CP/M User's Group, 1651 Third Ave, New York,

NY 10028) libraries are without doubt the largest such organizations in existence. For example, in their libraries, one will find 13 different language interpreters and compilers, many in source-code form so that those who wish to add enhancements or just want to study how a language is created can do so. Also available are BASIC (six versions). ALGOL, FOCAL, RATFOR (Relational FORTRAN). Pascal, STOIC (a FORTH-like language), PISTOL (Portably Implemented Stack Oriented Language), ACTOR, SAM (both string-processing languages) PILOT (Programmed Inquiry and Learning), PIDGIN, and TINCMP.

East Bloc Personal Computing: I have recently received some amateurcomputer club newsletters from Hungary and Yugoslavia, two European socialist countries. From reading these newsletters it would appear that personal com-

puting is starting to take hold in these countries in much the same way as it started here in the U.S. These hobbyists appear to be about four to six years behind those in the U.S. Surprisingly, much of their equipment is either U.S.-made or copied from U.S. equipment. For example, the TRS-80 Model I and copies of it are popular.

5-100 Update: In the March 1983 BYTELINES (page 492), I estimated that there were 150 manufacturers of S-100 products making over 500 plug-in boards. A recent survey conducted by Microsystems magazine has turned up the fact that there are over 200 manufacturers making over 1000 different S-100 products. Thus, although the S-100 marketplace is very diverse, when taken as a single group, it represents the largest segment of the the current microcomputer-peripherals market.

800 Update: In my February 1983 column (page 430) I reported that Zilog expected to start offering samples of its new Z800 in the spring, with production expected in the fall. I regret to report that I was wrong; the firm expects to start supplying samples in the fall with production expected early next year.

Random News Bits: The deregulation of the Bell System has allowed Western Electric, the manufacturing arm of AT & T, to go into the business of manufacturing components. Western Electric has hired salesmen to go out on the road to sell components that were previously available only within the Bell System. This will include a new 256K-bit semiconductor memory, bubble memory, and microprocessor parts. . . Xerox has disclosed that its Office Products division. which sells the 820 desktop computer and the Star workstation, had a significant loss last year. . . . IBM has finally begun distributing the Personal Computer outside the U.S. The firm has also introduced an upgraded model of the Personal Computer, the XT (see page 520 for more on the new machine).

MAIL: I receive a large number of letters each month as a result of this column. If you write to me and wish a response, please include a selfaddressed, stamped envelope.

Soi Libes clo BYTE Publications **POB 372** Hancock, NH 03449

We will train you in UNIX™ and the "C" Language

... And, back it with 50 years of technical experience.

The leader in on-line data information equipment and applications for over 50 years, Bunker Ramo now provides a training course which gives you:

- · A one terminal/one user classroom environment
- Proven hands-on learning techniques
- Comprehensive textbooks
- Complete course documentation · State of the art instructional
- methods Special group registration rates

- Current course offerings include:

 Introduction to the UNIX environ-
- ment (5 days)
- · Introduction to "C" programming language (5 days)
- Advanced UNIX methods (5 days) · Advanced "C" methods (5 days)
- For a detailed prospectus, call

or write: Bunker Ramo Information Systems Training Services Group 35 Nutmeg Drive Trumbull, CT 06609 (203) 386-2600



BYTE's Bits

Call for Papers on Industrial Electronics

Papers are being solicited for the International Conference on Industrial Electronics (IECON '83) to be held from November 7-11 at the Hyatt Regency Hotel in San Francisco, Send papers to R. C. Born, Eaton Corp.: Cutler Hammer, 4201 North 27th St., Milwaukee, WI 53216. (414) 449-7474.

Comments on BASIC Standard Needed by July

The public comment period for the proposed American National Standard for BASIC is now in effect. Copies of the draft may be obtained by writing to:

X3 Secretariat Computer and Business Equipment Manufacturers Association 311 First St. NW Washington, DC 20001

Request document X312 82-17, called "Draft Proposed American National Standard for BASIC." The price is \$20 (check or money order). Comments should be sent to the same address by mid-July.

Event Queue

May 1983

May

Information Processing Seminars, various sites throughout the U.S. Datapro Research Corporation offers more than 35 seminars about information processing. Among the titles are "User Friendly Information Delivery: Approaches to Online Systems Development," "The Personal Computer: Strategies for Managing," and "Productivity in MIS: Defining Measurements and Establishing Programs." These courses can be presented on an in-house basis. For a seminar catalog, contact Datapro Research Corp., 1805 Underwood Blvd., Delran, NJ 08075, (800) 257-9406; in New Jersey, (609) 764-0100.

May-June

Computer Literacy for Lawyers, various sites throughout the U.S. This seminar is intended to introduce attorneys to basic computer concepts and their application to the practice of law. Subjects covered include the specific uses, costs, and benefits of using computers in legal practice. The fee for each participant is \$550, which includes reference materials. Group discounts are available. For further information, contact Kathryn Mann, Center for Legal Studies, 1926 Arch St., Philadelphla, PA 19103, (215) 732-6999.

May-lune

Computer Showcase Expos, various sites throughout the U.S. This popular show will bring together sellers and individual users of small computer systems. For details, contact The Interface Group, 160 Speen St., POB 927, Framingham, MA 01701.

(800) 225-4620; in Massachusetts. (617) 879-4502.

May-June

Courses from Q.E.D. Information Sciences, various sites throughout the U.S. Some of the courses listed are "Systems Analysis Workshop," "Project Management and Control," and "Data Analysis." Address inquiries to Priscilla Goudreault, O.E.D. Information Sciences Inc., Q.E.D. Plaza, POB 181, Wellesley, MA 02181, (800) 343-4848; in Massachusetts, (617) 237-5656.

May-June

Data Processing Courses, the Hartford Graduate Center, Hartford, CT. Among the courses being offered are "ANS COBOL Programming Workshop 1" and "CICS/VS Command Level Coding Workshop." These data-processing courses are available for on-site presentation. For details, contact Don Florek, The Hartford Graduate Center, 275 Windsor St., Hartford, CT 06120, (203) 549-3600, ext. 252, 253, or 254.

May-lime

Intel Microcomputer Workshops, various sites throughout the U.S. Among the workshops to be held are "Introduction to Microprocessors" and "iAPX 86, 88, 186 Microprocessors." Intel Customer Training courses are available for on-site presentation. For details, contact Intel Corp., Mail Stop SV3-1, 3065 Bowers Ave., Santa Clara, CA 95051.

May-June

Intensive Seminars of Interest to Data Processing Professionals, Boston metropolitan area. Among the two- to five-

day seminars offered are "Project Management" and "Systems Design." Registration fees range from \$495 to \$975. For a seminar bulletin. contact Ms. Ginny Bazarian. Office of Continuing Education, Higgins House, Worcester Polytechnic Institute, Worcester, MA 01609, (617) 793-5517.

May-June

Management Development Programs, Providence, RI, Boston, MA, and Hartford, CT. The Center for Management Development offers seminars on a variety of topics, including communications, industrial relations. and electronic data processing. Many of the Center's programs can be conducted on location for your organization. For complete information, contact The Center for Management Development, Bryant College, Smithfield, RI 02917, (401) 231-1200, ext. 314.

May-lune

Microprocessor Seminars, Rochester Institute of Technology, Rochester, NY. Five one-week seminars are offered: "Basic 8085," "Advanced 8085," "Basic 6800," "Advanced 6800," and "Advanced Digital Electronics." Hands-on experience is provided. The fee is \$480. Contact Jeanne Berry or Stacy Jordan, Rochester Institute of Technology, Rochester, NY 14627, (716) 475-2915.

Office Automation: Tee to Green, various sites throughout the U.S. This three-day seminar for administrative and information-systems professionals addresses the complex production issues and opportunities presented by automation of the office

workplace. Seminar objectives include developing a productivity program, establishing long-range office systems plans, and developing integrated communications systems. The fee is \$385 for members of the Data Processing Management Association Education Foundation (DPMA/EF) or \$410 for nonmembers. For registration information, contact DPMA/ EF Conferences, D. L. Hiller & Associates, 14536 Island Dr., Sterling Heights, MI 48078. (313) 247-8444.

May-June

Professional Development Seminars, various sites throughout the U.S. Data communications, database management, software and systems, and computer-aided design/manufacturing are some of the areas investigated in seminars offered by the Institute for Advanced Technology. For a detailed catalog, contact the Registrar, Institute for Advanced Technology, Control Data Corp., 6003 Executive Blvd., Rockville, MD 20852, (800) 638-6590; in Maryland, (301) 468-8576.

May-June

Seminars in Simulation, Management, Statistics, and Computer Science, various sites throughout the U.S. "Simulation Modeling for Decision Making," "Database Design," and "Satellite Communications Technology" are some of the topics to be presented. For information, contact the Institute for Professional Education, POB 756. Arlington, VA 22216, (703) 527-8700.

May-July

Courses from Integrated Computer Systems, various sites throughout the U.S. Course titles include "Com-

puter-Aided Design and Manufacturing," "Computer Graphics." "Hands-On Pascal Workshop," "Defining Software Requirements, Specifications, and Tests," and "Computerized Robots." Fees range from \$695 to \$845. For information, contact Ruth Dordick, Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, or call (213) 450-2060.

May-July

Productivity '83, various sites throughout the U.S. and Canada. This is Hewlett-Packard's hands-on showcase of more than 32 computer products and 17 seminars. It's designed to provide dataprocessing professionals and novices with answers to problems confronting the industry. For details, call (800) 453-9500.

May-July

Technical Courses from Zilog, Campbell, CA. A wide variety of such courses as "Z80 Assembly Language" and "ZEUS/System 8000 User Course" are offered. Fees range from \$175 to \$875. For a complete schedule, contact Zilog Inc., Training and Education Department, 1315 Dell Ave., Campbell, CA 95008. (408) 370-8092.

May-August

Courses in C Language and Unix, various sites throughout the U.S. Three 5-day courses are offered by Plum Hall Inc. The "C Programming Workshop," a hands-on course, covers all aspects of the C language for individuals able to program in another language. The "Advanced C Topics Seminar" covers efficiency, portability, readability, debugging, packaging, and interfacing. The "Unix Workshop" is an introductory course that focuses on software development. For further details, contact Ioan Hall, Plum Hall Inc., 1 Spruce Ave., Cardiff, NJ 08232, (609) 927-3770.

May-December

Courses from the AMA. various sites throughout the U.S. The American Management Associations (AMA) offers an on-going series of seminars in such areas as human resources, information systems, and manufacturing and technology man-

agement. In-house development and training seminars can be arranged. For information on AMA membership or seminar particulars, contact the American Management Associations, 135 West 50th St., New York, NY 10020, (212) 586-8100.

May-December

IEEE Conferences and Meetings, various sites around the world. The Institute for Electrical and Electronics Engineers (IEEE) sponsors conferences, meetings, and workshops covering high-technology issues. For details, contact the IEEE Computer Society, Suite 300, 1109 Spring St., Silver Spring, MD 20910, (301) 589-8142.

May 10-11

Selecting a Microcomputer for Scientific and Engineering Applications, Golden, CO. This short course reviews hardware and software technology for potential buyers of microcomputers in relation to specific scientific and engineering applications. The fee is \$195. Contact the Space Office, Colorado School of Mines. Golden. CO 80401. (303) 273-3321.

May 10-12

Mini/Micro-Northwest, Portland, OR. Running concurrently with Northcon/83. this show addresses such topics as aerospace electronics, laser applications, and semiconductor technology. Contact Electronic Conventions Inc., Suite 410, 999 North Sepulveda Blvd., El Segundo, CA 90245, (800) 421-6816: in California. (800) 262-4208 or (213) 772-2965.

May 11-15

Computa '83: The Third International Exhibition on Computer and Information Processing Technology, World Trade Centre, Singapore. Republic of Singapore. Information is available from Kallman Associates, 5 Maple Court, Ridgewood, NJ 07450. (201) 652-7070.

May 12-13

The Fourth Annual Computer Law Institute. University of Southern California Law Center, Los Angeles, This year's Institute will present a program on structuring agreements for the distribution of computer products domestically as well as inter-

CompuPro

8 and for 16 Bits.

A Full Service CompuPro System Center is much more than a computer store. When you're ready for professional level, state-of-the-art microcomputing, turn to the professionals listed below...they're ready for you.

ARIZONA

S-100 14425 N. 79th St. #B Scottsdate, AZ 85260 (602) 991-7870

CALIFORNIA

Creative Computing Services 230 S. Montclair #103 Bakersfield, CA 93309 (805) 325-9877

Computer Center, Inc. 1514 University Avenue Barkeley, CA 94703 (415) 845-6366

Mentzer Computer Systems 1441 Rollins Rd. Burlingame, CA 94010 (415) 340-9383

Creative Computing Services 20613 Soledad Canyon Rd. Canyon Country, CA 91351 (805) 251-9877

Logic Systems 5830 Jameson Ct. Carmichael, CA 95608 (918) 971-3133

Priority 1 9161 Dearing Ave. Chatsworth, CA 91311 (213) 709-5464

Byte Shop of Hayward 1122 B St. Hayward, CA 94541 (415) 886-4732

American Computers & Engineers 2001 S. Barrington Ave. #204 Los Angeles, CA 90025 (213) 477-6751

Gifford Computers 2323 Corinth Ave. Los Angeles, CA 90064 (213) 477-3921

ACC 833 Steirlin Rd. #B110 Mountain View, CA 94043 (415) 989-4969

Computer Center, Inc. 2100 Broadway St. Oakland, CA 94612 (415) 839-3230

System Interface Consultants 17440 Revello Dr. Pacific Pallsades, CA 90272 (213) 454-2100

Advanced information Mgml. 145 Kentucky St. Petaluma, CA 94952 (707) 763-7283

Best Computer Stores 5516 Springdale Ave. Pleasanton, CA 94586 (415) 463-2233

nationally. Other topics include proprietary rights, antitrust issues, and major system procurements. An optional session on the basics of computer products and technology will be offered. Contact Ami Silverman, USC Law Center, University Park, Los Angeles, CA 90007, (213) 743-2582.

May 13-15

Applefest, Bayside Exposition Center, Boston, MA. This is the third annual Boston Applefest. More than 400 displays of Apple-compatible products will be featured. Complementing the exposition will be seminars, conferences, workshops, and panel discussions. Call or write Northeast Expositions, 826 Boylston St., Chestnut Hill, MA 02167, (800) 841-7000; in Massachusetts, (617) 739-2000.

May 14-15

Toronto PET User's Group Conference, George Brown College, Casa Loma campus, Toronto, Ontario, Canada. Speakers, workshops, a trader's corner for used equipment, and exhibits of hardware, software, and accessories highlight this event. Contact Chris Bennett. TPUG Corresponding Secretary, 381 Lawrence Ave. W, Toronto, Ontario M5M 1B9, Canada, (416) 782-9252.

May 15-20

Problem-Solving Leadership, San Francisco, CA. This workshop, designed to help managers and technical leaders enhance their problem-solving effectiveness, is sponsored by the Data Processing Management Association Education Foundation (DPMA/EF). Further information is available from Judy Cook, Weinberg & Weinberg, RR #2, Lincoln, NE 68505, (402) 781-2542.

May 16-18

Computer Graphics for Engineering/Drafting Practice, University of Texas, Austin, This course will stress developing the ability to prescribe and implement computer graphics equipment for specific engineering applications. A two-day hands-on workshop follows the course. Contact the College of Engineering, University of Texas, Austin, TX 78712, (512) 471-3396.

May 16-18

Mini-Conferences and Professional Growth Seminars. Loews Anatole, Dallas, TX. A special feature of this event will be the introduction of the data-entry certification program. Among the topics to be addressed are motivation. training, and interviewing. Contact Marilyn S. Bodek. Data Entry Management Association, POB 3231, Stamford, CT 06905, (203) 322-1166.

May 16-19

National Computer Conference, Anaheim and Disneyland Hotel Convention Centers, Anaheim, CA. This show features exhibits of computer products and services, technical sessions, seminars, and formal addresses. For complete information, contact the American Federation of Information Processing Societies Inc., 1815 North Lynn St., Arlington, VA 22209, (703) 558-3624.

May 16-19

Patent Your Software for Profit. Anaheim, CA. This

seminar, which runs concurrently with the National Computer Conference, will explore software patent examples and offer advice on patenting and licensing software. Patent reference materials will be provided. Full details are available from Delbert L. Keenon, Automation Inc., 3410 Mona Lee, Houston, TX 77080, (713) 462-4151.

May 16-20

Auditing in the Contemporary Computer Environment, New York, NY. This course is designed for internal auditors and financial and data-processing professionals. Participants will learn a comprehensive audit approach for computer-based systems, including how to evaluate controls and how to design a program of tests using questionnaires, checklists, software tools, and flowcharts. Contact Marge Umlor, EDP Auditors Foundation, 373 South Schmale Rd., Carol Stream, IL 60187, (312) 682-1200.

May 16-20

Auditing Integrity Controls in the Contemporary Com-

boken Here...

Gifford Computers 230 California St. #207 San Francisco, CA 94104 (415) 391-4570

Gifford Computers 1922 Republic Ave. San Leandro, CA 94577 (415) 895-0798

Computer House 501 B St. San Rafael, CA 94901 (415) 453-0865

Data Bank 629 State St. Santa Barbara, CA 93101 (805) 962-8489

Data Bank 800 S. Broadway Santa Maria, CA 93456 (805) 922-1333 **Metrix Computers** 720 Mendocino Ave. Santa Rosa, CA 95401 (707) 542-0571

Pragmatic Davigns, inc. 950 Benicia Ave. Sunnyvale, CA 94086 (408) 736-8670

FLORIDA

Micro Computer Technology 1549 W. Brandon Blvd. Brandon, FL 33511 (813) 685-7659

HAWAII

Capacity Plus Computers 250 Alamaha St. N14 Kahului Maui, HI 96732 (808) 877-3496

ILLINOIS

Computers Plus 201 N. Main St. Athens, IL 62613 (217) 636-8491

Lillipute Computer Mart, Inc. 4446 Oakton St. **Skokle, IL 60076** (312) 674-1383

INDIANA

General Software, Inc. 1454 S. 25th St. Terra Haute, IN 47803 (812) 234-9421

MARYLAND

JR Systems 8227 Woodmont Ave. #200 Bethesda, MD 20614 (301) 657-3598



puter Environment, Washington, DC. This program is designed to provide an overview of the computer environment, its controls, and its interrelationships. It combines theoretical and practical approaches for electronic data-processing auditing, with an emphasis on integrity controls and related operational concerns. Further details are available from Marge Umlor, EDP Auditors Foundation, 373 South Schmale Rd., Carol Stream, IL 60187, (312) 682-1200.

May 16-20

Session '83, Skyline Hotel, Ottawa, Ontario, Canada. The theme of this annual conference of the Canadian Information Processing Society (CIPS) is "Converging Technologies." Des Cunningham, president of Gandalf Technologies, will be the keynote speaker. For further details, write Session '83, POB 2577, Station D, Ottawa, Ontario K1P 5W7, Canada, or call Ron Elliott, (613) 234-4333.

May 17-20

Technology/Invention New Product Expo, Expo Mart, Monroeville, PA. This show will feature everything from diesel fuel-injection systems to spring-loaded fly swatters. Further details can be obtained from Gary F. Brown, Technology/Inpex, Suite 400, 701 Smithfield St., Pittsburgh, PA 15222, (412) 288-1344.

May 18-19

Third Annual Computer Conference, Iona College. New Rochelle, NY, This conference is devoted to the newest developments in the use of microcomputers, with an emphasis on education and business. Seminars, workshops, formal papers, and product exhibits will be featured. The fee is \$35 per day, Contact Mr. McCallion, Iona College, New Rochelle, NY 10801, (914) 636-2100.

May 18-20

The Fifth National Conference of the Cognitive Science Society, University of Rochester, Rochester, NY. This conference will consist of lectures, panels, commentaries, and papers. Contact the Cognitive Science Conference, Dewey Hall, University of Rochester, Rochester, NY 14627, (716) 275-5402.

May 18-20

Man Machine Interface, Palo Alto, CA. For full details, contact the Continuing Education Institute, Oliver's Carriage House, 5410 Leaf Treader Way, Columbia, MD 21044, (301) 596-0111; on the West Coast, call (213) 824-9545.

May 18-20

Mipro-83: The Sixth Microprocessors/Microcomputers Course/Conference, Congress Center, Hotel Adriatic, Opatija, Yugoslavia. The theme for this conference is "Advanced Microcomputer Application Techniques and New Trends." It is geared toward hardware and software specialists and managers involved with the development, production, and management of microcomputer-based systems. For details, contact Mr. P. Dragoilović, Mipro Secretariat, Trg P. Togliatti 4, 51000 Rijeka, Yugoslavia.

May 19-20

Computers in Construction, Denver, CO. This seminar is designed to assist construction contractors and construction management firms in acquiring computer systems. The registration fee is \$395. For further information, contact CIP Information Services Inc., 1105-F Spring St., Silver Spring, MD 20910, (301) 589-7933.

May 19-22

Maryland Computer Show and Office Equipment Exposition. Convention Center, Baltimore, MD. Address inquiries to Dee Harris, Computer Expositions Inc., POB 3315, Annapolis, MD 21403, (800) 368-2066; in Maryland, (301) 263-8044.

May 20-22

Computers and Personal Values: Sharing from Experience, Sign of the Dove, Temple, NH. This workshop offers individuals in the computer community the opportunity to examine personal, ethical, or moral questions associated with their work and with the impact of computers on society. The format includes small and large discussion groups and invited speakers. The cost is \$150.

..And Here.

MASSACHUSETTS

New England Electronic Exch. 138 Arlington St. Boston, MA 02116 (617) 491-3000

Key Mioro Systems B22 Boylston St. Chestnut Hill, MA 02167 (617) 738-7308

NEW YORK

John D. Owens Associates, Inc. 12 Schubert St. Staten Island, NY 10305 (212) 448-6283

NORTH CAROLINA

General Semantics, Inc. 127 S. Elm St., Dixle Bldg. Greensboro, NC 27402 (919) 288-1117

OKLAHOMA

Gifford Computers 6161 N. May #177 Oklahoma City, OK 73112 (405) 840-1175

OREGON

Microwest Computer Products 811 E. Burnside #117 Portland, OR 97214 (503) 238-6274

RHODE ISLAND

Key Micro Systems 1606 Nooseneck Coventry, RI 02816 (401) 828-7270

WISCONSIN

Byte Shap of Milwaukea 4840 S. 76th St. Greenfield, WI 53220 (414) 281-7004

CANADA

Dynacomp Business Computers Ltd. 3258 Beta Ave. Burnaby, British Columbia V5G 4K4 (604) 299-3747

MDI Micro Distributing, Inc. 2403 Canoe Ave. Cogultiam, British Columbia V3K 6A9 (604) 941-0622

UNITED KINGDOM

Comcen Technology Ltd. 45/46 Wychiree St., Morriston Swansea SA6 BEX (0792) 796000



CompuPro, a wholly owned subsidiary of Godbout Electronics Box 2355, Oakland Airport, CA 94614

For more information, contact Arthur Fink, Prince St., Box 614, Wilton, NH 03086, (603) 654-6518.

May 21

The Sixth Annual Spring Microcomputer Show & Tell Conference, University of Oklahoma, Norman. This conference is designed to let computer enthusiasts share ideas and information. Speakers will demonstrate their devices and field guestions from the audience in six show and tell periods. Also featured is an on-the-spot programming contest. For additional information, contact Dr. Richard V. Andree, Mathematics Department, University of Oklahoma, Norman, OK 73019, (405) 325-3410.

May 22-25

The Eighteenth Annual Meeting and Exhibit Program of the AAMI. Loews Anatole, Dallas, TX, Topics on the docket include anesthesia instrumentation and technology, computer applications, personnel management, and technology transfer. Roundtable discussions, tutorials, and an exhibit program will be featured. For details, contact the Association for the Advancement of Medical Instrumentation, Suite 602, 1901 North Fort Meyer Dr., Arlington, VA 22209, (703) 525-4890.

May 22-26

Annual Industrial Engineering Conference and Exposition, Galt House Hotel and Commonwealth Conference Center, Louisville, KY. "Racing for Productivity" is the theme of this event sponsored by the Institute of Industrial Engineers (IIE). More than 130 educational sessions will address a broad range of issues: computer hardware and software, material handling equipment and systems, and process-control equip-

ment will be shown. Preconference seminars will be held from May 19 to 22. Registration fees are \$240 for IIE members and \$290 for nonmembers. Contact the Registrar. Conference Department, IIE, 25 Technology Park/Atlanta, Norcross, GA 30092. (404) 449-0460.

May 23-25

The Technology of Personnel Conference, Grand Hyatt Hotel, New York, NY, Sponsored by the Association of Human Resource Systems Professionals (HRSP), this conference will offer a range of presentations and workshops covering human resource technology and the social and psychological implications of this technology on workers and organizations. Contact HRSP Inc., Mills Square Tower, 100 South Ellsworth Ave., San Mateo, CA 94401, (415) 593-4461.

May 23-27

Auditing Integrity Controls in the Contemporary Computer Environment, New York, NY. For details, see May 16-20.

May 24-26

Microprocessor Background for Management Personnel. Palo Alto, CA. The fee for this course is \$565, which includes text and program materials. Contact Continuing Education in Engineering, Department 532N, University of California Extension, 2223 Fulton St., Berkeley, CA 94720, (415) 642-4151.

May 24-27

Interact, Hilton Hotel, Denver. CO. This convention is for members of the international users group of Management Science America's (MSA's) Human Resource System. More than 1200 payroll, personnel, and dataprocessing professionals are expected to attend. Contact MSA Inc., Suite 1300, 3445 Peachtree Rd. NE. Atlanta. GA 30326.

May 31-June 2

The Second Canadian Computer-Aided Design/Computer-Aided Manufacturing and Robotics Exposition and Conference. International Centre of Commerce, Toronto, Ontario, Canada, Leading international companies will demonstrate industrial robots, automatic assembly equipment, optical scanners, and numerically controlled machine tools. Technical papers will focus on such topics as robot-vision systems and design analysis. For information, contact Hugh F. Macgregor & Associates, 662 Oueen St. W. Toronto, Ontario M6J 1E5, Canada, (416) 363-2201.

May 31-June 4

The Twelfth Annual MUMPS Users' Group Meeting, Hilton Hotel, San Francisco, CA. Introductory and advanced tutorials. workshops, roundtable discussions, site visits, and hardware, software, and systems demonstrations and exhibits all relating to the MUMPS computer language will be offered. Registration information is available from Charles White, Professional Assocclates, 2012 Big Bend Blvd., St. Louis, MO 63117.

June 1983

Continuing Engineering Education Courses, George Washington University, Washington, DC. Among the courses available are 'Database and File Management for Microcomputers," "Computer Communications Systems and Networks," and "A Phased Approach to Software Conversion." Course fees range from \$625 to \$855. For information, contact

Douglas Green, Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia. (202) 676-8512.

June 14

The First Annual Sunbelt **Educational Computing Con**ference. Texas Tech University. Lubbock. The theme for this conference is 'Practical Applications and Current Issues in Educational Computing," For details, write to Dr. Cleborne D. Maddux, College of Education, Texas Tech University, POB 4560. Lubbock, TX 79409.

June 2-4

Personal Computer Interfacing and Scientific Instrument Automation. Charlotte. NC. This workshop provides each participant with handson experience in wiring and testing interfaces. The fee is \$395. Call or write Dr. Linda Leffel, C.E.C., Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, (703) 961-4848.

June 5-8

Consumer Electronics Show (CES), McCormick Place, Chicago, IL. This show is sponsored by the Electronic Industries Association (EIA). For information on this popular event, contact the CES Shows Office. Suite 1607. Two Illinois Center, 233 North Michigan Ave., Chicago, IL 60601, (312) 861-1040.

Mini-Conferences and Professional Growth Seminars. Registry Resort Hotel, Scottsdale. AZ. For details, see May 16-18.

Turze 5-9

The Twelfth Annual International Software AG Users' Conference, Fairmont and Royal Sonesta Hotels, New Orleans, LA. This conference will feature speakers, presen-

V EPROM ERASER

- Erases over 15 EPROMS 15 minutes brase time Element Rie 7700 Neurs Intensity: 12Wa Yucm' at 1" Erases at UV EPROMS (2716, 2732, 2516, 2532, etc.)



WITH TIMER AND SAFETY SWITCH INTELLIGENT PROGRAMMER STAND ALONE

HORBY MODEL

INDUSTRIAL MODEL

QUV-TB / 2N

\$68.95

OUV-TB/2T

\$97.50

RS-232

RELIABLE EASY COPY IND ECHICAL

IBM PC, TRS-80, APPLE, CPM

(MCS-48) ROGRAMMING

PRICE INCLUDES PERSONALITY MODULE

\$489.00

FLEX, TEXTRONICS, MDS

* USER FRIENDLY

COMPATIBLE:

PROGRAMS: 2508, 2518, 2532, 2716, 27C16, 27C32, 2732, 2732A, 2758, 8748, 8749H, 8748H OPTIONAL MODULES: 2564, 2764, 8755A, 8741

* STAND ALONE, CAT, OR COMPUTER CONTROL

* UPUAD / DOWNLOAD IN MOTORICA DR INTEL HEX FORMAT

* MICROPPECESSOR BASED * 4 K INTERNAL RAID

* SE DAY PARTS & LABBY MARRANTY ON ALL PRODUCTS

SOON TO BE RELEASED:

PROMPRO-8 128K Version \$689.


MONEY BACK GUARANTEE

LOGICAL DEVICES INC. 781 W OAKLAND PARK BLVD - FT, LAUDERDALE, FL 33311

Phone Orders (305) 974-0967 • TWX: 510-955-9496

SEE US AT COMDEX SPRING - BOOTH #3019

And then there were none.



What happens if civilization continues to slowly choke out wildlife species by species?

Man cannot live on a planet unfit for

animals.

Join an organization that's doing something about preserving our endangered species. Get involved. Write

the National Wildlife Federation, Department 105, 1412 16th Street, NW. Washington, DC 20036.

It's not too late.

Event Queue _

tations, workshops, and tutorials. For details, contact Paula J. Brooks, Software AG of North America Inc., 11800 Suprise Valley Dr. Reston, VA 22091, (703) 860-5050, ext. 578.

lune 6 New Trends in Rapid IC Processing Techniques: Lasers, Electron Beams, and Incoherent Sources, Hyatt Palo Alto Hotel, Palo Alto, CA. The fee for this engineering course is \$195. Registration details are available from Continuing Education in Engineering. Department 564N. University of California Extension, 2223 Fulton St., Berkeley, CA 94720, (415)

June 6-8

642-4151.

The Fifth Annual National Educational Computing Conference-NECC 83, Towson State University, Baltimore, MD. This conference provides a broad forum for discussion among individuals at all levels who share an interest in educational computing. Papers will be presented; tutorials will be held: and demonstrations and exhibits will emphasize computer uses in instruction. For registration forms, contact Doris K. Lidtke, NECC 83, Department of Mathematics and Computer Science, Towson State University, Baltimore, MD 21204.

June 6-8

The Sixth International Conference on Computers and the Humanities-ICCH/83. North Carolina State University, Raleigh, NC, This conference serves as a forum for the exchange of ideas on the use of computers in all areas of the humanities. Features include formal sessions, discussion groups, tutorials, workshops, and exhibits. For details, write to Dr. Sarah K. Burton, Department of English, POB 5308, North Carolina State University, Raleigh, NC 27650.

June 7

Materials Characterization for Ion Implantation, Hyatt Palo Alto Hotel, Palo Alto. CA. The fee for this engineering course is \$195. Registration details are available from Continuing Education in Engineering, Department 564N. University of California Extension, 2223 Fulton St., Berkeley, CA 94720, (415) 642-4151.

International Conference on the Use of Micros in Fluid Engineering, Tara Hotel, London, England, All aspects of the use of microcomputers and microprocessors in fluid engineering will be covered. Subjects of interest include developing software for fluidengineering design, rapid response controllers, and dataacquisition and analysis onsite. Full details are available from the Organizing Secretary, Micros in Fluid Engineering, BHRA Fluid Engineering, Cranfield, Bedford MK43 0Al, England; tel: (0234) 750422; Telex: 825059.

June 7-9

International Computer Show, Velodrome, Olympic site, Montreal, Quebec, Canada. This trade show is designed for businesses wishing to identify or compare computers and equipment for automating the office or for industrial activities. For details, contact Industrial Trade Shows of Canada, 20 Butterick Rd., Toronto, Ontario M8W 3Z8, Canada, (416) 252-7791.

Maptek Europe 1983: Annual Strategy Conference, Hotel Excelsior, Venice, Italy. This meeting will provide detailed market forecasts and strategic recommendations for computer systems, network information services, communications and teleconferencing, office systems, and departmental integration. Contact Robert B. King, Quantum Science Corp., 1114 Avenue of the Americas, New York, NY 10036, (212) 997-0070, ln Europe, contact Constantine E. Adraktas, Quantum Science Corp., 16 Charles II St., London SW1Y 4QU, England: tel: (01) 839-5347.

June 7-11

The Third Rochester FORTH Applications Conference. Laboratory for Laser Energetics, University of Rochester, NY. This conference is sponsored by the Institute for Applied FORTH Research Inc. Speakers will cover robotics and FORTH in a special oneday session. For complete details, contact Diane Ranocchia, Institute for Applied FORTH Research Inc., 70 Elmwood Ave., Rochester, NY 14611. (716) 235-0168.

Iune 8-10

The International Conference on Consumer Electronics-ICCE. Ramada the O'Hare Inn, Des Plaines, IL. Technical papers and panel discussions will address such issues as personal computing, lowcost printers, and computeraided design/manufacturing techniques, Products will be displayed. This conference is sponsored by the Consumer Electronics Society of the Institute of Electrical and Electronics Engineers. Contact ICCE, POB 149, Bloomingdale, IL 60108.

June 9-11

Microcomputers in Education, Watertown, CT. This hands-on workshop is designed for teachers and administrators at all levels. Topics include microcomputers in science and mathematics instruction, Logo,

Pascal, machine language, and microcomputers and the education of students with special needs. Contact Ms. Sharon Woodruff, Technical Education Research Centers. 8 Eliot St., Cambridge, MA 02138. (617) 547-3890.

June 11-12

NI-NY-CT Microcomputer Show and Flea Market. Meadowlands Hilton Hotel, New Jersey Sports Complex, East Rutherford, NJ, More than 75 commercial exhibitors and 200 flea-market booths will feature hardware. software, magazines, and accessories for all popular computing systems ranging from Apple to Zenith, Registration is \$5 for adults and \$2 for children under 12. Contact Kengore Corp., POB 13, Franklin Park, NJ 08823. (201) 297-2526.

June 23-15

Analysis and Design-Oriented Techniques, Los Angeles, CA. For details on this power-electronics course, contact Teslaco, Suite 6, 490 South Rosemead Blvd., Pasadena, CA 91107, (213) 795-1699.

June 13-15

Systematic Software Maintenance, Chicago, IL. Topics to be addressed include structured methodologies, solutions for effective testing, resource allocation, and status determination. Full details are available from Eduteach Inc., Suite 907, 162 North State St., Chicago, IL 60601, (312) 641-1370.

June 14-16

Introduction to Microprocessors, University of Texas, Austin. This course will stress basic concepts with hands-on experience. Participants will write and run simple programs on a Z80-based Micro-Professor training system. Contact the College of EngiCOMPUTER

THE SOFTWARE STORE

2549 Cleveland . . . , Granite City, IL 62040

The land betefentillen ferreitet eine bereiter b CALL or WRITE FOR FREE CATALOG

Phone Toll Free 1-800-851-8791

(In Illinois Call (618) 876-2155

15%-35% DISCOUNTS

GAMES — BUSINESS and HOME/PERSONAL

SOFTWARE

Apple, Atari, Commodore, Vic 20, Tl. TRS, IBM, CP/M

SUPER MAY SPECIAL Take ADDITIONAL 10% DISCOUNT

On These Already Discounted Programs If You Place Your Order By 5/31/83

Zork I, II or III	32,99	Typing Tutor II., \$ 19.99
Mystery House \$		The Home Accountant . \$ 61.95
Wizardry \$	41.95	PFS: File \$115.93
Crossfire	24.95	Screen Writer N 39.99

"Earn FREE Software with our Bonus Plan." This Plan. is explained in our FREE Catalog!!

We accept MasterCard or VISA

DISK DRIVES DISK DRIVES DISK

DISK

Call 1-800-851-8791 (Millions nos. Com 1 Company

DRIVES DISK DRIVES

my many many many many many many many PRICE BREAKTHROUGH

Super Sale on New Disk Drives

Starting at \$199.95 complete with Power Supply and Casell

— Siemens — Remex — MPI — Teac single sided 40 track — dual sided 40 track single sided 80 track — dual sided 80 track Tandon -

RADIO SHACK'- HEATH/ZENITH'- APPLE' IBM/PC-TEXAS INSTRUMENTS'& MOST OTHER COMPUTERS

Drive a Hard Bargain!!" 8 M.B. - 12M.B. with Power Supply Case, Cables & Software

Amezing Special-dual sided 40TK or 80TK drive with Power Supply and Case and Our Special Warranty - Starting at 3259,95

TOLL FREE ORDERING GENERAL AND TECHNICAL. 1-800-343-8841 1-617-872-9090

Dealer inquiries invited.

SOFTWARE SUPPORT, INC.

One Edgell Road, Framingham, MA 017: (617) 972-9090 Notre Mon. thru Pri 10 am to 5 pm (E.S.S.) Sec. 10 em to 5 pm

neering, University of Texas, Austin, TX 78712, (512) 471-3396.

June 14-16

Ohmcon/83, High-Technology Electronics Exhibition and Convention, Cobo Hall, Detroit, MI. For details, contact Electronic Conventions Inc., 999 North Sepulveda Blvd., El Segundo, CA 90245, (800) 421-6816; in California, (213) 772-2965.

June 14-16

Technology Opportunity Conference, Washington, DC. This conference will focus on the convergence of optical-storage, videodisc, and computer technologies. For full details, contact Technology Opportunity Conference, POB 14817, San Francisco, CA 94114, (415) 626-1133.

June 14-18

Tectronica, Earls Court Exhibition Centre, London, England. This exhibition on laboratory technology aims to show the latest in instrumentation, equipment, and services for life and physical sciences. For details, contact Good Relations Ltd., 15 Adeline Place, London WC1B 3AJ, England; tel: (01) 636-6561; Telex: 265903.

lune 15-17

Basics of Power Electronics, Los Angeles, CA. For information on this course, contact Teslaco, Suite 6, 490 South Rosemead Blvd., Pasadena, CA 91107, (213) 795-1699.

June 15-17

The Twenty-first Annual Meeting of the Association

for Computational Linguistics, Massachusetts Institute of Technology, Cambridge, MA. Papers to be presented will address syntax, the representation of knowledge, machine and machine-aided translation, and other linguistically and computationally significant topics. Information is available from Don Walker, Artificial Intelligence Center, SRI International EJ278, Menlo Park, CA 94025, (415) 859-3071.

lune 16-17

Clinical Laboratory Computers: Symposium 1983, Towsley Center for Continuing Medical Education, Ann Arbor, MI. Course credit will be offered. Contact the Office of Continuing Medical Education, Towsley Center Box 057, University of

Michigan Medical School, Ann Arbor, MI 48109, (313) 763-1400.

June 16-18

Personal Computer Interfacing and Scientific Instrument Automation, Reston, VA. For details, see June 2-4.

June 17-19

PC '83/West, Brooks Hall/ Civic Center Complex, San Francisco, CA. This show will bring together users, developers, distributors, and retailers of products that are compatible with the IBM Personal Computer. Seminars. workshops, demonstrations, and a conference program will aim to educate users on product features and capabilities. Further conference information is available from Northeast Expositions, 826 Boylston St., Chestnut Hill,

back issues for sale

	1976	1977	1978	1979	1980	1981	1982	1983
Jan.		\$2.00		\$2.75	\$3.25	\$3.25		\$3.70
Feb.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$3.70
March			\$2.75	\$2.75	\$3.25	\$3.25	\$3,70	\$3.70
April			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	53.70
May		\$2.00	\$2,75	\$2.75	\$3.25	\$3.25	\$3,70	
June		52.00	\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	

Circle and send requests with payment to: BYTE Back issues P.O. Box 328

Hancock, NH 03449

Please allow 4 weeks for domestic delivery and 8 weeks for foreign delivery.

name		
address		
state	zip	

	1976	1977	1978	1979	1980	1981	1982	1983
July	52.00	\$2.00	\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	
Aug.	52.00	\$2.00	\$2.75	\$2.75	\$3.25	\$3 25	\$3.70	
Sept.		\$2.75	\$2.75	\$2.75	\$3.25	\$3,25	\$3.70	
Oct.			\$2.75	\$2.75	\$3.25	\$3.25		
Nov.	\$2.00	\$2.75		\$3.25	\$3,25	\$3.25	\$3.70	
Dec.	52.00	\$2.75	\$2.75	\$3.25	\$3.25	\$3.25	\$3.70	

The above prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries.

☐ Check enclosed

Payments from foreign countries must be made in US funds payable at a US bank.

□ VISA	☐ Master Card
Card #	Ехр
Signature	

MA 02167, (800) 841-7000; in Massachusetts, (617) 739-2000.

lune 19-23

Conference on Computer Vision and Pattern Recognition-CVPR '83. Crystal City Hyatt, Arlington, VA. This program, formerly known as the Pattern Recognition and Image Processing Conference, provides a forum for the presentation of papers on vision, pattern recognition, and image processing. For full details, write to CVPR '83, POB 639, Silver Spring, MD 20901.

June 19-24

Problem Solving Leadership, Washington, DC. For details, see May 15-20.

June 20-July 15

Computers in Education '83-CE '83. Rutgers State University, New Brunswick, NJ. The theme of this conference is "Necessary Direction for Computer Education: Navigational Aids for the 80s." The focus will be on the impact of microcomputers on elementary, secondary, and college-level education. Conference highlights include presentations, special-interest sessions, a software exchange, and a film festival.

Running concurrently with CE '83, the Summer Institute for educators offers 40 short courses, ranging in length from one to twelve days. Topics include "The Turtle is the Teacher: An Introduction to Logo," 'Using Computers in the Elementary School," and "Algorithm Design," Courses are \$95 per day. Conference registration is \$145. For more information, contact Dr. Mitchell E. Batoff, Director CE '83, Institute for Professional Development, Suite D, 245 Nassau St., Princeton, NJ 08540, (609) 924-8333.

June 23

The Twenty-second Annual Technical Symposium of the Washington DC Chapter of the Association for Computing Machinery, National Bureau of Standards, Gaithersburg, MD. The theme for this event is "Microcomputer Systems: Tools or Toys?" Topics of interest include systems software, human factors, and office systems. For further details, contact Howard Weeks Associates, 15201 Shady Grove Rd., Rockville, MD 20850.

June 27-30

The World of CAD/CAM. Marriott Resort, Newport Beach, CA. This seminar provides an overview of how manufacturing will change as the automated factory becomes a reality. It will consist of four one-day presentations in computer-aided engineering, design, manufacturing, and computer-integrated manufacturing. For a brochure, write or call the Center for Manufacturing Technology. 4170 Crossgate Dr., Cincinnati, OH 45236, (513) 791-8801.

June 27-July 1

Auditing Integrity Controls in the Contemporary Computer Environment, San Diego, CA. For details, see May 16-20.

June 28-30

National Educational Computer Conference, New York Statler Hotel, New York, NY. The theme of this conference is "Higher Instructional Techniques in Education." Seminars, exhibits, hands-on demonstrations, and workshops will highlight this event. Additional information is available from the National Educational Computer Library, POB 293, New Milford, CT 06776, (203) 354-7760.

June 29-July 1

Microcomputers, Electronic Toys, and Genius Machines in Early Childhood Education. Teachers College. Columbia University, New York, NY. This conference will examine the effect of the growing use of the new technology on the entertainment and education of children. Events will include panel discussions, workshops, a computer fair, and a film festival. Participants can attend on a noncredit basis for \$125 or for graduate credit at \$240 per point. For further information, contact the Program in Early Childhood Education, Box 9, Teachers College, Columbia University, New York, NY 10027. (212) 678-3971.

June 29-July I

Tertiary Education for the Age of Communications, Royal Melbourne Institute of Technology, Melbourne, Australia, Formal presentations will focus on the educational implications of new technologies as they reflect both on the needs of industry and the requirements of curriculum development. Areas of interest include telecommunications, engineering, and computer and information sciences. For details, contact the International Conference on Communications, Royal Melbourne Institute of Technology, G.P.O. Box 2476V. Melbourne, Victoria 3001, Australia; tel: 3452822; Telex: AA36406.

July 1983

Continuing Engineering Education Courses, George Washington University,

Washington, DC. Among the courses offered are "An Applications-Oriented Approach to to Artificial Intelligence." "Reliability of Computer Software and Computing Networks," and "Computer Memory Systems." Fees range from \$625 to \$855. Contact Douglas Green. Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-8512.

July-October

Repair of Microcomputerbased Equipment, various sites throughout the U.S. and Canada. This seminar describes general servicing practices that are applied to the subsystems of any microprocessor family. This lecture/ laboratory sequence is intended for field-service personnel, engineers, and technical writers. For details, contact the Registrar, Testek Consultants Inc., 1000 North Patton St., Arlington Heights, IL 60004, (312) 577-2134.

July 5-7

Technology Opportunity Conference, London, England. For details, see June 14-16.

July 8-10

Computerfest '83: The Eighth Annual Midwest Affiliation of Computer Clubs Computerfest, Harbourfront. Toronto, Ontario, Canada, Talks, exhibits, and sessions on computers and children will be held. Carl Helmers, editor of Robotics Age magazine, is the featured speaker. Further information is available from the Toronto Region Association of Computer Enthusiasts, POB 6922, Toronto, Ontario M5W 1X6, Canada.

July 10-11

The Role of Microcomputers in Music Education, Triton College, River Grove, IL. Seminars, workshops, demonstrations, and manufacturer displays will highlight this event. Topics of interest include ear training, improvisation, computer basics for the teacher, choosing the right computer, and using computers in music for the handicapped. The fee is \$25 a day; \$40 for both days, Contact Michael Ferrelli, Triton College, 2000 Fifth Ave., River Grove, IL 60171.

July 11-13

The 1983 Summer Computer Simulation Conference, Hyatt Regency, Vancouver, British Columbia, Canada. Full details are available from

the Society for Computer Simulation, POB 2228, La Iolla, CA 92038, (714) 459-3888.

July 11-15

Technology Opportunity Conference, Los Angeles, CA. For details, see June 14-16.

July 12-14

Audio-Visual America, Hyatt Regency Hotel, Chicago. IL. The second annual Audio-Visual America will feature hardware and software exhibits, screenings of shows, and approximately 60 workshops on planning, production, and management, For more information, contact A-V America, IF Associates, 3150 Spring St., Fairfax, VA 22031. (703) 273-8272.

July 14-16

Personal Computer Interfacing and Scientific Instrument Automation, Charleston, SC. For details, see June 2-4.

Iuly 18-28

Microcomputer-based Instrumentation for Schools. Middletown, OH. This workshop is designed for secondary school and college science and mathematics teachers. Participants will learn how to construct and use simple, low-cost analog-to-digital (A/D) and digital-to-analog (D/A) converters for monitoring and controlling physical phenomena in the classroom and laboratory. Contact Bill Rouse, 301E Mc-Guffey Hall, Miami University, Oxford, OH 45056. (513) 529-2141.

July 25-29

27-30.

July 25-28

Robot Manipulators, Computer Vision, and Automated Assembly, Artificial Intelligence Laboratory, Massachusetts Institute of Technology. Cambridge, MA. The emphasis of this short course will be on developing strategies for the solution of problems that will arise in advanced automation: sensing, spatial reasoning, and manipulation. The use of current industrial robots and binary vision systems will be covered. For details, contact the Director of the Summer Session, Room E19-356, Massachusetts Institute of Technology, Cambridge, MA 02139.

The World of CAD/CAM.

Dunfey's Resort, Hyannis,

MA. For details, see June

July 20-21

Token-based Local Networks, Washington, DC. This program is the second of four parts in the Architecture Technology Corporation's 1983 Forum Series. The series will bring together manufacturers and users of local network schemes to exchange information in an informal setting. The format includes presentations, panel discussions, and a technological summary. The fee is \$395 per person. For details, contact the Architecture Technology Corp., POB 24344, Minneapolis, MN 55424, (612) 935-2035.

July 25-29

SIGGRAPH '83, Detroit, MI. This is the tenth annual conference on computer graphics and interactive techniques sponsored by the Special-Interest Group on Computer Graphics of the Association for Computing Machinery (SIGGRAPH ACM). This show features tutorials, films and video tapes, exhibits of computing equipment, and a formal technical program. For full details, contact the SIGGRAPH '83 Conference Office, 111 East Wacker Dr., Chicago, IL 60601, (312) 644-6610. ■

MICROSTAT® - Release 3.0 MICROSTAT® + baZic® = PERFORMANCE

The best just got better! MICROSTAT has been the leader in the statistics field for microcomputers since 1979, and the new release 3.0 outperforms and is noticeably faster than previous versions. Just a few of the features include:

GREATER ACCURACY

BCD with up to 14 digit precision;

PROGRAM ENHANCEMENTS

Missing data capabilities and many more;

FASTER EXECUTION

Calculation time greatly reduced;

DYNAMIC FILE ALLOCATION

Data can be inserted, added, or deleted:

SPECIAL PRICE:

For a limited time get MICROSTAT plus baZic complete with program disk and documentation for each for \$395.00, save \$50.00!

The MICROSTAT - baZic version requires: a Z80 CPU. CP/M™ and 48K of memory. Available formats: 8" SD disk or 5¼" North Star only. Check with your dealer for other formats. Also available for, Microsoft's Basic-80". North Star DOS and IBM. For more information, call or write:



ECOSOFT INC. P.O. Box 68602 Indianapolia, IN 46268-0602 (317) 255-6476



MICROSTAT is a registered trademark of ECOSOFT, INC bazic is a registered trademark of MICROMIKES, INC CP/M is a registered trademark of MICROSOFT Basic-80 is a registered dedemark of MICROSOFT

In order to gain optimal coverage of your organization's computer conferences, seminars, workshops, courses, etc. notice should reach our office at least three months in advance of the date of the event. Entries should be sent to: Event Queue, BYTE Publications, POB 372, Hancock NH 03449. Each month we publish the current contents of the queue for the month of the cover date and the two following calendar months. Thus a given event may appear as many as three times in this section if it is sent to us far enough in advance.

Software Received

Apple

Bolo, an arcade-type game. You must maneuver your tank through the maze to avoid or destroy enemy tank bases. This game features nine levels of play and five maze densities. For the Apple II: floppy disk, \$34.95. Synergistic Software, Suite 201, 830 North Riverside Dr., Renton, WA 98055.

Graphical Analysis. With this graphics-utility program, you can plot graphs based on numerical data in high-resolution graphics. This program is designed to be especially useful for science classes, For the Apple II; floppy disk, \$24.95. Vernier Software, 2920 Southwest 89th St., Portland, OR 97225.

Killer T-Cell, an educational-maze game based on biomedical discoveries in cancer research. You control the movements of a T-lymphocyte, a type of white blood cell that destroys cancer cells. All proceeds will fund cancer research at the University of Texas System Cancer Center, For the Apple II: floppy disk, \$20. Killer T-Cell, M. D. Anderson Hospital and Tumor Institute, Texas Medical Center, Box 6, 6723 Bertner Ave., Houston, TX 77030.

LIMITS Programs for Calculus Students, an introductory calculus course that covers the fundamentals of the derivative and integral with graphics, drills, and explanations. For the Apple II Plus: floppy disk, \$65. Dale T, Hoffman, Division of Science and Mathematics. College of the Virgin Islands, St. Thomas, U.S. Virgin Islands 00801.

Math L a tytorial program

that covers basic mathematical skills up to simple algebra for grades 1 through 8. For the Apple II Plus; floppy disk, \$38. Personal Computer Art, 1007 Far Hills Dr., East Peoria, IL 61611.

Nutritionist. Using interactive graphics, this diet-analysis program helps you develop nutritionally balanced meals and diets for both personal and professional uses. For the Apple II: floppy disk, \$145. N-Squared Computing, 5318 Forest Ridge Rd., Silverton, OR 97381.

Precision Timer, Using auxiliary equipment, this utility program turns the computer into a flexible laboratory timer. Save timing data on disk and analyze it later. For the Apple II; floppy disk, \$39.95. Vernier Software (see address above).

Ray Tracer, a program on the laws of geometrical optics. See how light behaves when you place various interfaces and optical devices on the screen and produce ray diagrams. For the Apple II; floppy disk, \$24.95. Vernier Software (see address above).

Secur-A-Text, a data-encryption/decryption program that prevents files from being loaded into your computer unless you know the master- and local-code key numbers for access. For the Apple II: floppy disk, \$49.95. T & F Software Co., 10902 Riverside Dr., North Hollywood, CA 91602.

Stan, a statistical-analysis system. You can enter data to analyze for variance or regression coefficients and produce a graph. For the Apple II: floppy disk, \$300. Statistical Consultants, Park Plaza Office Bldg., 462 East High St., Lexington, KY 40508.

Taxmode, a tax-planning program. You can compute the components of individual federal income tax liability for the years from 1980 to 1985 according to current tax laws. For the Apple II Plus; floppy disk, \$250. J. P. Sawhney & Co. Inc., 888 Seventh Ave., New York. NY 20106.

Trickster Coyote, an educational word game that will help increase a child's vocabulary. With animations in high-resolution graphics and sound, this program is for four players age 8 and older and includes a built-in dictionary. For the Apple II: floppy disk, \$48.96. Reader's Digest Services Inc., Microcomputer Software Div... Pleasantville, NY 10570.

Word Attack, a four-part educational word-game program helps build vocabulary skills by displaying up to 675 words in illustrative sentences for students age 8 through adult. For the Apple Il Plus; floppy disk, \$49,95. Davidson & Associates, 6069 Groveoak Place #12, Rancho Palos Verdes, CA 90274.

Atari

P.M.P. 2000, a propertymanagement program, This program is a template for Visicale to help you maintain status reports, invoicing, and income/expense schedules on rental properties. For the Atari 800; floppy disk, \$219,95. T & F Software Co., 10902 Riverside Dr., North Hollywood, CA 91602.

Reactor, an arcade-type game. Your ship is trapped in a nuclear reactor. You must bounce dangerous nuclear particles into the control rods to prevent a meltdown of the reactor. For the Atari Video Game System: cartridge, \$30. Parker Brothers, POB 1012. Beverly, MA 01915.

Slot Trivia, a questionand-answer game. If you can answer a trivia question in one of eleven categories, the slot machine will pay off. For two players. For the Atari 400/800; floppy disk, \$29.95. T & F Software Co. (see address above).

Survival of the Fittest, a strategy game. You and another player design colonies of organisms and fight for resources and space in a struggle for survival. For the Atari 400/800; cartridge, \$39.95, Innovative Design Software Inc., POB 1658, Las Cruces, NM 88004.

CP/M

Buysel, several mathematical-analysis programs. This package is designed to help investors decide what to buy and sell in the stock, commodities, and options markets. For CP/M-based systems; floppy disk, \$125 (Canadian funds). Software City, 35 Downsview Cres., Nepean, Ontario K2G 0A4, Canada.

Calendar/1, a calendargeneration program that lets you print out a personalized calendar displaying your events planned for each day. Formatting commands allow for customized calendar designs. For CP/M-based systems; floppy disk, \$60. Clear Systems, Suite 404, 309 Santa Monica Blvd., Santa Monica, CA 90401.

E/T, a text-oriented screen editor. This program offers all essential editing features. It can be reconfigured for different terminals and automatically backs up your files. For

CP/M-based systems: 8-inch floppy disk, \$95. Softwest Products, 11379 Kelowna Rd., San Diego, CA 92126.

M/PC, a custom disassembler. This program will disassemble an unmodified version of CP/M 2.2. It also provides a source code complete with labels and comments keved to each address. For CP/M-based systems: 8-inch floppy disk, \$35. C. C. Software, 2564 Walnut Blvd. #106, Walnut Creek, CA 94598.

Mailmate, a databasemanagement program. Any of 15 fields of data entry in this program can be used for a sort or search. It also maintains mailing-label and customer lists, and can merge with some word-processing programs. For CP/M-based systems; floppy disk, \$99. Computerworks Inc., 4010-A Carlisle NE, Albuquerque, NM 87107.

Micro Pascal, a Pascal subset compiler that is specifically designed for control and interface applications. It requires 24K bytes of memory and includes a runtime program. For CP/M-based systems; floppy disk, \$175. Muson Engineering, 417 Montana Circle, Oiai, CA 93023.

Pathfinder, a projectplanning and scheduling system. This set of four programs uses the critical path method to assist in the scheduling of up to 500 activities. For CP/M-based systems; 8-inch floppy disk, \$500. Garland Publishing Inc., 136 Madison Ave., New York, NY 10016.

RXWRITER, a prescription-writing program for physicians that maintains a list of drugs, prints two copies of each prescription, and creates a patient/prescription file. For CP/Mbased systems: 8-inch floppy disk, \$50. Hall Design, 250 Maple St., Wilmette, IL 60091.

Rhesus is an erased-file recovery program that recovers accidentally erased files not yet overwritten by other disk operations, It features both automatic- or user-controlled functions and help screens. For CP/Mbased systems: floppy disk, \$65. Olsen Software, POB 91. Van Nuvs. CA 91408.

Commodore

Cosmic Bandit, an arcadetype game in which your task is to prevent the alien hordes from freeing their compatriots locked in the space jail. For the Commodore PET/CBM; floppy disk, £6. Supersoft, Winchester House, Canning Rd., Wealdstone, Harrow, Middiesex HA3 7SI, England,

Cosmic Lemmings, an arcade-type game. Your mission is to destroy the aliens as they drop toward you from their mother ship. For the Commodore PET/CBM: floppy disk, £8. Supersoft (see address above).

The Cracks of Doom, an adventure-type game loosely based on Lord of the Rings. Features include a help command that may tell you something useful. For the Commodore PET/CBM: floppy disk, £16. Supersoft (see address above).

Goblin Towers, Designed as a starter game, this adventure will teach you many of the skills necessary to try more difficult games. For the Commodore PET/CBM; floppy disk, £14. Supersoft (see address above).

Lemuria, an adventuretype game. Lemuria and Atlantis, two superpowers of the ancient world, have ended diplomatic relations, You are able to plan their destinies. For the Commodore 64: cassette, \$8.95. RSVP Inc., 1332 Old Bridge Rd., Fort Myers. FL 33903.

Sidebar. This utility program lets you construct, edit. and save horizontal bar graphs with up to 17 variables. Graphs may then be reviewed, edited, and stored on tape. For the Commodore VIC-20: cassette, \$9.60, MFI Electro Enterprises, POB 13076, Kanata, Ontario K2K 1X3, Canada.

Super Glooper, an arcadetype game. Four glooper eaters chase you around the maze as you gather dots to increase your score. If you eat a large dot, you can eat all of the gloopers. For the Commodore PET/CBM: floppy disk, £B. Supersoft (see address above).

Tank Zone, an arcade-type game. It's kill or be killed in this simulation of desert warfare. You must avoid the tanks and missiles that are trying to destroy you. For the Commodore PET/CBM: floppy disk, £8. Supersoft (see address above).

Typing Package, This touch-typing instructional program can be used alone or in a classroom. It includes a warm-up, type drill, and typing test. For the Commodore VIC-20; cassette, \$12,75, MFI Electro Enterprises (see address above).

VIC-20 Games Pack, a set of five arcade-type games that includes Alien Blitz. Invaders, Ground Attack, Storm, and Space Rocks. For the Commodore VIC-20; cassette, \$14.95. Melbourne House Software Inc., 333 East 46th St., New York, NY 10017.

Word Search, an educational word game, You have 10 minutes to find 20 different words in any of three puzzles: Animals, Jumbled, or States and Capitals. For the Commodore VIC-20: cassette, \$19.95, T & F Software Co., 10902 Riverside Dr., North Hollywood, CA 91602.

IBM Personal Computer

Buysel, several mathematical-analysis programs (see description under CP/M). For the IBM Personal Computer: floppy disk, \$125 (Canadian funds). Software City, 35 Downsview Cres., Nepean, Ontario K2G 0A4. Canada

Cosmic Crusader, an arcade-type game in which your mission is to prevent a fleet of alien ships from reaching Earth. You must track them down, dodge their torpedoes, and destroy each ship. For the IBM Personal Computer; floppy disk. \$38.95, Funtastic Inc., 5-12 Wilde Ave., Drexel Hill, PA 19026.

Curvfit-3D, a polynomial surface-fitting program. High-resolution graphics permit 2-dimensional or 3-dimensional isometric plotting for visual analysis of statistical data. For the IBM Personal Computer; floppy disk, \$90, Petrospec, POB 3122, Richardson, TX 75080.

Easywriter II. Different from the IBM-distributed -Easywriter 1.1, this wordprocessing program allows you to type in and edit text in a page- and mode-oriented environment, A utility program is provided to transfer files to and from single-sided PC-DOS disks. For the IBM Personal Computer: floppy disk, \$350. Information Unlimited Software Inc., 2401 Marinship Way. Sausalito, CA 94965.

Edix, a text-editing program to be used in conjunction with the Wordix formatting program, Edix offers four on-screen editing windows and online tutorial lessons that teach you how to use editing commands such as flexible pattern search. For the IBM Personal Comuter with PC-DOS; floppy disk, \$195. Emerging Technology Consultants Inc., 2031 Broadway, Boulder, CO 80302.

The final Word, version 1.1, a word-processing program. A recent addition to a series of programs inspired by Richard Stallman's EMACS, this program offers multiple text buffers, two editing windows, and versatile formatting capabilities. A swap file on disk preserves text in the event of a system crash. For the IBM Personal Computer with PC-DOS; floppy disk, \$300. Mark of the Unicorn Inc., POB 423, Arlington, MA 02174.

General Ledger, this accounting package is part of a series of accounting packages that helps you establish and maintain a general ledger. For the IBM Personal Computer; floppy disk, \$199. Micro Architect Inc., 96 Dothan St., Arlington, MA 02174.

Pmate. Suitable for program source-code-file and general text editing, this textediting program offers a full selection of primitive functions that can be combined into macrocommands to perform high-level tasks. For the IBM Personal Computer with PC-DOS; floppy disk, \$225. Lifeboat Associates, 1651 Third Ave., New York, NY 10028.

Powertext, version 1.8, a word-processing program. Based on the editing structure of the UCSD p-System. Powertext provides extensive capabilities for putting text into different formats. Form letter, document, and memoare a few of the possible files. For the IBM Personal Computer; floppy disk, \$399. Beaman Porter Inc., Pleasant Ridge Rd., Harrison, NY 10528.

Newkeys, a utility program that lets you reconfigure the functions of your IBM PC keyboard by transforming it into a standard IBM Selectric or the Dvorak layout. For the IBM Personal Computer: floppy disk. \$19.95. Magi Software, 564 Chinquapin Dr., Eglin, FL 32542.

Nutritionist, a diet-analysis program (see description under Apple). For the IBM Personal Computer; floppy disk, \$145. N-Squared Computing, 5318 Forest Ridge Rd., Silverton, OR 97381.

Versatext, a word-processing and database system that includes the modules PCWriter, PCProcessor, PCBase, and PCGiant. For the IBM Personal Computer with PC-DOS; floppy disk, \$199.95, Texasoft, 1028 North Madison Ave., Dallas, TX 75208.

Volkswriter, version 1.2, a word-processing program, This program provides a variety of fast editing functions for beginners using word processing. Function keys are used for editing commands; other commands are invoked from on-screen menus. For the IBM Personal Computer with PC-DOS; floppy disk, \$195. Lifetree Software Inc., Suite 342, 177 Webster St., Monterey, CA 93940.

Word Attack, an educational word game (see description under Apple). For the IBM Personal Computer: floppy disk, \$49.95. Davidson & Associates, 6069 Groveoak Place #12. Rancho Palos Verdes, CA 90274.

Word Wand, a word-processing program. This pageoriented program supports the French-language character set. For the IBM Personal Computer with Monochrome Display Adapter and PC-DOS; floppy disk, \$340 (\$400 Canadian funds). Tanda Software Inc., POB 244, Orleans, Ontario K1C 1S7. Canada.

Wordstar, version 3.2, a word-processing program. This well-known product has been adapted from its CP/M-80 version with few changes. It features a multiple-menu command structure and on-screen text formatting. For the IBM Personal Computer with PC-DOS; floppy disk, \$495. Micropro International Corp., 33 San Pablo Ave., San Rafael, CA 94903.

Texas Instruments

Digger Duck, an interactive maze game that requires strategy and patience. For the TI-99/4A; cassette, \$13.99, Vaughn Software, 5460 Harlan #84, Arvada, CO 80002.

Mariner, a maze-type puzzle game. As a seafaring adventurer, you must navigate through waters of changing depths using sight and sonar. For the TI-99/4A; cassette, \$16.99. Vaughn Software (see address above).

Submarine Warrior, an arcade-type game. You pilot a submarine through enemy waters diving and surfacing to avoid mines, whales, and depth changes. You can fire your missiles at targets for a high score. For the TI 99/4A: cassette, \$11.95. TW Software, 814 West Main St., Urbana, IL 61801.

Timex/Sinclair

Catacombs, an adventuretype game. You are lost in one of several levels of the catacombs. In your struggle to survive you must locate food and gold while avoiding phantoms and monsters. For the Timex/Sinclair 1000 and ZX81: cassette, \$14.95. Melbourne House Software Inc., 333 East 46th St., New York, NY 10017.

Gamestape I, a set of 11 game programs that includes Klingons, Crash Landing, Simon, UFO, Code, Asteroids. Bomber. Guillotine. Breakout, and others. For the Timex/Sinclair 1000 and ZX81: cassette, \$14.95, Melourne House Software Inc. (see address above).

Gamestape 2, a set of three programs. Included are Starfighter, a space battle game; Pyramid, a strategy game; and Artist, a graphics-design program. For the Timex/ Sinclair 1000 and ZX81; cassette, \$14.95, Melbourne House Software Inc. (see address above).

3D Monster Maze, an arcade-type game. See if you can find your way out of the maze with a Tyrannosaurus Rex chasing you. For the Timex/Sinclair 1000 and ZX81; cassette, \$14.95. Melbourne House Software Inc. (see address above).

3D Orbiter, an arcade-type game. You command the last surviving craft of your army. To defend your civilization you must battle against marauding invaders as you climb, bank, and dive in outer space. For the Timex/ Sinclair 1000 and ZX81; cassette, \$14.95. Melbourne House Software Inc. (see address above).

Videocalc, an electronicspreadsheet program that lets you input data and mathematical formulas and immediately see the answers. The program uses Sinclair BASIC functions. For the Timex/ Sinclair 1000 and ZX81; cassette, \$9.95, P & B Software, 1155 East Malibu Dr., Tempe, AZ 85282.

ZXAD, an assembler/debugger, Assembler uses the entire 280 instruction set and standard mnemonics. Source statements are entered as BASIC remark statements. Debugger displays or alters memory. For the Timex/ Sinclair 1000 and ZX81: cassette, \$14.95. Scientific Software, 6 West 61 Terrace, Kansas City, MO 64113.

TRS-80

Arachnid Plus, a set of three arcade-type games. In Arachnid you fight against a spider-like creature. In Warzone you must trap your opponent in a maze of squares. In Baja you race your dune buggy across a treacherous desert course. For the TRS-80 Models I and III; floppy disk, \$24,95. Computer Shack. 1691 Eason, Pontiac, MI 48054.

Assault, an arcade-type game. You must struggle to prevent various creatures from stealing your bags of gold. For the TRS-80 Models I and III; floppy disk, \$24.95. Computer Shack (see address above).

Cyborg, an arcade-type game. Try to collect all 12 signal modules in your complex while avoiding or killing threatening robots, If you succeed, you can move on to more difficult complexes. For the TRS-80 Models I and III: floppy disk, \$24.95. Computer Shack (see address above).

Deadline, an interactive game. You are a detective who must solve a murder within 12 game hours. The program gives you all the clues you need. For the TRS-80 Model III: 51/4- and 8-inch floppy-disk formats, \$49.95 and \$59.95, respectively. For information, contact Infocom, 55 Wheeler St., Cambridge, MA 02138.

Financial Planning for Visicalc, a set of 17 templates for use with the Visicalc electronic-spreadsheet system. For the TRS-80 Model II; floppy disk, \$59.95. Howard W. Sams & Co. Inc., 4300 West 62nd St., POB 7092, Indianapolis, IN 46206.

Hexman, a disk-management system. The Hexman program runs under LDOS and can monitor file activity for easier storage and retrieval. It also makes daily backups of modified files. For the TRS-80 Models I and III: floppy disk, \$169. Hexagon Systems, POB 397, Station A, Vancouver, British Columbia V6C 2N2, Canada.

Jovian, an arcade-type game. The Jovians are archenemies of Earth and must be stopped. If you can hit their space stations with your rapid-fire plasma bullets you will destroy them. For the TRS-80 Models I and III floppy disk, \$24.95. Computer Shack (see address above).

Liberator, an arcade-type game. Your robot has gone berserk and hidden your four assistants in a hazardous industrial park, Rescue your assistants while avoiding the robot. For the TRS-80 Models I and III; floppy disk, \$24.95. Computer Shack (see address above).

Listmaker, a databasemanagement program that can handle lists for business, home, or school; personalize and print form letters; and sort and search on one or multiple fields. For the TRS-80 Models I and III: floppy disk, \$97,50. Reader's Digest Services Inc., Microcomputer Software Division. Pleasantville, NY 10570.

Starcross, an adventuretype game. Your ship has found a gigantic alien starship. In order to discover its treasures, you must dock and explore its mysterious interior. For the TRS-80 Model Ill: 54- and 8-inch floppydisk formats, \$39.95 and \$49,95 respectively. For information, contact Infocom, 55 Wheeler St., Cambridge, MA 02138.

T.B.B.S., an electronic bulletin-board system. You can custom design your own system format without writing a program code. Set up your own computerized message board from 25 types. For the TRS-80 Models I and III: floppy disk, \$149.95. Ebert Personal Computers Inc., 4122 South Parker Rd., Aurora, CO 80014.

Other Computers

Buysel, several mathematical-analysis programs (see description under CP/M). For CDOS/Cromix: floppy disk, \$125 (Canadian funds). Software City, 35 Downsview Cres., Nepean, Ontario K2G 0A4, Canada.

Portfolio Manager, a stock-management program. Enter current stock prices and you receive a one-page report showing 19 classes of information about your stock. For the Heath/Zenith H-/Z-89: Floppy disk, \$25, RCK Associates, 640 Trephanny Lane, Wayne, PA 19087.

This is a list of software packages that have been received by BYTE Publications during the past month. The list is correct to the best of our knowledge, but it is not meant to be a full description of the product or the forms in which the product is available. In particular, some packages may be sold for several machines or in both cassette and floppy-disk format; the product listed here is the version received by BYTE Publications.

This is an all-inclusive list that makes no comment on the quality or usefulness of the software listed. We regret that we cannot review every software package we receive. Instead, this list is meant to be a monthly acknowledgment of these packages and the companies that sent them. All software received is considered to be on loan to BYTE and is returned to the manufacturer after a set period of time. Companies sending software packages should be sure to include the list price of the packages and (where appropriate) the alternate forms in which they are available.

Books Received

Apple Files, David Miller. Reston, VA: Reston Publishing Co., 1982; 414 pages, 38 by 56 cm, hardcover, ISBN 0-8359-0192-0, \$19.95.

Atari PILOT for Beginners, Jim Conlan and Tracy Deliman, Reston, VA: Reston Publishing Co., 1983; 229 pages, 36 by 54 cm, softcover, ISBN 0-8359-0301-X. \$14.95.

Atari Sound and Graphics. A Self-Teaching Guide, Herb Moore, Judy Lower, and Bob Albrecht. New York: John Wiley & Sons, 1982; 234 pages, 40.6 by 60 cm, softcover, ISBN 0-471-09593-1, \$9.95.

BASIC Exercises for the IBM Personal Computer, J. P. Lamoitier. Berkeley, CA: Sybex, 1982; 251 pages, 42 by 54 cm, softcover, ISBN 0-89588-088-1, \$13.95.

A BASIC Programmer's Guide to Pascal, Mark J. Borgerson. New York: John Wiley & Sons, 1982; 118 pages, 40.6 by 60 cm, softcover, ISBN 0-471-09293-2. \$9.95.

CICS/VS Command Level with ANS COBOL Examples. Pacifico A. Lim. New York: Van Nostrand Reinhold, 1982; 576 pages, 38 by 56 cm, hardcover, ISBN 0-442-22607-1, \$29.95.

Communications and the Future, Prospects, Promises. and Problems, Howard F. Didsbury Jr., ed. Bethesda, MD: World Future Society (4916 St. Elmo Ave.), 1982; 357 pages, 36 by 54 cm, softcover, ISBN 0-930242-16-5, \$14.50.

Computer Simulation in Business, Hugh J. Watson. New York: John Wiley & Sons, 1981; 358 pages, 46 by 56 cm, hardcover, ISBN 0-471-03638-2, \$28.95.

The Creative Apple, Mark Pelczarski and Joe Tate, eds. Morristown, NJ: Creative Computing Press (POB 789M), 1982; 448 pages, 50 by 65.6 cm, softcover, ISBN 0-916688-25-9, \$15.95.

The DP Professional's Guide to Writing Effective Technical Communications, J. Van Duyn. New York: John Wiley & Sons, 1982: 218 pages, 40 by 57 cm, hardcover, ISBN 0-471-05843-2, \$22,95.

Fast BASIC, Beyond TRS-80 BASIC, George A. Gratzer with Thomas G. Gratzer. New York: John Wiley & Sons, 1982; 278 pages, 40.6 by 60 cm, softcover, ISBN 0-471-09849-3. \$14.95.

Handbook of Advanced Robotics, Edward L. Safford Ir., Blue Ridge Summit, PA: Tab Books, 1982; 468 pages, 31 by 49.6 cm, softcover, ISBN 0-8306-1421-4, \$15.95.

How to Buy a Personal Computer, Carlton Shrum. Sherman Oaks, CA: Alfred Publishing Co. (POB 5964), 1982; 64 pages, 25.6 by 66 cm. softcover, ISBN 0-88284-188-2, \$2,95.

How to Select a Business Computer, Billie Cayot, David Campbell, and Norm Stone, Oakland, CA: Oasis Press (POB 6836), 1982; 215 pages, 63 by 70 cm, hardcover, ISBN 0-916378-17-9, \$29.95.

The Illustrated Word Processing Dictionary, Russell A. Stultz, Englewood Cliffs, NJ: Prentice-Hall, 1983; 170 pages, 37 by 56 cm, hardcover, ISBN 0-13-450726-6. \$17.95.

Information Resource Management. Opportunities and Strategies for the 1980s. William R. Synnott and William H. Gruber. New York: John Wiley & Sons, 1981; 356 pages, 40 by 57 cm, hardcover, ISBN 0-471-09451-X. \$27.95.

Inside CP/M, David E. Cortesi. New York: Holt, Rinehart and Winston, 1982: 571 pages, 44.6 by 55.6 cm, softcover, ISBN 0-03-059558-4, \$23.95.

Introduction to BASIC Programming, Gary B. Shelly and Thomas J. Cashman. Brea, CA: Anaheim Publishing Co. (2632 Saturn St.), 1982; 406 pages, 44 by 55 cm, softcover, ISBN 0-88236-118-X. \$14.95. Includes transparency masters.

An Introduction to Computers and Information Processing, Robert A. Stern and Nancy Stern, New York: John Wiley & Sons, 1982; 637 pages, 45.6 by 56.6 cm, hardcover, ISBN 0-471-08723-8. \$20.95.

Introduction to Computer Architecture and Organization, Harold Lorin. New York: John Wiley & Sons, 1982; 311 pages, 40 by 57 cm, hardcover, ISBN 0-471-86679-2, \$25.

Learning BASIC Step by Step, Vern McDermott and Diana Fisher, Rockville, MD: Computer Science Press, 1982; 139 pages, 52 by 32 cm, hardcover, ISBN 0-914894-49-8, \$15,95.

The Microcomputer Builders's Bible, Chris Johnston. Blue Ridge Summit. PA: Tab Books, 1982; 314 pages, 30.6 by 49.6 cm, softcover, ISBN 0-8306-1473-7, \$12.95.

1983 Classroom Computer News Directory of Educational Computing Resources. Watertown, MA: Intentional Educations (341 Mt. Auburn St.), 1982; 201 pages, 50 by 66 cm, softcover, ISBN 0-9607970-0-9, \$14,95,

The Power of Multiplan, Robert E. Williams. Portland, OR: Management Information Source (3543 Northeast Broadway), 1982; 168 pages,

Epson, OKI, IDS, NEC, Diablo, Qume



ACOUSTIC ENCLOSURES

- Reduces Noise Up to 90% **Heavy Duty Acrylic Cover**
- Bottom Feed Capability
- Woodgrain Finish

Micro Printercenter" Dealer & Ordering Info

800-343-4311 Master Cluster and Innic Account Shapping & Handling Charges Associates

CAB-TEK, Inc.

Riverside St. Nashua, NH 03062 CIVILIZING COMPUTERS

MPC 1599 (MX 80) MPC (15129 (DK)82) APC III \$179 (83A, MX100) MCP IV \$199 (Dalsy Printer) Power Control & Ventilation \$60 Paper Rach \$30 Bottom Feed Brackets \$30 MPC / SHOWN

EM CP/M Capple

AST Research Exp. Board 64K....\$279, 128K...\$369, 192K...\$489, 256K...\$569. Combo/Mega Pius available. Quadram 256K paraport, ser I/O clock & calendar...\$589. Persyst Time Spectrum & Spectrum with inste Drive. Call. We carry many other brands of mamory boards. Compupro...\$583ttle...\$589. Microsoft Wizard. Xedex Baby Blue ...\$499. Software: Best Buy Speliblinder...\$249. dBASE li...\$459 Supercaic...\$189 Yisicaic...\$189 Peachtree Peach Pack...\$355 Micro Com Terminai...\$79 For more information circle reader service card \$282.

Televideo TS 802 64K, 4MMz, Z80A, 5 1/4° Duel Floppies...\$2639 Cromemoo C-105P...\$1698 Televek Systemasteri...\$674 Scion Microangelo with Screen Pak 11 MA 520...\$995. SOFTWARE: Micro-soft: Basic 80...\$249 Basic Compiler...\$299, Fortran...\$359 Digital Research: Pascal MT+SPP...\$395, CB 80...\$395 PA.180...\$429 WordStar...\$295 Supersoft C Compiler...\$189. For more Information clear market service and 4283 For more information circle reader service card #283.

APPLE SPECIALS:

Microsoft Prem Pak...\$469 Microsci Drive...\$289 Controller_\$85 J-Cat Modem_\$119 Advance Logic CP/M Pius... \$259 For more information circle reader service cord #284.

Epson MX 100-1629 Caltah Provritor-1429 Caltah F-10 Perallel or Serial-11325 NEC 3550 Printer-11969, Ribbons

SPECIAL DEPARTMENT FOR UNIVERSITIES, ASK FOR ANNE. WE ACCEPT LIMITED PO'S. ALL PRICES FOB, EL TORO, CA AND SUBJECT TO CHANGE... PLEASE CALL FIRST.



RadioShackTRS-80's **Full Line**





YOU CAN SAVE money when you buy Radio Shack TRS-80 Computers from Pan American Electronics, Pan American Electronics went into business in 1976 and led the way in bringing consumers original Radio Shack TRS-80 Computers at reduced prices.

NO other company has done it longer NO other company has done it better and NO other company sells them for less.

Pan American Electronics

TOLL FREE NUMBER 800/531-7466

1117 Conway Avenue • Department B Mission, Texas 78572 Phone: 512/581-2766 Telex Number 767339

TM - Trademark of Tandy Corporation

Books Received_

51 by 64.6 cm, softcover, ISBN 0-13-687343-X, \$14.95.

Practical BASIC Programs: IBM Personal Computer Edition. Lon Poole, ed. Berkeley. CA: Osborne/McGraw-Hill, 1982: 170 pages, 50 by 65 cm, softcover, ISBN 0-931988-80-2, \$15.99.

Programming the IBM Personal Computer: BASIC. Neill Graham, New York: Holt, Rinehart and Winston, 1982; 287 pages, 42 by 55 cm. softcover, ISBN 0-03-061911-4. \$16.95.

Programming the T1-59 & the HP-41 Calculators, Paul Garrison, Blue Ridge Summit. PA: Tab Books, 1982; 294 pages, 31 by 50 cm, softcover, ISBN 0-8306-1442-7, \$12.95.

Science and Engineering Sourcebook, Cass R. Lewart. Englewood Cliffs, NJ: Prentice-Hall, 1982; 96 pages, 36 by 54 cm, softcover, ISBN 0-942412-02-8, \$9.95.

Software Blueprint and Examples. Yaohan Chu, Lexington, MA: Lexington Books, 1982; 519 pages, 40 by 56 cm, hardcover, ISBN 0-669-05329-5, \$39.95.

Structured Programming Using PL/I, 2nd ed., J, N. P. Hume and R. C. Holt. Reston, VA: Reston Publishing Co., 1982; 400 pages, 43.6 by 57 cm, hardcover, ISBN 0-8359-7133-3, \$19.95.

TRS-80 Color Basic, Bob Albrecht. New York: John Wiley & Sons, 1982; 378 pages, 40.6 by 60 cm. softcover, ISBN 0-471-09644-X, \$9,95.

Understanding BASIC. Richard G. Peddicord, Sherman Oaks, CA: Alfred Publishing Co. (POB 5964), 1981; 48 pages, 25.6 by 66 cm, softcover, ISBN 0-88284-146-7, \$2,95.

Understanding COBOL. Richard G. Peddicord. Sherman Oaks, CA: Alfred Publishing Co. (POB 5964), 1981; 47 pages, 25.6 by 66 cm, softcover, ISBN 0-88284-147-5,

Understanding Computers,

Donald D. Spencer, Ormond Beach, FL: Camelot Publishing Co. (POB 1357), 1982: 400 pages, 36 by 54 cm, softcover, ISBN 0-89218-057-9, \$13.95.

Understanding Computers, What Managers and Users Need to Know, Myles E. Walsh, New York: John Wiley & Sons, 1982; 266 pages, 35 by 54 cm, softcover. ISBN 0-471-87417-5, \$14.95,

Understanding Data Base Management, Michael I. Freiling. Sherman Oaks, CA: Alfred Publishing Co. (POB 5964), 1982; 63 pages, 25.6 by 66 cm, softcover, ISBN 0-88284-221-8, \$2,95,

Understanding FORTRAN, Herbert R. Ludwig, Sherman Oaks, CA: Alfred Publishing Co. (POB 5964), 1981; 63 pages, 25.6 by 66 cm, softcover, ISBN 0-88284-148-3, \$2.95.

Up the EDP Pyramid, The Complete Job Hunting Manual for Computer Professionals, Jack French, New York: John Wiley & Sons. 1982; 185 pages, 35 by 54 cm, softcover, ISBN 0-471-87117-6, \$12,50.

Visicalc by the User for the User, Jim Englander, ed. Scarsdale, NY: Intercalc (POB 254), 1982; 80 pages, 51 by 66 cm, softcover, ISBN 0-911095, \$10.

Word Processing Handbook, Ivan Flores. New York: Van Nostrand Reinhold, 1983; 552 pages, 38 by 56 cm. hardcover, ISBN 0-442-22526-I. \$34.50.

This is a list of books received at BYTE Publications during this past month. Although the list is not meant to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.

Ask BYTE

Conducted by Steve Clarcia

Traveling Computers

Dear Steve.

We are considering buying a personal computer and have been looking for information in BYTE. We currently live in the Philippines, which makes comparison shopping difficult: information is limited and somewhat dated. We will be home on leave in the fall and hope to bring a computer back with us. We would appreciate any information, advice, or suggestions you might give us on computers, peripherals, and so on. We would like a computer for the follow-

- Word processing, especially letter-quality printing. Is there a dot-matrix impact printer that would be satisfactory, or are formed characters necessary?
- We play complex strategy/ tactics games, such as recreating World War II battles. Which computer has the best, most complex games of this type? Do you know any company besides Avalon Hill that makes this type of game?
- · Educational programs for a ninth grader.
- Color graphics and color video monitor are a must. Is a color monitor suitable for word processing? designing needlepoint?
- We'd like to catalog a stamp collection, keep track of constantly changing titles in a small library, and have a typing tutor.
- What about future expansion?

We would like to stay under \$4000. Size and weight are important. How necessary are two disk drives? Would a double-sided double-density disk drive be worth the extra cost? Shape is also a factor.

Three of us have to bring it back on a plane. Reliability is most important: service here is nonexistent or of dubious quality. We will probably not be back in the States for at least two years.

In the Philippines, there are power fluctuations and outages. We have air conditioning, but with the power out, it's hot and humid. There are lots of insects and dust. If these conditions don't prohibit a computer, how do we protect it?

Finally, can an 8-bit computer have more than 64K bytes of user memory? Thank you for your help. Ronald A. Alasin

Philippines

Choosing a computer for your applications is not half as difficult as determining the reliability of such a unit in the environment vou describe. Let's address that aspect first.

Any computer that you purchase in the States will be designed to run off of 120 V (volts) at 60 Hz (hertz) AC. If your power in the Philippines is different than this, you will need a power converter and possibly a means to change the line frequency. One way around this would be to obtain a power inverter that would convert 12 V DC to 120 V AC at 60 Hz. This unit could then be powered by either battery or a 12-V DC supply designed for the local power requirements.

If power outages and fluctuations are frequent, you must assess the impact on your computing tasks. If you are greatly inconvenienced by fluctuations and outages (which cause the computer to crash), then an uninterruptible power supply may be reautred. This is a unit that instantly (for all practical pur-

poses) switches from line to battery power in the event of an outage.

Insects and dust will be detrimental to your disks unless you take proper precautions. The heat may or may not be a problem, depending on the length of time that the computer is in use and whether or not it has a built-in

As far as reliability is concerned, one must examine the record of the computers now on the market. Certainly, those that have been in production for awhile have had time to establish a reputation.

Because high-resolution graphics and color are requirements, and a large variety of software is suggested, I would lean toward either the Apple Il or Apple lle computer. You may need several accessory boards to drive a printer and an 80-column screen, but for your price range, it is a good choice. The Apple II has been around long enough to establish its reliability. One disk drive should suffice for most applications, but an extra drive adds convenience. Double-sided, double-density disks are not worth the extra price, in my opinion. Many disk manufacturers frown on using both sides of a disk beause it adds extra abrasion to the data on the first side, In your dusty environment, it is not worth the chance.

For letter-quality printing, a high-quality dot-matrix printer should suffice, but this is a personal choice. Some pretty good letter-quality daisy-wheel printers costing less than \$1000 are on the market. They are not terribly fast, but their reliability seems to be acceptable.

An 8-bit computer can have more than 64K bytes of memory, but it addresses only 64K bytes at any one time. A tech-

nique known as bank selecting is used to enable one of several 64K-byte blocks of memory.

Finally, Strategic Simulations (Suite 108, 465 Fairchild Dr., Mountain View, CA 94043) has a variety of complex strategy/tactic games for the Apple II. I hope that this gives you some guidelines on your purchases. Buy before you leave and run all units for as long as possible then so that any premature failures can be corrected. . . Steve

Inside Level II ROMs

Dear Steve.

I have a TRS-80 Model I Level II. I presently write 99% of my programs in machinelanguage. As you know, there are a lot of programs in the Model I's ROM (read-only memory) that handle, for example, the keyboard. I called Radio Shack to get a sourcecode listing of those programs, but they are not available. Can you tell me where I can get those listings? Francois Paguin

Sarnia, Ontario, Canada

Mumford Micro Systems has a book that explains the inner workings of the Radio Shack TRS-80 Models I and III Level II ROMs. It contains information on set-ups, calling sequences, and variable passage for number conversion, arithmetic operations, etc. In addition, it is a very useful reference manual with information on RAM usage, relocation of BASIC programs, USR call expansion, and creating system tapes of your programs. The book, Inside Level II-The Programmer's Guide to the TRS-80 ROMs, costs \$15.95 (plus \$2 postage) and can be ordered from Mumford Micro Systems, POB 400-D. Summer-



Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our patented ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. MONEY BACK GUARANTEE!

- ISOLATOR (ISO-1) 3 filter isolated 3-prong sockets; integral Surge/Spike Suppression; 1875 W Maximumm load, 1 KW load \$76.95
- any socket
 SOLATOR (ISO-2) 2 filter isolated 3-roong socket banks; (6 sockets total); integral Spike/Surge Suppression; 1875 W Mail load, 1 KW either bank SUPER ISOLATOR (ISO-3) similar to ISO-1 except double
- \$200.95

ULTRA-SENSITIVE Systems
CIRCUIT BREAKER, any model (Add-CB)
REMOTE SWITCH, any model (Add-RS) Add \$10.00 Add \$18.00

AT YOUR DEALERS

MasterCard, Visa, American Express ORDER TOLL FREE 1-800-225-4878 (except AK, HI, PR & Canada)

Electronic Specialists, Inc.

171 South Main Street, Box 389, Natick, Mass. 01760 (617) 655-1532



Minimum 24K . Single density . Soft sector . Single side

Converted to run under CP/M by Russ Wetmore

Advanture International • Box 3435 • Longwood, FL 32750 TOLL-FREE ORDER NUMBER: (800) 327-7172

and the state of the control of the state of the

Ask BYTE.

land, CA 93067, (805) 969-4557. . . Steve

Colorful **Computer Questions**

Dear Steve.

I'm wondering if you, or some of your readers, could answer a couple of questions regarding the Radio Shack Color Computer.

- 1. Is there any way to get more than 32 characters per line? I bet someone is working on it, but I haven't seen any solutions except that achieved by Cognitec in its Telewriter word-processing program.
- 2. Have you any information on a BASIC compiler for the Motorola 6809 in the Color Computer (or does the type of processor make very much difference anyway)7 It sure would be handy.

Thanks. **Duff Kennedy** Santa Barbara, CA

The video-display format for the Radio Shack Color Computer is controlled by the Motorola 6847 Video Display Generator chip, and the number of characters per line that are displayed on the screen is a function of the mode that the chip is in. For alphanumerics, the format is 16 lines of 32 characters each. Using the high-resolution graphics mode of 256 by 192 pixels, an alternate character set can be graphically defined and more characters obtained. For example, if a 5 by 7 font is used with one blank dot between characters, then 256/6=42 characters per line. See "What's Inside Radio Shack's Color Computer," by Ahrens, Browne, and Scales (March 1981 BYTE, page 90).

I'm sorry but I don't have any information on a BASIC compiler for the 6809. . . . Steve

More Colorful Questions

Dear Steve.

In the May 1982 BYTE, you answered a question about video-display problems on the TRS-80 Color Computer (see "TV litter Bugs," page 398). You did not comment on one proposed solution to the problem of interference; is it possible to remove the RF (radiofrequency) modulator and go directly to a video monitor? What about the sound? Because most monitors have a sound input, is it possible to tie that output directly to a monitor?

Thanks for the help. Mark Ososki Mount Clemens, MI

If the interference problem referred to in that Ask BYTE letter was caused by the vertical synchronization signal being slightly off frequency. removing the RF modulator will not solve the problem. The modulator only takes the composite-video signal (video, horizontal synchronization, and vertical synchronization) and superimposes a carrier signal upon it so that the video may be received on a television set.

The RF modulator can be removed from the Color Computer. The compositevideo signal is then available at pin I of the modulator unit and the sound is at pin 3. These outputs can then be fed into the sound and video inputs of a monitor. Of course, the standard caution of voiding the warranty by tampering with the computer applies. . . . Steve

ZX81 Power Backup

Dear Steve.

One rainy day, when just finishing a perfect program on

516

Please Specify CP/M or TRSDOS

Dealer

Inquirles

Invited

my ZX81, the power went out and I lost my program. I want to prevent this from happening again. Do you know of any way to add battery backup to the ZX81 without spending a lot of time and money?

The ZX81 requires 9.75 V (volts) at 650 milliamperes (mA); however, my multitester indicates that the AC line adapter puts out 15 V without the computer connected. Also, what is the amperage available from a common 9-V battery?

Z. Smith West Grove, PA

One way to prevent power loss to your Sinclair ZX81 is to use a 12-V DC supply with an automotive storage battery in parallel across it. The ZX81 has a 5-V regulator inside to drop the input voltage to the necessary 5 V, and with a 12-V input, only a little extra heat will be generated. If this is undesirable, a seriesdropping resistor between the power supply and the ZX81 will restore original conditions. In the event of a power failure, the computer will continue to run from the storage battery. When power is restored, the DC supply will take over and also recharge the battery.

A common 9-V battery has a current output of 20 to 40 mA; many would need to be paralleled to drive the computer. The AC line adapter output measures 15-V because there is no load in the circuit. If you put a load (such as the computer) across the supply, the voltage will drop to the specified range. . . . Steve

Hot and Cold Computers

Dear Steve.

Have briefcase computers been tested in variable temperature situations? Going from a 75° F house to the car in the winter at -25° F might cause some type of electronic damage or damage to the floppy disks that are stored in the units (as in the Osborne), I live in Wisconsin. Considering the wide temperature range, should I buy a portable computer?

Paschal A. Frigo Green Bay, WI

You raise an interesting question. Shugart, for example, specifies an ambient operating temperature range for its Model SA 400 floppydisk drive of 40° to 115° F. As the temperature drops, the potential for mechanical sluggishness increases and this may result in erratic data transfers.

Floppy disks have a storage requirement of 50° to 125° F. One can only guess as to the flexibility of a disk at extremely low temperatures, if there is valuable data on the disk. I would not leave it exposed to low temperatures.

The electrical functioning should be less sensitive, but a general rule would be to allow the unit to warm to approximately room temperature before powering up. The thermal change in going from a warm building to a cold car should cause no problem, assuming that the car has a heater which will be in use. The short time at the temperature extremes will not markedly affect the unit's internal temperature. . . Steve

Follow-up and Music to His Ears

Dear Steve,

This letter is a follow-up to my letter about adding lowercase display characters to a Lear Siegler ADM 3A terminal, (See "ADM 3 Lowercase Conversion," October 1982 BYTE, page 453.) You kindly referred me to an article published in the March



SPECIAL INTRODUCTORY PRICE LIMIT TWO MODEMS PER CUSTOMER

INCOMM MODEM FAMILY- BELL COMPATIBLE 300/1200 AND MORE, SUCH AS SINGLE AUTO DIALING (SMART) AND MULTIPLE AUTO DIALING (SUPER SMART)

 INCOMM 300/200 Data Modem, is a 300/1200 bps Modem (Bell 103/212A Compatible) Western Electric licensed \$450.00 Special

■ INCOMM Auto Dial 212A Data Modem, is a 300/1200 bps Semi-intelligent Modem with Microcomputer of terminal keyboard dialing (Bell 103/212A Competible) \$495.00 Special

INCOMM Multidial 300/1200 Modern, is a 300/1200 Super-Intelligent auto dialing Modern storing 10 numbers of 20 digits each, which can be dialed by simple commands from a microcomputer or terminal keyboard (Bell 103/212A Compatible), and also has many other exclusive features \$695.00 Special

· Ask for our complete short form catalog

DEALER/RESELLER INQUIRIES INVITED **VERY GENEREOUS DISCOUNTS**

CALL COLLECT TO ORDER (312 - 459-8874) BANK CARDS ACCEPTED!

115 N. WOLF RD. INCOMM WHEELING, IL 312-459-8881 60090

Reliable Business

DATASMITH software requires no previous computer experience, so it can be used effectively by your present office staff. The menu-driven systems feature extensive error detection and correction facilities, so they are "friendly" to the user.

GENERAL LEDGER. Everything you need to keep the books. Features easy-to-use data entry and error correction, Irial balance, fast post, and a variety of comprehensive reports. Automatic error detection keeps the books in balance, Writes checks and makes journal entries in one operation.

PAYHOLL. A very flexible system that adapts to a wide variety of needs. Features Federal, state, and local tax calculations, El credit, and special pay and deduction amounts. Prints all necessary reports, paychecks, and W-2 forms.

DATA MANAGER. A powerful generalized data management system that tels you define, enter, update, sort, select, and print reports from a database of your own design. Applicable to almost any job where records must be kept, this system can replace literally hundreds of programs.

Put your computer to work with these sophisticated systems now. Programs are available for 48K or larger two-disk systems in your choice of code for Microsoft BASIC-80* under CP/M*, IBM* Personal Computer BASIC, or Micropolis® BASIC.

Box 8036, Shawnee Mission, KS 66208, (913) 381-9118

1979 BYTE and suggested that I get the 2513 ROM (read-only memory) from Active Electronics. I tried to do this, but they were back ordered.

I then noticed a ROM sold by Advanced Computer Products in Santa Ana. California, called the 2513-ADM. When I called the company, the only information I could get was that it was made by General Instrument. Upon calling that company, I received a firm denial that General Instrument ever made a ROM with inverted outputs as needed by the ADM 3A, I decided to take a chance and ordered the chip for \$14.95. along with the specification sheet.

The specification sheet sent with the thip was for a 2513-RO-3, not for the 2513-102 as labeled on the chip. Thoroughly confused, I boldly put the chip in the socket in the ADM 3A andlo and behold-lowercase characters appeared without any soldering or tinkering!

I have gone into such detail on this issue because I thought your readers might be interested in knowing about this orphan chip that no one claims (although it is marked as being made by General Instrument) and that no one knows anything about.

I'd like to ask you another completely unrelated question. I would imagine that many people engrossed in computers are like me in that they started out with electronics as a result of an interest in high-fidelity and music. A few years back, all my spare cash went for buying high-fidelity equipment; now all of it goes for buying computer equipment. I would love to have my high-fi controlled by my computer (e.g., changing music sources from tape to tuner, adjusting the volume, switching speakers). The first and last are relatively easy, but I have not seen anything on the control of an analog circuit by a computer-especially one sensitive to noise. Could you suggest a circuit, or point me in the direction of one? I am a neophyle when it comes to electronics.

Thank you for your time and help. It's greatly appreciated.

Rich Bucholz Hamden, CT

Thanks for the follow-up.

Controlling audio devices by means of a microcomputer is a relatively easy process, requiring the use of D/A (digital-to-analog) converters. A unit made by Analog Devices, the AD 7110 is a CMOS (complementary metal-oxide semiconductor) digitally controlled audio attenuator with an attenuation range of 88.5 dB (decibels). plus full muting capability. Its 6-bit digital input covers the attenuation range in 1.5 dB increments. Such a unit could control the audio amplitude in your stereo system.

The ADG201 is a CMOSprotected quad SPST (singlepole. single-throw) analog switch that can be toggled by a TTL- (transistor-transistor logic-) or CMOS-level logic input, it features a make-before-break switching action and has overvoltage protection to 25 volts above the supply voltage. In its "ON" state, it looks like a 100-ohm resistor. This can switch lowlevel signals in your system.

The data sheets for both these devices give an indication of their use. Handle them with extreme care because they are static sensitive. I have no circuits immediately available as the application of these devices to audio control is usually unique to each user. Write Analog Devices for further information and data sheets. The address is Analog Devices, Route One Industrial Park, POB 280, Norwood,

MA 02062, (617) 329-4700. . . . Steve

Home Security 6502 Style

Dear Steve.

I am trying to implement that neat home-security system you outlined. (See 'Build a Computer-Controlled Security System for Your Home," Part 1, January 1979 BYTE, page 56; Part 2. February 1979 BYTE, page 162; Part 3, March 1979 BYTE, page 150). Not being familiar with the 8080 series of processors, I am using a SYM-1 single-board computer, which is based on the 6502 microprocessor.

Because the flowcharts in the article are so clear and easy to program from, it occurred to me that there must be some literature describing in more detail the development of such "event processor" programs. If you could steer me toward some books or articles about this type of programming, I would be most grateful.

Eric A. Lowhar Venice, CA

An excellent book on programming the 6502 microprocessor, with emphasis on interfacing and controlling applications, is Programming & Interfacing the 6502, With Experiments, by Marvin L. De Jong (Howard W. Sams & Co. Inc., 4300 West 62nd St., POB 7092, Indianapolis, IN 46206). It costs \$16.95. This book specifically addresses the SYM-1. AlM-65, and KIM-1 single-board computers. It should be in your reference library.

An article in the October 1977 issue of Kilobaud (page 84), "Dedicated Controllers" by Michael J. Myers, describes a specific application of a KIM-1 computer as a process controller. The software is described and should be of some help to you. . . . Steve

Upgrading Homebrew to CP/M

Dear Steve.

I have an 8080A-based microcomputer that I designed and built. I am redesigning it with a Z80 and several refinements. It occurred to me that machine language was perhaps going to be a bit of a drag once I was past the development stage (are we ever?). What sort of hardware/bootstrap configuration would I need so that I could eventually add floppy-disk. drives and run CP/M7 I know that the boot-loader program must be limited to 256 bytes, and I'm familiar with the term BIOS, but that is about it.

I'm in Korea, and there is an acute lack of serious material on microcomputers. Can you give me any clues as to where to look? I would like to find out about necessary design changes before I wire-wrap the whole thing. Any help would be appreciated.

Sergeant Dale L. Botkin South Korea

I would suggest that you configure your computer around the S-100 bus so as to take advantage of this simple means of adding a disk controller and CP/M to your system. Many of the 5-100 disk-controller boards on the market are designed for CP/M and include a bootstrap PROM (programmable read-only memory) as part of the package or as an option.

Some of the disk-controller cards with this feature are the CCS Model 2422 (California Computer Systems), the Versafloppy (SD Systems). the Double-D (Jade), and the Disk 1 (Compunto).

These units can be obtained from Iade Computer Products, 4901 West Rosecrans Ave., Hawthorne, CA 90250,

and Priority 1 Electronics, 9161 Deering Ave., Chatsworth, CA 91311. Write for their catalogs. They also carry an extensive selection of books on microcomputers.

. . . Steve

Rounding Off Square Roots=Gray Hairs

Dear Steve,

A friend called me and asked me to do a short program on my Apple II Plus. He wanted a program that printed out the Pythagorean triplets between 1 and 20. After some work, I found that my Apple has some trouble calculating square roots.

The program shown in listing 1 should work, but it doesn't. The problem is in line 40. I found that the Apple has trouble with IF, THEN, and SQR functions when they are used together.

I went through a test program and I found something very unusual. First, I typed in LET X = SQR(100). We all know that X should equal 10, but just in case, I entered PRINT X. The computer responded with 10, but then came the problem. I entered

print X = 10. If that statement is true, the computer should respond with 1, but it doesn't, it prints 0 (i.e., the statement is false). Now computers are likely to make some errors, but even my little brother knows that one!

I was wondering if you could tell me what was the cause of this. This error has kept me from doing quite a few programs for algebra and other classes of mine. Is it a flaw in the Apple, or is it just that my particular computer is messed up?

Joel Kozikowski Indianapolis, IN

The problem that you have with the SQR function is not an error in Applesoft BASIC. In fact, it is not an error at all. You are correct in assuming that the problem is in line 40 of your program, but for the wrong reason. After taking the square root, you test for those values that are integers. The problem is that none of the square roots are integers due to the way that square roots are calculated.

Remember the pocket calculators that would give you 1.9999999 for the square root Listing 1

10 FOR A = 1 TO 20 20 FOR B = A TO 20 30 LET C = SQR (A.A + B.B) 40 IF C < > INT (C) THEN 60 50 PRINT A,B,C 60 NEXT B

70 NEXT A

Listing 2

40 IF C = ABS(C - INT (C)) > .00000001 THEN 60

of 4? This is exactly what is happening in the Apple 11. The algorithm that calculates square roots rounds off to a fixed number of significant digits. Because line 40 branches to line 60 if not an integer, your program just runs the nested loops and then ends.

Change line 40 to what's shown in listing 2, and your program will run correctly. This line tests to see how close C is to an integer value. If the

difference between C and the Integer C is very, very small, then it is an integer and will be printed. Otherwise. your computer will look for the next set of values.

Also, when you apply the test PRINT X = 10, the answer is false because X does not equal 10. It may equal 9.999999999 or 10.0000001 etc. and not 10.00000000000. This is a subtle mistake that creates lots of gray hairs for programmers.

FCC Requires Testing Lab's Approval

Dear Steve,

I am an avid reader of yours. Your projects really seem to hit home with my interests. I enjoyed listening to you speak at the Trenton Computer Festival last year and your comments concerning answering letters has prompted me to write.

I have experimented with adding devices to the telephone line. My interface, for the most part, consists of a 1-megohm resistor in series with the phone line and a 100k-ohm and 0.1 microfarad (µF) capacitor tied in parallel.

How can I get FCC approval for a device that connects to the phone? I would really like to sell these designs to a company that would be interested in building and marketing my prototypes.

Mark Kantrowitz Rockaway, NJ

FCC approval requires the passage of tests that are best conducted by an independent

testing laboratory. These laboratories are also familiar with the paperwork that must accompany such testing. One testing lab that I have used

and can recommend is Art Schulze, 8807 Mobud Dr., Houston, TX 77036.

. . . Steve

In "Ask BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE do Steve Ciarcia POB 582 Glastonbury CT 06033

If you are a subscriber to The Source, chat with Steve (TEC317) directly. Due to the high volume of inquiries, personal replies cannot be given. Be sure to include "Ask BYTE" in the address.

BYTE's Bits

IBM Unveils Top-of-the-Line **Personal Computer**

IBM recently unveiled its top-of-theline microcomputer: the IBM Personal Computer XT. The XT, an extended version of the popular IBM PC, comes with a 10-megabyte hard-disk drive, 128K bytes of RAM (random-access read/write memory) that's expandable to 640K bytes, one 360K-byte floppy-disk drive, an asynchronous communications adapter, and eight expansion slots. It lists for \$4995. Externally, it looks the same as its predecessor, and it still uses the 8088 microprocessor, but the XT is not the radical new computer that rumors had predicted. Nonetheless, it's a fine, conservative machine.

At the same time that the IBM Personal Computer XT was announced, company spokesmen also took the wraps off several optional accessories and enhancements for the Personal Computer line. IBM now offers expansion units for both the PC and the XT (with a hard disk and eight input/output slots), a high-resolution color display, and an enhanced version of Microsoft's disk operating system. DOS 2.0.

The basic XT provides a roomy storage area with its 10-megabyte hard-disk drive, allowing you to work with large data files and eliminating the need to swap around disks and programs. The availability of the IBM hard disk sets the stage for software developers who want to create new applications that require the greater storage capacity and faster access time of a hard disk.

The 360K-byte floppy-disk drive provides an easy way to transfer programs and data to or from the hard-disk system. Why IBM chose this new floppy-disk format with 180K bytes (single-sided) or 360K bytes (double-sided) per disk is somewhat perplexing because it doesn't offer much more space than the 160K- to 320K-byte-per-disk format on the PC, IBM DOS 2.0 supports this new disk format with nine sectors instead of eight. It is upward-compatible with PC-DOS 1.0 and 1.1 and can read and write all previous disk formats.

Backing up the hard disk to floppy disks is supported by a couple of new commands. A menu of several options lets you choose between copying the entire disk, selected files (via a wildcard format). all files created after a certain date, or only the files changed since the last backup.

Eight system expansion slots are an improvement over the IBM PC's five slots, but three slots are already taken up by adapters for the hard disk, the floppy disk, and asynchronous communications. If you get the expansion unit, a fourth slot will be used for an attachment card to link the two units together.

Only six of the eight slots in the IBM PC XT are for full-sized accessory cards. Because of space limitations, two slots are behind the disk drives. These slots accept smaller cards, such as the asynchronous communications, game controller, and printer adapters, or the attachment cards,

The IBM PC XT includes an asynchronous communications adapter that can be used to connect a serial printer or to communicate with IBM PCs, larger IBM mainframe systems, or other information sources via a modem.

The optional expansion unit with a 10-megabyte hard disk and eight more I/O slots comes in two configurations: one for the IBM PC and the other for the IBM PC XT. The expansion unit for the regular IBM PC differs only in that it contains a hard-disk adapter and is therefore more expensive. A single hard-disk adapter can handle two hard-disk drives, but each drive has to be in the same unit because of cabling requirements.

One of the full-sized slots will be used by the hard-disk adapter when it is moved from the IBM PC XT system unit to the expansion unit to handle the two hard disks. The expansion unit has an automatic, power-on self-test of the components, like the system unit does, and is not available without the hard disk.

For the first time, IBM is offering a color display monitor for its personal computers. This 16-color 121/4-inch display is aggressively priced at \$680 and provides resolution of up to 640 by 200 dots. Text can be shown in 25 lines of either 40 or 80 characters. A separate color/graphics monitor adapter controls the monitor.

A version of MS-DOS 2.0 for IBM's

personal computers was also released. The IBM DOS 2.0 disk includes BASIC 2.0, which supports some of the new functions available under DOS 2.0, such as the hierarchical file directories and new graphics, music, and function-key enhancements.

Immediate price reductions on the IBM Personal Computer averaging 15 percent were also disclosed. The only items actually lowered in price are the system unit, disk drives, memory card, color/ graphics monitor adapter, and asynchronous communications adapter. The IBM PC with 16K bytes of memory has been discontinued, and now 64K bytes of memory is the minimum configuration.

To make communications with corporate IBM mainframe computers easier, synchronous data-link control (SDLC) and binary synchronous communications (BSC) adapters are available. These adapters allow the IBM Personal Computers to emulate common IBM terminals.

For those companies that already have IBM 3270-type terminals and would like to add personal-computer capabilities, IBM has come out with the 3270 Personal Computer attachment. This allows you to use the 3270 keyboard and display as a terminal to a central computer, then switch to using the 3270 terminal as an IBM Personal Computer compatible with other IBM microcomputers.

By typing the alternate key with another key, you can jump back and forth between the two modes. You can even get data from the host computer and analyze it locally in the personal-computer mode.

The 3270 Personal Computer attachment consists of the 3278 Personal Computer adapter (an IBM PC system unit with disk drives), which is installed by an IBM service representative, and the Personal Computer 3278 attachment option, a card that you can plug into one of the unit's slots. If you have both a 3278 terminal and an IBM Personal Computer, you only need to purchase the attachment option to hook the two together.

IBM is making swift strides to integrate all of its lines of computers and bring the IBM Personal Computers into the corporate fold. -Bruce Roberts

Clubs and Newsletters

News from **Budapest Hungary**

Members of a Hungarian home computer club meet to develop low-cost systems, lecture on computer techniques, and assist beginners with construction projects. Club members exhibit homebrew computers, programs, and peripherals at microcomputer symposiums held each year in Budapest, Hungary, For details, write to Dr. Endre Simonyi, 19 Trencsenyi, Budapest H-1125, Hungary.

Take the Buss

Buss, the Independent Newsletter of Heath Company Computers, contains tips, new programs, and news updates for Heath/ Zenith owners. Each issue is numbered and has a table of contents for quick reference. A single issue is \$2, a year's subscription (12 issues) costs \$20, and an overseas subscription is \$25. For more information, write to Buss, 716 E St. SE, Washington, DC 20003, or call (202) 544-0900.

Electronic Opportunity

Each monthly issue of the Micro Moonlighter Newsletter contains features on how to profit from home-based businesses using personal computers. An annual subscription is \$25 in the U.S. and \$29 in Canada. For details, write to the Micro Moonlighter Newsletter, 2115 Bernard Ave., Nashville, TN 37212.

Telecommunications In Engineering

The monthly newsletter produced by M/A-COM contains news and updates of recent developments in telecommunications engineering. For more information, write to M/A-COM DCC Inc., 11717 Exploration Lane, Germantown, MD 20874.

Design and Manufacturing

CAD/CAM Alert is a monthly newsletter containing news, checklists, reviews, and recommendations in the computer-aided design and manufacturing field. A one-year subscription is \$95. Sample issues are available on request. For further information, write to CAD/CAM Alert, POB 404, Newton, MA 02161.

Help Yourself

Hi-Tek Connection is a monthly newsletter covering microcomputer systems and their applications. It is specifically written in easy-tounderstand language. The HTC costs \$40 a year with a 90-day money-back guarantee. For more information, write to Russell E. Marano. Hi-Tek Publications, POB 99. North Salem, NH 03073.

Memorable Optics

Optical Memory Newsletter including Interactive Videodisks is a bimonthly publication that features book and software reviews, articles, and a conference calendar. A onevear subscription (six issues) is \$295. Discounts are available with multiple subscriptions. For details, write to Optical Memory Newsletter, POB 14817, San Francisco, CA 94114, or call (415) 621-6620.



Satisfaction guaranteed.

Dealer inquiries invited.



FLIP FLOP A Daring, Quick, & Precise way to allow you to use both sides of your single-sided diskettes. Flip Flops are not temperamental, FLIPPY KITS will work with any sectoring and density required by your 54" or 8" single-sided disk drives. Coverting of Just One Box of diskettes will pay back your investment. LIVE the legend: use both sides of your single-sided diskettes.

SAVE TIME SAVE SPACE, SAVE MONEY

The technology for making a write-enable/protect culout in one step along with a prealigned, accurate, and safe way to make the new index hole culouts next to hub-ring of diskettes for 2nd step. NO NEED TO MEASURE-NO NEED TO MAKE ALIGNMENT MARKS NO NEED TO USE PENCILS

514" FLIPPY KIT: For Apple, IBM, Deborne, TRS-80. After, Comm Keypro, Victor, Franklin and other 5%" single-sided drives only \$29.95

BY FLIPPY KIT: For Alton, 1RS-80, Wang, 1816, Rever, Control Data, DEC, H-P. Data General, TI and other 8" single-sided dires. only \$34.95

Add \$2.50 for ship Lifelig (AK, HI, add \$5. Foreign country add \$10) MA. residents add 5% sales tax. Bend check or money order to

D/Punch Co.F.O. 80x 201=NEWYOR NESS, MA 02161 No. (617) 964-2128 Qualar inquiries invited.



Pruning the **Famliy Tree**

Genealogical Computing, a bimonthly periodical produced by Data Transfer Associates Inc., specializes in hardware and software applications to lineage research. It also contains news, reviews, programs, and services. Subscriptions are \$14 a year in the U.S.: Canadian and foreign subscribers pay \$19. For further information, write to Data Transfer Associates Inc., 5102 Pommeroy Dr., Fairfax, VA 22032.

Notes from North Star

North Star Notes is a newsletter designed to keep users of North Star Computers informed about the latest developments in hardware, software, and corporate activities. North Star Notes is free to anvone who wants to be on the mailing list. Send your requests to North Star Computers Inc., 14440 Catalina St., San Leandro, CA 94577, or call (415) 357-8500.

Spread the Word

The Spreadcalc News contains listings, applications, reviews, and news releases about getting the most from your Visicalc investments. The annual subscription rate is \$25 (six issues). For details, write to Spreadsoft, POB 192, Clinton, MD 20735, or call (301) 856-1180.

In Terre Haute

The Wabash Valley Computer Society meets every fourth Wednesday of the month at 7 p.m. at the Vigo County Public Library in Terre Haute, Indiana, Family

dues are \$10 a year and include a subscription to the Journal of the Wabash Valley Computer Society. Contact the Wabash Valley Computer Society, 203 Briarwood Dr., Terre Haute, IN 47803, or call (812) 877-3269.

TRS-80 Color Computer Club

A TRS-80 Color Computer club in Durham, North Carolina, is welcoming new members. The club produces a monthly newsletter that contains features on the Color Computer, Membership is \$10 and the newsletter is 85 cents. For more details, write to Donald DeHart, 3632 Cheek Rd., Durham, NC 27704.

LNW Information from Nebraska

The LNW User, a bimonthly newsletter for LNW-80 enthusiasts, is produced by the LNW User Group and contains programming news, hardware and software reviews, and a question-andanswer section. Subscriptions are \$12 a year and back issues are available. For further information, write to The LNW User, 4345 Manchester Rd., Grand Island, NE 68801.

Central Ohio **Amateurs Meet**

The Amateur Computer Society of Central Ohio (ACSCO) meets on the first Wednesday of each month at 7:30 p.m. at the Barnett Rec. Center in Columbus, Ohio. Membership dues are \$10 a year and include a subscription to the newsletter, the I/O. To swap newsletters, send yours to TRS-80-ACSCO, c/o Cramer, POB 28355, Columbus, OH 43228. For additional information about the club's activities. write to Joel Sampson, 3009 Calvmet, Columbus, OH 43202, or call (614) 262-2995.

Winnipeg PET **Users** Group

The Winnipeg PET Users Group (WPUG) meets on the first Wednesday of every month to exchange news about Commodore computers. Meetings include hardware and software demonstrations, speakers, and question-and-answer sessions. The \$15 membership fee entitles you to receive the WPUG newsletter and provides access to more than 3000

programs in the WPUG disk library. For more information, write to Larry Neufeld, WPUG, 9-300 Enniskillen Ave., Winnipeg, Manitoba R2V 0H9, Canada.

File From Canada

File, a newsletter that examines ideas, processes, and technology in the publishing and direct-mail marketing industries, is produced six times a year by Creative Data Processing of Brauch & Neville Associates Ltd. For further information, contact Brauch & Neville Associates Ltd., 3390 Midland Ave., POB 351, Agincourt Post Office, Scarborough, Ontario M1S 3B9. Canada.

If you would like BYTE readers to know about your club or newsletter send the details accompanied by no more than one newsletter to Clubs and Newsletters, BYTE Publications, POB 372, Hancock, NH 03449. Overseas groups are encouraged to participate. Please allow at least three months for your announcement to appear.

BYTE's Bits

Porsche Will Go to Contest Winner

Seeg Technology of San Jose, California, will award a 1983 Porsche 944 to the person who comes up with the best application for one of its electrically erasable read-only memory (EEROM) chips. This chip, the 16K-bit 5-volt 5213, can be purchased for \$9.95 at Schweber Electronics stores with a limit of two to a customer until May 31. Possible applications include a remotely programmable private branch exchange (PBX) for telephone systems or even jukeboxes that tell you when to replace worn records.

To be eligible, you must come up with a good idea, build it, test it, and send the schematic to Seeq by May 31, 1983. Complete rules and entry forms are available from local Schweber Electronics stores or from Seeq Technology, 1849 Fortune Dr., San Jose, CA 95131, (408) 942-1990.

North American **Book Distributor**

In Dr. Michael Carter's review of Personal Documentation for Professionals, the North American distributor of the book was not mentioned. (See the October 1982 BYTE, page 385.) It can be ordered from Elsevier Science Publishing Co., 52 Vanderbilt Ave., New York, NY 10017.



all prices on RODUCTS IN THIS MAGAZINE

TO PLACE ORDER CALL (213) 219-0808 NOW!

48K APPLE COMPATIBLE COMPUTER

1 yr. Warranty

introductory Price 5595

ALL COMPUTERS

Apple II E		S Ca	11
Commodore 64		39	9
Kaypro		164	9
Osborne		Ca	11
Sanyo MBC 1000 .		159	9
Apple Compatible Computer	-	59	
S-100 System	Call for to	owest price	6
IBM PC		Ca	11

IBM PC PRODUCTS

Ast Research

Combo Plus 6	4K W/clock, Par, Port.	
Serial Port, So.		\$359
Mega Plus 64k	Expandable	
to 512		430
	Condon.	

TM100-2 Obl Side Dbi Density \$ 249

51/4 & 8" DISK DRIVES

SA400, 40 Track SA801R, SolSide/Dbi Den SA851R, Dbi Side/Dbi Den	\$ 145 369 479
Tandon TM 100-1, Sqi Side / Obi Den TM 100-2, Obi Side / Obi Den TM 948-1, Sqi Side / Obi Den TM 848-2, Obi Side / Obi Den	.\$ 179 249 369 449
DT-8 Ob) Side / Ob) Den	\$ 465
FDD 100-8, Sgl Side/Obl Den	.\$ 209
8° DDISide/Dol Den	.5 409

FOR FRANKLIN & APPLE

All Apple Products Not Se Available-Call for Guarantee	eri in	This Ac	Are
Grappier + Par. Interface Card & Cable			511B
TG Jovstick	,	* 11	49 39 44
16K Memory Card 80 Column Card (View Max 80	î '		169
RH Fan	1	4	69 25

UNBEATABLE PRINTER PRICING

Star Micronics

Gemini 10(100 cps) Gemini 15(15" carriage)	
C. loth Prowriter 8510AP (120 cps) Prowriter 8510ACD (Serial) Starwriter F-10 40pu	
Microline 82A Microline 83A Microline 84A Microline 84S	.S 399 649 960 1050
Microline 92 Nec 9023 (price reduction)	509 \$ 449 . Call

Epson

FX80, 160 cps

SPECIALS OF THE MONTH

51/4" Disk Drive

TM100-2 Tandon 90 Day Warranty **ONLY \$249.00**

MODEM

Smart Modem 300 Hayes Top of the Line **ONLY \$195.00**

DRIVE FOR APPLE OR **FRANKLIN**

Micro Sci A-2 **Fully Compatible** \$249.00

PRINTER

Gemini 10 Same as Epson MX80FT \$325.00

MONITOR

Dynax Hi-Ref Green Screen • 20MHz • Composite

ONLY \$109.00

USI Amber 12"

1000 Lines

Horizontal Resolution

\$149.00

All Products Carry at least a 90 Day Warranty

MODEMS

Smart Moder Smart Moder	Hayes m 300 m 1200	 .\$	199 498
p-Cat Apple Cat	Novation	 -	

TERMINALS

Televideo

925C Green Screen 950 Detachable Keyboard	4	S 699
Viewpoint 1A, 2A, 3A		- Çalı

DISKETTES

All packages of diskettes come with free library case and reinforced hub. Full 1 year warranty. Prices are for Packs of 10,

51/4" Disks

Sgl Side/Sgl Density.				+		- 1		-	-	- 4	18.50/10 20,50/10
Sgi Side/Sgi Density Sgi Side/Dbi Density Dbi Side/Dbi Density .		i	,	ı	,		4	Þ			20,50/10
Obl Side/Dol Density .	. 4	1	,			*		٠			26.50/10
	_		-	-							

CABINETS & MAINFRAMES

QT Computer Systems

DOC-8 Cabinet w/pwr, supply & fan

DDC-88-H Dual Cabinet w/pwr. supply & fan ONLY \$259.00

Mainframe

6 slot w/2, 8° cutouts, pwr. supply, fan, filter, Connector Cutouts ONLY \$549.00

51/4" Cabinets Single Cabinetw/pwr. supply Dual Cabinetw/pwr. supply

DISK DRIVES FOR FRANKLIN & APPLE

Rana Systems

\$ 285

Rana Elite i

Rana Eliteti	1	AZG
Man et curcut	1 .	433
Rana Elite III		569
Controller		89
Micr	o Sci	
SECTION SECTION	0 301	
A-2 (35 1 /2CIO		5 249
A-2 (35 Track)		75
Apple III Drives Available		, Call
Charmodist.	Research	
Quenun	wesedi fil	
Apple Mate		5 249
Controller		60

MONITORS

12" Green Screen, 20MHz	+	- •	5	109
12A (15MHz) Composite 12EUN (20MHz) Composite 9191 Color Composite		-		84 129 279
Taxan 12°Green (18MHz) Composite 12° Amber (18MHz) Composite RGB 1 Color		,	S	129 129 318

Zenith ZVM 121 12" Green (15MHz)

USI 9° Green (20MHz) 12° Green (20MHz) 12° Amber (20MHz)

CABLES

(SM to Printer Osborne to Printer .	**		4	1.4	\$ 32 32
Kaypro to Printer Call for all c	able cor	figur	ado	ns	32

DISKETTE STORAGE

Mini Files—Holds 70 Maxi Files—Holds 70		 5	16.50 24.00
51/4" Library Cases 8" Library Cases	!!	 1 -	3,00 4,00

Computer Components Unlimited

\$ 549

NEW RETAIL STORE: 11976 Aviation Blvd. Inglewood, CA 90304

MAIL ORDER: P.O. Box 1936 Hawthorne, CA 90250

ORDER DESK: (213) 219-0808

No Surcharge for Credit Cards





All merchandise new. We accept MC, Visa, Wire Transfer, COD Call, Certified Check, P.O.'s from qualified firms, APO accepted. Shipping: Minimum \$3.50 first 5 pounds Tax: California Res. Only add 63x% sales tax.

Mon.-Frl. 8 a.m. to 7 p.m. Sat. & Sun. 11 a.m. to 4 p.m.

ELECTRONIC OFFICE



Portable Computer with Networking Potential

Up to 15 batterypowered Athena 1 portable computers can be connected in a local-area network. This 15-pound machine carries 512K bytes of solid-state storage, dual low-power NSC-800 processors running CP/M, 64K bytes of main memory for computation, 4K bytes of communications memory, and a full-sized keyboard. Its 4-line by 80-character display performs as a window because it's backed by 24 lines of 80 characters held in memory. A 51/4-inch floppy-disk drive. two RS-232C ports, and a printer port are standard. Expansion capabilities include up to 1 megabyte of internal memory and space for two additional circuit boards.

Athena 1 costs \$3950. Address inquiries to Athena Computer & Electronic Systems, 31952 Camino Capistrano, San Juan Capistrano, CA 92675, [714] 661-2276. Circle 600 on inquiry card.

DMS-15 Can Serve as Master Station

The DMS-15 can serve as a master in a Hinet local-area network. Hinet can support up to 32 users and address as many as 255. Manufactured by Digital Microsystems, and said to be an enhanced version of the portable Fox. DMS-15 comes with CP/M 2.0 and 15 megabytes of built-in Winchester-disk storage (formatted). It features DSC-3 [Z80A] architecture, 64K bytes of RAM (random-access read/write memory), a 9-inch display, one double-sided doubledensity 51/4-inch floppydisk drive (614K bytes), a Hinet interface, and four RS-232C serial ports.

A list price of \$7495 has been set for the DMS-15. The software to run the system as the Hinet master station costs \$500. Quantity discounts are offered. Contact Digital Microsystems, 1755 Embarcadero. Oakland, CA 94606, (415) 532-3686.

Circle 601 on inquiry card.

Three Systems Support 5-11 Users

The C5002A, C8002A. and the Sundance 16 are 16-bit microcomputers that can support 5 to 11 users. Onlyx Systems reports that each machine runs Unix System III. They will be marketed through OEMs (original equipment manufacturers), ISOs (independent sales organizations), and systems integrators.

An integrated computer/workstation, the Sundance 16 is available with VT100-type 132- or 80-column displays. Its 51/4-inch Winchester harddisk storage capacities range from 7 to 21 megabytes, and 256K or 512K bytes of user memory with 12 megabytes of tape backup storage are offered. Retail prices begin at \$12,990.

The C5002A supports five users or devices with its five serial and one parallel port. Options include 512K bytes of additional RAM (random-access read/write memory), six more ports for users or devices, and the Omninet network. Prices start at \$10,990.

Using its internal upgradable option for local networking, the C8002A can support 11 users or devices. Mass storage is provided by 8-inch Winchester drives with 20-, 40-, or 60-megabyte capacities. Other features include 12 megabytes of tape backup and 256K or 512K bytes of RAM. The Omninet network is available as an option. The base price is \$13,990.

For full details, contact Onyx Systems Inc., 25 East Trimble Rd., San Jose, CA 95131, (408) 946-6330. Circle 602 on inquiry card.

Network to Connect Dissimilar Hosts

Tri-Data's Netway Family is designed to create a cohesive network using a variety of hosts and workstations, regardless of the local or remote protocols employed. The family comprises distributed-communicationsoriented hardware and a multitasking/multiprogramming network DOS. called NCOS.

NNET networking software provides automatic alternative routing, online configuration from any workstation, and the ability to manage up to 254 processors. The NCOS operating system gives network and host transparency and has a userfriendly interface with help messages, it allows CP/M Plus to run as a task for applications development.



Retail Showroom 1780 West 2300 South Salt Lake City, Utah 84119

The Great Salt Lake Computer Company, Inc.

Mail Orders VISA P.O. Box 26816 Salt Lake City, Utah 84126

QT 5%" MAINFRAME



- Provisions for any 2 5%" drives = 15 ea OB 25 cutout
 2 ea 50 pm = 2 ea 34 pm = 1 ea Centranic = EMI filler (fluend)
 2 AC Outlets = Aviol with 6 8 or 12 stot motherbd =
 Power supply (+ 8V16A/ _ 16V3A/ 12V5A)

OTC-MF + MDB (8 slot MB) \$720.00 OTC-MF - MD12 (12 slot MB)

QT 8" MAINFRAME





Provision for any 2 - 8 drives (hard or lloppy) • 15 ea DB 25 cutout = 2 ea 50 pin = 2 ea 34 pin = 1 ea Centronic = EMI filter (fused) • 2 AC outlets • Avbl with 6 - 5 or 12 slot moth • Power supply (+8V18AV - 16V3AV + 5V8AV - 5V1AV

OTC-MF + DD8	\$800.00
OTC-MF - DD12	\$850.00
Rack Mount Version	
OTC-RMF-DD8	\$900.00
OTC-RMF-DD12	\$950.00

QT STANDARD MAINFRAME

- one for any 2 5% "drive
- 15 ea 08 25 culout ■2 ea 50 pin
- 2 ea 34 pm = 1 ea Centr
- EMI litter (fused) 2 AC outlets Avbi with 6-8-12-18 or 22 slot MB
- Power supply (+8V16A ± 16V3A)

Desk Top Version QTC-MF+ 12 QTC-MF+ 18

Small Mount Years

QTC-RMF + 12 QTC-RMF + 18 QTC-RMF + 22


3675.00 \$720.00 \$775.00 \$820.00 \$900.00

\$280.00

QT S-100 CARD CAGES

. Made of anodized steel . Card guides for ea. MB = 1 - Indicates w/MB

 2 - Indicates w/MB - 1 se fan • 3 · Indicates w/MB • 2 ee fans



CC18-3

QT 5-100 MOTHERBOARDS

· Silence Plus · Built in Termination · IEE696 · Terminal

4 Slot Motherbo	erde	6 Slot Motherbo	ards
OTC-MB4BB OTC-MB4K QTC-MB4A	\$20.00 \$35.00 \$45.00	OTC-MB688 OTC-MB6A OTC-MB6A	\$50.00 \$50.00 \$65.00
6 Slot Motherba	erde	12 Slot Metherb	carda

105.00 OTC-MB12K OTC-MB12A OTC-MBSK 22 Glod MoD QTC-MB22BB QTC-MB22K OTC-MB188B OTC-MB18K OTC-MB18A \$135.00 \$150,00 QT 8" THINLINE MAINFRAME



- ions for 2 es 8" thinkne drives = 15 es DB 25 cutout
- 2 se 50 pin 2 sa 34 pin 1 ea Centronic EMI Hiter (fused) 2 AC outlets
- Power supply (~5V18A/~5V1A/+24V6A)

Ceditles Version

OTC-IMF - DD6C (6 slot MB)

OTC-IMF . DD6F \$389.00

OT DISK DRIVE CABINETS





\$500.00

"All in One" Vertical Disk Drive Cabinet

For 1) 2 ea or 4 ea 8" thinkes drive

- 3) 1 eg hard disk + 1 ea standard 8
- Power supply (+5V6A/-5V1A/+24V6A)
 Positive pressure fan w/filter = EMI filter
- · Power interface cable for any 8" drive
- QTC-DDC88V For 2 standard size 8" drives \$325.00 OTC-DDC8ST For 2 thenline 8" drives \$325 00 OTC-DDC8V For 1 sa 8" drive

Horizontal Disk Drive Cabinet

For 2 ea 8 standard size drives e Power supply (+5V6A/ SV1A/ -24V8A) e Interface cable for any 8° drive

\$300.00 OTC-DOC88H

DISK DRIVES

8" Disk Drives

801R Shugart SS/DD	\$355.00
851R Shugart DS/DD	\$455.00
DT8 (842) Oume DS/DD	\$465.00
BEST M-2894-83 MIT DS/DD	\$409.00
BUY (call for gly price)	
M-2896-63 MIT 8" thinking OS/DD	\$475.00
5%" Disk Orives	
Things I am II for the that	PARK 50

TM 100-1 or 8-51 for IBM TM 100-2 or 8-52 for IBM \$270.00

QT DISK DRIVE SUB ASSEMBLY

ntel disk cabinet - 11 'h × 11'w × 20'd al or honzi 5'h a 17'w x 20"d

QTC-DDS+0 w/2 ea SS/DD Stemens drives OTC-DDS+1 w/1 oa DS/DD MIT 2894-63 OTC-DDS+2 w/2 oa DS/DD MIT 2894-63 OTC-DDS+3 w/2 oa SS/DD 801A Shugari \$685.00 OTC-DDS+4 w/2 as DS/DD 6" thisling draws \$1150.00

TERMINALS

\$725.00 Televideo 970

MONITORS

BMC12A (15 MHZ)	\$75.00
BMC12EV (20 MHZ)	\$129.00
BMC Color #9191	\$279.00
Sanyo 12" Green (15 MHZ)	\$80.00
Sanyo 12" Green (15 MHZ)	\$80.0

PRINTERS

Star-Germini	\$355,00
OK1-B2A (120 cps) Sensi + pad	\$389.00
OK1-83A (120 cps) Serial + pad	\$549.00
OK1-84A (200 cps) Serial	\$1079.00
OK1-92A (160 cos)	\$519.00
OK1-93A (160 cos)	20,999.00
NEC-8023A	\$475.00
BEST BUY	•
Toshiba P-1350 (LTR quality)	\$1575.00
Tractor	\$295.00
Short feeder	\$1095.00

BOARD SETS

Boat Bore Board Set Available

QTC-SBC 2/4 CPU OTC-EXP - III 256K Memory bd. QTC-FDC 5/8 Floppy disk controller

- 3) Monitor & B106 available

OT CLOCK/CALENDAR

S-100 or Apple + Time in hrs. min. sec. + AM/PM or Military Format • Date in Mo., Day, Yr., Day of Week & Leap Year recognition • 4 hard interrupts (1024 Hz. 1Hz. 1 min., 1 hr) On board battery (will tast 14 mos w/no pou

QTC-CCS-88 (S-100) OTC-CCS-K (MI) for S-100 OTC-CCS-A (A+T) for S-100 \$100,00 \$125.00 \$40.00 OTC-CCA-BB (for Apple) QYC-CCA-A (for Apple)

CPU BOARDS

OTC-SBC 2/4 88	\$50.00
OTC-SBC 2/4 A A+T	\$265.00
QTC-Z+80 B8	\$28.00
Teletok FDC-I A-T	\$595.00
Telelok Systemaster A+T	\$595.00

MEMORY BOARDS

DYNAMIC (64K/256K or 1 MEG) QTC-EXP+HI Bare Bd. QTC-EXP+HI 64K A+T STATIC S-RAM B4K BB \$80.00 S-RAM 84 A + T ... S-RAM 128K A + T (Fully IEEE898) \$349.00

1/0

QTC-I/O+BB2 SER 3 PAR	\$60.00
QTC-I/O + A+T	\$340.00
OTC-ADA ADA Conventer A+T	\$375.00
QTC-Dual GPIB-488 IEEE 488 Interface bd A+T	\$475.00

DISKETTES

541" soft sector (for Apple)	\$17,00 107 10
1 yr warranly - with hub ring	
5W"soft sector OS/DD	\$24.00 for 10
	L \$29.00 for 10
Flip file storage case (storag 70 disketies)	\$15.00 ea
1 Me total definition of a management	010.000

APPLE CORNER

Micro-SCI Drive	\$268.00
w/controller	add \$79.00
Rane Elite I	\$299 00
Rana Elile II	\$439.00
Rana Elije III	\$569.00
Rana Controller	\$99.00
OT Apple Compatible Drive	5235.00

In Continental U.S. (800) 545-2633

Inside Utah (801) 972-4848 We accept cash, checks, credit cards, or Purchase Orders from qualified firms and institutions. Minimum prepaid order \$15.00 Export customers outside the U.S. or Canada please add 10°-10 at pinces. Prices and evailability subject to change without notice. Shoping and handling charges with UPS Cardina 50c (b) UPS Air \$1.00 (b) minimum charge \$3.00

Circle 210 on Inquiry card

NCOS is standard; NNET costs \$500.

Netway hardware is built around the Netway 200 communications processor. It supports up to 32 workstations and host ports and renders remote and local networking facilities. System architecture includes multiple-DMA, an 800K-byte floppy-disk drive, a Centronics parallel printer port, and six serial I/O ports that support asynchronous, bisynchronous, and bit-oriented protocols. The single-unit price is \$6880. Integrated 10- or 15-megabyte Winchester drives are available.

Additional hardware elements include a 280-based device-interface processor with 64K bytes of memory and a local network interface, composed of a shielded cable and an RJ-11 connector. Prices range from \$200 to \$420.

A host of other hardware and interface modules are available as options. For details on possible configurations, contact Tri-Data, 505 East Middlefield Rd., Mountain View, CA 94043, [415] 969-3700.

Circle 603 on Inquiry card.

CDI Creates Office Systems Environments

Computer Development Inc. (CDI) will design and support an office communications system to your specific needs. Major components of CDI's modular approach to electronic communications include the Electronic Telecommunications (ET) System 3000 family of portable microcomputers and the Voice Com software package.

The System 3000 has a built-in microprocessorcontrolled modem that comes with full communications software, software-controlled answer/ originate modes, Touch-Tone and rotary-pulse auto-dialers, variable 300to 1200-bps (bit-per-second) data rates, half-and full-duplex operation, interactive vocal and data communications abilities. and an error detection/correction protocol that automatically detects and corrects mistakes occurring during transmission.

Unlimited voice and data communications over ordinary telephone lines are achieved by Voice Com, which features single-keystroke operation and permits a document to be created, discussed, and edited simultaneously on all terminals online. It's part of the Commail electronic mail system. Commail also includes a communications system management program and a call handler/telephone link controller,

Basic ET System 3000 hardware is made up of dual Z80 processors, 64K bytes of RAM (random-access read/write memory). a 12-inch nonglare greenphosphor display, and a 72-key keyboard with a separate numeric/cursor control pad and 8 userprogrammable function keys. Built-in diagnostics, CP/M, and a Help key are supplied. Software includes BASIC, COBOL, Supercalc, and applications packages.

Many options can be connected to the System 3000, including intelligent modems, mathematics and high-speed processors, and floppy- and hard-disk drives. For complete details on available systems and services, contact, CDI, Suite 200, 6700 Southwest 105th, Beaverton, OR 97005, (800) 547-1831; in Oregon, (503) 646-1599.

Circle 604 on inquiry card.

Integrated Office System

IOAS (integrated office automation system) is anintegrated set of software modules for computers running MS-DOS, such as the IBM Personal Computer. Produced by Micro Architect, the IOAS line comprises a database manager, an applications system, and a word processor with a full-screen editor. Among the modules is the Exec-I executive information system. It's made up of seven applications: appointment, stock security, malling list, check writer, personal finance, personal inventory, and memo. A graphics module and a spreadsheet interface are planned.

The IOAS system requires a dual-disk or a hard-disk system, monochrome display, 64K bytes of memory (94K bytes for

the word processor), and a 132-column printer. Each module is sold separately, and prices range from \$98 to \$398. A 25% discount is allowed after the first module is purchased. For ordering information, contact Micro Architect Inc., 96 Dothan St., Arlington, MA 02174. (617) 643-4713.

Circle 605 on Inquiry card.

Database System Has Unique **Zoom Function**

Powerbase is an easyto-use relational database management system from GMS Systems Inc. Powerbase has a unique Zoom feature that lets you zero in on any information within the database and show the detailed components of that information up to 16 levels deep. Designed for IBM Personal Computers running PC-DOS. Powerbase offers a fast search, sort, and select feature, user-defined screens for data entry, user-specified reports, special keys for "sounds like" retrieval, a front-end editor, and the ability to handle arithmetic expressions written in algebraic form. As many as 65,000 records of 1760 bytes each can be accommodated, and each record can hold up to 32 fields of 80 characters. All files are random access by means of B-tree structure.

This system comes with dally planner, financial/insurance record inventory,

expense reporting, and telephone/mailing list directory applications programs. It requires 128K bytes of memory, PC-DOS, two 160K-byte floopy-disk drives or a hard disk, a cursor-addressable terminal, and an 80-column printer. It costs \$475, including user and reference manuals. Contact GMS Systems Inc., 12 West 37th St., New York, NY 10018, (212) 947-3590.

Circle 606 on inquiry card.

Low-Cost Network

EXO Corporation reports that a fully functional network system can be achieved at a low cost with its Avalanche computer and EXO/Net, an enhanced version of CP/Net. The EXO system is a distributed network with sharing of disks, programs, databases, and printers, as well as full communications abilities. It supports up to 31 stations and one file server per channel. Individual computers in the network operate under CP/M when equipped with local disk storage. Stations are connected to a single twisted-pair cable up to 4000 feet long. The data rate is 800,000 bps (bits per second), Interfaces for other protocols to allow users access to mainframes and external databases are under development.

The file server runs the multitasking MP/M II oper-

ating system, which offers real-time capabilities and file protection with password access. Accounting, word processing, text editing, utilities, and electronic mail programs come standard.

The Avalanche is a single-board Z80A computer with 64K bytes of RAM Irandom-access read/write memoryl. RS-232C and RS-422A ports, and two parallel Centronics ports. It costs \$595. A version with a floppydisk controller for up to four 514- or 8-inch disk drives sells for \$795. For \$1795, the Avalanche can be purchased with a separate hard-disk controller board. These products are supplied with integral voltage regulators for OEM (original equipment manufacturer) applications. Contact EXO Corp., 1265 Montecito Ave., Mountain View, CA 94043, (415) 969-8624. Circle 607 on inquiry card.

Apple Nets Local **Network Scheme**

Apple Computer plans to market the Applenet, which will electronically link Lisa and Apple II/III computers so that they can exchange information and share central files. Network connections will be a drop cable and a cluster box supporting up to four computers. For large networks, cluster boxes can be connected to a twin axial network cable capable of 1 millionbit-per-second transmission. Two thousand feet of cable can support up to 32 cluster boxes for a total of 128 systems.

Applenet will employ baseband bus architecture with carrier-sense multiple access with collision detection (CSMA C/D) to avoid data loss during communication. All network components are located on an interface card that plugs

into the computer. The Applenet, which will use the Xerox Network Svstems (XNS) protocol, will be sold through Apple dealers and Apple's National Accounts program. For full details, contact Apple Computer Inc., 20525 Mariani Ave., Cupertino, CA 95014, (408) 973-3019.

Circle 608 on inquiry card.

SYSTEMS



HP's First 16-Bit Personal Computer

The HP Series 200 Model 16 is Hewlett-Packard's first 16-bit personal computer. The Model 16 will be sold through direct sales and retail computer stores. Based on the Motorola MC68000 microprocessor, the Model 16 offers an 8-MHz system clock and a choice of 31/2-inch micro-floppy-disk drives. It has a 9-inch display, a detached ASCII keyboard, 128K bytes of main memory, graphics capabilities, and built-in parallel and serial inter-



faces. The video screen features an 80-character by 25-line display format with a resolution of 300 by 400 pixels. Its keyboard is outfitted with five user-

definable softkeys (ten with shift) and a rotary control knob for rapid program editing, cursor positioning, and analog control of instruments. The Model 16 can be linked in a network that shares disk drives and printers.

Three languages are available for the Model 16: BASIC, HPL, and Pascal. HP BASIC includes such enhancements as suborograms, multidimensional arrays, unified I/O and mass storage, labeled common blocks, and external program control. Application packages cover computer-aided engineering tools, mathematics modules, and business aids. The company is investigating the possibility of offering Digital Research's CP/M operating system on the Model 16 and plans to provide its own version of the Unix operating system in the future.

Among the Model 16 options are a tilt-andswivel display accessory and a dual micro-floppy drive. Including the processor, display, keyboard, and 128K bytes of memory, this system costs \$3650. Contact your local Hewlett-Packard sales office for complete details. Circle 609 on inquiry card.

mentations of FORTRAN 77, RM/COBOL, Pascal, and SMC BASIC are supported. Business applications software to run with the 3300 includes a database-management system, an electronic spreadsheet, and word-processing packages.

The standard eight-user 3300 comes with an integral 514-inch 33-megabyte Winchester hard-disk drive and lists for \$9600. A two-user version with 12 megabytes of Winchester storage costs \$7800. For multitasking, multiuser applications, the Codata 3300 can be purchased with an 8-inch 84-megabyte Winchester drive for \$13,500. Contact Codata Systems Corp., 285 North Wolfe Rd., Sunnyvale, CA 94086, (800) 521-6543; in California, (800) 221-2265. Circle 610 on inquiry card.



16-Bit Computer Costs Less Than \$100

The TI-99/2 Basic Computer from Texas Instruments may be the first 16-bit computer for less than \$100. Targeted at the technical enthusiast, engineer, and student, the TI-99/2 has a standard typewriter-like keyboard, 4.2K bytes of RAM frandom-access read/write memory) that can be expanded to 36.2K bytes, a built-in RF (radio frequencyl modulator, and monochrome display capabilities. For expansion, this system is equipped with a rear-panel peripheral interface connector for a variety of units especially designed for it, including an RS-232C interface, a digital tape drive, and a four-color printer/plotter. Later this year, Texas Instruments plans to release other peripherals, such as modems, printers, a wand input device, and a blackand-white monitor.

The TI-99/2 uses software on solid-state cartridges and cassettes, initially, two cartridges are available: "Learn to Program" and "Learn to Program BASIC." In addition, 20 cassette-based programs covering education. personal management, and entertainment are scheduled for introduction this quarter. The suggested retail price of each cartridge is \$19,95, and most cassette-based programs cost \$9.95.

The TI-99/2 comes with a video cable and antenna switch for connection to any television, an interface cable that hooks directly to a cassette-tape player, an AC adapter, a user's manual, and a demonstration cassette. It costs \$99.95. For details, contact Texas instruments Inc., Consumer Relations Department, POB 10508. M/S 5828, Lubbock, TX 79408, (800) 858-4565. Circle 611 on inquiry card.



68000 Unix-based System **Uses Multibus Architecture**

The Codata 3300 is an MC68000 Unix-based microcomputer from Codata Systems Corporation. This system comes with 320K bytes of parityprotected RAM Irandomaccess read/write memory), expandable to 1.5 megabytes with memory management. Its Multibus architecture supports a variety of mass-storage configurations. Backup

data storage is available through quad-density flopby disks, cartridge tape, or 9-track tape drives.

All the software and programming languages developed for the Codata CTW-300 computer are fully compatible with the 3300. These include APL.68000, a BASIC-Pluscompatible interpreter, and Unisis, Codata's Unix superset. Standard imple-

PERIPHERALS



Color Monitor with Headset for Privacy

A color monitor for personal and business computers featuring a nonglare screen, the Color-l Plus is manufactured by Amdek Corporation. The 13-inch Color-l Plus has a line resolution of 260 (horizontal) and 300 (vertical). It accepts a composite-video signal and comes with front compartment controls, a built-in audio amplifier, and a carrying handle. The Color-l

Plus is supplied with a headset for private operation. The unit's speaker automatically shuts off when the headset is connected.

The Color-I Plus costs \$449. For more information, contact Amdek Corp., Marketing Department, 2201 Lively Blvd., Elk Grove Village, IL 60007, [312] 364-1180, Circle 612 on Inquiry card.

Video Board Displays
Uppercase/Lowercase in 80 by 25 Format

The 82-018 stand-alone video-terminal board from John Bell Engineering displays 80 columns by 25 lines of uppercase and lowercase characters. This video board uses a 6502 microprocessor and has RS-232C I/O lines for direct connection to a computer or modem. The 82-018 transfers data at rates

ranging from 110 to 9600 bps [bits per second] through switch-selectable RS-232C lines. An onboard UART (universal asynchronous receiver/ transmitter) is controlled by a five-position DIP (dual-inline pin) switch. Hardware features include 4K bytes of 6116-type RAM (random-access)

read/write memory), 2716
EPROMs (erasable programmable read-only
memories) for character
generation and video program control, a 6545-1
display controller, an
interrupt-driven serial input
port, and a 1500-character
buffer. Power requirements are +5 V (volts) at
700 mA (milliamperes),
+12 V at 50 mA, and
-12 V at 50 mA.

The 82-018 requires a parallel ASCII keyboard, a standard NTSC (National Television Standard Code) monitor, and power supply. It can be purchased fully assembled and tested for \$199.95 or as a bare board with EPROMs and crystal for \$89.95. Shipping and handling fees are additional. Complete source listings are included in the documentation. Both versions are available directly from John Bell Engineering Inc., 1014 Center St., San Carlos, CA 94070, (415) 592-8411. Circle 613 on inquiry card.

Hard Disk for APC

NEC Information Systems is marketing a 12-megabyte hard-disk subsystem for its Advanced Personal Computer. This high-performance 51/4-inch drive stores 9.27 megabytes of formatted data and transfers data at a rate of 500K bytes per second, Track-to-track head movement time is 120 ms (milliseconds) and the access time averages 130 ms. The rotation rate is 3000 revolutions per

minute. This system's hardware features a direct-drive DC spindle motor, microprocessor controls, and LSI (large-scale integration) circuits. Mean time between failures is 12,000 power-on hours. It measures 6¼ inches high by 9% inches wide by 15 inches deep.

The APC hard-disk subsystem costs \$2798. The 16-bit APC computer is 8086-compatible and supports CP/M-86, MS-DOS, and the UCSD p-System. Address inquiries to NEC Information Systems Inc., 5 Militia Dr., Lexington, MA 02173, (617) 862-3120.

Circle 614 on Inquiry card.

Combination Cards for IBM PC

The XPR Series of Multifunction Combination Cards for the IBM Personal Computer can be equipped with a parallel port, a serial RS-232C port, a clock/calendar with battery backup, or all three functions. The parallel port comes with required hardware and connectors for use as either a printer or as a SASI IShugart Associates Standard Interface) hard-disk interface. The serial port, with a DB25 connector. can be used as COMI or COM2. Both ports can be individually disabled. The clock/calendar option, coupled with its companion software, automatically provides current time and date information to the PC. The XPR comes on a single printed-circuit

board and with up to 256K bytes of memory.

The XPR is supplied with installation and reference manuals, internal cabling, connectors, mounting hardware, and a diagnostic disk. Prices range from \$350 to \$650 for one option and 64K to 256K bytes of memory. Your second option costs \$45; the third is \$30. Quantity and dealer discounts are available. Contact IDE Associates, 44 Mall Rd., Burfington, MA 01803, (617) 272-7360.

Circle 615 on inquiry card.

knob. Frequency response is 300 to 3000 Hz.

Supertalker requires a 64K-byte IBM PC and a single disk drive. It comes with menu-driven software for creating and editing phrases, 32K bytes of RAM Irandom-access read/write memory), a loudspeaker, and a microphone. Supertalker II costs \$565 and is available at Mountain Computer retail stores. Mountain Computer Inc. is located at 300 El Pueblo Rd., Scotts Valley, CA 95066, (408) 438-6650.

Circle 617 on inquiry card.



Winchester Storage for Apple and PC

157.6 megabytes totall. For the location of the dealer nearest you, or for more information, contact Xiten Systems, 16815 Hawthome Blvd., Lawndale, CA 90260, [213] 370-3966.




Xiten Systems is offering an 11.3-megabyte Winchester-disk subsystem for Apple II/Ile and IBM Personal Computers through a select network of IBM and Apple dealers. The Gallium 10 stores 14.4 megabytes of unformatted data and can be partitioned for DOS 3.3, CP/M, and Pascal when used with Apple computers. For the PC, it can operate under PC-DOS or CP/M-86. Its cabinet and power supply can support two Winchester-disk drives (28.8 megabytes total storage), and its controller can handle four drives in two cabinets Circle 618 on Inquiry card.

Voice-Response Unit with Modem

A low-speed modem now complements the single-board interactive voice-response unit for Apple II from Vynet Corporation. The basic element of the response unit. the VIOI-A Interactive Telephone Interface board, is designed to plug into an Apple peripheral slot and connect directly to the telephone network. It can answer on ring and dial and detect Touch-Tone signals. With this unit, users can call or be called by a computer and respond with Touch-Tone signals to computer inguiries for modifying program flow or updating the database, without terminals or dedicated lines. A set of 20 routines, resident in ROM (read-only memory), preprograms all functions to control interface hardware. Voice-response capabilities are provided by the V200-VSM (voice-synthesizer module). The V200-VSM, an LPC (linear-predictive coding) based unit, comes with a 300-word vocabulary on disk; a 1300-word option is available.

The modem option consists of the V103-A



Supertalking IBM Personal Computers

Mountain Computer's Supertalker II gives your IBM Personal Computer a vocal outlet. Sound enters the Supertalker through a microphone and is then digitized and stored on a floppy disk for playback through a loudspeaker or the PC's speaker. This plug-in board is said to reproduce a human voice in a manner similar to an audio tape recorder, providing inflection not possible with voice synthesizers. A single floppy disk

can record up to 2 minutes of phrases or sentences. and voice output can be accessed with Supertalker's software or by user-developed BASIC proarams.

A data-compression technique minimizes diskstorage requirements. Three digitizing rates, ranging from 2K to 4K bytes per second, control the quality of reproduction, and the volume is controlled by software or with a built-in control

motherboard and the V200-LSM (low-speed modeml. The V103-A fastens into a slot on the Apple and is cable-connected to the V101-A. The V200-LSM provides 300-bps (bitper-second), Bell 103-compatible half- or full-duplex data-communications abilities. In systems equipped with both the V200-VSM and the V200-LSM, the V101-A permits voice and data communications to share a single telephone line.

System software comes in Applesoft, Pascal, or CP/M formats. The VIOI-A costs \$295, and the V103-A is \$19.95. Both the V200-VSM and the V200-LSM are \$149. Contact Vynet Corp., 160B Albright Way, Los Gatos, CA 95030, (408) 370-0555. For an online demonstration, call (800) 538-7002 or (408) 370-9764.

Circle 619 on inquiry card.

PUBLICATIONS

Timex/Sinclair Sourcebook

The Timex/Sinclair Sourcebook is a directory of more than 600 programs, hardware accessories, add-on memories, and books for Timex and Sinclair computers. Produced by Micro Design Concepts, the Sourcebook lists and describes mail-order products from almost 160 sources. Each listing provides such facts as program highlights, type of media, minimum system configuration, price, and ordering information. The entries are organized by category: games. education. business, home/personal use, hardware, and books/catalog.

The 96-page Timex/Sinclair Sourcebook costs \$6,95, plus \$1.25 postage and handling: \$2,50 postage and handling outside the U.S. It's available from Micro Design Concepts, Department F, POB 280. Carrollton, TX 75006.

Circle 620 on Inquiry card.

Report Studies Electronic **Typewriters**

Seybold Publications has released a comparative study entitled Electronic Typewriters; Getting Started for Less Than \$2000. This analysis of the major products on the electronic typewriter market covers such manufacturers as IBM, Xerox, Exxon, Olivetti, Olympia, and Royal. A discussion of the role of the electronic typewriter in the automated office, a summary of functions available, a glossary of terms, and a comparison chart of model features are included.

For subscribers of the Seybold Report on Office Systems, this report costs \$75; nonsubscribers pay \$100. Order it directly from Seybold Publications Inc., POB 644, Media, PA 19063, (215) 565-2480. Circle 621 on inquiry card.

Directory Covers Products for IBM

The Directory of Independent IBM Personal Computer Hardware and Software from Infopro is a comprehensive buver's quide of software and hardware developed for the IBM Personal Computer. It contains descriptions and evaluations of more than 400 products and provides the addresses and telephone numbers of all the vendors profiled. All the software in the directory runs under the PC-DOS operating system.

This directory costs \$29.95. It's available at participating dealers or directly from Infooro Inc., POB 22, Bensalem, PA 19020, [215] 750-1023 Circle 622 on inquiry card.

Win at Home Video Games

How to Win at Home Video Games analyzes 70 home-video games step by step so that you can develop game-winning strategies. It covers such games as Adventure, Donkey Kong, and Utopia designed for Atari, Intellivision, Odyssey 2, and Colecovision game systems. Descriptions and buying quide information are included.

This 4-color, 64-page book by the editors of Consumer Guide magazine costs \$3,98. It's published by Beekman House and distributed by Crown Publishers, One Park Ave., New York, NY 10016. Circle 644 on inquiry card.

Guide Spans Databases

The current edition of the Directory of Online Information Resources covers more than 720 databases up and running in North America. This quide has subject, vendor, and producer indices, address and telephone information for all database producers and vendors. and database price information. It's completely revised semiannually.

Single copies of the directory costs \$22.50, plus \$1.50 postage and handling. A subscription price of \$60 (four issues) is available. To order, contact the CSG Press. 11301 Rockville Pike, Kensington, MD 20895, [301] 881-9400.

Circle 623 on inquiry card.

SOFTWARE

Suspended Joins Interlogic Line

Infocom has announced Suspended, the sixth game in the Interlogic product line. Suspended joins such adventure games as Deadline, Starcross, and the Zork trilogy. Interlogic games are highly interactive and feature a programming language that permits complete sentence communication between player and computer. The games run on virtually any computer, including DEC Rainbow, TI Professional Computers. Osborne 1, NEC APC, and 8-inch CP/M-based systems.

In Suspended, you and your six robot assistants must rescue the population of a planet deep in outer space. While in a limited state of cryogenic suspension, you must repair damage on the planet with your robots. The robots, which can act for you independently of one another, can be sent to different locations and make subsequent moves. Suspended is the first Interlogic game to have a functional game board with movable pieces. Estimated playing time is 30 hours.

Suspended, which was released early last month. is the brainchild of Michael Berlyn, it costs \$49.95 and is marketed through software distributors, major retail stores, and personalcomputer manufacturers. Infocom Inc. has its headquarters at 55 Wheeler St., Cambridge, MA 02138, (617) 492-1031. Circle 624 on inquiry card.

Commodore 64 Accounting System

Info-Designs has reprogrammed its Management Accounting System for the Commodore 64 computer. Currently, five modules are available: Accounts Receivable/Billing, Accounts Payable/Checkwriting, General Ledger, Inventory Control, and Payroll. These programs work with one or two Commodore 1541 singledisk drives and a matrix printer. They cost \$199 each and are marketed through more than 600 Commodore dealers nationwide. An electronic staff-scheduling and appointment handler program, called the Electronic Calendar, will be available in June. For full dealer and end-user information, contact your local Commodore regional office or Info-Designs Inc., 6905 Telegraph Rd., Birmingham, MI 48010, [313] 540-4010.

Circle 625 on inquiry card.

Access 8086 Development Software

Genesis Microsystems' Access lets you run Intel Series-III 8086 development software on your Compag or IBM Personal Computer at a substantial cost savings. A version for systems running CP/M-86 is also available. With Access, your computer can run such software as PL/M-86. FORTRAN-86. and Pascal-86, Access provides you with an operating system adapter program and a data link program for transferring files between your computer and Intel Series-II/III systems. A program that connects your computer to Intel's 957A debugger for downloading programs to your system is also available. It costs \$450.

For a complete 8086 development system, the manufacturer recommends a 128K-byte computer with MS-DOS, two 320K-byte floppy-disk drives (or a hard disk), a

monochrome display, and a text editor. Access costs \$950 and can be ordered directly from the manufacturer. For benchmark and price comparisons, contact Genesis Microsystems, POB 70280, Sunnyvale, CA 94086, [408] 241-3727.

Circle 626 on inquiry card.

High-Quality Text Processor

The print quality of the Incredible Text Printer (ITP) from Datamed Research is said to be equivalent to the best stand-alone word processors and to exceed that of any other text processor. ITP has extensive. built-in automatic text-formatting capabilities and a series of menus to help you set up printing formats. Among its textformatting options are underlining, boldface, subscript, superscript, variable character widths, tab and line drawing, and table and figure relocation. ITP automatically hyphenates words at the end of the line, creates indexes and tables of contents, and numbers sections, tables, and figures. It gives you extensive control over headings, subheadings, and footers, including centered and left and right lustified fields. With this system, you can insert files from within other files. add pages, and generate personalized form letters or customized text from name and address files or entered from the console. Other features include run-time entry of text or instructions from the con-

ITP runs on UCSD Pascal-compatible systems. It requires 56K bytes of memory, two floppy-disk drives or a hard disk, an external text editor, and a 24-line by 80-character display monitor. It costs \$249, which includes six months of free updates. A demonstration disk can be purchased for \$60, and the manual alone is \$30. Dealer terms are available. Datamed Research Inc. is located at 1433 Roscomare Rd., Los Angeles, CA 90077, (213) 472-8825. Circle 627 on inquiry card.

User-Friendly Spreadsheet

The Timberline Spreadsheet is said to be a userfriendly system designed for small businesses with no prior computer experience. Timberline features an array of statistical calculation capabilities and six conditional statements for developing reports based on changing financial parameters. Conditional statements allow almost any set of conditions to be entered into the spreadsheet in an If Then format. While it offers traditional financial calculations, Timberline is also flexible enough to calculate such equations as net present value and internal rate of return. Statistical calculations include linear regression, correlation coefficients, dependent vari-

able, analysis independent variable, and standard deviation.

The Timberline Spreadsheet's double-window display lets you view separate areas on the worksheet. Its editing function, based on user-definable commands, permits rows and columns to be inserted, deleted, or moved. Rows can also be sorted by alphabetic or numeric information, and blocks of data can be moved.

This package will run on computers using the UCSD p-System with a minimum of 64K bytes of memory and two floppydisk drives. The Timberline Spreadsheet costs \$395 and can be purchased factory-direct from Timberline Systems Inc., 10550 Southwest Allen Blvd., Beaverton, OR 97005, (503) 643-9461

Circle 628 on inquiry card.

CP/M Graphics Conforms to GKS. VDI Standards

Digital Research designed CP/M Graphics architecture with standard interfaces at the programmer and device levels. The programmer interface conforms to the emerging ANSI and ISO Graphical Kernel System standard. which provides sourcecode portability. The device-level interface addresses ANSI VDI (Virtual Device Interface) to provide object code portability. The CP/M Graphics line is comprised of six products: GSX, GSS-4010, GSS-Kernel, GSS-Plot, GSS-Graph, and GSS-Draw

GSX is required by all the packages in the line. It's the graphic system extension to the CP/M operating system. It provides graphic output through standard operating-system calls. Three components make up GSX. GDOS (Graphics Device Operating System), GIOS (Graphics Input/Output System). and the Gengraf utility, which configures a graphics application to run in the GSX environment.

Other programs let you use graphic software that currently exists only on mainframe computers. create portable graphics applications programs, produce programs for typical business, engineering, and scientific representations, and create and edit presentation-quality charts and diagrams. For complete details on the CP/M Graphics product line, contact Digital Research, POB 579, Pacific Grove, CA 93950, (408) 649-5500.

Circle 629 on inquiry card.

Speachware: Software with the Gift of Gab

Centigram Corporation and Peachtree Software have teamed up to produce a line of talking software, known as Speachware. This speech-synthesis system works with hardware devised by Centigram and with

speech files created and edited by Peachtree Software, maker of the Peachpak 8 Accounting Series and other software packages. It's reported that this combination produces user-friendly software that's suitable for teaching people with limited computer knowledge how to process information. Speachware will provide voice capabilities to existing or forthcoming Peachtree software.

Centigram's Voiceware Development System is the hardware heart of Speachware It offers bit rates averaging 3000 bps (bits per second), which reduces the amount of host computer overhead as well as the amount of mass storage needed to hold messages. Voiceware digitizes and compresses analog waves using a proprietary coding technique known as PWC (parametric waveform coding) Analyses of waveforms are done at variable-length intervals, with frame rates determined by the voiced or unvoiced events in the original speech. This results in a synthesized waveform that's nearly identical to the original. Voice output is achieved by means of Centigram's Sybil synthesizer board, which uses the General Instrument SPO250 chip. Sybil is compatible with the IBM Personal Computer.

For further details, contact Centigram Corp. 1153 Bordeaux Dr., Sunnyvale, CA 94086, 14081 734-3222 Circle 630 on inquiry card.


OEM Applications Sought for Image-Recognition System

Sirius Software is seeking OEM (original equipment manufacturer| applications and will consider a variety of licensing agreements for its stand-alone, Multibusbased image-recognition system, called Floyd. This system uses a custom-designed video processor and an NSC 16032 central processor. The video processor demodulates and digitizes an incoming NTSC (National Television Standard Codel color signal, then it fills two 64K-byte memory planes 60 times a second. The central processor can access this memory continuously for real-time image analysis. Floyd's color resolution is 510 by 213 pixels through a 4-bit gray scale. Color is demodulated to red/yellow, blue/yellow format.

Floyd offers softswitchselectable code conversions for linear, log, or inverse storage, and it has 8-bit color storage (256 colors) as red/yellow, blue/yellow vectors with softswitch-selected code conversion for hue correction. Video memory is 128K bytes, expandable to 256K bytes using 150-nanosecond RAMs frandom-access read/write memories.

For complete technical specifications, contact Sirius Software, Research and Development Department, 10364 Rockingham Dr., Sacramento, CA 95827, (916) 366-1195. Circle 631 on inquiry card

MISCELLANEOUS



Hard-Disk Subsystem Has Error-Correcting Controller

Advanced Digital Corporation has unveiled a 514-inch Winchester harddisk subsystem for S-100 microcomputers. This system is built around the company's HDC-1001 error-correcting hard-disk controller board, which features an onboard microprocessor, multiple burst detection, up to 9-bit single burst correction, and data rates approaching 5 megabytes per second. A built-in 32-bit computer-generated polynomial is said to be able to detect and correct errors before the user is even aware of them. The HDC-1001 can control up to four drives and as many as eight read/write heads and is IEEE 696 (S-100) compatible.

The Winchester subsystem comes with the HDC-1001 controller board, connector cable, CP/M BIOS disk, and drive mechanisms. It's available in 5-, 10-, 20-, and 40-megabyte versions. The 5-megabyte model uses Seagate Technology's ST506 drive, and the 10and 20-megabyte units feature the miniscribe drive. Prices begin at \$1800; quantity discounts are offered. Contact Advanced Digital Corp., 12700 B Knott Ave., Garden Grove, CA 92641. (714) 891-4004. Circle 632 on Inquiry card.

Tomorrowhouse Today

Tomorrowhouse is a turnkey home monitoring and control system from Compu-Home Systems. It's based on the Apple II computer and is made up of a plug-in circuit board, a junction box, hardware for hookups, all the programs needed to set up and control your house, and installation and user manuals.

Tomorrowhouse lets you schedule heating and cooling systems up to nine weeks in advance with as many as 48 changes per day. You can automate your lights, appliances, and hot tub for maximum energy conservation. Complex heating and

cooling and light/appliance schedules for different circumstances can be stored and recalled for execution whenever necessary. Verbal warnings and an easy-to-read graphics display of your home's floorplan with status information presented both graphically and verbally are provided by Tomorrowhouse. Convenience features include an appointment calendar, a voice wake-up call, and a record-keeping system that tracks each time Tomorrowhouse is booted or an alarm detected.

Tomorrowhouse is available in kit form or dealers can provide turnkey installation. For individuals with Apple computers, kit prices start at less than \$1000. For full details, contact Compu-Home Systems Inc., 3333 East Florida Ave., Denver, CO 80210, [303] 777-6600.

Circle 633 on inquiry card.

Computer Camps

The following is a list of computer camps and where to send for complete information.

Camp Compuguest, POB 8161, Lexington, KY 40533, (606) 278-9933.

Champlain College Computer Camp, Shelley Richardson, Room #4A. Box 670, 163 South Willard St., Burlington, VT 05402, (802) 658-0800.

Compu Camp, 7101 York Ave. S. Edina, MN 55435, (612) 835-0064.

Computer Camp, Registrar, J. Hamilton Welch Academy, 3049 McGregor Blvd., Fort Meyers, FL 33901, (813) 334-6044.

Computer Camp Inc., Suite G. 1235 Coast Village Rd., Santa Barbara, CA 93108, (800) 235-6965; in California, (805) 969-7871.

Computer Camps International, Suite D. 310 Hartford Turnoike, Vernon, CT 06066, (203) 871-9227.

Computer Experience, Performance Designs Inc., 1411 North Main St., POB 124, Bluffton, IN 46714, [219] 824-5120.

Family Computer Camp, Conference and Information Center, Clarkson College, Potsdam, NY 13676, (315) 268-6647,

Hockaday Computer Camp, 11600 Welch Rd., Dallas, TX 75229, (214) 363-6311.

Lake Forest Computer Camp, Lake Forest College, Sheridan and College Roads, Lake Forest, IL 60045, (312) 234-3100.

Long Acres Computer Camp, Route 1, Box 320, Spotsylvania, VA 22553, (703) 582-5382.

National Computer Camp, POB 585, Orange, CT 06477, (203) 795-9667.

Tar Heel Career Camps Inc., POB 2328, Chapel HIII. NC 27514, [919] 967-6996.

Timbertech Computer Camp, 1287 Lawrence Station Rd., Sunnyvale, CA 94086, [408] 745-1110.

Virginia Tech Computer Camp, Carisa Blaylock. College of Education, 400 War Memorial Gym, Virginla Tech, Blacksburg, VA 24061, [703] 382-2123.



Bulk Eraser Works Without Batteries, External Power

Nortronics' Model CMP-230 Computer Tape Bulk Eraser is a handheld unit with two strontium-ferrite magnets for quick erasures of standard-size cassette tapes. The magnets are divided into four quadrants of north and south poles and are positioned so that a cassette encounters 16 different flux fields as it passes

through. This unit operates without batteries or external power supplies.

The Model CMP-230 Bulk Eraser has a \$49.50 suggested retail price. It's manufactured by Nortronics Co. Inc., 8101 Tenth Ave. N, Minneapolis, MN 55427, (612) 545-0401.

Circle 634 on inquiry card.



Apple-Compatible Keyboard

The Model KB-200 detached keyboard is plugcompatible with the Apple Il computer. Available directly from Key Tronic Corporation, the low-profile KB-200 has 83 keys, a combination cursor and standard numeric keypad, and an extra Return key for use as an Enter key. Cursor controls include diagonal movements. Eleven functions keys are provided for easy multiplekey functions, and a movable jumper causes the keyboard to output lowercase characters if the Apple is equipped to accept them. Standard features include sculptured, nonglare keytops with double-shot molded keys, full key travel with positive tactile feedback, N-key rollover, microprocessor electronics, solid-state capacitances, and a flexible cable.

With postage, the Model KB-200 costs \$298. Contact Key Tronic Corp., POB 14687, Spokane, WA 99214. For ordering information, call (800) 262-6006; in Washington state, or for technical information, call (509) 928-8000.

Circle 636 on Inquiry card.

Tecmar Markets IBM PC Packages

Tecmar manufactures more than 60 peripherals and software packages for the IBM Personal Computer. Its hardware includes a high-speed, 5megabyte removable-cartridge Winchester disk drive, a 15-megabyte Winchester system, high-resolution graphics, an Ethernet network interface, and a voice-recognition unit with a 100-word vocabulary. Tecmar's software includes such offerings as the Coherent DOS (a Unix look-alike with real-time extensions and multiuser, multitasking capabilities) and support packages for laboratory hardware, an IEEE-488 interface, and an EPROM (erasable programmable read-only memory) gang programmer. For information, contact Tecmar Inc., 23600 Mercantile Rd., Cleveland, OH 44122, (216) 464-7410. Circle 635 on inquiry card.



Cursor-Positioning System Has Cordless Mouse

The Datawafer cursorpositioning system from Display Interface Corporation consists of an ultrathin position detector and a cordless mouse. The mouse is powered by a self-contained recharge-

able battery and is available with 1, 3, 4, 12, or 16 keys for inserting instructions and data. The Datawafer, only 0.2 inch thick. detects and transmits position information any time the mouse is within 3 inches of its surface. It comes with passive position-detecting elements, or it's available with electronic circuitry for signal conversion and for interfacing with data-processing systems. The optional electronics package can be supplied as a separate plug-in card, or it can be mounted on the bottom of the Datawafer, increasing its thickness to 0.75 inches.

Cursor and stylus versions of the positioning device are being developed, each of which will be completely interchangeable with the mouse. Complete information can be obtained from Display Interface Corp., 525 Post Rd., Milford, CT 06460, (203) 877-7661. Circle 637 on inquiry card.



Portable Gold-Plating System

A compact, portable gold-plating system suitable for quick and safe replating of edge connectors or gold-plated surfaces has been introduced by Pace Inc. The PEP-220 Gold-Plating System is a self-contained package that includes noncontaminating electrode assemblies, conductive and platers tape, power cord, case, tray, and gold- | Circle 638 on inquiry card.

plating, electro-cleaning, and nickel-plating solutions. The unit comes with the PPS-76 power source. which provides precise DC outputs for each solution.

The PEP-220 is being marketed through Pace representatives. For further details, contact Pace Inc., 9893 Brewers Court. Laurel, MD 20707, (301) 490-9860.



From the New England Woods

New England Wood Designs has introduced a line of handcrafted computer furniture, all in a variety of hardwoods and native pine. This line includes computer desks. printer stands, file drawers, and accessories.

The computer desk is available in two heights (26 or 29 inches) and can accommodate a disk drive and a number of accessories. It has adjustable shelves and a multiple-out-

let AC-power bar. It measures 42 inches long and 30 inches wide. The printer stand features a paper-feed slot and paper storage shelf. Its dimensions are 20 by 16 inches and 26 or 29 inches high.

Desk prices begin at \$350. The printer stand starts at \$160. For further information, contact New England Wood Designs, RFD 1, Box 53, Greenfield, NH 03047, [603] 924-7367.

FOREIGN


Bimonthly Lists Published Programs

The Small Computer Program Index is a bimonthly index of printed program listings from a wide range of United Kingdom and American magazines and books. Subjects covered include science, social science, business and management, education, games, home applications, text and word processing, mathematics, statistics, and utilities. Most of the programs are in BASIC but are said to be equally ap-

plicable to mainframe computers that support BASIC. FORTRAN, and ALGOL.

The 1983 subscription price is \$45 (six issues and an index). For \$72, you can enter a subscription for 1983 and receive all the 1982 back issues. Small Computer Program Index is produced by Alim Books, 21 Beechcroft Rd., Bushey. Hertfordshire WD2 2JU, England: tel: Watford (0923).

Circle 639 on inquiry card.



First 32-Bit Business Computer Unveiled

Mitsubishi Electric Corporation has announced the availability of the Model 500, Japan's first small-business computer using 32-bit architecture. System hardware includes 16 megabytes of logical space using a virtual storage-control system, a main-memory capacity of up to 8 megabytes, a magnetic disk drive capable of accommodating a largecapacity file of up to 4.8 gigbytes, and a 12-megabyte-per-second transfer time. Up to 128 terminals 164 inline workstations and 64 online circuits) can be connected to the Model 500. For office automation, the Model 500 has Japanese word processing and business graphics capabilities, When running the DPS 10 processing system and relational database, the Model 500 is said to have the performance of a medium-sized generalpurpose computer, DPS 10 enables five-dimensional multiprocessing: workstation, timesharing, transaction, remote-batch processing, and local-batch processing. High-level lanquage support includes Mitsubishi's Duet conversational user language. COBOL, and FORTRAN.


Options include an 8K-byte cache memory. For details, contact Mitsubishi Electric Corp., 2-3. Marunouchi 2-chome. Chiyoda-ku, Tokyo, 100 Japan; tel: Tokyo (218) 2171; Telex: J24532. Circle 640 on inquiry card.

Survey Probes Users of Word Processors

The results of a recently conducted survey of 367 Canadian users of wordprocessing systems are available from Wordcom Centres Ltd. This survey examines the attitudes of operators, supervisors, and managers and their perceptions of the wordprocessing environment. The study begins by identi-

fying the decision-makers and highlighting the reasons contributing to the final selection of equipment. It then evaluates training, cost savings, service response time, and efficiency gained from the installation. In addition, this survey offers comparisons of the most frequently mentioned manufacturers and strives to show common denominators and the indicated results of certain approaches to the selection of people and systems.

Copies of this survey cost \$50 (Canadian). It's available from Wordcom Centres Ltd., Suite 100, 64 Shuter St., Toronto, Ontario M5B 2G7, Canada. Circle 641 on inquiry card.



128K-Byte Computer Packed on Eurocard

The Quark/100 from Megatel is an 8-bit. 128K-byte CP/M-compatible computer packed onto a single Eurocard. Megatel based the Quark/100 on the 6-MHz Zilog Z80B processor and used three PAL (programmable array logic) circuits and gate-array technology to squeeze all memory, disk, display, and I/O functions onto a standard 100 mm by 160 mm Eurocard.

The Quark/100 has a dual-mode alphanumeric/ graphic video-display interface with a softwareprogrammable character set. The display operates in an 80-column by 28-line format that's backed by a bit-mapped graphics mode using 24K bytes of dedicated RAM (random-access read/write memory). You can connect the Quark/100 to any standard display with its directdrive and composite video outputs, and it has inputs for encoded or wire-only keyboards. Standard features include single- and double-density 514- or 8-inch floppy-disk interfaces, full-duplex and simplex RS-232C serial ports, a parallel port for a printer, and 22 generalpurpose I/O lines for applications flexibility, For special-purpose peripherals, access to the central processor's address, data, and control buses is provided.

The Quark/100 is \$595 (U.S.J. A complete package with a transistion board, connector, installation software, CP/M 2.2, and BIOS source listings costs \$995. A version with a color video-display interface with red/green/blue video outputs can be ordered. A 1-megabit-persecond network interface can be added to the Quark/100. Contact Megatel Computer Corp. Inc., 150 Turbine Dr., Toronto, Ontario M9L 2S2, Canada, (416) 745-7214.

Circle 642 on inquiry card.

Energy-Management Module

An IEEE 696 (S-100) compatible energy-management module, the Model 100-EMM, is available from Fulcrum Computer Products Ltd. The module provides temperature-sensing facilities at four remote locations, relay or optoisolator on/off control for six external devices, and an eightsource fire or intruder alarm. Battery backup of the 100-EMM enables the alarm to operate independently of the host computer. The alarm has a 50-millisecond dwell period and three operating

conditions. Temperaturesensing functions are provided by means of four pairs of contacts connected to thermistorsensing transducers. Six relays, rated at 28 amperes, operate independently under software control and can handle air water conditioners. heaters, and so on.

The 100-EMM will verify the condition of up to eight sensors for fire alarm or intruder systems. Sensor inputs are equipped with protection circuits that will withstand transient switching voltages. It's sultable for use in Industrial-control applications, RFI Iradio frequency interference) suppression circuits are included to eliminate false triggering from nearby radio sources.

For further details on the 100-EMM module, contact Fulcrum Computer Products Ltd., Fulcrum (Europe), Valley House, Purleigh, Essex CM3 6QH, England: tel: (0621) 828763; Telex: 995411. Circle 643 on inquiry card.

Where Do New Products Items Come From?

The information printed in the new products pages of BYTE is obtained from "new product" or "press release" copy sent by the promoters of new products. If in our judgment the information might be of interest to the personal computing experimenters and homebrewers who read BYTE, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. The information is printed more or less as a first-in first-out queue, subject to occasional priority modifications. While we would not knowingly print untrue or inaccurate data, or data from unreliable companies, our capacity to evaluate the products and companies appearing in the "What's New?" feature is necessarily limited. We therefore cannot be responsible for product quality or company performance.

LOW LOW COST SUNNY POWER SUPPLIES

(LINEAR & SWITCHING) FOR S-100, DISK DRIVES







No. 806 & No. 516 Mainternes R2, Rator 2 Drives (Hoppy & Hard) Kit 1, 2 & 3 for S-100 S-100 & DISK POWER SUPPLIES: OPEN FRAME, ASSY, & TESTED, 6 OUTPUTS, ADJU. & FUSES PROTECT.

TEM S₃ +5V OVP +24V(OR + 12V) 5-7A PEAK ± 16V SIZE W x D x H PRICE 12 SLOT & 2 FLOPPY 10" x 6" x 5" (1 Floppy & 1 Hard Disk) 6 SLOT & 2 FLOPPY 92.95

S4 4-5A PEAK 834" ¥ 5" ± 434" DISK POWER SUPPLIES: OPEN FRAME, ASSY. & TESTED, REGULATED, ADJUSTABLE & FUSES PROTECT.

+5V OVP **IDEAL FOR** -5V +24V (or + 12V) +8V Unreg. ±12V SIZEWXDXH PRICE 2 x 8" SLIMLINE 2.5A - 5A Pask 5"x4"x4 49.95 Ro 8" x 4" x 3%" 2 x 8" or 2 x 5%" DISK 3A - 5A Peak 1A 2A 54.95 3 x 8" (or 5¼") FLOPPY 10" x 4%" x 314" 6A TA 6A - BA Peak 69.95 9" x 614" x 474" or tx Floppy & 1x Hard 6A 1A 6A - 8A Peak 1A 81.95



AC & DC POWER CABLES WITH CONNECTOR FOR 2 DRIVES 6,00

S-100 POWER SUPPLY KITS (OPEN FRAME WITH BASE PLATE, 3 HRS, ASSY, TIME)

		. OHEH OU			OFFILE	LILLIAIT A.	ALLEIDAM	THE LEASE OF LINES	7001, 11	ш
ľ	ITEM	(IDEAL FOR)	+BV	-BV	+16V	-16V	+28V	SIZE: WKDXH	PRICE	
l	KIT 1	15 CARDS	15A	-	2.5A	2.5A	***	12" x 5" x 4%"	54.95	
ľ	KIT 2	20 CARDS	25A		AE	3A	-	12" x 5" x 4%"	61.95	
	KIT 3	DISK SYSTEM	15A	1A	3A	3A	5A	131/2" x 5" x 4%"	69.95	

6 SLOT MAINFRAME ASSY, & TESTED ONLY \$399.95 + SHIPPING \$18.00

EACH MAINFRAME (ITEM NO 806 OR 516) CONTAINS: EMI FILTER • FUSE HOLDER • AC POWER CORD • POWER SWITCH & INDICATOR • RESET SWITCH • 4%* COOLING FAN • S-100 BUS & SLOT CARD CAGE • (110/220 VAC, 50/60 HZ.) POWER SUPPLY FOR DISK DRIVES & S-100 SLOTS • 2 EA DC POWER CABLES WITH CONNECTOR AND MOUNTING HARDWARE FOR DISK DRIVES • 9 EA. CUT-OUTS; 7 FOR DB25 CONNECTOR, 1 FOR 50 PIN CONNECTOR A 1 FOR FOR THE CUSTOM FINES • COMPACT SIZE • LIGHTWEIGHT, 28 LBS.
ITEM #805 FOR 2 EA 8" THINLINE FLOPPY (TANDON TM848-1 & 848-2 OR EQUIV.), OR ONE HARD DISK, POWER SUPPLY: +8V/8A, ± 16V/3A,

*5V/5A OVP. *5V/1A & 24V/5A, SIZE: 12"(W) x 19.5"(D) x 9.6"(H).

*TEM #516 FOR 2 EA 5" FLOPPY (TANDON TM-100 - 1, 2, 3, 4 OR EQUIV.), OR ONE 5%" FLOPPY & ONE 5%" WINCHESTER HARD DISK (TANDON TM 600-2, 3 OR EQUIV.), POWER SUPPLY: +8V/8A, ± 16V/3A OVP, *5V/6A, 0VP, *12V/6A, & PEAK SIZE: 13.75"(W) x 19.5"(D) x 7"(H).

SHIPPING FOR EA. PWR SUPPLY: \$5.50 IN CALIF., \$8.00 IN OTHER STATES;\$18.00 IN CANADA. FOR EA. TRANSFORMER: \$5.00 IN ALL STATES; \$12.00 IN CANADA. CALIF. RESIDENTS ADD RESIDENTS ADD 6.5% SALES TAX.



No. 806 & No. 516 Maletrames



MAILING ADDRESS: P.O. BOX 4296 TORRANCE, CA 90510 TELEX: 182558

SUNNY INTERNATIONAL (TRANSFORMERS MANUFACTURER) (213) 328-2425 MON-SAT 9-6

SHIPPING ADDRESS: 221291/2 S. VERMONT AVE TORRANCE, CA 90502



MONITORS

-	-	-	_	
-	M			

Color I	\$34	Ю
Color II	\$65	0
Optor III	\$39	Ю

PRINCETON GRAPHICS SYTEMS Hi Mas Culor \$590

NEC, DYNAX					
ELECTROHOME		 	 	 CAL	L

PRINTERS

C-ITOH

TO (F) CPS) Matrix	\$240
4 10	\$460
1550 (15"),,	\$690
I' IU (40 CFS) Letter Qual .	\$1390
I II (55 TS) Letter Qual	\$1690

EPSON (W/GRAFTRAX PLUS)

MX 80 FT	\$490
TX 80 FT	\$575
MX 100 IT	\$690
FX 100 FT	\$790

OKIDATA

82A	 	\$440
63A		\$690
841		\$975
72A		\$575

\$760

BROTHER HR-1 SMITH CORONA

Market 4	
TP 1	\$560

STAR MICRONICS

Gemini	10	\$370
Germini	I#	\$540

NEC

SPINWRITTER

7710-1	CALL	3510	CALL
7715-1.		3515	
7720-1		3520	
7725-1		3525	
7730-1		3530.	
			- 4

3550 PC 8023A











IBM PC IBM



PC System includes 64K IBM-PC with 320KB Floopy Disk Drive, Controller, Color Graphics Card, Monochrome Monitor All for only \$2490

LOTUS 1-2-3 Software CALL HARD DISKS FOR APPLE AND IBM

DAVONG

E	MB		 35.4	\$1790
IU	MB			\$1990
L_i	MB	141414	 No.	\$2790

MEMORY BOARDS

Combo Plus, 4 function com-	l, Fully
pop. 256K	\$590
Mega Plus Fully pop 512K	\$1080
QUADRAM	

Quad Card. Fully pup. 256K ... \$580

Hercules araphics card \$490

TAVA CORP.

IKOMBĆWK		
256K Ram	4 -	 \$460
TRIMOCARE	12	

\$650

512K RAM . .

FDC FORIBM PC

W/Par. Port	 \$220
W/Ser. Port	 \$240

DEC RAINBOW 100

Complete system 64K PC. Keyboard. Two Floppy Drives DS/DD, Mon ochrome Monitor \$2990

APPLE IIe

64K Syslem, W/Controller, Disk Drive, Monitor 80 Column card Stand \$1790

DISK DRIVE FOR APPLE Slimling

ommune.		- 1			1	\$43U
KAPRO I	CO	MP	JTE	R		

Complete System EPSON QX-10

64K Ram, Z-80 CPU, Monitor, Etc. \$2200

631 E. First St., Tustin, CA 92680

Prices subject to change without notice.

APPLE, is a Trade Mark of Apple Computers, Inc. IBM, is a Trade Mark of IBM Corp.

(714) 838-9100

10

Best Price • Good Quality • Swift Delivery • Export



	PRINTER	
Interpret Date	System	
MICROPRISM	75 con excellent print/110	000
	64 × 64 propinc, PS232/p	arallel .
	pin & friction feet	520
PRISM BO	200 cps, 80 col	945
	wrgraphics 84 = 84	1,025
PRISM 132	200 cps. 137 col.	1.100
	w/graphics 84 = 84	1.180
	graphic, color, friction	1 590
TI	810 Superh	1.325
DKIDATA	MICROLINE 84 paration	1.026
60000	92	580
EPSON	FK BU 160cps	CALL
	*Letter Quality *	
CITOH	Statestion F-10 40 cos	1.346
NEC	7710, 7730	7.250
	7720 KSR	2,695
	3510	1,500
	3530	1,650
CHANE	11 -	1.400
DIABLO	830	1,876
	TERMINAL	
ZENITH	229 senget terminal	. 870
market / /	ZT-1 w/modern selecom	530
HAZELTINE	ESPRIT 6	. 588
	48	760
BEEHIVE	DM5 A	995
IBM	1101 10	1,295
TÉLEVIDED	B70	1 119
VISUAL	5G	825
	300.	948
	\$50 graphic	2,285
WYSE	100.	795
	MONITOR	
ZENITH	12" gewen	114
AMDEK	COLOR IV 770 - 400	1.070
	COLOR H RGB 13"	699
	COLOR I 13"	340
	300 G 12" green	189
NEC	12" green	170
	1203 RGB	725
Electroniuma	RGB 580 + 235	599
	MODEM	
D.C. Haves	Smartmodern 300 baud	230
	300(1200 beus	570
Newstree	CAT 300 badd	100
	Smart Car 103/212	CALL

	IBM PC	7.0
AST	full line of memory card	BALL
		189
		520 EALL
		3.948
		1.345
		870
		255
		1.195
		775
		210
		299
Feachtrea		425
Structured :		700
		725
AMDEK	AMPLOT 11"-14"	780
	DISK DRIVE	
CUME	QT142DS, 5%" 500KB	230
-	MITSUBISHI 8"	
08, 00 Du	me & Shugart compatible	
M2894-83	bare think	410
cobinet w/p	ower tuibly fan	1.089
essembled	subayatem	1.130
manuali		25
eignal cable		50
free cata	nogue	
	AMDEK IDDA AMDEK IDDA EPSON NEC C.TTOH ZENITH EASY WRITT CP AIDS LEGAL TIM Objetes Resor HOUSTON HI PAO D AMDEK OUME DS. DD Du MZ894-83 B" submydd rywnyal wignal cable CALL (free Cate Prices subp	AST full lines of covernory part AMDEK 310 monetor 10S Micropperent 480 EPSON FX 80 180 Eps NEC 3850 latter quality. 25 PSON FX 80 180 Eps NEC 3850 latter quality. 25 PSON FX 80 180 Eps NEC 3850 latter quality. 25 PSON Meater 18 EASY WILLIAM TO BE ASY WILLIAM T

What's the Creator of the Walkman[®] Doing Now?

Getting ready for another smash hit, of course.

Toshiaki Kamijo, creator of the Walkman®, has teamed up with the SORD Corporation, Japan's 2nd largest manufacturer of desktop computers, to develop an exciting new personal computer. So small it could rest on this magazine, light enough to tuck in your briefcase, and designed with an attention to quality that is unique, the M5 computer is a joy to own. Connect to a color TV or color monitor and enjoy instant BASIC, spreadsheet calculations (with optional FALC cartridge), or video games.

M5 Computer with BASIC-I Baseball and Zac Banic games, built-in RF modulator, all cables. 90 day warranty. Uses ordinary cassette recorder (not included). \$159 postpaid.

Computer Channel

21-55 44th Road

Long Island City, NY 11101

FALC Cartridge. Electronic spreadsheet for the whole family. Do business calculations, count calories, keep a data base of sports statistics, all with no programming. \$40

postpaid.

TELEX:

429418

BASIC-G Cartridge. Advanced BASIC for the serious hobbyist. Extensive color graphics and music generation capabilities. \$ 30 postpaid.

Make thecks payable to Colorado Chips. Colorado residents addisales (as Deales incurres invited.

PLEASE SEND ME:	
☐M5 computer systems.	
☐ FALC cartridges.	
□ BASIC-G cartridges.	
My check is enclosed.	
☐ Please send more information.	
Name	
Address	
City	
State Zip	

Extra-Low IC Prices

2716 ... \$3.40

2764 ... \$10.

2732 ... \$4.10

27128 . \$38.25

Colorado residents add tex. Add \$1 shipping per parts order. Send for catalog Quantity prices available. Dealer inquiries invited.

Colorado Chips

P.O. Box 111, Frisco, CO 80443

SEN ORICES

"THE ORIGINAL BIG BOARD"
OEM - INDUSTRIAL - BUSINESS - SCIENTIFIC

SINGLE BOARD COMPUTER KIT!

Z-80 CPU! 64K RAM!

(DO NOT CONFUSE WITH ANY OF OUR FLATTERING IMITATORS!)




WANT MORE INFO?

딿

Schematics

PARTIALLY ASSEMBLED KITS For All Sockets installed And Soldered Add \$50. (Not For Blank PCB)



THE BIG BOARD PROJECT: With thousands sold worldwide and over two years of field experience, the Big Board may just be one of the most reliable single board computers available today. This is the same design that was licensed by Xerox Corp. as the basis for their 820 computer.

The Big Board gives you the right mix of most needed computing features all on one board. The Big Board was designed from scratch to run the latest version of CP/M*. Just imagine all the off-the-shell software that can be run on the Big Board without any modifications needed.

FULLY SOCKETED!

FEATURES: (Remember, all this on one board!)

\$31900 (64K K)T

SIZE: 8% E 13% IN. SAME AS AN 8 IN. DRIVE, REQUIRES: +5V @ 3 AMPS + - 12V @ .5 AMPS,

64K RAM

Uses industry standard 4118 RAM's. All 64K is available to the lister, our VIDEO and EPROM sections do not make holes in system RAM. Also, very special care was taken in the RAM array PC layout to eliminate potential noise and glitches.

Z-80 CPU

Running at 2.5 MHZ. Handles all 4116 RAM refresh and supports Mode 2 INTERLIPTS, Fully builtered and runs 8080 software.

SERIAL I/O (OPTIONAL)

Fulf 2 channels using the 280 SIO and the SMC 8116 Baud Rale Generator. FULL R5232! For synchronous or asynchronous communication. In synchronous mode, the clocks can be transmitted or received by a modern. Both channels can be set up for either data-communication or data-terminals. Supports mode 2 int. Price for all parts and connectors: \$39.95

BASIC I/O

Consists of separate parallel port (260 PiO) for use with an ABCII encoded tayboard for input. Output would be on the 80 x 24 Video Display.

BLANK PC BOARD - \$119

The blank Big Board PC Board comes complete with full documentation (including schematics), the character ROM, the PFM 3.3 MONITOR ROM, and a diskette with the source of our BIOS, BOOT, and PFM 3.3 MONITOR.

24 x 80 CHARACTER VIDEO

With a crisp, flicker-free display that looks extremely sharp even on small monitors. Herdware scroll and full cursor control. Composite video or split video and sync. Character set is supplied on a 2716 style ROM, making customized ionis easy. Sync pulses can be any desired length or polarity. Video may be lowerted or true. 5 x 7 Matrix - Upper & Lower Case.

FLOPPY DISC CONTROLLER

Uses WD1771 controller chip with a TTL Oata Separator for enhanced reliability. IBM 3740 compatible. Supports up to four 8 inch disc drives. Directly compatible with standard Shugari drives such as the SA800 or SA801. Drives can be configured for remote AC oil-on, Runa CP/M* 2.2.

TWO PORT PARALLEL I/O (OPTIONAL)

Uses Z-50 PIO, Full 15 bits, fully buffered, bi-directionst. Uses selectable hand shake polarity. Set of all parts and connectors for parallel I/O: \$19.95

REAL TIME CLOCK (OPTIONAL)

Uses Z-80 CTC. Can be configured as a Counter on Real Time Clock. Set of all parts: \$9.95

CP/M* 2.2 FOR BIG BOARD

The popular CP/M* D.O.S. to run on Big Board is available for \$139.00.

BIG BOARD SOFTWARE SPECIAL - \$149

Through special arrangement with CDL we ofter a powerful package of TDL Z-80 sollware that has a suggested retail of almost \$600. Includes: Extended Disk Business Basic, Z6011 text actior, MACRO II Macro Assembler, LINKER, DEBUG I and DEBUG II. Supplied on 8 In. diskette with extensive manual.

PFM 3.3 2K SYSTEM MONITOR

The real power of the Big Board fies in its PFM 1.3 on board monitor. PFM commands include: Dump Memory, Boot CP/M*, Copy, Examine, Fill Memory, Test Memory, Go To. Read and Write I/O Ports, Disc Read (Drive, Track, Sector), and Search PFM occupies one of the four 2715 EPROM locations provided. Z-80 is a Trademark of Zilog.

Digital Research Computers

P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

TERMS: Shipments will be made approximately 3 to 8 weeks after we receive your order. VISA, MC, cash accepted. We will accept COD's (for the Big Board only) with a \$75 deposit. Batance UPS COD. Add \$4 00 shipping.

USA AND CANADA ONLY

COMMODORE 35K MEMORY MODULE 169.00

DYNAMIC RAM-TRANSPARENT REFRESH SELECTABLE 8K BLOCKS FOR COMPATABILITY WITH ROM CARTRIDGES

> Trade-ins accepted: 5 8K-\$10 16K-\$20 3K-\$5 BK-\$10

ATARI 400/800

52K MEMORY EXPANSION 159.00 Trade ins accepted: 16K-\$15



ADVANCED-PROCESSOR-SYSTEMS 512-441-3202

> PO BOX 43006 AUSTIN, TX. 78745-0001

PICLINE SESS FOR SHIPPI PAID DROERS, \$310 POR CAR

Circle 15 on inquiry card.

Business Systems Research & Development, Inc.

P.O. Box 1253 / Tucker, Go. 34005-1253 / 404-491-0444

"dBase-Doc is now available"
What is dBase-Doc dBase-Doc is a completely mechanized "system documentation healthy" for user-developed dBase-II application systems. Here is a partial list of dBase-Doc capabilities.

Logical Design Specifications — interactive data entry and reporting Process Descriptions, and Bats Dictionary object types.

Data Dictionary — interactive reporting of object-type cross reference, summary, and directory reports.

lact-type country for the property of diagram specifications, and either interactive entry of diagram specifications, and either interactive or "batch" block diagram reporting May be used to draw Hierarchical Analysis Diagrams, and Data base Hierarchical Diagrams, and Data

data base Hierarchical Diagrams, and Data Base Linkage Diagrams.

Physical Design — interactive entry of program description and "statistics", and either batch or interactive reporting of program looker documentation, and program-to-program cross ref., program-to-data-base cross ref., and other valuable cross-reference and "summary" reports Super-list — use this print utility to list dBase-II, assembler, PL11, etc. program source files Super-list allows you to "batch print one hundred (or fewer) programs per execution

dBASE-II is a registered tradement of Ashton-Tale,

dBASE-DOC is a registered trademark of Business Systems Research and Development.

Circle 78 on inquiry card.

\$\$ Printers \$\$

EPSON \$399 MX BD FT III 489 STAR MICRONICS C. IOTH 8510 Prowriter Parallel 419 6510 Prownter Senal 559 1550 Parallel , 699 Shipping and handling add 3%, CA residents add 6%.

THE COMPUTER STORE

"Other Printers Available"

869 Sandcastle CDM, CA 92625 714-662-1425

PERSCI

Peripherals a Generation Ahead **Voice Coil Actuated Dual 8" Floppy Disk Drive**

- Apparent performance of a Hard Disc
- Equivalent of two standard

Model 2998 (OS DD/SD) Model 270/277 (SS DD/SD)

PERSCI. INC.



12624 Daphne Avenue Hawthorne, CA 90250 (213) 777-4070 TELEY ERRAM

Circle 355 on inquiry card.



boards.



6331 Fairmount Ave. ≠701 El Cerrito, Ca. 94530 (415) 524-8352

WIREMASTER

Whip your wire wrap and PC layout problems with WIREMASTER

WIREMASTER is a software tool for design, layout, and assembly of hardware. Your schematic is fed to WIREMASTER, which produces nelwork maps, cross-references, wire and parts lists, and debug checklists. CHANGEMASTER keeps track of fixes and updates. PLOTBOARD and PRINTBOARD give pictures of the layout. Post-processors for wirewrap machines available. Runs on CP/M, MSDOS, UNIX, and VMS, \$195.

AFTERTHOUGHT ENGINEERING 7285 Courtney Dr., San Diego, GA 92111, (619) 279-2868.

Circle 22 on inquiry card.

Transmit any data between almost two computer two computers

Self instructing—Easy to modify

- · Error correction · Progress indication
- · Error count · Link quality measurement
 - · Non-locking · Auto receive

Microcomputers \$150.00 5% discount for money order or bank check.

10% discount if ordered by June 1, 1983 Documentation ..., \$10.00 Check or money order only.

Specify exact make and model of computer and the diskette configuration

Mini and large machine users write or call for prices.

M,K,S P.O. Box 09558 Columbus, Ohio 43209-0558 614-460-5251

Circle 273 on inquiry card.

SAVE\$SAVE\$SAVE\$

LIMITED INTRODUCTORY OFFER **NOT SOLD IN STORES**

An Accounts Payable System for the small business with an Apple II* Computer, at the unbelievable low price of

Special Features Incl

- One time input of répétitive pyrits

 Multiple General Ledger distributions per invoice, both debits &
- Checking balance maintenance, allows manual and/or wild
- cnecks High speed machine language progs & random accoss files Payroll & expense check pyrols Cash requirements projection Applicat remote work station input & processing at no extra cost

This program and be in stores in a lew months at a much high

ACT NOW & SAVE!!

We miller a 15-stay money bunck trial purison for you for zerone but commentation & discribe to lonep or return the sealed disk & the locuments. Sand check to

ACCOUNTS PAYABLE FIESEARCH & DEVELOPMENT CO 8306 Wilsbirg Bird , Suite 50 Birverly Hills, Ca. 90211

Include \$2.00 for Shipping & Handling Ca. res., add sales fan for your county

The system requires an Apple II* 48K computer with Applesoff* is ROM 1 disk drive (DOS 3.3*) & a printer
*Trademarks or copyrighted programs of Apple Computer Co. Inc.

Circle 9 on inquiry card.

DEC RAINBOW MANAGER'S TOOLBOX TM

Software for the "Electronic Desk"!

- REMIND Appointment calendar and "lickle" file.
- * PHONE Telephone list manager
- * CALC Desk calculator
- *MEMO Sumplified word processor for writing memoranda

Package Price: \$169 Call or Write for Free Brochure



P.O. Box 19130 Minneapolis, MN 55419 (612) 825-5444

Circle 409 on inquiry card.

NETRONICS NEW 16 BIT EXPLORER 88-PC ... \$399.95 IBM COMPATIBLE



LEARN 16 BIT TECHNOLOGY IN EASY LOW-COST STEPS. This 2-board system features (1) on 8088 mother board with a 5-slot expansion bus that will accept any hardware designed for the IBM personal computer and (2) a 64K (expandable to 256K) memory board that also leatures on IBM composition RS 232 communications port. All circuits are functionally aquiva-lent to the IBM except for the cossette ROMS. This means that all programs written in base designed to run in on IBM can be compiled to run in this system and first any disk-operating system that will run on on IBM will work directly in the EXPLORER BS-PC. The system monitor ROM included in the Starter's system features a user-friendly operating system that allow easy program generation and debugging. The commands include display modify memory... display modify registers., input-output data to 1-0 ports., block moves ., single-trop trace mode...go/run with optional breakpoint and register reports,, cassette lood/save with tife labels...plus a complete system test program that tests and reports condition of ROM. RAM cassette interface, timer, DMA controller, interrupt controller, and the communications port. These last programs not only allow assy debugging of software but they serve as hardware and software learning tools.

The EXPLORER 66-PC STARTER'S KIT includes to mother board, memory I O board, oil compowents needed, sockets for IC3 used, one 62-pin bus connector and complete assembly has instructions. All you need is a soldering iran, solder, a +5 volt gill amps 8-5 8 + 13 volt § 3 amps 8-5 8 + 13 volt § 3 amps 10 volt gill amps 10 volt gill

DExplorer 88-PC Statter's I(it ... \$399.95 + 10,00 pill (wired & tested, add (00 00)).
DExtra 62-pin connectors (i) 4.25 ea. + 1.00 pill (1) you do not own a terminal you may want to consider using our (BM compatible humboard (see photo) in conjunction with an IBM compatible color graphes board. This combination of though not necessary at the introductory level, may be destrible if you alon to expand the EXPLORER IB-PC to be fully IBM compatible. These Hems require additional power and are only available wired and tested as fallows:

[] IBM compatible keyboard...\$279.95 + 10,00 p8;

II (BA compatible color board _ \$299 95 + 10 00 p&i ClAdditional ROM required, \$35.00



The EXPLORER BS-PC con se expanded at any pace you decide. Invest and foom at a pa that is comfortable for you. Netronics is dedicated to supplying the finest hardware and soft-ware to make this a meaningful learning experience. Hard disks, bulli-in modern board. oprom burner, print buffer system plus more will be available shortly. The tallo

Debute heavy-duty steel cobinet that house either two 5½ llogares or a 5½ hard disk with one floppy. This cobinet features a brush-linish front panel and a wood-grained sleave of gives the unit a real professional look II EXPLORER 88-PC Cabinet . \$199 95 + 18:00 p&

A heavy-duty open frame power supply with lan that can be used in your own cabinet or installed into the Netronic cobinet is available as follows:

skolled into the Nerronic counted a proposed on the Nerronic Counter to the Ne

DIBM compatible this controller board. Controls faur 5's "flappy drives iw '2 drive cable)

☐ Available wired and tested only .\$250,00 ← 8,00 p&i.
☐ The maintars and BIOS source listings are available to e on either disk or hard copy of \$35 00 Please specify format and system required

\$15 00 + 1 50 p&

Dispected BM comparible system: with Repticard, color graphics board, floopy disk control for, 64K RAM, cabinet standard power supply und a single 51-7 floopy drive, \$1899.95 • 25.00 m & s

1844 PC is a riginious trademark of IBM Corporation

EXPLORER BS


Learn computing from the ground up. Start with the Englever/85 Level 'A' kil which includes an expandin mother board. The Kit includes the 8065 CPU. 2K Monitor program used to prior, test, run and save programs plus like parts to allow you to start gro gramming Just add a po

has keyboord | LEVEL & Terminal version or |
| Hez Keypad version |
| 129.85 = 3.00 psl. Add |
| Level 17 49.85 = 2.00 | » lure 100 pin connectors () 4.85 ca. and have a powertal 5-100 computer. Add CJ Level C 39.95 - 2.00



© 1998 ° 39.99 ~ 2.001 get = 100 per connectors to increase \$-100 stats to 6. Add memory using the JAWS 16-64K 3-100 band or add □ Level ° 0° 4K to main board 49.95 * 2.00 påt □ Level ° 0° 4K to main board 49.95 * 2.00 påt □ Level ° 1° 4K to main board 49.95 * 2.00 påt □ Level ° 1° 4K to main board 49.95 * 2.00 påt stats to coding for RK of 2716 oproms. Needs a power supply? Use the □ 5 amp AP-1 of 39.95 * 2.00 påt. Select om of our tow-coal formitable or use the □ Har Key-coal and Additional Science 2.00 påt. □ To Tow-coal and Additional Science 2.00 påt. □ To Tow-coal and Additional Science 2.00 påt. □ Tow-coal and Science 2.00 påt. gad widesplay at 69.95 - 2.00 p&i. [] Deluxe system cabinet 49.95 -

3.00 p&l. C Delignal fan 16.60. New add AMcreselt &K timuic & a powerful Test editor/essemble



D 8" Roppy 499.95 + 12 00 p&i. ☐ Floppy con Iroles board 199.95 + 2.00 p&i. ☐ Floppy cablests & power supply 69.95 + 3.00 p&i. ☐ Two drive cable 29.95 + 1.50 p&i. Hard disk size available (Josephi see)

ORDER A SPECIAL-PRICE EXPLORER/85 PAK

iJ Beginner Pak (Save 526.00) - Yau get Lavel A (Terminal Versian) with Mondar Source Listing (525 value) AP-1 5-amp power supply. Intol 8085 Users Manual. (Reg. \$189.95) SPECIAL \$169.95 plus S4 pål. Benowlmonter Pok (Save 553,48) - You ge

Lovel A (Her Keypad/Display Version) with Hex Key-pad/Display Intel BORS User Manual Level A Hex Meniner Source Listing and AF-1 5-amp, power sup-ply, IReg. S279.95) SPECIAL S219.95 plus 56 pd. Special Microsoft Special Microsoft BASIC Pak (Save 5103. You get Levets A (Terminal Version). B.D. (4k RAM) E. Sk Microsoft in ROM. Intel 8085 Uses Manual Leve A Monitor Source Listing and AP-1 5-amp, power supply. (Reg. S439.70) SPECIAL S329.95 plus \$7 pål 🖸 Add a Rom Version Text Editor/Assemble: (Regules Loyofs & and D or S100 Memory)... 599.95 plus 52 påt.

Sturrior III Disk System - Includes Level A, B Rappy disk controller, one EDC 87 des-drive, two-drive cells, two 5100 coanscient; just add your own pawer supplies, cabinets and hardware — (Reg. 51065.00) SPECIAL 5399 95 plus 512 pib. — 22k Sturrio System SSOAS 6 plus 513 pib. — 22k Starter System \$1045.95 plus \$13 påt. | 48k Starter System \$1095.95 plus \$13 påt. | 64k Blarter System \$1145.95 plus \$13 påt. | 64k

rer steel cabinet. AP-1 Add to any of above Explo live amp, power supply, Lavel C with two \$100 con-nectors, disk drive cabinet and power supply, two sub-D connectors for connecting D connectors for connecting your printer and imai...(Reg. 5225.95) SPECIAL 5199.95 pics \$13 påi.

Complete 64K System. Wired & Tested ... \$1650.00 plus 526 p&i.

5-100 DOARDS

JAWS MEMORY BOARD. Features the mount B202 for invisible refront. Designed to be used with 8880, 8085 and 280 CPU's. Works in all well de 980, 8085 and 280 CPU's. Works in all well de

[] 16K Kit 149.95* □ 32K Kit 199.95* [] 48K Kh 249.95" C 64K Kit 299.95"

☐ 16N avend 179.95* □ 32K wired 239.95* ☐ 48K wired 299 95* ☐ 64K wired 359.95*

"Add \$2.00 påt to pit above 4 DRIVE B" FLOPPY CONTROLLER BOARD Single density (single or double sided) controller using the WD 1771, includes two serial parts. Plugs into any S-100 compu

BK 2716 EPROM BOARD. I addressable en BK page boundaries complete with sockers 69,95 + 2,80 pH.

S-100 BELETRIC MOUTH. Give your computer the power of speech. Uses National's DISTIALKER with 143 words 945 + 2.00 ph. — second word set 39.85 + 1.00 pfs. Beam accepts up to 4 word sels or your own custom word rom chips.



Use 90 preprogrammed words or generale your ng phonoms. Period for any project that needs spaech or lor speech development system.
Connects to any RB 232 serial or 8 bit parrallel nort
or can be used in a stand siene made.

Speek or CAN DR MENO IN a STREET AND THE PROPERTY OF A STREET AND STREET

els 1 or 3 (specify type) Mith 143 ward set 119.95 + 3.90 p4) Includes separate power supply. G escend word set 39.95 1.00 p&), same specs as \$-100 model

APPLE ELECTRIC MOUTH. Same as speye escept this beard plugs into any of the Apple expension stots (2 with 143 word set 99.95 + 3,00 ph) C tecoed word sel 29.55 -1.00 pås Accepts 3 word sals or custom word AOMs.

TERMINALS & VIDEO

- 3.00 pf.l. Display for-mat: \$4 or 32 char/16 lines...96 ASCII characters 150 to 19 200 .. line out put: 8% 232.C or 20 mi loop...video output: 1V P/P ...cursor mades: home



A clear screen, grass to and of line, aruse current line, corest up and down, auto carriage return/hos lead at ends of line and auto scralling...reverse video thing cursor...carity: off, even, at oild...stop hijs; 1, 1.5, 2...data bits per character: 5, 6, 7 or 8 printer output, prints all incoming data... It on-board RAM.. 2k on-board ROM...complets with power supply, cabinet & 56-key ASCII encoded teyboard.

Opennal graphics made: technica 34 Greek & math plus 36 special graphic cheracters. 19:85

propert.

FASTERM VIDEO BOARD: \$9.95 + 3.08 ph. SMARTERM BO [] 299.95 + 3.00 8&1 Get format: specify nither 80 by 24 or 40 by 16...128 ASCB characters (u&) case)...8 baud rates: 110 to reterrolly & Mark...graphics: 12,000 picet resolution block plus line graphics...an-screen parity indicator... parity: eff, even or odd...step bils: 110 haud 2, ad athers 1...printer output...60 or 50 Hz vertical refresh .. blenking block cursor... 2k on-board RAM... ASCh exceded keyfeard: 56 keys, 128 characters... 4x on-brard HOM: .complete with power supply

SMARTERM VIDEO BOARD: 199 95 + 1 00 p& ☐ ZENITH VIDEO MONITON (green phosphor): 149 95

• 6.00 pār ☐ RF MODULATON (KM unit): 8.95 • 1.90 p&r [3 3-h. cable with DB 25 commotors 14.95 - 2.60 p&r

HARD DISK

Add up to low 6 or 12 megabyte hard disks to your S-100 system. Automatically installs itself to any standard CPM 2.2 BIDS. D 6 megabyles 2495.00 15.00 påt. 🗆 12 megabytes 2995,00 + 15.00 påi 🗅 Drak to Sest your system compatibility 5.00.

SOFTWARE

We are distributors for all Systems Plus & Micro pro saftware. Call for prices. C CP/M 2.2 150.00 pro software. Cell for prices.

CP/M 2.2 150.00

Microsoft disk basic 325.00.

Special Business Pac includes CF/M, BASIC, GL, AR, AP & Payrell 689.95 (save 625.00).

CLIP AND MAIL ENTIRE AD

'păi stands for postage d'insurance. Foi Canadian orders double this amount CP M is a reg. frademark of Digital Research

TO ORDER Call Tall Free

800-243-7428 To order from Conne etlast or for technical

essistance call (283) 334-4375. Conn.

D VISA D MASTERCARD (Bonk No	_}
EKP DOW	
Signature	_
Print Mame	


Store EIP.

NETRONICS R&D LTD. 333 Litchfield Road, New Milford, CT 06776



Circle 115 on inquiry card.





- A full featured DEC VT100° terminal emulator on IBM PC.
- Transfer text liles between host and PC
- Very easy to team! All DEC softwares can be accessed from IBM PC. You can use the standard DEC editor edt on PC without learning the intricacles of escape sequence.
- · To use PC-Link program, the PC needs to have at least one disk drive, IBM DOS, IBM monochrome display, a RS232 port and telephone modem.
- \$40.00

Add \$5.00 for shipping

SCREENWARE CORPORATION P.O. BOX 3662 NASHUA, NH 03061-3662

Tel. 603-888-4074 VISA

Circle 406 on inquiry card.



RGB COLOR BOARD NEW for APPLE He

A new video board that provides the Apple IIe with RGB (red/green/blus) video signals for crisp, vivid display of color graphics and text, with exceptional resolution and color quality, is now

resolution and color quality, is now available.

Can be used with 80 column text so color graphics and text are displayed on one RG8 monitor.

Each text line can be set any one of 8 colors on any of 8 colors of background.

Sync signals are ± TTL composite or ± TTL separate H & V, for universal RG8 monitor compatibility.

Plugs into siet 7 and comes with 5' of ribbon cable for signal output. Optional cable connector and longer length cable available.

MODEL VC8-2e \$169.00

MODEL VCB-2e

MODEL VIOLE
Also available:
Model VCB-A2, RGB board for Apple II
\$139.00
VTM-80, 80 Col. Bd. Apple II
\$179.00
VSS-80 RGB soft switch for Apple II
\$30.00

For IBM PC: 8 foot, 16 color RGB inter-face cable assembly for SONY Profeel Monitors.


TELEMAX, INC. P.O. Box 339 Warrington, PA 18976 (215) 343-3000

Circle 444 on inquiry card.

Save \$ on **Computer Books!**

We offer a 10% discount on computer books from several publishers.

Fast, reliable service and low shipping charges for mail orders. Write for FREE catalog.



DOWNTOWN BOOK BAZAAR, Dept. B P.O. Box 2490 Brooklyn, N.Y. 11202

Circle 176 on inquiry card.

Let your Apple do the designing.

INTRODUCING THE ONLY ADVANCED DESIGN SOFTWARE FOR SMALL BUSINESSES & ENGINEERING STUDENTS

HBAR LINKAGE PROGRAMS INCILIDE

APPLE H PLES 400 DOS 33

D3-Point Path/Motion Generation Designs, totales, plots and traces inkage Allows operator to do complex disagning without doing complex equations.

□3~Point Motion Generation

ULinkage Rotation een the papel (counties, the rely that the linkage will go to 3, if or 5, path nearly

DISK and MISTRUCTIONS...... \$25

RESEARCH & ENGINEERING PO BOX 11407 MRW. WI 53211 1414) 964 - 3662

Circle 328 on inquiry card.

TRS-80 MODEL 16 AND 68000 SYSTEMS RELATIONAL DATABASE MANAGEMENT SYSTEM (DBMS)

INFORMATION MANAGEMENT FOR BUSINESS SYSTEMS

- Unique Features
- · Easy to use Powerful
- 4 Manu Driven
- English Subset Query Language
- . 68000 Code Efficiency

INTRODUCTORY PRICE \$595

Send For Catalog

DATA MANAGEMENT SYSTEMS 211 N. EL CAMINO REAL, 1010 **ENCINITAS, CA 92024** or Phone: (619) 942-0744

INS 80 to a traditionark of Tondy Enry

Circle 150 on inquiry card.



An assembler subprogram you call from you programs to handle screen inputiou[put as IBM ma]n(rames do.

programa to handle screen inputioutput as IBM maintrames do. Define full screen format specifications outside your program, and call ScreenGen to retrieve the formats, and do all ScreenGen to retrieve the formats, and do all the I/O for you one command inputidisplays a full screen. Use all of your CRT video attributes. Define up to 24 function keys. Define templates for display and input of Validate input while keying insert and delete characters to correct fields. Tab fields forward and backward. Draw figures using vertical field displays. Save memory as only one format needs to be in memory at one time Make the constents to display virtual, and they don't use any memory at all.

Build help screens. Call them with one function key then return to where you were Available now for meet spoquiar.

BASIC BIM PC and CPIM S99. COBOL Apple II CPIM \$75. FORTRAN Shipping \$4. Source Code included Dealer Inquirtes welcome.

NTERDATA SYSTEMS INC.

1851 Clinton Street, Buffate, N.Y. 14206 Visa M/C (416) 493-8675 (cell collect to order) Am. Express

Circle 238 on inquiry card.



(805)543-16.17

True MAIL ORDER Prices

With so many so-called Mail Order establishments using "toll free" lines, and gradiose advertising, how can you, the customer, expect to receive true mail order savings? We have done away with large ads, and free phone lines to offer comparable service passing on the savings to you. Our reputation for low prices and satisfaction is outstanding.

PRINTERS

DISKETTES
*Kangaroo: (w/library case)
SS/DD
DS/DD\$28.00
- 10 yr. Warranty -
Elephant:
SS/DD
DS/DD\$28.95
Verbatim:
5¼" SS/DD\$22.95
5¼" DS/DD .,, \$38.95
8" SS/DD ,\$38.95
8" DS/DD\$43.95
 Available soft/hard sector —
Library Case 54"\$1.75

1 11114 1011	•
Okidata:	
Microline 92	., \$565.00
Microline 93	\$985.00
Pacemark 2350	
Parallel	.,\$2100.00
Serial	\$2200.00
Pacemark 2410	
Parallel	
Serial	\$2500.00
Call for prices on the	
Call for prices on the of Okidata Prin	

	M	O	1	11	1		C	I	8	1	3								
Amdek:																			
Color	*****								4								\$2	95	.00
Color I	l							4				a		4			\$6	95	.00
300G (3reen			4			4					•		r		+	\$1	55	.00
300A A	mber		* 4	+	*	w	10		u	,		b		,			\$1	55	.00
310G (Green										b		4				\$1	75	.00
310A A	mber								6	4							\$1	75	.00
Zenith: 1:	2" Gre	e	n.				+		+		+		+	4			5	99	.00
USI: Amt	oer					4											\$1	59	.00
*Taxan: /	Amber										b						\$1	39	.00
PGS: RG	B Mo	nif	O	r,		4		4					+		i		S	CA	LL
BMC: Gr	een 12	2"			*	6		4	g.		,						\$	80	.00
BMC: Gr	een 12	2"	• •	. ,	*	6		4	ı								\$	80	.00

TEC/C.ITOH
Prowriter 1 Parallel\$369.00
Prowriter 1 Parallel/Serial\$489.00
Prowriter 2 Parallel\$639.00
Prowriter 2 Parallel/Serial \$689.00
F-10 Starwriter Parallel
or Serial\$1185.00
F-10 Printmaster Parallel
or Serial \$CALL
Brother HRI:\$795.00
Smith Corona TPI:\$559.00
Star:
*Gemini 10 & 15 Call for low prices!

TANDON DISK DRIVE

SPECIAL

\$245.00

TM-100-2 DS/DD 320K Bytes

Maynard Electronics

TM-55 320K Bytes Half Height

Call for the New Epson FX Printers.

DISK DRIVE	S
Apple:	
Fourth Dimension:	
w/o controller	\$250.00
w/ controller	\$319.00
Rana Elite I:	
w/o controller	\$270.00
w/o controller w/ controller	\$339.00
*Tandon TM-55	
The New Thin-Line	\$235,00

COMPUTER PRODUCTS FOR IBM

J-Cat ...

The Uttimate Peripheral
MONTE CARLO" CARD
64K\$390.00
128K\$450.00
192K\$510.00
256K\$570.00
T & G Products:
Joysticks\$49.00
Trakball \$49.00
BUSINESS
Vialcorp:
Visidex\$180.00
Visifiles\$180.00
256K Visicalc\$180.00
Visitrend/Plot\$225 00

QuadRam Quadboard
64K\$390 00
128K ,\$450.00
192K\$510.00
256K\$570.00
Kraft Products:
Joysticks, \$55.00
Game Paddle,\$29.00
Davong Hard Disks
5 Megabyte
10 Megabyte\$1850.00
15 Megabyte\$2250.00

Floppy Controllers w/Parallel .\$209.00 Floppy Controllers w/Serial . . .\$239.00

COMPUTER PRODUCTS FOR APPLE			
MBI:			
VIP Graphics Card\$119.00			
Appletime ClockCard \$ 85 00			
Silicon Valley Systems:			
Final Analysis\$149.00			
Word Handler\$115.00			
Continental:			
Home Acct \$ 49.00			
On-Line:			
Screenwriter II Pro\$139.00			
Visicorp:			
Visidex\$180.00			
Visitiles\$180 00			
Visicalc\$180.00			
Visitrend/Plot			
Denver Software:			
Financial Partner, \$139,00			
Pascal Tutor\$ 82.00			
Pascal Programmer\$189.00			
Stoneware:			
DB Master\$149.00			
DB Utility Pak\$ 65.00			
T & G Products:			
Joysticks\$42.00			
Select-a-Port , . , \$42.00			
Game Paddles , , \$28.00			
Davong Hard Disks			
5 Megabytes\$1450.00			
10 Megabytes ,\$1850,00			
15 Megabytes\$2250.00			
Ram Cards			
Microsoft 16K			
Generic 16K \$60.00			
CP/M Microsoft Z80 Card\$259.00			
80 Column Cards Videx w/soft \$269.00			

Send orders and inquiries to:

ENTERTAINMENT: Infocom:

Computer Apparatus™

P. O. Box 32063 • Aurora, Colorado 80041

Telephone Inquiries: (303) 759-9251

Monday thru Friday - 9:00 a.m. to 5:00 p.m. (Mountain Standard Time)

We built our reputation on low prices for the informed computer user.

DELIVERIES: 2 - 4 weeks average.
PERSONAL CHECKS. Cashier's check and
money order will receive shipping preference.
VISA & MASTERCARD: Add 4% to lotal.
CATALOG: Send for full pricing details.
Prices subject to change without notice
SHIPPING: UPS add \$2 00 plus
2% of order total.



Circle 489 on Inquiry card.



Circle 442 on inquiry card.

Computer Sale

Franklin ACE 1000 w/Color \$ 596	5
1000 System w/Monitor 137	5
ACE 1200 w/Color 189	0
Drives for Apple and Franklin Ouentin 5 - ++ 24	
Thin Line 27	8
Franklin Color Kit	5
Shipping and handling add 3" CA residents add 8	p

THE COMPUTER STORE

869 Sandcastle CDM, CA 92625 714-662-1425

C LANGUAGE **PROGRAMMERS**

c-systems C COMPILER c-windowTM

The first c language source level program testing and debugging tool

- Single step by a source line.
- Set breakpoints at line numbers.
- Display and after variables by symbol name, using a expression syntax.
- No more printf or assembler level debuggingi

e-windowTM is a support package for the c-systems C COMPILER for 8O86/8O88 based systems

Contact:

c-systems P.O. Box 3253 Fullerton, CA 92634 714-637-5362

TM c-systems

Circle 83 on Inquiry card.



Circle 108 on inquiry card.

IBM. DISKETTES

5%" Diskette 1D Single Side Double Density

54" Diskette 2D Double Side Double Density Soft" Box of 10

Soft* Box of 10

* Add \$1.75 for Plastic Library Case B" and other brands also available.

COD ACCEPTED

DEALER INQUIRIES INVITED



CALL TOLL FREE 800-848-1101

In N.Y.S. (716) 631-3925 BETSY BYTES Division 88 International, Inc. P.O. Box 584 Buffalo, N.Y. 14221

TERMS, Pregaid orders receive free shipping within continental U.S.A. Add 3% (\$2.00 minimum) shipping and handling charge on all COD and credit card orders. N.Y. res. add

SAVE UP TO 50% ON

We Discount the Top Brands

3M-Scotch* • Verbatim* Memorex • BASF • Maxell* We also stock

Ribbons • Paper • Labels Cleaning Kits • Printwheels Storage Products

Call, write, or utilize Reader Service for our FREE new DISCOUNT catalog

LYBEN COMPUTER SYSTEMS

27204 Harper St. Clair Shores, MI 48081 (313) 777-7780

Offering Reliability and Same Day Service

Circle 267 on inpulry card.

Box of 10 Sgl Side/Sgl Density Sgl Side/Dbl Density Dbl Side/Dbl Density \$17.50 20 00 24 00

Sgl Side/Sgl Density Sgl Side/Dbl Density Dbl Side/Dbl Density 20 00 25.50 30.00

Certified 100% error free Hub rings on 5%" diskettes Specify soft, 10 or 16 sector on 5% diskelles Shipping/Handling \$1.50 per box Catifornia residents add appropriate tax

ORDER NOW!! Check/Money Order/VISA/MasterCard/C 0 0



Circle 217 on inquiry card.

51/4" Tandon Drives

\$189 TM 100-1 (single sided, 40 TRK, single or double density) Shipping

\$259 TM 100-2 (double sided, 40 TRK/side Free single or double density) Shipping

\$349 TM 100-4 (double sided, 80 TRK/side Shipping 96 TPL double density)

ORDER - TOLL FREE-

1-800-531-5475 (If outside of Texas) (512) 250-1523 (If inside of Texas)

"If we can't ship the next working day, we won't take the order."

Master Card/Visa or check Texas Residents add 5% sales tax

CompuAdd Corp.

13010 Research Blyd - #101 Austin, Texas 78750



-THE NEW D-92 DUAL MODE MODULAR PRINTER-

WE DARE YOU TO COMPARE!

But don't just look at the price, consider the features, reliability and flexibility of the D-92 dual mode modular printer.

FEATURES

- 7×9 Font For Data Processing printing
- 11×9 Font For Crisp Clear Business Letters
- 100 CPS Bidirectional Printing
- Short Line Seeking Logic
- 800 Character Buffer
- Six Different Character Sizes
- 100% Duty Cycle
- Parallel Interface

RELIABILITY

All Data Impact Products printers are built with superior materials right here in the United States. Each unit is inspected, tested and burned in at the factory to insure superior quality.

Other measures of reliability

- 100 Million Character User-Replaceable Printhead
- 5 Million Character Ribbon Cartridge
- Easy Access and Serviceable Single Circuit Board
- Full Factory Warranty

FLEXIBILITY

The D-92 was built with your future in mind. The highly modular design provides several upgradeable options such as:

- Adjustable Tractor Feed
- Dot Addressable Graphics
- 2K Buffer
- · X-ON/X-OFF
- RS232 Serial Interface
- 9600 Baud
- Single Sheet Feeder
- Sound Cover

Naturally, Data Impact Products printers will interface with all popular computers whether it is IBM, Osborne, TRS, Apple, Atari, etc.

Act now to take advantage of our special promotional discount for options

For more information call 1-800-327-1525



DATA IMPACT PRODUCTS, INC.

745 ATLANTIC AVE., BOSTON, MA 02110 TEL: 617-482-4214

TELEX: 951047 DIP INC BSN Gircle 184 on inquiry card.



Circle 426 on Inquiry card.

SUPERBRAIN USERS!

SUPERLETTER is for you!

It's the exciting bi-monthly packed with technical tips, feature articles, display and classified ads plus hardware and software reviews written just for the SuperBrain and ComouStar user.

Now in our second year, we offer:

- Substantial DISCOUNTS on popular nationally-advertised CP/M software.
- A full line of hard-to-find enhanced PROMS, BIOS's and GRAPHICS packages.
- A direct link to thousands of intertec computer users around the world.

Subscriptions: \$25 in USA \$35 foreign


(Back-issues available at \$3.50)

To order, call or write:

SUPERLETTER

P. D. Box 3121 Beverly Hills, CA 90212 (213) 277-2410

Circle 8 on inquiry card.



Z8 PROGRAMMABLE LOGIC CONTROLLER

16K Static Memory (6116)/(2716) 9 Parallel Ports (3-8255A)

Bare Board \$50.00\$224.00 A. & T. \$274.00

To Order (313) 525-1840

MICRO ADE

29554 Rosslyn Garden City, MI 48135

MEMOREX FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLDff Call Free (800)235-4137

for prices and information. Dealer Inquiries invited and C.O.D.'s accepted



VISA

PACIFIC **EXCHANGES**

100 Foothill Blvd. San Luis Obispo, CA 93401 In Cal call (800)592-5935 or (805)543-1037

Circle 347 on inquiry card.

PERIPHERALS APPLE/IBM FOR


Quality Inexpensive Peripherals with a Full One Year Warranty

		BAHE	
	EACH	BOARD	KIT
IBM/Shugari Drive 160K	\$179		
320K	CALL		
Appin/Shugari Orive (614")	229		
Thirdine	182		
Dual Thinline	339		
Disk Controller (DDS 3.2-3,3)	69	21	61
80 Column Card	149	29	137
(Videx Equivalent)			
ZBD Solicard	119	58	109
(Microsoft Equivalent)			
Printer Interface with 16K	139	28	129
Buffer and Graphics			
(Apple Dumpling Equivalent)			

COLORADO COMPUTER PERIPHERALS R.R. 6 Box 7D

Golden, Colorado 80401 (303) 278-7172

Circle 496 on inquiry card.



STRAIGHT from the manufacturer with STRAIGHT PRICES!



LOOK AT THESE FEATURES!

- Multitages Roard for Low Notes
- Socketed for Easy Upgrade to 512K memory
- One Year Warranty Fully Tesled Orders Shipped Next Day
- Parity Generato/Check Error Detroing Capebility
- · Fully compatible with IBM PC Software & Hardware Space
- Fasy to Follow Instructions Invitated He Wait States
- Selial Port may be Configured as COM1 or COM2
- Money Back Gustantes of not satisfied
- Address Flewbildy Each 64K Block is Address Setectable for any Base Address

umes percome - Add \$5 by Shapping - California Bust dust, Add Eth. Sales Tax

Call or Send Check/Money Order to: MK Research

14682 Orange Acres - Irvine California 92714 Telephone: (714)559-1598

Circle 312 on inquiry card.



\$3995 DSA WIS MEG HD & 5V We Palls Albing the Lorent (Minister or Lorent Minister)
14 Set 5-183. Z. A. Mich. State: 16 Seat (Minister)
14 Set 5-183. Z. A. Mich. State: 3 Seat 3 19. CHAP 16:
14 Set 5-183. Z. A. Minister Seat 18 Seat 3 19. CHAP 16:
14 Set 5-183. Z. A. Minister Seat 18 Seat 18
14 Set 5-183. Z. A. Minister Seat 18
15 Seat 18
16 Se



PRINTERS: Star, OKI, Clich, NEC, Da

205 879-5976 P.O. Box 6114-Barrain 205 879-4735 Our Bard in Value and 19

Circle 138 on inquiry card.

NEW LOWER PRICES PRINTER BUFFERS

32K \$219.00



SPODE-Z-D.

STAND ALONE PARALLEL PRINTER BUFFER FEATURES:

- · COPT WAS SELFTED PLANCE ON AL
- BINTON GERECTARE: "PRIME ON FIRM TEED" MODE FOR SWIELL SHEET PRINTING
 ARTHMATIC SWIEC CHARACTER COMPARESSON
 LEY CHARACTERIS CAPACITY STANDARD, BMT AND TERN MODELS AVINCARE.

- UEDI EDWA
- P. OR HADDRANE OF CHETWOOD INCOME. AG MOON NOW. WHITE OF CALL FOR MAL DETAILS.
- CABLE FOR ABOVE \$27.00



JVB ELECTRONICS 1981 Fulton Avenue, Suite 1 Incremento, California 1982 Phone (\$16) 463-0708

Circle 250 on Inquiry card.

Haves Smartmodem 1200 BD RS232 \$495.

Rana Systems

Elite One \$275. Elite Two \$415. \$545. Elite Three \$ 75. Rana Controller

COMMUNICATIONS PAK SALE Micromodem H

ASCII Express

\$259,00 Source Subscription \$ 69.95 \$ 49.95 \$375.00 ALL THREE PIECES Verbatim 5%" SSDD (10) 23.95

iappia computar

WE CARRY A FULL LINE OF APPLEHE HARDWARE & SOFTWARE

> GARDEN OF EDEN CHMPI TERS

Ask for our Price List

1.3147 Cada: Street Westminster CA 92651 714-894-9528

VISA

Circle 204 on inquiry card.

Wabash diskettes as \$1.39 each!

Now...Get High Quality at a Low Price

Wabash means quality products that you can depend on. For over 16 years, Wabash has been making high quality computer products. Wabash diskettes are made to provide error-free performance on your computer system. Every Wabash diskette is individually tested and is 100% certified to insure premium performance.

Why Wabash is Special

The quality of Wabash diskettes is stressed throughout the entire manufacturing process. After coating, all Wabash diskettes go through a unique burnishing process that gives each diskette a mirror-smooth appearance. Wabash then carefully applies a lubricant that is specially formulated to increase diskette life. This saves you money, since your discs may last longer. It also assists your disk drives in maintaining constant speed which can reduce read and write errors.

Special Seal... Helps Prevent Contamination

To keep out foreign particles, a unique heat seal bonds the jacket and liner together. A special thermal seal which avoids contamination from adhesives, is then used to fold and seal the jacket. This results in outstanding performance and true reliability. Wabash then packages each diskette, (except bulk pack) in a super strong and tear resistant Tyvek® evelope. The final Wabash product is then shrink-wrapped to insure cleanliness and reduce contamination during shipment.

Each Diskette is 100% Critically Tested

Since each step in the Wabash diskette manufacturing process is subject to strict quality control procedures, you can be sure Wabash diskettes will perform for you. And every Wabash diskette meets the ultra-high standards of ANSI, ECMA, IBM and ISO in addition to the many critical quality control tests performed by Wabash. Wabash does all of this testing to provide you with consistently high quality diskettes. Reliability and data integrity – that's what Wabash quality is all about.

Flexible Disc Quantity Discounts Available

Wabash diskettes are packed 10 discs to a carton and 10 cartons to a case. The economy bulk pack is packaged 100 discs to a case without envelopes or labels. Please order only in increments of 100 units for quantity 100 pricing. With the exception of bulk pack, we are also willing to accommodate your smaller orders. Quantities less than 100 units are available in increments of 10 units at a 10% surcharge. Quantity discounts are also available. Order 500 or more discs at the same time and deduct 1%; 1,000 or more saves you 2%; 2,000 or more saves you 3%; 5,000 or more saves you 4%; 10,000 or more saves you 5%; 25,000 or more saves you 6%; 50,000 or more saves you 7% and 100,000 or more discs earns you an 8% discount off our super low quantity 100 price. Almost all Wabash diskettes are immediately available from CE. Our warehouse facilities are equipped to help us get you the quality product you need, when you need it. If you need further assistance to find the flexible disc that's right for you, call the Wabash diskette compatibility hotline. Dial toll-free 800-323-9868 and ask for your compatibility representative. In Illinois or outside the United States dial 312-593-6363 between 9 AM to 4 PM Central Time.

SAVE ON WABASH DISKETTES Product Description	Pari #	CE quant. 100 price per disc (\$)
6" SSSD IBM Compatible (128 B/S, 26 Sectors)	F111	1.99
8" Same as above, but bulk pack w/o envelope	F111B	1.79
8" SSSD Shugari Compatible, 32 Hard Sector	F31A	1.89
8° SSDD IBM Compatible (128 B/S, 26 Sectors)	F131	2,49
9" DSDD Soft Sector (Unformatted)	F14A	3 19
8" OSDD Salt Sector (256 B/S, 26 Sectors)	F144	3,19
6" OSDD Soft Sector (512 B/S, 15 Sectors)	F145	3.19
8' DSDD Self Sector (1024 B/S, 8 Sectors)	F147	3.19
5%" SSSD Soft Sector w/Hub Ring	MITA	1.59
5%" Same as above, but bulk pack w/o envelope	M11AB	1.39
5% SSSD 10 Hard Sector w/Hub Ring	M41A	1.59
5W" SSSD 16 Hard Sector w/Hub Ring	M51A	1.59
5%" SSDD Lanier No-problem compatible	MSTF	2.99
5%" SSDD Soft Sector w/Hub Ring	M13A	1.89
5%" Same as above, but bulk pack w/o envelope	M13AB	1 69
54" SSDD Soft Sector Flippy Disk (use both sides)	M18A	2,79
5%" SSDD 10 Hard Sector w/Hub Ring	M43A	1.89
54" SSDD 16 Hard Sector W/Hub Ring	M53A	1,89
54" DSDD Soft Sector w/Hub Ring	M14A	2.79
54" DSDD 10 Hard Sector W/Hub Ring	M44A	2.79
54" DSDD 16 Hard Sector w/Hub Ring	M54A	2.79
54" SSQD Soft Sector w/Hub Ring (96 TPI)	M15A	2.69
54" DSQD Soft Sector w/Hub Ring (95 TPI)	M16A	3.79

SSSD = Single Sided Single Density; SSDD = Single Sided Double Density; DSDD = Double Sided Double Density, SSQD = Single Sided Quad Density, DSQD = Double Sided Quad Density; TPI = Tracks per Inch

Buy with Confidence

To get the fastest delivery from CE of your Wabash computer products, send or phone your order directly to our Computer Products Division. Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax or supply your tax I.D. number. Written purchase orders are accepted from approved government agencies and most well rated firms at a 30% surcharge for net 30 billing. All sales are subject to availability, acceptance and verification. All sales are final. Prices, aterms and specifications are subject to change without notice. All prices are in U.S. dollars. Out of stock items will be placed on backorder automatically unless CE is instructed differently. Minimum prepaid order \$50.00. Minimum purchase order \$200.00. International orders are invited with a \$20.00 surcharge for special handling in addition to shipping charges. All shipments are F.O.B. Ann Arbor, Michigan. No COD's please. Non-certified and foreign checks require bank clearance.

For shipping charges add \$8.00 per case or partial-case of 100 8-inch discs or \$6.00 per case or partial-case of 100 5¼-inch mini-discs for U.P.S. ground shipping and handling in the con-

tinental United States.

Mall orders to: Communications Electronics, Box 1002, Ann Arbor, Michigan 48106 U.S.A. If you have a Master Card or Visa card, you may call and place a credit card order. Order toil-free in the U.S. Dial 800-521-4414. If you are outside the U.S. or in Michigan, dial 313-994-4444. Order your Wabash diskettes from Communications Electronics today.

Copyright 1982 Communications Electronics

Ad #110582









Order Toll-Free! 800-521-4414

In Michigan 313-994-4444

wabash error-free diskettes




Computer Products Division

854 Phoenix 🗆 Box 1002 🗆 Ann Arbor, Michigan 48106 U.S.A. Call TOLL-FREE (800) 521-4414 or outside U.S.A. (313) 994-4444

Circle 104 on Inquiry card.




Circle 493 on inquiry card.



Circle 147 on inquiry card.





Circle 488 on inquiry card.



Circle 289 on inquiry card.







CP/M Z80-A SINGLE BOARD COMPUTER

 On board video - Wide fine and thin line graphics • 128K of RAM • Sasi Interface • Floppy disk controller for up to four 5-1/4 and four 8 inch drives, single/double density simultaneously • 4 serial parts • Full Centronics printer part • Expansion bus • Extended track buffer • 16K printer buffer DMA - Comport size (8-1/4 x 12-1/4)

\$750.00 3-6 weeks delivery

SIGHT ENTERPRISES, CORPORATION

373 N Westmin Ave. Suite 12. Los Angeles. CA 90004 (213) 461-3262 IEEE Dealer. GEM. International Insulinas Weiger

Circle 227 on inquiry card.

CROSS ASSEMBLERS AND MICRO SIMULATORS written in FORTRAN IV

mine, con and debug microprocessor software on mucl whe — no other hardware needed. Programs for any of g larger microprocessors

MC68000 MC56502 8080/85 CDP1802 MC6809 MC6805 MC6801 MC6800

assemble and run microprocessor programs on most all supports FORTRAM, then download to a termos

s macros, conditional assembly, long error messages, etc ors can load object code run Trace, modify, disassemble nd more. All programs can be run in either batch mode p

Turget	- 1	seemble	r	Simu	later
AACE BOOO		0.114		1	3
MC58502		3/30		310	VIII)
8080/85		400		Š	00
CDP1802		400		5	00
MC5809		500		ě	00
MC6805		500		6	00
MC5801		500		6	00
MC5800		400		5	00
sa/MasterCard	accupted	Package	prices	Include	FOR


Visa/MasterCard accepted Package pro-source on laps, profited vising manual and shipping if MAMEDIATE OVERWINGH TOE (VIETE'S available to prepaid ord MAMEDIATE OVERWINGH TOE (VIETE'S available) Quantity prices available

INTELLIGENT DEVICES, INC. PD Box 183 Oden, CO 80435 (303) 468-0112

Circle 232 on inquiry card.



SPEECH SYNTHESIZERS



JBEs Speech Synthesizers use the Votrax SC-01 Phoneme Synthesizer chip. The SC-01 phonetically synthesizes continuous speech of unlimited vocabulary. The SC-01 contains 64 different phonemes and 4 levels of inflection accessed by an 8 bit code. It requires 10 Bytes per second for continuous speech. Both boards have an audio amp for direct connection to an B ohm speaker.

Documentation includes basic user programs, a phoneme chart and listing of coded words to help you get started. Documentation for the Apple III Speech Synthesizer includes a disk with last to speech program.

81-088 Apple II Speech Synthesizer


81-120 Parallel Input Speech Synthesizer

\$129.66

\$149.86

include the SC-01 Chip SC-01 sold separately for S SER

A-D & D-A CONVERTER



JBE A-D & D-A Converter can be just with any system having parties potent interfaces with JBE Parties 10 cm., c-D-A Conversion time — \$5.5 A Poor-variant time — 20.5 Cm., as a power supply Parallel Inputs & culputs include 8 data bits, strobe lines & latches - Analog inpots & culputs are medium impedance 0 to 5 voit range.

79-287 Bare Boats ASSM. \$79,96

SOLID STATE SWITCH



your printer, lights, stereo & any 120VAC appliances up to 720 watts /6 amps at 120VAC). Input 3 to 15VDC . 2-14MA TTL compatible • isolation 1500V • Non zero crossing • Comes in 1 or 4 channel version

ASSM, \$13.95 79-252-1 Bare Board \$8.95 ASSM, \$49.95 79-282-4 \$24.96 Bare Board

6502 MICROCOMPUTER




8502 MPU, 6522 VIA, 2716 EPROM, 2114 RAM single board computer. Single 5 volt power supply at 400 Ma. Two in-dependent 8 bit (O ports with handshake lines. RC controlled 1 MHz clock.

Complete documentation. VO lines use 50 pin edge connector. Data and address lines are not accessible. Mod. for 2532 is included. EPROM is not included. 1K RAM, 2K EPROM, 2 80 parts.

Assm. \$110.95

Z-80 MICROCOMPUTER



80 MPU, Z-80 PIO. 2716 EPROM, 2114 RAM single board computer. Single 5 voll power supply at 300 Ms. Two independent 8 bit I/O ports with handshake lines. RC controlled 2MHz clock.

Complete documentation. I/O lines use 50 pin edge connector. Data and address lines are not accessible. Mod. for 2532 is included. EPROM is not included, 1K RAM, 2K EPROM, 2 I/O ports.

Assm \$129.95

MINI VIDEO 40 X 24



This board can be used to add a video display to your AIM or other computer. it can also, with the addition of a paratlel keyboard, 5V power supply and video monitor, be used as a home compoler, it will run Tom Pittman's Tiny Basic. The 2716 character gen, will pro-duce 256.8x8 characters. ASCII upper and lower case and graphic characters. The 44 pin expansion connector can be used to add up to 6K of memory or extra VO ports, Power requirements: 5 volts

Occumentation includes schematic, parts list, connector pin outs, and source listing for video display and Monitor. Control character response:

H back space up one line

line feed

clear screen and home carriage return

forward space non destructive

The curser is flashing and films bype.

82-140A geam, W/O EPROMS \$149.95 Character Gen. A7 \$ 19.95 Tiny Basic + Monitor \$39.95 \$ 19.95 GPIO Paratiel Inpul Bare Board with doc.

81-260

"SLIM"



Single board large scale Integration Microcomputer. This 4.5 x 6.5 board uses the 6502 Microcomputer, two 6522 VIA's four 2114 RAM's, 2516, 2716 or 2532 EPROM. The fully buffered 22/44 pin bus is similar to the KIM*, SYM*, and AIM* expension connector. The four 8 bit I/O parts connect through 16 pin dip sockets. This board was designed for control and is ideal for Personal and OEM use.

- 6502 MPU

- Two 6522 VIA's

. Four 2114 RAM's (2K bytes) One EPROM 2516 or 2532

Grystal ctock 1 MHz

· Requires 5V 1AMP power

4.5 x 8.5 card

Power on reset **Eully bulfered-expandable** pider mask-both sides

The your Apple II Computer dBE 6522 Fixed at Interlace partition EPROM Pro-gramma and predopment system for SLIM. (1)

81-260Å

Assm. \$199.95

JBE | MICROCOMPUTER

VIDEO TERMINAL BOARD



This is a complete stand sione Video Terminel board. All that is needed basidee this board is a parallel ASCII keyboard, standard NTSC monitor, and a power supply.
• 6502 Microprocessor

• 6545-1 CRT controller • 2716 EPROM char. gen.

2718 EPROM program

4K RAM (6116)

 RS232 I/O for direct comparation to computer or modem

80 columns X 25 line display

. Size 6.2" X 7.2"

· Output for speaker (bell) - Power +5 700 Ma.

+ 12 50 Ma.

- 12 50 Ma.

This board is available assembled and tested. 82-018A \$199.95

Bare board with EFROMS 82-0188 \$ 89.95 and crystal. Both versions come with complete documentation



JBE's 7.75 x 11.75 8502 base Microbom puter has the capacity for 18K of EPROM, 4K of RAM, 8 Parallel Ports and 1 Serial Port. Monitor and Tiny Basic are also available.

Both versions include sockets for 2718s or 2522s, 8 16 pin sockets for I/O interscing and a DB25 connector for

All addition and data lines are brought of the populate the 50 pin edge connec-ser (2001) to the Apple II bus.)

leest no tewer payars payar on reset rd cassette interface.

81-030C Fully Populated

B1-030M Partially Populated

2716 EPROM (with Tiny Basic) 1309.95 \$290.95

\$ 19.95

PHERIPHERALS FOR SLIM



RAM EPROM Memory (32K) 81-330A Asem. W/O Memory 81-330B Bare Board

249 95

6 Slot Mother Board 81-320A Assembled 81-320B Sare Board

\$99.95 249 95

24 Hour Real Time Clock 81-350A Assembled 81-3508 Bare Board

\$149.95 \$ 49.05

Analog I/O Interface 81-036A Assembled 81-0368 Bare Board

\$199.95 \$ 49.95

12 Port Parallel I/O (8-6522°S) 82-038A Assembled 82-0368 Bare Board

\$109.96 \$ 49.95

Tiny Basic + Monitor EPROM

\$39.95



JOHN BELL ENGINEERING, INC.

ALL PRODUCTS ARE AVAILABLE FROM JOHN BELL ENGINEERING, INC. • 1014 CENTER ST., SAN CARLOS, CA 94070 ADD SALES TAX IN CALIFORNIA . ADD 5% SHIPPING & HANDLING 3% FOR ORDERS OVER \$100

(415) 592-8411

WILL CALL HOURS: 9em - 4pm

10% OUTSIDE U.S.A. ADD \$1.50 FOR C.O.D.



lasterCard




printer, CM1 or any breat No-222 receive type device. Requires no AC power or balleries to operate DRDER NOW1 Only 334.95, plus \$1.75 shipping and handling, (it res, add 5% sales lax); we accept MC or VISA. FREE illustrated catalog of problem solving equipment Phone: 815/539-5827. Make checks payable to:

8&B electronics Box 475B, MENDOTA, IL 61342

Circle 56 on inquiry card.



Circle 429 on inquiry card.





Circle 205 on Inquiry card.



Circle 30 on Inquiry card.





350 Char/Sec Low Cost Loader

Solid state photoelectronic components read all standard 5, 6, 7 or 8-level tapes. Smooth, quiet AC drive. Reliable high-speed paper tape data entry. Data amplifiers and "character ready" output available for CMOS or TTL interfaces. Standard interface or to your Interface specifications. Fanfold boxes avail-

Addmaster Corporation, 418 Junipero Serra Drive, San Gebriel, CA 81775, Telephone (213) 285-1121, Telex: 674770 Addmaster SGAR

Circle 14 on inquiry card.



For Model 3

For Model 1

Model 488-80B or 488-80C Price: \$375. + shipping, insurance & fer WHEN ORDERING SPECIFY DISK OR TAPE SCIENTIFIC ENGINEERING

LABORATORIES

11 Neil Drive • Old Bethpage, NY 11804 Telephone: (516) 694-3370

*Trademark of Tandy Corp.

There is no alliliation between Scientific Engineering Leboratories and Tandy Corp or Radio Shack

Circle 404 on inquiry card.





\$228.00 ea. w/o controller \$288.00 ea. w/controller

Replacement parts for Apple* il: Computer Case Keyboard Switch Power Supply

\$145.00 ea. \$ 95.00 ea. \$125.00 ea.

Call or send check/money order to:

VSC TECHNOLOGIES INC. 1212 E. Main Street Alhambra, CA 91801 Phone: 213-281-4914 Telex: 69-1300

> *Apple is a registered trademark of APPLE COMPUTERS INC (Add 7% for shipping & handling.)

E WILL NOT BE UNDERSOI

TERMINALS

Zenith ZT-1	\$595.00
Zervih Z-19	\$679.00
Televideo 910+	\$599.00
Televideo 925	\$779.00
Televideo 950	\$979.00
Sanyo CRX-1100	CALL

COMPUTERS

Sanye MBC 1000 64K	CALL
Sanyo MBC 1200	CALL
Sanyo MBC 2000 dual 5%"	CALL
Sanyo MBC 3000 dual 8"	CALL
Sanvo MBC 4000 16 BIT	CALL
ALL SANYO COMPUTERS INCLUDE	
WordStar, MaliMerge, CalcStar, SpellStar, InfoSter	
Franklin Ace 1000 64K	CALL
Franklin Ace 1200 128K	CALL
Call for our Special System Packages!	

TELECOMMUNICATIONS

Novation Cat	\$139.00
Novation J Cal	\$119.00
Novation D Cat	\$165.00
Novation Apple Cat	\$209.00
Novation Apple Cat 1200 band	\$829.00
Novetion Smert Cat	\$199.00
Novation Smart Cat 1200 baud	\$495 00
Haves Micromodem (I	\$299 00
Hayes Smartmodern	\$239.00
Hayes Smartmodern 1200 baud	\$569 00
Hayes Chronograph	\$229 00
Signalmen Mark I	\$89 00
Signalmen-IBM	\$169.00

DISKETTES

0.0	
Verex 5%"	\$23.95
Verbalim 5½"	\$26.95
Verbalim 8"	\$38.95
Verbatim Head Cleaning Diskette	\$9.95
Maxell MO1514"	\$29 95
Maxiell MD2 51/4"	\$44.95
Maxell FD1 8"	\$37 95
Maxell FD2 8"	\$44 95
5%" File Box	\$19,95
8" File Box	\$21,95

MONITORS

Sanyo 9" B&W	\$159.00
Sanyo B" Green	\$165.00
Sanyo 12" B&W	\$179.00
Sanyo 12" Green	\$199.00
Sanyo 13* Color	\$399.00
SMD 13" Color	\$339.00
Comrex 13" Color	\$329.00
Amdek 13" Color	\$329.00
Zenith 13" Color RGB	\$589.00
Zenith 12" Green	\$99 00
Electrohoma 13" Color RGB	\$699 00
Taxan 12" Amber	\$139.00
Taptan 12" Green	5129.00
Taxun 12" Medium Res Color	\$319.00
Taxon 12"Hi Res Color	\$529.00

The CPU Computer Corporation Announces:

The Local Area Network that uses real CP/M" for Apples. CPUnet allows you to run hundreds of popular CP/M" programs, on your Apple terminals, without disk drives! Call for more information.

\$2995.00

Technical information call 617/242-3361

Hours 9 AM - 9 PM (EST) Mon.-Fri. (Sat. till 6)

APPLE ACCESSORIES

16K Card by Microsoft	579.00
32K Card by Saturn	\$199.00
64K Card by Saturn	\$419.00
128K Card by Saturn	\$585 00
SoftCard Plus by Microsoft	CALL
Keyboard Enhancer by Videx	\$125.00
Videoterm by Videx	\$259.00
Game Paddle by TG	549 00
Joystick by TG	\$49.00
Pkaso IO-12 Card	\$159.00
Pluiso EP-12 Card	\$159 00
Pleaso AP-12 Card	\$159.00
Pkaso NE-12 Card	\$159,00
System Saver by Kensington	\$75.00
Microbuffer II 16K (Apple)	\$229.00
Microbuffer II 32K (InLine)	\$250.00
Microbuffer If 64K (InLine)	\$319.00
Add-Ram 16K by ALS	\$79.00
Z-Card w/CPM by ALS	\$225 00
Z-Card 64K by ALS	\$299,00
Smarterm by ALS	\$249.00
Smarterm II by ALS	\$149.00
Dirt Cheap Video by ALS	\$75.00
Color II Card by ALS	\$149.00

APPLE SOFTWARE

MICROPRO	
WordStar	\$379.00
MailMerge	\$190.00
SpellStar	\$190.00
DalaStar	\$259.00
CalcStar	\$115.00
VISICORP	
VisiCalc	\$199 00
VisiTerm	\$89.00
VisiDex	\$199.00
VisiPici	\$169 00
VisiFile	\$199,00
VisiSchodula	\$259.00
VisiTrend/Plot	\$259.00
VisiLink	\$199.00
Visicalc Business Model	\$89.00
MISCELLANEOUS	
MicroTerminal	\$69.00
Screenwriter II	\$99 00
Dictionary	\$79 00
DB Master	\$169,00
PFS Filing System	\$99,00
PFS Report	\$75.00
PFS Graph	\$99.00
Easy Writer Pro	\$199.00
Easy Mader Pro	\$79.00
Z-Term Pra	\$129.00
Word Handler	\$149.00
MultiPlan by Microsoft	\$229.00
dBase II	\$489 00
HowardSoft Tax Preparer	\$149.00

IBM DC HADDWARE

IDM FU HANDIN	ALL
Quadram 128K Ram Card	\$599.00
Quadram 192K Ram Card	\$719.00
Quadram 256K Ram Card	\$795.00
Microsoft 54K Ram Card	\$399.00
Microsoft 192K Ram Card	\$699.00
Microsoft 256K Ram Card	\$799.00
Joystick by TG	\$48.00
Tandon TM 100-2 Raw Drive	\$279.00

TO ORDER CALLTOLL FREE 1-800-343-6522

For last delivery, send certified checks, money orders, or call to arrange direct bank wire transfers. Personal or com-pany checks require one to three weeks to clear. All prices are mail order only and are subject to change without notice. Call for shipping charges.

IBM PC SOFTWARE

INFORMATION UNLIMITED	
Easy Writer	\$289.00
Easy Speller	\$149.00
Easy Filer	\$319.00
VISICORP	
VisiCaic 256K	\$199.00
VisiDex	\$209.00
VisiFile	\$259.00
VisiTrend/Plot	\$259.00
VisiSchedule	\$259.00
VisiWord	\$329 00
MICROPRO	
WordStar	\$379.00
MalMerge	\$195.00
MISCELLANEOUS	
SuperCalc	\$279.00
SuperWriter	\$289.00
Home Accountant +	\$129.00
dBase II	\$495.00

DISK DRIVES

CCI 121 add-on for Sanyo MBC 1000	\$369.00
CCI 100 for the TRS 80 Model I	
544" 50 track	\$299.00
Corvus 5M with Mirror	\$2895.00
Corvus 10M with Mirror	\$3679.00
Corvus 20M with Mirror	\$4579 00
Rana Systems for the Apple II	
Elite One 40 track	CALL
Elite Two 80 track	CALL
Elite Three 50 track, double side	CALL
Elile Controller	CALL
Sanyo EFD 160	\$699.00

RAM

16K Flam Kit for Apple II	
and TRS 90. 4116 chips	
200 nano seconds	\$17.50

PRINTERS

NEC 3510 Serial	\$1595.00
NEC 3530 Parallel	51629 00
NEC 3550 for the IBM PC	\$1995.00
NEC 7710 Serial	\$2250.00
NEC 7720 KBR	\$2675.00
NEC 7730 Parallel	\$2250 00
Epson MX 80	CALL
Epson MX 80 FT	CALL
Epson MX 100 FT	CALL
Epson FX Series	CALL
Epson RX Series	CALL
IDS Microprism	CALL
IDS Prism 80	CALL
IDS Prism 132	CALL
Okidata 82A	\$479.00
Oludata 83A	\$729.00
Okidata 84	\$1149.00
Sanyo PR 5500 Letter Quality	\$859.00
Brother HR 1 Letter Quality	\$899.00
Toshibe P 1350 160 CPS	
Letter Quality	CALL

Call For More IBM Software And Accessories CP/M is a registered trademark of Digital Research.

> SPECIAL OF THE MONTH SANYO PR 5500 LETTER QUALITY PRINTER 18 CPS—DAISY WHEEL BI-DIRECTIONAL SCALLS



DEALER INQUIRIES PLEASE CALL 1-800-343-7036

420-438 Rutherford Ave., Dept. BY-5, Charlestown, Massachusetts 02129

TWX-710-348-1796

Massachusetts Residents call 617/242-3361 Massachusetts Residents add 5% Sales Tax

Quality cables with immediate delivery and low prices.

Conductor	Price
1-4	\$12.00 + 18/ft.
5-7	12.50 + .27/1
8-12	13.50 + .33/ft.
13-16	14.75 + .44/IL
17-25	17.00 + .55/ft.

Specify: Male or lemale connectors, length of cable and pins to be connected. OEM & quantity discounts available to qualified customers. On repaid orders add \$5.00 for shipping/handling.

We also supply connector parts, bulk cable, IBM, DEC Compatable & Centronic cables

Communication Cable Company

319 Louella Ave. Wayne, PA 19087 215-964-9404

Circle 103 on inquiry card.




Circle 143 on inquiry card.





Circle 54 on Inquiry card.





Threaded Language

RTL is a new language which retains the speed and extensibility of Forth but adds many additional advantages as a result of its more structured dictionary. Names, code, and variables are all stored in separate areas for easy generation of headerless, romable code All code is relocatable. RTL supports local variables, multitasking, redirected I/O, and even allows definitions to be changed retroactively. All source code is included. Versions are currently available or under development for 68000, 6809, 8080, 280, 8086, 8088, and

> RTL Programming Aids 10844 Deerwood SE Lowell, MJ 49331 (616) 897-5672


Circle 396 on inquiry card.

6507



Circle 417 on Inquiry card.





NEW QUICK LOW-COST uP DEBUG AID. If you program, engineer, test, or repair micros, try his new invention and save endless time and effort. Shows you program flow, address, data, I/O, timing, and stability into on 256 LEDs. Telescopic and microscopic views. Easy, LEUS Telescopic and microscopic views. Easy, quick, rugged, portable. A smart alternative or addition to multi-thousand dollar instruments. MICRO VIEW[®] is just \$749 complete. Order today on 14-day trial or circle our number for color brochure. Micro Logic Corp. POB 174, MS-1, 100 2nd St. Hackensack, NJ 07602, (201) 342-6518



Circle 179 on inquiry card.

THE MOST VERSATILE MICROCOMPUTER YOU CAN BUY ISN'T SOLD IN ANY STORE.

Before you start hunting from store to store for the ideal microcomputer, consider this: you won't find it.

That's because the world's most versatile micro is available only from the manufacturer. It's Lobo's MAX-80." And, dollar for dollar ... feature for feature, there isn't another system that even comes close. Here's why,

LOOK WHAT \$945 BUYS!

128k RAM standard.

 CP/M Plus included (CP/M 2.2 compatible). As a low-cost option you can get LDOS, and run most TRS-80 Model III software. The MAX-80 with CP/M and LDOS gives you access to more software than any other system!

 5MHz Z-80B processor increases the speed of program execution by 250% over Model III or SoftCard/Apple.

· All disk interfaces built in. Plug in any combination of 51/4" floppies, 8" floppies, and Winchester disks.

Software-selectable 24 x 80 (under CP/M). 16 x 64, and 16 x 32 (under LDOS) screen formats. For full compatibility with CP/M and TRS-80 applications.

Two RS-232C serial ports for moderns,

printers, or what-have-you. Centronics-type parallel port. For any printer using this standard interface.

· Extra-rugged construction with heavy-duty case and sculptured full-stroke keyboard.

• Built-in numeric keypad with 4

programmable function keys.

-year limited warranty on hardware. · Plus: all characters (both text and graphics) are software delinable; built-in clock/calendar with battery backup; and buffered I/O expansion port.

HOW TO GET ONE... FAST! At just \$945, the MAX-80 could be everything you've been looking for in a computer. Order yours today by calling Lobo's toll-free number. And, while you're at it, check the great prices on Lobo's superb peripherals.

Then, feel free to go window shopping again. You'll be amazed at how good you leel at having bought a MAX-80 in the

first place.

CPU and Accessories

MAX-80 computer with CP/M Plus 945 300102 12" (diag.) high-resolution anti-glare green phosphor monitor 175 300104 12" (diag.) high-resolution anti-glare amber 195 screen monitor LDOS operating system (version 5) 69

Dual 51/4" Floppy Disk Systems

003120 single-sided, 40 track; 180kB per diskette \$ 690 003420 double-sided, 80 track; 720kB per diskette \$1,175

Dual 8" Floppy Disk Systems

NOTE: Lobo CP/M permits reading and writing standard single-sided, single density CP/M disks with either of these systems.

Prices subject to change without notice.

004120 single-sided, double density; 577kB per diskette 004220 double-sided, double density; 1155kB per diskette

\$1,185

\$1,485

Winchester Disk Systems 005020 5¼" system: 4.8MB hard disk plus 720kB floppy (double density only)

005520 8" system: 8MB hard disk plus 1155kB floppy (double density only)

\$2,405 \$3.085

@ 1983 Lobo Systems

MAX-80 is a registered trademark of Lobo Systems Incorporated CP/M Plus and CP/M 2.2 trademarks of Digital Research

Corp.
TRS-80 Model III trademark of Tandy Corp.
SoftCard trademark of Microsoft Corp
Apple trademark of Apple Computer
LDOS trademark of Logical Systems Inc.

ALL PRICES INCLUDE SHIPPING WITHIN THE U.S.A. California residents add 5% sales (ax. Payable by credit card, check, money order, or certified C.O.D.

The Lobo Warranty

All Lobo hardware products carry a limited 1-year parts and labor warranty. Call or write for complete warranty statement.



ORDER NUMBERS: (805) 683-1576 (800) 235-1245 (800) 322-6103 (In Calif.) Telex 658482

Hours: 7AM-5PM Pacific Time



Dept. B583 358 S. Fairview Ave., Goleta, CA 93117



Verbatim flexible disks

Call Free (800) 235-4137 for prices and information. Dealer inquiries Invited, C.O.D. and charge cards accepted.



VISA

PACIFIC **EXCHANGES**

100 Foothill Blvd. San Luis Obispo, CA 93401. In Cal. call (800) 592-5935 or (805) 543-1037

Circle 347 on inquiry card.

ANALOG - DIGITAL DIGITAL ANALOG

CONVERSION MODULES

SOFTWARE **GAIN CONTROL**

m 1 to 1024 2 to 15 kh

For additional details about the AD-100-4 and other fine California Oata Corporation 100% individually tested, high relability products, circle the reader service card number below or for faster response write or call us

CALIFORNIA DATA

CORPORATION 3475 Old Conejo Road, Suite Newbury Park, CA 91320

(805) 498-3651

Circle 86 on inquiry card.

NEW REPLACEMENT

RIBBON CARTRIO

EPSON MX 70-80 \$4.75 ea. 10.75 ea.

Please add 5.75 ea shipping/handling WE HANDLE MOST POPULAR CARTRIDGES. SEND FOR PRICE LIST

LABE \$12.00/5000

STOCK #10350-1 15/16"x312"x 1 wide.

While—pressure sensitive—pin feed— 41a" carner, packed 5000 per box Add \$2 50 per box handling/shipping COMPLETE LINE OF OTHER LABELS AVAILABLE, SEND FOR PRICE LIST

TERMS: MIN. ORDER \$12.00.
6 MC (add 4 1) check or money order add \$2 90 CA rendents add Sales Tax

SeW' COMPUTER SUPPLY CO.

25422 TRABUCO RD. SUITE #200 A EL TORO, CA. 92630 - (714) 768-0370



Circle 20 on inquiry card.



Circle 268 on inquiry card.

FORECASTING

EASHARIMA - The lirst and only microcomputer program to develop and run ARIMA enkins) models...all automatically. De signed for the stock or conumodity trader Create a database or reed Compu Trac files directly. Requires no knowledge of statistics. \$300.

TWG/ARIMA - The statistician's varsion of EASI/ARIMA. Complete control and more op-tions, such as sessional models and Box-Cur transformations. \$300,

ELF is our general purpose statistical ouckage. \$200

All are for the Apple II* with 45K of memory, Applesoft* and DOS 3.3 Visa and MasterCard accepted. Call or write:

> The Winchendon Group 3907 Lakota Road P.O. Box 10114 Alexandria, VA 22310 (703) 960-2587

Trademont of Apple Computer, for



(IBM ouality Printing for Your Computer



Complete system with top-quality IBM Electronic typewriter

IBM approved since 1978.

· For all popular computers No special software required.

· Money back quarantee.

MORE SUPER SPECIALS! ***

Smith-Corona IP-1 Telegraic Systemstation

\$629 Televideo 925 \$792 Arladea Degou Software, other products Calif. Star Printers

Aria0ez DP95UGA \$1388

Call our professionals for best service and price



IPEX INTERNATIONAL INC 5115 Couglas Fir Road Calabasas, CA 91302 U.S.A. Felex. TWX 910-494-2100

(213) 710-1444

MARTINE MARKETA BETTARTE HELD SOND

Circle 240 on inquiry card.

BOOKKEEPING AND PAYROLL FOR SMALL BUSINESS

For CPIM and MS-DOS Systems. Source code pro-

PLAN-A PLAN-H PLAN-C 13/8 1285 1275 13/2 1300 1300

Other CPIM, MS-DOS, Apple and MDOS sixtiwars available with same terms. Write or call for full spec sheets or further information.

- A Phone support, exchange privileges, 90 days
- Phone support, exchange privileges. 30 days
 Support limited to supplied documentation no
 exchange except for bad disk retiguorisent.

(Additional support available at \$20/hour)

Prices include cash discount Add 4% for charge of GOD orders. Vise and Master Card accepted. Add \$4 00 for shipping and handling.

Sulfa 14 3322 N Kwy S.W



(205) BB3-8153

Circle 146 on Inquiry card.

PROGRAMMABLE

COMMUNICATIONS

111.50

RANSLATOR

n fyl-100 is af la-eige R5-212 communications translatus D 14 aprilityks 1681 com felmant. Form system bedafig Familians on 860 than moder (ca. 1808 ip that act ami 1881 felosoph (or FC) 100, population

- * Thanhan Di Pininin Undanton di Italia * Campatinia, ita addi macho-fortion eletation machi * Procession, account and month origin eletation. Packada di * Procession, account and month origin eletation. Il * Indiana a pini * Indiana a pini * Indiana a pini * Offic-ranto di idea-rance compatinia (c.) * * Type-fackano and na factorio (c.) * * Type-fackano and na factorio (c.) * * Indiana and expression (c.) * * Eduno dalla adortion (c.) * * Banda dalla adortion (c.) *

Bus ton Pull-Tipp As a unbased begins in mount the fall supported the property of the pull-tip and a state about the fall supported by the state of the state of

CI-188-CH (PRINTED COMMENT MAKES MAKE) 200-CI 188-ASM (PRINTED COMMENT MAKES MICHAEL CAME) 339
CI 188-ASM (PRINTED COMMENT MAKES MICHAEL SAMPLE MICHAEL MICHAEL SAMPLE FOR SAMPLE MICHAEL MICHAEL SAMPLE MICHAEL MICHA

Hungester led \$13 led by court, many reason on letter the 50 To COO settens you court the day of the court the set that the court the court that the court t DEALER INDUINGER INVITED

1134 Mattern System tenumperatus 1975) South Languages Bota Lyanet (Line 10, Onio 44119 (216) 331-3686

PERAM PLIPS & 10 to the time | fact spaint]



Alspa Computer, Inc.

The once-performance leader, includes 280A, 1 or 2 full 6" drives (double density, double sided), 3 serial and 1 parallel port, and winchester port. Prices start at less than \$2000. DEALER and CEM inquiries invited.


SPECIALS OR INTREGATED CIRCUITS

6502	7.45	10/6.95	50/ 6.55	100/6.15	
6502A/6512A	840	10/795	50/ 7.35	100/ 6.90	
6520 PIA	5 15	10/4.90	50/ 4.45	100/415	
6522 VIA	6.45	10/6.10	50/ 5.75	100/ 5.45	
6532	7.90	10/7.40	50/ 7.00	100/ 6.60	
2114-L200		2.45	25/ 2.30	100/ 2.15	
2716 EPROM		4.90	5/ 4.50	10/ 4.00	
2532 EPROM		7.90	5/ 7.45	10/690	
6116 2KX8 CMOS	MAR	7.90	5/ 7.45	10/ 6.90	
4116 RAM		H	for 14		
Zero Insertion Force	e 24 pm	Sockel (Si	canbel	200	

Hewlett Packard Write or call for prices



Anchor Automation Signalman Modems



FREE SOURCE MEMBERSHIP WITH SIGNALMAN All Signalman Moderns are Direct Connect, and include cables to connect to your computer and to the telephone. Signalman Moderns provide the best price-performance values, and start Center and DEM loonings invited at less than \$100

MI WAS NUMBER OF STREET		man nadana		
Mark / RS232		(99)	79	
Mark II for Atari 850		(99)	79	
Mark IV for CBM/PET with so	thware.	(169)	119	
Mark V for Osborne (software	available)	(129)	93	
Mark VI for IBM Personal Con	nputer	(279)	195	
Mark VII Auto Dial/Auto Answ	rer	(179)	119	
Mark VIII Bell 212 Auto Dial/	Answer	(399)	319	
OC HAYES Smartmodem	~~~~~~~~		219	
DC Hayes Smartmodem 1200)		545	



Apple Emulator for Commoders 64	89
Screenmaker 80 COLUMN CARD for C64	155
Salid Oak 2 Luvel Stand for C64 or VIC	29
C64/VIC Switch (networking)	135
BACKUP VI.O tape coaler for C64 or VIC	20
CARDBOARD/6 Motherboard - VIC	79
CARDAPTER/1 Atar: VCS Adapter - VIC	69
CARDPRINT Printer Interface - C64/VIC	64
CARDBOARD/3s Motherboard - VIC	32
CARDETTE/1 Cassetle Interlace - C64/VIC	32
CARDRITER Lightpen - C64/VIC	32
CARDRAM/16 RAM Expansion - VIC	64
We carry Apple II+	1



Gcommodore

See us for Parsonal, Business, and Educational requirements. Educational Discounts available.

PETSCAN \$245 base price

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hooloups \$100 each.

Commodore COMMUNICATES!

COMPACK

Intelligent Terminal Package includes: ACIA hardware based interface, DB25 Cable and STCP Software with remote telemetry, transfer to/from disk, printer output, XON-XOFF control, user program control, status line.

VE-2 IEEE to Parallel Interface 110

Includes case, power supply, full 8-bit transmission, and switch selectable character conversion to ASCII.

VIC 20 Products		VIC Sargon () Chess	32
BACKUP VI.O	20	VIC GOSF	32
VIC RAM Cards in sto	ck	Molour Run (UMI)	39
VIC SuperExpander	53	ViC Roder Ratroca	24
VIC 16K RAM	69	Amak (UMI)	20
There EMI Settwere		Snakman	15
HES Software		Rubik's Cube	13
VIC Omega Race	32	Programmers Reference	15
Spiders of Mars (UMI)	39	Renaissance (UMI)	39
Programmers Aid	45	VIC Adventure Series	
VICTORY	Seltware	for VIC and C64	
Street Sweepers	12	Maze in 3-0	12

VICTORY	Seltware	for VIC and C64	
Street Sweepers	12	Maze in 3-0	12
Night Rider	11	Cosmic Debris	12
Treasures of Bai Cave	12	Grave Robbers Advent.	11
Games Pack I	12	Games Pack II	12
Victory Casino		Adventure Pack [12
Adventure Pack II	12	Třek	11
Commodore 64 Progr	ammers	Reference Guide	17

Adventure Pack II 12 Trek	71
Commodore 64 Programmers Reference Guide	17
Compute's First Buok of PET/CBM	- 11
POWER ROM Utilities for PET/CBM	78
WordPro 3+ - 32K C8M, disk, printer	195
Werdfys 3+/64	69
WordPro 4+ - 8032 disk, ponter	300
SPELLMASTER spelling checker for WordPro	170
VISICALG for PET ATABL OF Apple	190
PETRAX PET to Egan Graphics Software	40
SM-KIT unhanced PET/CBM ROM Utilities	35
Programmers Toolkit PET ROM Utilities	35
Branding Iron EPROM Programmer for CBM	75
PET Spacemaker II ROM Switch	36
2 Meter PET to IEEE or IEEE to IEEE Cable	40
Dust Cover for PET, CBM, 4040, or 8050	8
VIC or C64 Parallel Printer Interface	64
CmC IEEE-RS232 Printer Interface — PET	120
SADI intelligent (EEE-RS232 or parallel	235
ZRAM - C8M 64K RAM, Z80, CP/M	550
Programming the PET/CBM (Computet) - R. West	20
Computer First Book of VIC	11
Whole PET Coloing (Midnight Gazette)	8
mines tra named fundular Seremi	

FlexFile for PET CBM, C64 \$	110
Database, Report Writer with Calculations, Mailing Lit	515
FORTH for PET full FIG model — Cargili/Riley	\$50
Metacompilar for FORTH for independent object code	30
XMMM PASCAL for PET/CBM/C64	85
FARI for PET/COM Dick-based ACCEMBI EQ	65

Super Graphics - BASIC Language Exercises Fast machine language graphics routines for PET/CBM

Disk ICU-Disk Recovery System for PET/GBM

Copy-Writer Word Processor for C64, PET/CBM

Color Chart Video Board for PET

PET Fun and Games (Cursor)

RAM/ROM for PET/CBM 4K \$75 8K \$90 DISK SPECIALS



Scotch (3M) 5" ss/dd 10/ 2.25 50/ 2.10 100/ 2 05 Scotch (3M) 5" ds/dd 10/3.15 50/ 2.90 100/ 2.85 Scotch (3M) 8" ss/sd 10/ 2.40 50/ 2.20 100/ 2.15 Scotch (3M) 8" ss/dd 10/ 2.95 50/ 2.70 100/ 2.65

We stock VERBATIM DISKS Write for Dealer and DEM prices.

8ASF 5" or 8" 10/ 2.00 20/ 1.95 100/ 185 NEW BASE Qualimetric Disks also in stock 10/ 180 50/ 1.75 100/ 1.70 Wabash 5"ss/sd 10/ 2.00 50/ 1.95 100/ 1.90 Wabash 5" ss/dd Wabash 8" ss/sd 10/ 2 00 50/ 1.95 100/ 1.90

We stock MAXELL DISKS Write for dealer and DEM prices.

Disk Storage Pages 10 for \$5 Hub Rings 50 for \$6 Disk Library Cases 6"-3.00 5"-2.25 Head Cleaning Kits 11

CASSETTES-AGFA PE-611 PREMIUM

High output, low noise, 5 screw housings C-10 10/ 61 50/ 5R 100/50 C-30 10/ 85 50/.42 100/.70

SPECIALS

Zenith ZVM-121 Green Phosphor Monitor	100
BMC 12A 12" Green Morntor	80
VOTRAX Personal Speech System	280
VOTRAX Type-N-Talk	160
VOICE BOX Speech Synthesizer (Apple or Atan)	
Prowriter 8510 parallel	389
Okidata 92	520
Daiswellter 2000	1050
Many printers available (Star-Gemin, Brother, OKI,	erc.)
We Stock AMDEK Monthers	
Amdek DXY-100 Plotter	600
A P Products	5% DFF
Watanabe Intelligent Plotter 990 6-pc	en 1290
ISDBAR 4 Outlet Surge Suppressor/Notice Filter We stock Electronome Monitors	49
dBASE II (8" format)	300
Panasonic TR-120M1P 12" Mointor (20 MHz)	149
Panasonic CT-160 Dual Mode Color Monitor	285

USI Video Menitors-Green or AMBER 20 MHz N-res. Design and OEM Inquiries invited

ALL BOOK and SOFTWARE PRICES DISCOUNTED

Synerick SYM-1 Microcomputer KTM-2/80 Synertek Video and Keyboard



125

11

40

229 Terminal (new detached keyboard) 680 ZT-1 Intelligent Communications Terminal with Moniter 479 Z100 16-bit/8-bit System CALL We stock entire Zenith line





WE STOCK ENTIRE LINE—write for prices.

Atari 1200 749 Voice Box Ancher Madam—Atari 79 100 Alart Graphics (Computed) First Book of Alari Inside Atari DOS 11 18 There EMI Settware APY Saltmara Edufun Settmare

WRITE FOR CATALOG

Add \$1 25 per order for shipping. We pay balance of UPS surface charges on all prepaid orders. Prices listed are on cash discount basis. Regular prices slightly higher. Prices subject to change.

Hayden Settware for Apple 20% OFF

120

215-822-7727 A B Computers

PLE Writer Ward Processor

\$99 SINGLE BOARD COMPUTER/CONTROLLER



-Automatic Baud Renz

-5 Interrupts -14 Bit Counter/Timer

-Onboard Proparyping

* 4K RAM or CMOS RAM

6.144 MHz Crystal

-Onboard Euro

* 4K ROM &/or

MODEL MCG-85 FEATURES

- 8085A CPU
- ZK System Mo ROM
- 256 Bytes of RAM RS232C Port
- -Parellel & Script I/O
- Two & Bir Prog Ports One 6 Bit Prog Port -4W x 6W PCB
- STOCK \$99 Kit \$135 A&T. Expansion Boards available. Visa, M.C., Amex & COD accepted.

ATLANTIS COMPUTERS 31-14 Broadway Astoria, N.Y. 11106 212/728-6700

Circle 53 on inquiry card.



Call Toil-Free 1-800-328-DISC for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted. All orders shipped from stock, within 24 hours. Call toll FREE



North Hills Corporation

3564 Rolling View Dr. White Bear Lake, MN 53110 1-800-328-DISC MN Call Collect 1-612-770-0485

Circle 329 on inquiry card.



DIET MONITOR

-for the IBM PC (and soon to be released for APPLE 2)

IS THE MOST SOPHISTICATED **NUTRITIONAL ANALYSIS SYSTEM** AVAILABLE.

- comes with over 750 loods and 28 important nutrients.
- Menu driven. Gives you 6 easy to read analysis reports, including graphs and recommendations on how to improve your
- versions for professional use and hon use. Home version available for \$69.00

CALL: CAMPASS CORPORATION (201) 326-8917 WRITE: P.O. BOX 116, BOONTON, M.J. masterivise, check or C.O.D.



Circle 318 on Inquiry card.

ULTRA-RES (1) GRAPHICS

IEEE-698 S/100 Monochrome

-512 × 512 Pluel

- Single Board IEEE-696 S/100 Manachroma 4995.00 (2) - 1024 × 1024 Pixel - Expendable to 8 × 1024 × 1024 Pix

'IEEE-696 S/100 Eight Color -3 × 512 × 512 Pixel -8 Color RGB TTL 41260.00 (2)

-2 Board System MultiBus (3) Eight Color 11996,00 (2)

-3 x 1024 x 1024 Pixel -8 Color RBG TTL

-Single Board IBM PC Monochrome 4895 00 121 -1024 × 1024 Pixel

Expandable to 8 × 1024 × 1024

FEATURES INCLUDE - Software Drivers, Hardware Zoom, Programmable Displey Resolution Windowing, Multi-Controller Capability, NEC UPD7220 Graphic Controller.

ULTRA-RES Trademark CSD Incorporated

......

Convert What You Have

To What You Want!

CALL (805) 487-1865 or 487-1868

For FAST Dallvery

Circle 192 on inquiry card.

Parallel PRINTERS PLOTTERS PHINCHESI

FOROTSI

₩,89.E

Starting Prices
 Multibus Trademerk Intel Corporated

C.S.D. Incorporated

P.O. But 253 Se (817) 443-2750

Circle 64 on inquiry card.

DISKETTES

3M Scotch BRAND

VLM Computer Electronics

10 Park Place . Morristown, NJ 07960 (201) 267-3268 Visa, MC, Check or COD

DISK DRIVES

(For PC, Mod | & III)

PC EXPANSIONS

MAYNARD
DISK CONTROLLER \$155
PP add \$50 SP add \$70
All cables, hardware and instructions included - no soldering.

\$390

\$395

\$395

\$ 35

QUADRAM Four Function 256K capacity with 64K installed.

ComboPlus: 64K+SPC+SuperDrive +SuperSpool

MegaPlus: 64K+SC+SuperDrive +SuperSpool

User installed. 2nd S.or P.


Circle 478 on inquiry card.

AST

TANDON TM100-1. TANDON TM100-2. TANDON TM100-4.

AT SUPER LOW PRICES

WE WILL SHIP YOUR **ORDER WITHIN 24 HOURS** AND WE PAY THE SHIPPING CHARGES



DEALER INQUIRIES INVITED



CALL TOLL FREE 800 922-8193

IN CALIFORNIA 800 468-1068



Circle 440 on inquiry card.

FREE! FREE! FREE! FREE! FREE



Circle 23 on inquiry card.

Circle 87 on inquiry card.

CHECK OUR NEW ★ LOW PRICES ★

Apple Compatible Products



FDC-1 Floppy Disk Controller ... \$99.95 Runs DOS 3.3 with any standard Shugart compatible 51/4" Disk Drive. (2 Drives Each Card)



ASCII	KE	A DRAOBY	&T.		P		\$99.0	0
Plug	in	compatible	with	Apple	11,	has	shiftlack,	
unde	1 5	core, 🚹 and	back	slash o	:h#	racte	ITS.	

SUN-722 Apple Prototype Board. . . . \$13.75 Double Sided with gold contacts, holes drilled on ,15" x .1" centers.

ALS 280 CPU Card w/CP/M & manuals	\$149.00
Z80 CP/M card kit w/o manual or software	, 84,00
ALS 80 Column Video Card w/manuals.	. 159.00

80 Column Video Card w/o manual, compatible 16K RAM Card Kit \$42.00 AP-II Mother Board (Apple Compatible)... \$84.00

AP-II Computer Case (Apple look-alike). . . \$119.00 5A Switching Power Supply (voltage & size

Apple Compatible) \$133.00 Parallel Interface Card (Centronics comp.). . . \$44.99

New for IBM PC

PCM1 64K Memory Card, Expand. to 256K

PCM2 256K Memory Card, Expand. to 512K

PCM1+SIO PCM1 64K Card w/(1) Async Serial Port \$319.00

PCM1 PIO PCM1 84K Card w/(1) Centronics

PC-DUAL I/O (2) Serial RS232 Ports, (2) IBM PC Compatible Ports and Real Time Clock w/Batt. Backup. \$189.00

* SPECIAL * PCM1-DUALI/O Includes both PCM1 84K and

Diskettes and Storage Cases

514"	SS/DD Wabash 40 track w/hub rings	\$24.00
B''	SS/OD Soft with Library Case	\$26.00
8"	DS/DD Soft Memorex, Box of 10	\$44.99
54"	Case for 40 Disks . ,	\$24.99
8"	Case for 40 Disks	\$36.99
5%"	Case for 90 Disks	\$41.99
Mark.	Cons. Les DO Dieles	CE4 00

64K 6MHz Static RAM/EPROM



64KSM AET without RAM. ... \$155.00 64KSM ABT with 64K RAM (32 - 6116's) ... 339.00 S-100 Board Uses 6MHz 6116's, 1/2A max. power, Bank Salect plus Extended Addressing allow for multi-memory board set up, 4 Independent 16K Blocks make easy use with multi-user systems. Any 2K RAM may be replaced by 2716 EPROM.

256K/1M Byte Dynamic RAM

256KDM ABT without RAM 256KDM ABT with 64K RAM (8-4164s) ... 340.00 256KDM A&T w/ 256K RAM (32-4164s) 489.00 S-100 Board 4 Sanks uses either 84Kx1 or 256Kx1 RAMS. Allows for 64K to 1 M Byte RAM on just one S-100 Card. 24 Bit Addressing, Phantom Mode. Error Trap Opt., Parity Check, 4MHz Transparent Refresh, Front Panel Operation, Optional M1 Wait for 6MHz Operation.

NEC Computers & Monitors

We are an Authorized NEC Service Center Call for Official Service Agreement

PC8001A Keyboard Computer.......\$769.00 PC8012 I/O Expansion Unit \$499.00 PC8031 Disk Drive Subsystem \$769.00 JC1203RGB 13" Color Monitor \$720.00

This Manitor is excellent for use with IBM PC JC1203 13" Composite Color Monitor.... \$349.00 NEC CP/M V2.2 with manuals ..., \$150.00 Select Word Processing Sys with Teach. . . \$350.00 NEC Report Mgr for Database Mgmt . . . , \$150.00

Video Monitors





SAMWOO GREEN 9" 18MHz.. \$121.00 SAMWOO AMBER 9" 18MHz. \$125.00 SAMWOO GREEN 12" 12MHz \$130.00 SAMWOO AMBER 12" 12MHz. \$134.00 Composite video I/O. 780 lines resolution, 75/10K

ohm impedance.

Terminals

TELEVIDEO	912			- +				4	4				į	1	\$660.00
TELEVIDEO	925,							 4		, ,	 ,			R	\$789.00
TELEVIDEO	950.		p	. ,			> 4	 t	r	,		9			\$996.00
ADDS VIEW	POINT	3	N	P	LL	J:	S	1							\$545.00

S-100 Products

SBC-880 Z80A CPU, Kit \$175.00 4MHz Z80A CPU Board with Serial/Parallel Ports UFDC-1 Floppy Controller, A&T ... \$245.00 UFDC-1 Floppy Controller, Kit \$225.00 The UFDC-1 Floppy Controller uses the WD1795 chip which runs either and/or 8"/5¼" Disk Drives. CLOCK CALENDAR AST

CLOCK CALENDAR Kit \$95.00 This S-100 Clock Calendar Board has 4 Interrupts. Time, Day of Week and Sattery Backup.

SUN-721 S-100 Prototype Board \$17.85 Double Sided with gold contacts and holes dolled on .15" x .1" spacing.

S-100 Computer Systems

SYSTEM 1, \$2459.00 Z80A CPU with Serial/Parallel Ports, Floppy Disk Controller with Dual 8" SSDD Drives, 64K RAM, CPM, Clock and 1M Byte Storage.

ZBOA CPU with Serial/Parallel Ports, Floppy Disk Controller with Dual 8" DSDD Drives, 64K RAM, CPM. Clock and 2M Byte Storage.

S-100 Mainframes 6 -12 Slots

DMF8800T 6 Slot, Qual Thin 8" Drives \$699.00 DMF8800 6 Slot, Dual Std. 8" Drives ... \$699.00 6 Slot, Up to 3-514" Drives . , \$679.00 DMF5550 6, 8, 12, 18, 22 Slot MB ... DMF2200 Call All Mainframe Power Supplies rated at 8V @ 18A. ±18V @ 23A, 24V @ 5A, 12V @ 5A & 5V @ 5A. All cabinets made of strong steel with aluminum covers & incl EMI A/C power filter w/detachable power cord, quiet fan for pos. air pressure (blows dust out, not in), back panel has individual covers with (12) DB25 cutouts, (2) Centronics 36 pin cutouts, (1) 34 pin & (1) 50 pin flat ribbon cutout, (2) A/C convenience outlets (1 switched & 1 un-

tan cover with black face match most decours. Mother Boards & Card Cages

switched), keyed power, lighted reset switches, &

SLOTS	Bare Bd	KIT	TGA	w/CAGE
6	\$12.00	\$34.00	\$49.00	\$74,00
8	16.00	45.00	70.00	105.00
12	22.00	65.00	100.00	140,00
	10MHz N	in termine	tion Requir	eril

Printers

Prospritor 1	C. Itoh, 120cps, 1	Parallel	\$455.00
Prowriter 2	C. Itah, 120cps, 1	Parallel	. \$689.00
Starwriter	C. Itoh, 40cps, S.	er/Par	\$1369.00
Printmaster	C. Itoh, Serial/Pa	rallel ,	\$1529.00
NEC Calman	**** SEOU EEOO	7700	Call
LACC Shirter	iters 3500, 5500.	fruit nal.	اللقمانيين

Disk Drives

TM100-1 Tandon 5¼" SSDD, 40 track.	\$215.00
TM100-2 Tandon 5¼" DSDD, 40 track. , .	\$289.00
TM100-4 Tandon 514" DSDD, 80 track,	\$400.00
TM848-1 Tandon 8" Thin Line	\$397,00
Mitsubishi 51/4" Thin DSDD, 40 track	\$310.00
Mitsubishi B" Thin DSDD, 77 track.,,	\$450.00

EPROMS, RAMS, CPUS, & Misc

P/N	1-7	B up	P/N	1.7	8 up
2718	\$3.96	\$3.95	8116P-3(150nS)	\$6.10	\$5.75
2732	4.75	4.40	2114L-2(200nS)	1.62	1 62
2532	7.65	5.95	4164	6.25	6 25
2764	9.95	9.95	Z80A CPU	5.28	5.29



SUNTRONICS CO., INC. 12621 Crenshaw Blvd., Hawthome, CA 90250

STORE HOURS: MON-FRE

9:00am to 6:00pm


CALIFORNIA 213-644-1149

OUTSIDE CALIFORNIA TOLL FREE 1-800-421-5775

Maji Order-Aliniaum Order \$10 Send Check or Money Order to P.C. 60% 1967 Dept 8, NAWTHORNE, CA 90250 Visa or MiselerCard (please include aliphation data). Add \$2,00 postage and handling for lists 3 pounds plus 50 for decri addisonal pound: to your order California restrients add 6% sales ter

SHIELDED DATA CABLES Comp. Carbo Sall or an analysis of the Conference of the Conferenc Jerosale Razelfine — Espril Systems ESPRIIT 4 hall featured terminal wagneen screen ESPRIIT 8 hormanal wagneen screen ESPRIIT 9 Televoden 939 omalalor LOW SPEED MODEMS LOW SPEED MODEMS to Modern Time Color SPEER Subscription To The SPUIDE TO T 1395 Bis Bis A at 82.8 9 yr. carrage 120 cps printer \$5.49 at 82.8 1 5 carrage 120 cps printer \$9.95 at 82.8 1 5 carrage 120 cps printer \$9.95 at 82.8 1 5 carrage near letter quality \$6.95 at 82.8 1 5 carrage near letter quality \$1.93 (solval) 15 carrage \$1.93 (solval) 15 carrage near letter quality \$1.93 (solval) 19 carrage near letter near letter quality \$1.93 (solval) 19 carrage near letter near letter quality \$1.93 (solval) 19 carrage near letter near ELECTROSONICS O Sex 1141 = Mt Clemens, Mt 48044 • (\$13) 266-6869 Monday-Friday 9 a m — 5 p.m EST • Saturday 'bi Noon

Circle 188, 189 on inquiry oard.



Circle 42 on inquiry card.

Electronic Circuit **Analysis**

- DC and AC analysis
- Very fast, machine language
- Infinite circuits on multiple passes Worst case, sensitivity analysis
- Dynamic modification
- 64 Nodes, 127 branches
- Compare circuits
- Log or linear sweep
- Full file handling
- Frequency response, magnitude and phase
- Complete manual with examples
- TRS-80 (TRSDOS) \$90,00
- CP/M \$150.00

Tatum Labs P.O. Box 722 Hawleyville, CT 06440 (203) 426-2184

Circle 439 on inquiry card.

PConnection

Three functions in one card slot-Modem, Calendar clock, Serial porti

The PConnection is a premium telecommunications card for the IBM PC with a direct connect Bell 103/113 modern, a real time clock, and a senal I/O port for expanded communications capabilities. The PConnection gives you all three functions in a single card stoll

The PConnection has autodial (Touch Tone or pulse) and autoanswer plus a built-in speaker for time status monitoring. Soft-ware selectable protocol and modes

The real time clock can be used to autodial predetermined phone numbers at preset times. Excellent for polling and remote monitoring applications

PConnection (plug-in modern) - \$275 Enhanced PConnection with real time clock and additional RS-232 5375 Another quality modern from

tjie liiiclobelibjisisi colbolatioli 2565 I52nd Avenue N.E. Redmond, WA 98052 (206) 881-7544

1844 is a regulatera traductiva na Internacional Business filantis - Curporate

Circle 308 on inquiry card.

HOW TO REPAIR THE APPLE

A comprehensive guide to repair your Apple II' or Apple II plus' computer

With repair rates soaring and outrageous repair bills being charged for even simple repairs, THIS GUIDE CAN SAVE YOU MONEY!

ONLY 839.95

DATA-LINE (602) 820:0082 2961 S. LAS PALMAS MESA, ARIZONA 85202

*Trademark of APPLE COMPUTER INC.

Circle 153 on inquiry card.

IBM® PC SOFTWARE

ONLY \$68 FOR ALL THREE!!

PERSONALPACTM: 3 menu-driven "user friendly" time savers.

BILLTIME: Program expense categories w/o programming experience. Easily add, delete, update bills. Sort several ways.

BANKBAL: Reconcile checkbook last! Flexble and handles all types of income and ex-Denses.

APPTCAL: Keep track of all engagements. Easily add, delete, update, and list appoint-

USE AT HOME OR AT THE OFFICE Sold on PC DOS-formatted diskelle. Send check, money order or C.D.D. to:

SEARS ELECTRONICS INC.

"time saving software designers" Tirrell Hill. Goffslown, NH 03045 (603) 497-3074

Circle 408 on Inquiry card.

wabas

When it comes to Flexible Disks, nobody does it better than Wabash.

MasterCard. Visa Accepted. Call Free: (800) 235-4137



Circle 347 on inquiry card.



Circle 311 on Inquiry card.



8 // Specify soft or 32 sector Price/10 Price/100 1 side/single density \$21.00 \$195.00

2 sided/double density 34.50 325.00 Cortified Check - Money Order - Personal Check Allow up to 2 weeks for personal checks to clean Add 03.00 to each order for U.P.S. dispoing cher ALI Renidents add 6% N.J. Sales Tax



280 Dukes Parkway, P.O. Box 85 Somerville, N.J. 08876 • (201) 725-6680

Dealer Inquiries invited

side/double density

SIEMENS 1 MEGABYTE

8" Double Sided/Double Density

1-\$299.00 ea.* 2-\$289.00 10-\$269.00 4.

FDD200-8 Floppy Disk Drive Shugart Compatible



Shipping Wgt. 15 lbs. Factory New and Packaged Fully Guaranteed 90 Day Warrenty Service Contracts Available Full Opcumentation

QUME 55CPS—HIGH SPEED DAISEY WHEEL LETTER QUALITY PRINTERS \$950.00 ea.*

Quantity Pricing Available

Includes Power Supply



BUAL DOUBLE SIDED
8" SUBSYSTEM
ASSEMBLED & TESTED
\$850.00 complete

Includes: 2-Siemens, FDD200-8 Disk Drives Strong, Thick, Aluminum Cabinet, Rugged Heavy Duty Power Supply, Whisper Quiet 4" Fan, Etc.

MONTHLY SPECIAL — \$279.00 Communications Text Storage System ASC II 8 Level (RS-232/EIA)

5 Level Baudot — CL or TTL also available

- Auto Disk Data Handler
- File Based Text Storage w/Full Directory
- Std. Connection between Comm. Cir. & Data Terminal
- · Built in File Text Editor
- · Local or Remote Control for Read/Write

INCLUDES:

514" Mini-Disk Drive (SA400)
Self Contained Power Supply 115 VAC
Micro Processor & Disk Controller w/Perm. Program
Std. Communications Interface w/Selectable Data Rate
Operating Manual With Commands



KEYBOARD by KEYTRONIC \$14.95 each

66 Keys Unencoded, Low Proble, Gold Plated Card Edge Connectors.

REGULATORS

All 7800 (LM340T) Series	3 for \$2.00
All 7900 (LM320T) Series	3 for \$2.25
LM323k, 5 Volt, 3 Amp	
LM350k, Adjustable 3 Amp	\$4,95 each

CONNECTORS

50 Pin Edge, ST, for S-100 Bus	\$3,49
34 Pin, Edge, Ribbon for SA400 Drive,	\$2.95
50 Pin, Edge, Ribbon for FDD200-8 Drive	
50 Pin, RA, PC, MT Amp #206973-1	\$3,49

*Orders accepted by Yisa/MasterCharge (add 3%) Money Order or certified check. Price does not include shipping charges. Specify method of shipment desired and include approximate anipping charge. N J. residents and 5% sales tax.

Proportional Spacing, 2K Buffer, RS-232 and Centronics Parallel

The Qume Sprint 3-55 with Interface is Compatible with most Computers having RS-232 or Centronics Parallel A or B, such as Radio Shack, Apple, IBM, etc. Also works with most popular word processing programs like Micropro** Wordstar.

These Qume Printers were used by a major typesetting company under maintenance until replaced by laser printers on an exchange basis. We had their technicians refurbish and completely exercise them to give you many years of reliable service at a price you can live with.

COMPUTER POWER ADAPTOR \$12.95 ea.

In Line Type Output: No Load — 14.0 VDC Input — 115V 60 Hz 2.0 Amps — 11.5 VDC Capacitor Filtered, F.W. Bridge, UL Listed

SWITCHING POWER SUPPLY \$55.00 ea.

15 Amps @ + 5 VDC Regulated 3 Amps @ + 12 VDC and — 12 VDC Current Protected Fan Cooled, Fused

CAPACITORS/BRIDGES

.1 ul Monolithic	
.1 ul Disk	 100 for \$6.95
25 Amp 400 Volt	 . 3 for \$4.95
10 Amp 200 Volt ,	 3 for \$2.95

Decitek Model 26167-002 \$24.95

Includes Stepper Motor & Electronics

OPTO DEVICES

4N26 (Trans. Out.) — \$.89 MCA2-55 (Darlington) — \$.99 H11AX (Trans. Out.) — \$.89 H11CX (SCR Out.) — \$.99 T1L31 (Infra. Red. Em.) — \$.59 ILD-74 (Dual Trans. Out.) — \$1.99 ea.

LED'S

Red - all sizes — 10 for \$.89 Green or Yellow — 5 for \$.89 Micro Red — 100 for \$5.95 Panel Mounts — 10 for \$.59

DISPLAYS:

HP5082-7340 — \$5.95 ea. Hexidecimal FND560 & 567 — \$1.49 ea.

HOBB-Y-TRONIX, INC.

Division of Tope Industries, Inc.

957 Ball Ave., Union, N.J. 07083 (201) 687-1330

S-100 COLOR GRAPHICS! MIGROSPRUTE THE STATE-OF-THE-ART COLOR

GRAPHICS BOARD FOR THE S-100 BUS.

- planes:
 Each prusi in a plane can be colored or can be transparent to reveal the underlying planets!
 Promise planes eliminate the need for hidden object roughes an applications requiring 30 simulation.
 Spirits are revied on scient by changing bro-byte pointers thus semichium amount in applications.

- Spirits are revied on scient by changing bio-byte pointers thus simplying ammation applications. Up to 15 colors on 8 gray teets with a resolution of 256 press nonzontally and 192 practs venically. Standard Internationally and 192 practs venically. Standard Internationally and 192 practs venically. Standard International Content of 197 practs venically content of 197 modulator for use with regular color receiver. One text and three graphics signlay modes. One town of three praphics signlay modes. One town 197 to bear with spoider masks, silkscreen and goodplated contact tingers. Meets or exceeds all aspects of IEEE-896 (S-100) standard Documentation includes comprehensive user's manual with demonstration programs and Texas Instrument's manual for the cent 74539164 Video Draphy Processor used on the board Tyrucal applications arehold business graphics, industrial process monitoring drafting/design aid, educational systems and node of game development.

\$249.95 lassembled & tested:

Hassermann p convox.

We pay UPS ground shapping in the continental U S UPS at add \$2.00 COD and \$1.50 Foreign add \$15.00 TN residents and 6% sales lair. VISA s MASTERCARD welcome

MicroDynamics

Corporation

PO Box 17577 lemphs TN 38117 (901)-755-0619

Circle 305 on inquiry card.

DATA SWITCH IN KIT FORM



MODEL 1200 RS-232 Bidirectional Data Switch with 3-2' Extension Cables now sysilable in Kit Form

Model 1200 gives the terminal or microprocessos user a second interface for a Printar-processos user a second interface for a Printar-Plotter. Modem, Cassette or Tepa Drive. (t operates at any speed, requires no external power and solistes the two output devices from each other, while providing 2 RS-232 interfaces from the terminal or micropropessor. Bust in data cables save money. The Kit consists of 3-RS-232 Male connectors with all pine, switch, cable, pre-drilled Enclosure, all necessary hardware, and assembly matructions To order: Specify #1200 Krt Assembled & Tested: Specify #1200 \$129.00

Terminal Data Corp.

11876 Conkley Circle, Reckville, MD (301) 881-7655

Circle 449 on inquiry card.

Volrax SC-01A SPEECH SYNTHESIZER



\$50 Each

Order in Ones or Thousands

The SC-01A Speech Synthesizer is a completely selfcontained solid state device. This single chip phoneti-cally synthesizes continuous speech of unlimited westellary.

The SC-01A contains 64 different phonomes which are accessed by a 6-bit code. Computer interloces and text-to-speech algorithms also available for product development.

Volvan is a trademark of Federal Screw Works

Call 1-800-645-3479, in N.Y. 1-516-374-6793

AICROMINT INC. 917 Midway



Circle 433 on Inquiry card.



APPLE II COMPATIBLE DISK DRIVES

UNLT S239.00
CONTROLLER CARD. \$ 75.00
JUST PLUG IN AND RUN

VERBATIM

54" DISKETTES SS DD SOFT PER BOX OF 10....

EPSON PAINTERS

K80FT OTHER MODELS CALL TELEVIDEO

\$719.00 \$928.00

MONITORS

12" 20 MHZ GREEN \$129.00 AMBER \$129.00

IBM PERSONAL COMPUTER COMPATIBLE SYSTEM SUPPORT CARD + MEMORY

.. \$429.00

MAIL ORDER: P.O. BOX D SANTA CLARA, CA 95055 (408) 988-7508

PRICES STREET TO GHANGE, CALL FOR VOLUME PRICES SUBJECT TO AVAILABLE OF ANTIFES

Circle 29 on inquiry card.

compubag™

the executive carryall



The Compu-bag, the ideal carrying case for your menputer accessorward compartment holds box of 10 544" diskettes. Main compartment—an

partment—an 8½×XII, locates of with up to 3 inches of materials. Made of high quality calision, heavy duty zippers and brass findings. Available in: Brown, Black or Bur-gundy—just \$79,95.

Send your check or money order to:

EMC Distributors 366 Rifth Avenue New York, N.Y. 10001 Telephone 212-594-6673

dealer impáries invited

Circle 190 on Inquiry card.

COMPUTER SUPPLIES

FOR ALL MAKES & MODELS

DISKETTES

. MEMOREX . WABASH

5 % S/S D/D MIN. DADER 50

RIBBONS

EPSON MX7D/MX80

FPSON MX100 MIN. ORDER 6

LABELS CONTINUOUS FORMS

CALL TOLL FREE 1-800-248-2418 IN N V STATE (212) 967-3433

> TERMS-VISA OR MC DEALER INQUIRIES INVITED

WORLDWIDE COMPUTER SUPPLIES 159 MAIN ST., S.I., N.Y. 10307

Circle 489 on inquiry card.

Floppy Discs CALL NOW - TOLL FREE 1-800-328-DISC

Dealer inquiries invited. C.O.D.'s and charge cards accepted.

All orders shipped from stock, within 24 hours, Call toll FREE.




North Hills Corporation

3564 Rolling View Dr. White Bear Lake, MN 55110 1-800-328-DISC MN Call Collect 1-612-770-0488

Circle 330 on inquiry card.



Circle 155 on inquiry card.



Circle 19 on inquiry card.

345|S108

APPLE COMPATIBLE COMPUTER CALL FOR LOWEST PRICE

82A 83 84 CALL FOR LOWEST PRICES Legend Industries

128K RAM CARD WITH VIDEX MEM EXP 80

\$35900



APPLE COMPATIBLE COMPUTER CALL FOR LOWEST PRICE





SMITH-CORONA

LETTER QUALITY DAISY WHEEL

TP-I

\$57500

SOFTWARE

WE HAVE IT ALL! **OVER 500 TITLES**

IBM . APPLE . CP/M PARTIAL LISTING

ARCADE MACHINE	35.00
AZTEC	29.00
BEAGLE BROS:	
APPLE MECHANIC	22.00
DOS BOSS	17.50
FLEX TEXT	22.00
PRONTO DOS	15.00
TIP DISK #1	15.00
UTILITY CITY	22.00
BPI. GL, AR, INV	299.00
EDUWARE	\$CALL
HOME ACCOUNTANT	55.00
HOME ACC'T (IBM)	109.00
INFOSTAR 8"	289.00
LEARNING COMPANY	\$CALL
PEACHTREE	\$CALL
PIG PEN (Apple & IBM)	21.00
SNACK ATTACK	21.00
SPINNAKER (For children)	\$CALL
THIEF	21.00
TUBEWAY	25.00
WORD HANDLER	129.00
WORD STAR (Any format)	
ZORK I, II, III (Apple & IBM)	27.00
ZORK I, II, III (8" CPM)	35.00

HARDWARE

WE CARRY MOST PRODUCTS. PLEASE CALL IF NOT LISTED

PARTIAL LISTING

APPLE PADDLES	15.00
FLIP 'N' FILE	20.00
LIBRARY CASE	2.50
GRAFTRAX PLUS	55.00
MICROSOFT 16K RAMCAI	RD 5900
WILDCARD	119.00
MX-PLUS (Fingerprint)	45.00
SMARTMODEM (300)	229.00
SMARTMODEM (1200)	\$CALL
MICROMODEM II	269 00
QUENTIN DRIVES	SCALL
MICRO SCI DRIVES	SCALL
C-ITOH 8510 PRINTER	459.00
GEMINI 10 PRINTER	399.00
GEMINI 15 PRINTER	599.00
MICROBUFFER 16K	139.00
MICROBUFFER IN LINE.	
32K PARALLEL	245.00
64K PARALLEL	299 00
WIZARD SOB 16K	209.00
WIZARD BPO 16K	149.00
PKASO	149 00
CORVUS	SCALI.

/ISICORP

IBM-APPLE II- APPLE III


Visilink (Apple)	179.00
Visicalc (IBM or Apple)	179.00
Desktop Plan II (Apple)	179 00
Desktop Plan (IBM)	249 00
Visidex (IBM or Apple)	179 00
Visifile (Apple)	179.00
Visitite (IBM)	249.00
Visiplot (Apple)	145 00
Visischedule (Apple)	229 00
Visiterm (Apple)	75 00
Visitrend/Plot (Apple)	229 00

Mountain Computer

CPS Card	159.00
Mtn Cables	\$CALL
Ramplus+32K	145 00
Rom Writer	145 00
Clock	195 00
Music System	299 00
Super Talker	149 00
Expansion Chassis	559.00
Card Reader	SCALL
A/D-D/A	269 00
Visicalc Expander	65 00

16K RAM CARD

Compatible with DOS 3.3. CP/M.
VISICAIC, PASCAL \$3900
2 YR. WARRANTY



\$3190 RAK 128K 459° 9900 V-C Expand 80

OUADRAM

MICROFAZER QUADBOARD QUAD 512+

Verbatim

5 1/4" (10) SS/DD	\$25.95
5 1/4" (100) SS/DD	239 00
8" (10) SS/DD	39.00
8" (10) DS/DD	45 00

KENSINGTON MICROWARE



- Surge Suppre Dual Outh
- U.L. Listed Fits Apple Stand

\$65

Products

JOYSTICK Apple II & IIe JOYSTICK Apple III & IBAI SELECT-A-PORT Apple II & IIe TRAKBALL Apple II & IIe)

O KRAFT SYSTEMS

PADDLES (Apple II & Ite)
JOYSTICK (Apple II IIIe IBM
TRS-60)
JOYSTICK (Alari: Commodor
QUICK VIS (Apple II & IIe) 15"

MONITORS

AMDEK	\$CALL
BMC 12" Green Au	8890
BMC 12" Green Eu	12900
BMC 9191 Color	289∞
TAXAN Amber	14900
TAXAN RGB III	54900
USI PI 1	9900
USI PI 3	16900

Videx

80 Column	\$239×
Enhancer II	11990
Softswitch	250
Function Strip	5900
Inverse Video	1900
Applewriter Pre-Boot	1910
Visicalc 80 Software	494
Visicalc 80 w mem exp	7400

EPSON RIBBONS

MX 80 MX 100

\$ 700ea Or 3 for 2000 1100ea or 3 for 3200

DEALER INQUIRIES INVITED



COMPUTER DISCOUNT PRODUCTS

MAIL ORDERS & RETAIL STORE

860 S. Winchester Blvd San Jose, CA 95128

(408) 985-0400

HOURS: MON-FRI 8AM - 5PM - SAT & SUN 10AM - 4PM







PRICES SUBJECT TO CHANGE - ALL DADERS FOR SAN JOSE

age years worked retirement benefits 40

The U.S. Department of Labor has a free booklet that will help you answer these questions and a lot more. Send for it today Write: Pensions, Consumer Information Center, Pueblo, Colorado 81008

U.S. Department of Labor



Rely on Scotche diskettes to keep your valuable data sale. Dependable Scotch diskettes are tested and guaranteed error-free. The low abrasivity saves your read/write heads They're compalible with most diskette drives



(800)235-4137



Circle 347 on inquiry card.

A NO-COMPROMISE S-100 SYSTEM THAT YOU CAN AFFORD, STARTING AT \$2850

Features: Fully Integrated \$-100 system, with CP/M 2.2. 2 Thinline Mitsubishi 8" DS-DD drives. Integrand enclosure with 3 expansion slots. Teletek Systemaster single board computer. Freedom 100 terminal with 7 x 9 dot char, P-31 phospher, detachable keyboard, 10 Func. keys. Mainframe has full 1 year warranty.

""All this for only \$2850"" Options: 7 or 40 slot full height enclosures. Hard disks 5 to 25

Mb. LQ Printer. \$ call

TOTAL ACCESS

Suite 202, 2054 University Ave. Serkeley, CA 94704 (415) 540-8066



Circle 185 on Inquiry card.

SIGNALMAN MODEMS

DIRECT CONNECT 300 BAUD

300 BAUD 300 BAUD \$149 AUTO ANSWER/ORIGINATE HAYES COMPATIBLE

300/1200 BAUD \$319 AUTO ANSWER/ORIGINATE HAYES COMPATIBLE

GEMINI 10 PRINTER GRAPHICS \$329 100 CPS

CALL (619) 436-8317 **IMAGE COMPUTER**

VISA/MC

ADD 3%

Circle 533 on inquiry card.

SOLUTIONS

8 to 16 BIT UPGRADE

TRUE 16 BIT PROCESSING

- Z8001 Microprocessor (upgradable to Z8003)
- 2 Kx16 Eprom with Monitor Program (E/Rom optional)
- * 16 Vectored Interrupts
- . Full IEEE- 696 (\$100) Compliance
- All Z8001 Features available
- · Battery backup time of day clock
- Requires ram capable of word transfers

Model M8000 CPU Board Model M8000 EE optional E-Rom

750

SPECIAL MATERIAL AND MATERIAL FOR MAIN

11-800-821-8856. in New Margos 1-505-523-0975

die 191 B

icro Solutions Inc Vise and Master Card welcom Include check or money order to El Paseo Ad Include check or money order as Gruces, NM 68001 4.5% sales (ax

Circle 523 on inquiry card.

Printer Cables

COLUMBIA

— Parallel — ALTOS \$39.00* \$39.00* ATTACHE ATARI CENTRONICS

EAGLE IRAL PT \$39.00*

SHIPPING KAYPRO OSBORNE \$39.00* SANYO TI-99

FREE

ATTACHE COM RS232 (DR25P) 19 conductor 1-8, 20)

- SERIAL -

CABLES UNLIMITED

PO Box 93065 Pasadena, Calif. 91109

"CA Residents Add to Sales Las 182 140

Circle 532 on inquiry card.

The Mega Super Computer



- ZEOB Rumming at Sinhu, a versation CPAL in Mater chief 9511 or 9512 ANDL, in 98 Plan Ports on Mage Expirator BUE, in CPC. DMA, in 2 Parallet Protza—with hard stabilitys, in CPC. Ports—with its violation trains studing using 150to 1902 Board. Rumming terminals, printers, and modera.
- NONE CHASE

- JAM Crim 30 with Discretify to Phalin Driver. with Disk Institution—Hamilies Single Drivary Will companion aboy Disk Controller—Hamilies Single Drivary Will companion as and Dial Discretify (or 2 single disposals For 5%" in various informations—J. Drives inquisit over 4 Mega Bytes of Storage

■ MEGA CO. =

Circle 534 on Inquiry card.

DAISY WHEEL PRINTERS SMITH-CORONA TP-1



SAVE

\$740

SCALL

SCALL

\$1295

5289

SCALL SCALL

 BROTHER HR-15 (2 colors) . BROTHER HR-1 (15 cos)

* KAY-PRO-10 KAY-PRO 11 • C-ITOH F-10 (40 cps)

• IBM PC • OSBORNE COMPUTER

31505 - SANYO M&C-1000 (incl siture) • GEMINI-10 GEMINI-15

FRANKLIN-ACE

MICRO MART 5375 Kearny Villa Rd #115, Sen Diego CA 92123 (619) 268-0169


Circle 531 on inquiry card.

GP/M 3.0 PLUS FREE! With Purchase OI THREE BOARD SET

Computer Products

CP/M 3.0 PLUS On EPROM!

RAM DISC



The RAM DISC from SD Systems is a "solid-state disk drive" for IEEE696/S-100 systems II allows programs to execute from high speed RAM, circumventing the maghanical problems and speed limitations of floppy disk drives RAM DISC increases system performance substantially in disk intensive applications; compiling and sorting times are reduced to a fraction of the time required for a disk based compile or sort CP/M plus support provided, 256K storage per board, "Install" programs available for CP/M and MP/M

MEM-66256A RAM DISK .

ROM DISC

SD Systems ROM DISC is a 128K EPROM/ROM board which is similar in concept to the RAM DISC Like the RAM DISK it allows similar in concept to the name block that the name block it allows execution of software at high speed directly from memory, without the use of disk drives. The ROM DISC however is non-volatile. memory ideally suited for use with the new CP/M Plus, which is now available in EPROM With the new RAM DISC/ROM DISC combination you can now create a system which avoids some of the problems and pitialis associated with magnetic media.

MEM-12850A ROM DISC Board	\$295.00
CP/M Plus On EPROM:	
SFC-55009059E Unbanked, AS232	\$400.00
SFC-55009058E Unbanked, VDB8024	\$400.00
SFC-55009057E Banked, RS232	\$400.00
SFC-55009056E Banked, VDB8024	\$400.00


SBC 200

5D Systems' SSC-200 is an S-100 bus compatible single board computer based on the 4MHz Z80A CPU II contains a sychronous/asynchronous serial port with software programmable baud rates, a parallel VO port, a four - channel counter - limer, and 1K on-board RAM. Up to 8K of firmware may be added to the

board's 4 EPROM sockets.
The SBC 200 is the idea) heart of a system composed of the other boards in the SD product line, or can stand alone in process control applications

CPC-30200A SBC-200

EXPANDORAM




SD Systems new ExpandoRAM III is a high density S-100 mamory board utilizing the new 64K x 1 dynamic RAM chips fr allows memory sizes of 64K, 128K, 192K, or 256K all on a single S-100 board. Mamory address decoding is done by a programmed bipolar ROM so the memory map may be dip-switch configured to work with either MP/M, CP/M, or OASIS - type systems
The ExpandoRAM III marks a new generation of highly reliable and

able dynamic RAM boards suitable for expanding current S-100 systems, or for use in new multi-user systems

MEM-65064A	BAK	\$495.00
MEM-65128A		 \$595.00
MEM-85192A	192K	\$675.00
MEM-65256A	256K	5755.00

VERSAFLOPPY II



SO Systems' Versafloppy I) is a reliable field-proven S-100 doubledensity floppy disk controller. For full software compatibility it can also read and write standard IBM 3740 single density format. The versafloppy () controls single or double sided drives, in single or double density formal, $5Y_4$ " or 8" in any combination and up to 4drives simultaneously.

The Versalloppy II is faster, more stable and more tolerant of bit

shift and "jitter" than most other controllers All control and diagnostic firmware is included

IOD-1160A Versalloopy II



Circle 242 on inquiry card.

CP/M 3.0 PLUS

SD Systems' implementation of Digital Research's CP/M3.0 Plus is a unique combination of hardware and software that optimizes the powerful new features of CP/M Plus. CP/M Plus requires 192K of memory for optimum performance, making it on ideal match for the 266K ExpandoRAM III

In addition to the many gowerful new features of CP/M Plus, you will realize parformance increases of 5 to 7 times that of a CP/M2.2

-,		
SFC-5500905	9F Unbankad, RS232	\$250.00
SFC-5500905	8F Unbanked, VOB8024	\$250.00
SFC-5500905	7F Banked, RS232	\$250.00
SFC-5500905	6F Banked, VDB8024	\$250.00
SFC-5500905	7D Manual	\$50.00

FREE!* CP/M 3.0

SAVE! \$800.00 on THREE BOARD SET

S-100 board set with MHz Z-80A, 64K of RAM expandable to 256K, serial and parallel I/O ports, double-density disk controller for 5%" and 8" disk drives, new and improved CP/M 3.0 manual set, system monitor, control and diagnostic software. Includes SD Systems SBC-200, 64K. ExpandoRAM III, Versalloppy II and FREE CP/M 3.0 - all boards are assembled and tested

64K Board Sel with FREE CP/M 3.0 *256K Board Set with FREE CP/M 3.0

Place Orders Toll Free

Continental U.S. 800-421-5500 Inside California 800-262-1710

For Technical Inquires or Customer Service cell:

Computer Products

4901 W. Rosecrans, Hawthorne, CA 90250

213-973-7707

S-100 MEMORY BOARDS

64K STATIC RAM - Jade

Uses new 2K x 8 static RAMs, fully supports IEEE 696 24 bit extended addressing, 200ns RAMs, lower 32K or entire board phentomable, 2716 EPROMs may be subbed for RAMs, any 2K segment of upper 6K may be disabled, low power typically less than 500mm.

MEM-99152B	Bare board	\$49.95
	Kit less RAM	
MEM-J2152K	32 kil	20,0012
MEM-58152K	56K MII	\$309.95
MEM-64152K	84K Hit	\$299.95
	Tested	

TETTER PRINTERS GUALITY

Letter Quality Printer - COMREX

Uses standard daisy wheels and ribbon contridges, 16 CPS bi-directional printing, semi-automatic paper loader (single sheet or fan fold), 10/12/15 pilch, up to 16" paper. built-in noise suppression cover.

PRO-11001	Centronics parallel	\$899,96
PRO-11002	AS-232C serial model	30,000,55
PRA-11000	Trector Option	\$119.65



380Z by D.T.C.

Based on the same quality mechanism as the Comrex printer, the 380Z contains electronic enhancements that allow it to print at speeds up to 32 CPS. Other leatures include a 46K buffer, proportional apacing, and Diablo 1640/1650/630 compatible protocol. Comes with printwheel, ribborrand users manual. Sarisi, parallel, and EEE 488 interfaces standard


PRD-11300 3802 printer	\$1295,00
PRA-11000 Tractor option	\$169.95
PRA-1200 Gut sheet feeder	\$899.95
Cable Plasse specify	\$49.95

Printers From Jade

OKIDATA 82 10" 120 CPS	CALL
OKIDATA 92 10" 160 CPS with Graphics	CALL
OKIDATA 93 15" 180 CPS with Graphics	CALL
OKIDATA 83 15" 120 CPS with Tractor	CALL
OKIDATA 84 15" 200 CPS with Graphics	_ CALL
OKIDATA 2350 15" 350 CPS	CALL
OKIDATA 2410 15" 350 CPS, Two color	_ CALL
DAISYWRITER 2000 48K Daisywheel	\$1395.00
GEMINI 10 100 CPS 10" with Graphics	\$349.95
GEMINI 15 100 CPS 15" with Graphics	_\$499.95

PRINTER PALS - FMJ

Desk top printer stand and paper rack. Fils all p	orinters.
PRA-99080 10" Printer pai	_ \$29.95 _ \$39.95
PRA-99700 for Letter Quality	\$49.95



S-100 I/O BOARDS

The BUS PROBE - Jade

Inexpensive S-100 Diagnostic Analyzer	
TSX-200B Bare board	\$59.95
TSX-200K K//	\$129.96
TSX-200A A & 7	\$159.95

I/O-4 - SSM Microcomputer

2 serial I/O ports plus 2 parallel I/O ports	
IQI-1010B Bare board w/manual	\$35,95
IOI-1010K Kit with Manual	\$179.95
IQI-1010A A & T	\$249.95

1/O-5 - SSM Microcomputer

Two serial & 3 parallel ports, 110-19.2% Baud	
IOI-1016A A & T	\$289.95

INTERFACER 4 - CompuPro

3 serial, 1 parallel, 1 Centronics parallel	
IOI-1840A A & 7	\$314.95
IOI-1830C CSC	\$414.05

S-100 BOARDS EPROM

PB-1 - SSM Microcomputer

2708, 2716 EPR	OM board with on-board	brodismust
MEM-99510K A	it with manual	\$154,95
MEM-89510A A	& T with manual	\$219.95

PROM-100 - SD Systems

2708,2716, 27	32 EPHOM programmer	with software
	Kit with software	\$169.95 \$249.95

VIDEO MONITORS

VIDEO MONITOR — Jade

1000 lines ultra-high resolution, 20 MHz ultra-high band width, 9" or 12". Amber or Green phosphor the linest monitors we sell.

VDM-750920	9º Green	\$119.00
VDM-750910	9" Amber	\$129,56
VDM-751220	12" Green	\$129.95
VDM-751210	12" Amber	\$129.00

12" GREEN SCREEN - Zenith

SWILS OF	en colhuiu	
OM-201201	12" Graen	\$114,5

DUAL DISK SUB-SYSTEMS

DISK Sub-Systems - Jade

Handsome metal cabinet with proportionally balanced are flow system, rugged dual drive power supply power cable kit, power switch, line cord, fuse halder, cooling fan. nevermar rubber feet, all necessary hardware to mount 2-8" disk drives, power supply, and lan, does not include signal cable

\$49.95

Duni R' Sub-Assambly Cabinat END-000420 Bare cabinel _

END-000421 Cabinat kil	
8" Sub-Systems - Single Sided, Double Density	
END-000423 Kil w/2 Siemens FD100-8Ds	\$650.00
END-000424 A & T w/2 Sjemens FD100-8Ds	\$895.00
END-000433 Kit w/2 Shugert SA-801 As	\$999.95
END-000434 A & T w/2 Shugart SA-801Rs \$	1195.00
8" Sub-Systems — Double Sided, Double Densit	Y
END-000426 Kit w/2 Qume DT-8s	1224.95
END-000427 A & T w/2 Qume D-8s	1424.95
END-000436 Kit w/2 Shugart SA-851As	1274.05
END-000434 A & T w/2 Shugart SA-801Ra	1195.00

S-100 MOTHERBOARDS

ISO-BUS - Jade

Stient, simple and on sale - a better motherboard

	6 Slot (5%" x 8%")	
MBS-061B	Bare board	\$22.95
MBS-061K	Kil	\$39.95
MBS-061A	AST	\$69.95
	12 Sio! (8%" x 8%")	
MB5-1218	Bare board	\$34.95
MBS-121K	Klt	\$62.95
MBS-121A	A 4 7	\$109.95
	18 Stol (14%" x 8%")	
MBS-1818	Bare board	\$54.95
MBS-181K	IOI	599.95
M85-181A	AST	\$149.95

5-100 CPU BOARDS

The BIG Z - Jade

2 or 4 MHz switachable Z-80 CPU board with serial I/O accommodates 2708, 2716, or 2732 EPROM, baud rates

CPU-302011	Bare board w/manual	\$35.00
CPU-302011	C RR with Manual	\$149.95
CPU-30201	A & T with Manual	\$199.95

2810 Z-80 CPU - C.C.S.

2 or 4 MHz Z-80 CPU with serial I/O port & on board monitor PROM, front panel compatible CPU-30400A A & T W/M PROM \$200.00

CPU-Z CompuPro

2 or 4 MHz Z80A CPU, 24 bit addressing

CPU-30500A 2/4 MHz A & T _ \$279.05 CPU-30500C 3/6 MHz CSC . 2374.65

8085/8088 - CompuPro

Both 8 & 16 bit CPUs, slandard 8 bit \$-100 bus, up to 8 MHz, accesses 16 Megabytes of memory

PLACE ORDERS TOLL FREE

Continental U.S.

800-421-5500

Inside California

800-262-1710

For Technical Inquires or Customer Service call:

213-973-7707

We accept cash, checks, credit cards, or Purchase Orders from qualified firms and institutions. Minimum prepaid order \$15.00 California residents add 61/2% tax. Export customers outside the US or Canada please add 10% to all prices. Prices and availability subject to change without notice. Shipping and handling charges via UPS Ground 50¢/ib. UPS Air \$1.00/ib. minimum charge \$3.00

5 1/4" DISK DRIVES

Tandon TM100-2 double-sided double-density 48 TPI MSM-SS1002 \$294.95 on 2 for \$289.95 TEAC FD55A single-sided double-density 40 track

\$299.95 on 2 for \$239.95

51/4" Cabinets With Power Supply
END-000218 Single cab w/power supply ______ \$88.95
END-000228 Dual cab w/power supply ______ \$94.95

8" SLIMLINE SUB-SYSTEMS

Dual Silmline Sub-Systems — Jade

Handsome vertical cabinet with scratch resistant baked enamel finish, proportionally balanced air flow system, qutet cooling fan, rugged dual drive power supply, power cables, power switch. Intercord, fuse holder, cooling fan all necessary hardware to mount 2-8" stimline disk drives. Does not include signal cable.


Duel 6" Silmiine Cabinel

MSM-660551

END-000820 Bare cabinal	
END-000822 A 6 T w/o drives	\$179.95
Duai 8" Silmline Sub-Systems	
END-000823 Kn w/2 SS DD Drives	\$919,95
END-000824 A & T W/2 SS DD Drives	
END-000833 Kill w/2 OS DD Drives	
END-000834 A & T w/2 DS DD Drives	\$1179.95

8" DISK DRIVES

Siemens FOD 100-8 single-sided double-density M5F-201120 _ _ \$274.95 ea 2 for \$249.95 ea Shugari SABD1R single-sided double-density _ \$394.95 ea 2 for \$389.95 ea MRF-10801R Shugart SABSTR double-sided double density MSF-10851R _ . \$554.95 ea 2 for \$529.85 ea Qume DT-8 double-sided double-dansity \$524.95 en 2 for \$498.95 ea MSF-750080 _ Tandon YM8481 single-sided double-dan thin-line . \$379.96 ea 2 for \$369.95 ea M9F-558481 . Tandon TM548-2 double-sided double-den thin-line MSF-558482 \$494.95 on 2 for \$484.95 NEC FD1185 double-sided double-den thin-line \$484.95 en 2 for \$449.95



MODEMS

Smart Buy in MODEMS — Signalman

1200 and/or300 baud, direct connect, automatic answer or originate selection, auto-answer/auto-diel on defuxe models 9v bettery attows total portability, full one year warranty.

IOM-5600A	300 baud direct connect	\$89.95
	300 baud Deluke	\$149.95
	1200/300 baud Deluxe	\$389.95
	300 baud for Osborns	
10M-5830A	300 baud card for IBM	\$269,95
IDM-5690A	1200 baud option for IBM	\$129.95
	•	

SMARTMODEM — Heyes

Sophisticated direct-connect auto-answer/auto-dial modern, touch-tone or pulse dialing RS-232C interface programmable

10 M-5500A	Smartmodern 1200	\$574.95
IOM-5400A	Smartmodem 300	\$224.85
IOK-1500A	Hayes Chronograph	\$218.95
10M-1100A	Micromodem 100	\$366.95
IOM-2010A	Micromodem II w/Term prgm	3329.85
	Terminal program for MMII	

1200 BAUD SMART CAT - Novation

103/212 Smart Cat & 103 Smart Cat, 1200 & 300 baud, buillin dater, auto re-dial II busy, auto answer/disconnect, direct connect, LCD readout displays mode analog/digital loopback self tests, usable with multi-line phones.

IOM-5241A	300 baud 103 Smart Cat	\$229.9
IOM-5251A	1200 baud 212/103 Smart Cat	\$549.9

J-CAT™ MODEM - Novation

1/5 the size of ordinary modems, Bell 103, manual or autoanswer, automatic enswer/orginate, direct connect, builtiin self-test, two LEDs and audio beeps provide status information.

IOM-5251A Novalion ______\$149.95

S-100 DISK CONTROLLERS

DISK 1 — CompuPro

8" or 5½" DMA disk controller, single or double density, single or double sided, 10MHz

100-1818A	A & T	\$449,95
10D-1810C	CSC	\$554.85

2422 DISK CONTROLLER - C.C.S.

5¼" or 8" double density disk controller with on-board boot loader ROM, free CP/M 2.2 & manual set IOD-1300A A & T with CP/M 2.2 \$399.95

DOUBLE D - Jade

High reliability double density disk controller with onboard Z-80A, auxiliary printer port, IEEE S-100 can function in multi-user interrupt driven bus.

IOD-1200B	Bare board & hdwr man	_ \$59.95
IOD-1200K	Kit windwr & sitwr man	\$299,95
IOD-1200A	A & T w/hdwr & sliwr men	\$325,00
SFC-590020	O1F CP/M 2.2 with Double D	\$99.95

DISK TUBS

DISKETTE STORAGE BOXES

Clear Plexiglass storage boxes for up to 75 Diskettes
MMA-505 Holds 75 51," \$19.54
MMA-506 Holds 50 8" \$24.95

SINGLE BOARD COMPUTER

SUPERQUAD - Adv. Micro Digital

Single board, standard size S-100 computer system 4MHz Z-80A, single or double density disk controller for 5½" or 8" drives, 84K RAM, extended addressing up to 4K of EPROM, 2 serial & 2 parallel I/O ports, real time interrupt clock. CPJM compatible

CPC-30800A A &	7	\$724.95
IOX-4232A Serial	I/O adapter	529.95

EPROM ERASERS

ULTRA-VIOLET EPROM ERASERS

Inexpensive erasers for industry or home

XME-3101A	Spectronics w/o timer Spectronics with timer	5	69.50 94.95
YME-2500V	Logical Devices	,	49.95

APPLE II

DISK DRIVE - Apple Compatible

Totally Apple compatible, 143,360 bytes per drive on DO\$ 3.3 full one yeer factory warranty, half-track capability reads all Apple software, pluge right into Apple controller as second drive. DO\$ 3.3, 3.2.1 Pascal, & CP/M compatible.

MSM-123200	Add on Apple Drive	\$249,95
MSM-123100	Controller	\$99.95

CP/M 3.0 CARD for Apple — A.L.S.

The most powerful card evallable for your Applet 6MHz Z-808, additional 84K of RAM, CP/M plus 3 0 100% CP/M 2.2 compatibility, C basio, CP/M Graphics, 300% laster than any other CP/M to Apple One year warranty CPX-52610A A.LS, CP/M Gard \$348.95

Z-CARD for Apple II - A.L.S.

Two computers in one, Z-80 & 8502, more than doubles the power and potential of your Apple, includes Z-80 CPU card CP/M 2.2 and complain manual set, Pascal compatible utilities are manu-driven, one year warranty.

CPX-82800A A 5 7 with CP/M 2.2 \$159.95

SMARTERM II - A.L.S.

80 column x 24 tine video card for Apple II, addressable 25th status line, normal/inverse or high/low video, 128 ASCII cheracters, upper and lower case, 7 x 9 dol matirs with true descenders, standard Data Media terminal control codes. CP/M Pascal & Fortran compatible, 50/60 Hz, 40/80 column selection from keyboard Best 80 Column Card!

10V-2500A ALS Smarterm II ______ 5169.95

16K RAM Card - for Apple il

Expand your Apple II 64K, use as language card, full 1 year warranty. Why spend \$175.00?

MEX-16700A Save over \$115.00 ______\$49.95

SERIAL I/O CARD - A.L.S.

Full feature serial card for modems & printers, baud rates from 110 to 19,200, CTS/RTS & X-on/X-off protocols auto line feed, RS-232C cable interface included

101-1000A A & T Dispetcher Card ______\$129,95

JA DE Computer Products

4901 West Rosecrans, Hawthorne, California 90250

TORNIA

Torrance, California Post Office Box 3097



Plastic library case supplied with all diskettes purchased from California Digital

New Low Price

Constitutions is burgased and a liter past

Cash CTO CAL 501 Tea sector CAL 516



54" DISKETTES WITH LIBRARY CASE

50

Your Choice SCOTCH MEMOREX VERBATIM

Single Side Dauble Density

Catt Cantar 10 Carter 16 Carter

ment (*)

A Trailing

	onit sector		to serioi	
SCOTCH	744D-0	744D-10	744D-16	26.50
MEMOREX	3481	3483	3485	26.50
VERBATIM	525-01	525-10	NA	26.50
MAXELL	MD1	MH1-10	MH1-16	29.85
DYSAN	104/1D	107/10	NA	45.00

Double Side Double Density

SCOTCH	745-0	745-10	745-16	42.50
VERBATIM	550-01	550-10	NA	42.50
MAXELL	MD2-D	MH2-10D	MH2-16D	45.00
DYSAN	104/2D	107/20	NA	49.50
DYSAN 96	204/2D	NA	NA	59.50

EIGHT INCH DISKETTES

740-0	T			
140-0	29.50	SCOTCH	741-0	39.00
3060	29.50	MEMOREX	3090	35.00
3740/1	39.50	DYSAN	3740/0	57.50
Two Sector		Bouble si	de Double Des	rsity
740-32	29.50	SCOTCH	743-0	47.50
mengals at a pr	'34 E3	MEMOREX	3114	39.50
14, Ca		DYSAN	3740/2D	65.00
	3060 3740/1 7 Two Sector 740-32	3060 29.50 3740/1 39.50 y Two Sector 740-32 29.50	3060 29.50 MEMOREX 3740/1 39.50 DYSAN 7 Two Sector Devon st 740-32 29.50 SCOTCH MEMOREX 280 SAN MEMOREX	3060 29.50 MEMOREX 3090 3740/1 39.50 DYSAN 3740/D 1 Two Sector Device


Microswitch ASCII KEYBOARD a

Charle Cide Circle Benefts



Sinnie Side Dauble Density

Each keyboard contains 81 high reliability Hall Effect keys. MIC-81SD5 3 Lbs. Dulpuls seven bit paralle! ASCH



This Hilles keyboard is the same unit used by Loar Siegler in their mistile linit. CRT (permiss). The keyboard leabures 56 unercoded metal on metal contacts (Hill-56). Matching numeric cloades (Hill-56). Matching numeric cloater with 15 keys is available for \$9.95 (Hill-15). Buy both of these units for only \$29.90 and save \$5.00 (Hill-58) for

4116 150ns.

450ns.

4164 150ns.



		1-31	38+	100.4
4027-4K dynamic 250m	4CM-4601/250	1.00	1.85-	6.125
4110 700mg 4BIC	ICBA-4116150	1.00	1.06	€ 75
4116.000ns.166	ICM-41 (IEEG)	1 70	4 849	1.50
A 1964 190ms, BASK KZII LUNGON	ICIA-416E150	H 90	1.36	8 85
4 1256 150m 250K	ICH-41256190	- Ang	militio M	46:47

STATIC MEMORY

01-	d it cam necessarily as a			
L02 200ms 15 95%	4CM-21LG2200	- 49	4 80	4.46
LUZ 450rg 16 cure	ICM 21102450	+ 26	1 65	-98
12 450rm. IN state:	ICM-2+12450	2.00	2 400	ar Pile
14 300m (6 s 4	ICM-2114300	4.06	1.00	5.06
647M5-450m 4Ka t	ICM-4044450	3.40	325	2 100
57.300ms. 4K s 3	SC-60-52-573001	3 362	2.25	9 00
16 P4 200ns 2% s 6	CM 6115200	4.10	4 66	244
16 P3 150ro 28 b B	CH-9118130	8.0%	3 13	3 60
67/2167 100m (86 > 1 (2024))	CM-6187100	4.40	a 90	7 90
	EPROMS			
DB 450hs 1ft s.B	CE-2708	4.95	0.7%	4.68
16 450ns 2R s B	CE-2718	4 65	476	438
18TMS 650ns To-resence	ICE-2716TMS	E 188	740	779



DB25P \$2.50

\$2.95

GOLD EDGE COMPLETURS

2×1 m · 123, tempto.	PARCH	6 Mag	
wer "Mr. white termi	BEILT	82.14	
Image stry gray (TI)	4.95	9,50	
Salitana He-Rad. 830'	4 -440	0.00	
Sublime ill-Rol. With	1.04	6,00	
Safilne fall of 188	4004	8 981	
.168' Concern tahundard 22744 Kim Kentet 1978 Digital Group WT 18772 Digital Group WT 4788 America 669577 4388 America 669577	10.00 10.00 10.00 10.00 10.00	4,35 9,90 4,54 4,53 8,50	

CONTROL TO CONTROL

41.30 1.39 6.89 6.89 1.15 2.16 2.16 1.03 LPROP mon-Limits fressists 184 freest GALAS make 194108 freesla 195 freest 29° 100 brook 240° 1,000 100 250° trends 100 255 brooks 101 brook 6,00 101 brooks 6,00 101 brooks 6,00 101 brooks 6,00 101 brooks 1,00 101 brooks 2,00 101 brooks 2,00 CHATRENICS

7/46 6" etab 8.05 90/40 Ptip-00 3,06

23" COMPOSITE MONITOR



Burthlein R.21 high retrusions recovered video opposits generator by including claims range on These areas some standard conversed video opposits generator by including claims range on the Apple and SM. Alliach o year scienced end or second rottle. Second rottle: Alliach Marches are again stans and for analy shreats be enclaimed Yeorg go enclaimed for deeper SCS CO globalised CAL CNCCS 19 Libr.



Eight	Inch	Single	Sided
-------	------	--------	-------

une	1 440	160
*395	385	375
259	259	225
379	369	359
e Side	d	
525	495	475
525	495	475
485	475	469
369	359	349
495	485	475
569	549	539
	*395 259 379 8 Side 525 525 485 369 495	*395 385 259 259 379 369 te Sided 525 495 525 495 485 475 369 359 495 485

Five Inch Single Sided 245 200 400

SHUGARI SA4UU	213	Sna	133
TANDON TM 100-1	209	199	195
Five Inch Double	Sided		
SHUGART SA450	349	329	315
TANDON TM 100-2	295	269	259
TANDON 96TPI TM100-4	369	355	350
OLIVETTI 502 1/4 height	239	225	215

Three Inch Rigid Floppy

HITACHI-AMDEK

Five Inch Winchesters					
SEAGATE 506 6 Megabyle	759	725	695		
SEAGATE 512 12 Megabyte	995	960	960		
TANDON 603SE 14 Megabyte	995	960	895		
WESTERN DYNAX removable	995	960	950		

Upon request, all drives are supplied with power connectors and manual



Two Siemens FD0100-8 disk drives with power supply, 4" exhaust fan complete with all necessary power cables. Same as above but with:

Shugari 861A MSD2861 4195 Shugari 851B MSD2891 1450

Olivers 802 CAL2803 *1258 Burne DTS MSD80T 1450

call for pricing

ECLIPSE 100

INDUSTRIAL S-100 MAINFRAME

Suitable for hospital and industrial applications. Constructed from 304 brushed stainless steel. Modalate 500 wall fored piever supply prevides -8 volts at 304 Amps and _16 volts at 4 Amps. Supplied with instrated 18 It is stated in the folial state of the state



Shipping First the pounds \$5,00, Fach additional 5,50, Suppose that the points 53,70, rath auditional 5,30, Errige will be echimical. California residents and 6,% sales ins. Collis Bacouraged. Open recounts estended to state supported educational hosbituitane and companies with a 'strong' but & Beabteet. Weenhouse: 15608 inglessand Blod. Victors by appointment.

TOLL FREE ORDER LINE TECHNICAL & CALIFORNIA (213)679-900

ITORNIA

Post Office Box 3097 B . Torrance, California

uper Buy \$



FDD 100-8 8" DISK DRIVE

10 Drives \$209 • 100 Drives \$175

d in the purchase of several thousand Stemens FDO 100-8 tloppy disk drives. Cally symfar to that of the Shugari 801R. Any application that will accept the California Digital has recently participated in the processor in scenario and asset and participated in the Shugari 801R. Any application that twill accept the Shugari vid your videous processor of the Shugari videous videous processor. FOO 100-8 All unds are now and shipped in factory easied horses. Because of the extremely low price we expect a quot sail videous all unds are now and shipped in factory easied horses. Because of the extremely low price we expect a quot sail videous all unds are now and shipped in factory expected free upon request. Also a validable 1 two drives subsystem supplied in metal and course over supply and enhance has 5750.00 CAL-8F1008.

FREEDOM 50 SPECIAL SALE \$475

California Digital gives you a great price on the Freedom 50 terminar includes dotachable keyboard with 93 keys including 10 function keys. 15 graphic symbols, and DIP-switch kritect-rable characterisel for 7 foreign tanguages. The 12 inch obtact using aurelian phosphor screen displays 24 rows by 80 characters in 739 matrix with fine desinders. Self test and 25th data display row also included Switch-selectable baud rates from 110-19 100 baud. Bedarection auxiliary sensition baud rates from 110-19 1200 baud. Other stand ind leatures, include both block and conversion modes. Screen attributes do not use display memory, allowing operation to display a full 1820 character. Emulate's 5 popular CRT terminals for easy softward configuration. Switch selectable between 115 and 230 volt. We have rever seen a terminal with all these features for the incredibly low price of \$475.

ECLIPSE 80FT

\$297

5	
STM-G16 STM-EMPT OKI-REA OKI-REA OKI-REA OKI-REA OKI-REA OKI-REA EPS-INTITO NEC-BEZZA ADX-BEOTA ADX-BEOTA DIS-BEOTA DIS-BEOTA DIS-BEOTA DIS-BEOTA DIS-BEOTA PRO-GENER PRO-GENER	309 00 297 50 45-6 60 68-6 60 67-6 00 67-5 00 47-6 00 12-6 60 12-6 60 12-6 60 12-6 60 12-6 60 12-6 60 12-6 60
PTX-P300 PTX-P600 MAN-1805	4900 00 6150 00 1660 00
	\$7M-G10 67R-E3097 CM-R2A CM-92A CM-92A CM-92A CM-92A CM-92A CM-92A ADX

MONO PROCESSING PRINTERS			
NEC7710 SScharlagograf some interlage	MEC-7710	2379.0	
MEC7730 same as essaye only page ni morrison	MEC-FF30	8378 0	
MEC351015 servir	MEC 35 (2)	1779.0	
Chartest state over to the Blue statest	DBL 430	2250 0	
Get-their #0001 T glatupy without	BTH-HB15	855.0	
Brighter HRITT to pour interface	OTH HIRTS	695 C	
Smrs Co-one TP-1 may whose parties away	5CM 1P15	450 C	
Searmment # Flz quinter	PRIOR # 1005	1475.4	
Normalist F (G pg and	IND & ADD	1475 0	

EPSON MX80 RIBBONS §6.95

MONI

BASE TARREST TRANSPORT TO MAKE INCOME A CHARLESTON BASE TARREST	136 60
MC JELEN green physipher 19 MAL compessi union MEC-JE1201	96% GD
NEC JB1260 great dhas phot commercial drade commerce NEC-1360	175 80
Medical 23 specifiance bit rabite composit video MOT-BW25	150 00
Michigal 17 open frame pre "entite regires neer syes. & your MOT-89912	50 00
Corrac S' spire haves requires horz aging & power supply COR Briefs	59 00
代表 (6)	
he' until trampout may be uptable	3279 00
MIL A A man by NEC 170000	4/5 8D
FIRE 17 Community date Blac 14/000	273 80
BMI IT RTB to I monte BMC taciants	379 50
BML -medace card ! Apple II to appre fill blet ereiff	149 00
COM MO - enem ze men eine Ct intalit is mai	539.00
[Sign Hilathi 1) Comp 5 ch or manes COV 6500	385.00
Amore rotor #1 to month a one AMD 100	349 (0)
Amirel ratio of 1 3h ses AGO at - nor see AMD 700	739-60
fundamental and the second sec	100 00



Title Date 100LF - From Artist & Months	LIDS HIDLP	169.0		
warring Date (CILI') auto attento	UDS-100LPJ	209 0		
marchai Data 202 1200 timet 8 49 dicems con a	UD5-207LP	209.0		
Contractions?" 71 fr but 1700 band datase life tower	UD5212.P	450 Q		
three rule Data 217A 300 1200 back auto answer	MDS-3136	595 D		
Hayers Turners Mondown 1,700 and, amounts, and that	MYS-C12AD	575 D		
Hoper Sungramagem 100 Loud only auto onteres auto chel	MOTS-1008AD	229 0		
Have S. Marenmorbert B. 142) Appen Smith Contract	PEYE MARE	279 0		
sayes Micromodern 100 5 100 auch afaire auto diel	HEY'S YOU	349 0		
reases Chromo and small date	MYS-CHEIZOZ	199 0		
the value of the displayment and preser	MOV-JCAT	119 3		
Feminoris Carl Aurustic connect	MOV-CAT	150 0		
New March D. Call (March 2007) 1 is a francist first proprie and	NOV-DCAT	169 0		
facilities to self-self-self-self-self-self-self-self-	HICH-SC103	218 (
November SmartCar 103-212 1250 paud ayordar	MOV-8C217	529 Q		
Person 510, 1200 based, auto top on siylo drail	PEN-21EA	\$795 3		
September 5446 / Service (1999) with terminal cares	SIGN MALE	68 3		
U Pippones 2124 307 1290 make	USP-212A	4.85 O		



Framiliers SD. Jepil astreem entracrustre keytinand Visual SD. Distertibilities inspectured entercities untilingo Visual SD. distertibilities inspectured entercities untilingo Visual SD. distertibilities (SD. Digitario, Architectured Ampart Distalgue BD ones recrueix into plaging have salys Ampart Distalgue BD ones recrueix and plaging that in Television BD. Distertibilities and plaging that in Television BD. Distertibilities and proposed. SD. Visual News Television BD. Distalgue Loss split accessor, SD. Visual News Television BD. Distalgue Loss split accessor, SD. Visual News Television BD. Servision and VISD Servision ADDS. Vessigner A. I. carefurchable kay bound ADDS. Vessigner A. Carefurchab	LAB F30 VILL BD VILL BD VILL 3DDG APIA DWDGA ADD-VPII ADD-VPII ADD-VPII	475 60 635 00 995 00 995 00 465 00 465 00 995 00 995 00 985 00 985 00 985 00 985 00 985 00

APPLE



APPLE BRAND PRODUCTS Aggr an ann agus

716 16a	the BAM raid to Light if	44 00
	RANA SYSTEMS	
ran apl (ran apl7	add Pan Kropf, gyffe a refrance Ampre born gelbu catelia	525 40 385 00
	CALIFORNIA COMPUTER SYSTEMS	

XITEN

5-7710	Anne Spread interface	125.0
E 7/39	Comerc Par treju ton	30 0
5 7/70	Apple Foreign Willeland	96 🗆
S-7118	12k m Woch	115 @
\$ 7474	Commercial Conces Management	15 6
S- 73400	Prosp amproduc Tomes	85 G
S-13(11)	der Rumative Prostes bur der Raphie miter	316 0

MOUNTAIN COMPUTERS, INC.

CPS Mathematica Care

MEN PAILE ASP

NO CITA

Cities Calendal	
Superview S0700	149 (0
flore Park mile Key beard hiller	140 00
fin pliter win fprem parket	145 00
A -Oallin A Conversion	700 OX 149 60
& 10 Contact Cord for BSR 4s New	149 (0
MICRO SOFT	
Microsoft Z-80 EPG card	248 00
Microsoft Hill HAM card	125 @
VISTA	
Vieta & companies mark	445-00
Vista Vision 20	700 00
Micro Str. gist. girya consisten	III (5
FOURTH DIMENSION	
to per Driver 15 track Apple and an	329 0
SORRENTO VALLEY ASSOC	
To the second se	30 A 40

S-100 BOARDS



G81 4607	California (STRANICO D. or 9 to 1	
CITY SHIP	Bridge Bridge and Park	100
SEA ACES	Sales Computer 15 has record from	
	Secured test	Self-reb
LFC BOD	Topology Companies 18, has recompanies respon	传播
FOR stripp	Lucino Data Systems Laborary Iron	100
SIN	GLE BOARD COMPUTERS	,
WANT OF T	Waterstife Bullet I and Depty 200	
	Just 5-100)	760
MID 710	Advanced Micro States Hoppy is No- Telebit FISC! Surgio States MCCN	79146
THE FOLL	Feinlich FOCT Surgie Stan if REC 14	
	egypt/gings	er til
51	BIT MICROPROCESSORS	
GH2 / RS	CAMBON /30 B bit CPU 36 for excessor	
	patrick .	200
43-24	Contract Confident & St. and other street	25 in
SUFF SHEAD	50 Systems 100 7 4n	
	CACION SCHAFA	(30)

148.5%	AR 200 Lamel European Z 40 a-44 for 457.5"	
144 780	100	\$60
FL	OPPY DISK CONTROLLERS	
all that	more Bro Bro Lader (-ma, 40, 60	46/16/
WID'S BUY	the acres is a ser a little	(MIN)
WOS CL.	the man figure for a part of	
	d ₁	234
(ES-NET	" or the said the said the	Die
TAP MIN	figuring diese man de fin for the	
		本では
Park Shirt	Contract Francis and American American	

	4 400
CPM OPERATING SYSTEM	
GET-CPHICO - Business CPM F F der Date Gen 9 ho	100-00
BET CONTROL CONTROL CON SE IN Sec 1/4 Pr	104.00
GEL CTUBE Specified CPM No has gentrature unter	
Mill harf	410
HARD DISK CONTROLLER	

H	ARD DIBY CONTROLLER	
USA DSACZ	Gardanid Birth II frand Hagis zweitraffer	861 (
CALL DIEKT	Spotune Digh H back deb editterter	
6年5 月3年	Mariana Draggin, Haraldonia in-	m I
With Held	Special Dept of the 1885 and & 198	870 A
	EPROM BOARDS	
186-PR106	Actor that Digital Print Billion 80	234

-	Marters Belleger High 1000 mm g. 14th profilers 340
	EPROM BOARDS
SES-PROP	522 Systems, Progen 400 prosp persons
150 PF	1520 From pro-printer up to 2716 Depth Research 277 (province) was
	geard

aPE III

111 444	Married I makes from home trade	帕
	GOOD !	LD
	HAMIC MEMORY BOARDS	
COL BAR	Contract Date of 25th reported residency	eth
LOS EAD	W Bertrer, I rather an a Mile present	100
THE PERSON	Linkston Computers 78th 500 Aprillers Millerstown by come (NJMAC) (Aging	-
	40-0	100
	INTERFACE BOARDS	
000	M a land	
HAN WILL	the offer than	
the pile	Hillips	19
· Mile	Miller of the Park State Company	19

100	principles gr pri	4 0
48.4	The second second second second	香棉
military backets		中中
-	THE RESERVE AND ADDRESS OF THE PARTY OF THE	101
	A ROAD PRODUCTION TO THE	9
	g days deman-	
98	ECIAL FUNCTION BOARDS	
119 Ad 1001	At Hart Manmata 5 49 61	
	a-tread	-
н	control Super Browns	
	-	75.4
100		- 4
· b	U	
	1	@ IP
p-(H) g	D)	200 mir
FL WINE	to de tell manage th from	49-49
MEE LYS A	6 lpp met dange e	126 (6)
EJR.		
	- 4	
	-1 1	110
F-4	0	9100
44	0	4.14
6 19	# A 100g	101 301
	1/	
		100
- FANTE	Efect .	He fifte
Lap May	deb est Pi = 0	A 100
r like	10 0	4,000

256K DYNA

The California Dispail 255K RAMI board represents an ountaining visus in 5-100 memory lact stores assure generation 64K openers can board a given you here address assured. Self-control of the openeration of the control of the openeration opener



Shipping: first five pounds \$4,00. Each idditional \$,50. Foreign orders: 10% shipping. For so will be estudied, California cosidents and 6.% sales has. COPs discouraged. Open as sunds extended to state supported ofmational inclinions. and companies with a "strong" lim & Bradsteed, Warrhouse: 18698 Inglewood filed, Visitors by appointment,

ADVANCED BUSINESS TECH

TOLL FREE ORDER LINE (800) 421-5041 TECHNICAL & CALIFORNIA 13)679-9001



VISIT OUR RETAIL STORE

3250 KELLER STREET, #9

SANTA CLARA, CA 95050

16K APPLE*II RAM CARD

BARE BOARD

14.00

KIT

74LS01 74LS02 74LS03

74LS04 74LS05

74LS10 74LS11

74LS15 74LS20

4LS27

74LS32 74LS37

74LS48 74LS49

74LS51 74LS54

/4LS63 /4L573

74L 574

41.592

74LS107 74LS109

74LS112

ASSEMBLED

42.50

74LS257 74LS258 74LS258

74LS260 74LS266

74LS273 74LS275

74LS279

74LS293 74LS295 74LS298

74LS324 74LS352

74LS353

74LS374

74LS377

74LS378 741 5379

74LS385 74LS388

74LS390

74LS393 74LS395

74LS399 74LS424 74LS447

74LS490

74LS669

74LS682

74LS683 74LS684

74LS685

74LS688

81LS95 81LS96 81LS97 61LS98

*Apple is a trademark of Apple Computer, Inc.

74LS124 74LS125 74LS126

74LS132 74LS136 74LS137

74LS137 74LS138 74LS139 74LS145 74LS147 74LS148

74LS151 74LS153 74LS154

74LS155 74LS156 74LS157

74LS158 74LS160 74LS161 74LS162 74LS163

74LS164 74LS165 74LS165

74LS168 74LS169 74LS170

74LS175

74L5181 74LS188

74LS190 74LS191 74LS192

74LS193 74LS194 74LS195

741 5243

74LS247

INTERI	TACE
BT26	1.85
BT28	1 95
8T95	95
8T96	95
8T97	95
8T98	95
DM8131	2.90
DP8304	2 25
DS8835	1.89
DS8836	99

1702	105	2.95	2101	450ns	-1.0
2708	450ns	2.98			31
2758	450ms	5.89			
2716	450ms	3.25			1.4
2716-1	350ns	4.68			2.
TMS2516	450ns	5.48			2
TMS2716	450ns	7 89			13
2532	450ns	4.69			1,7
2732	450ns	4,15			13
2764	450ns	CALL			1,3
MC68764	450ns	34.95			4.
D'	YNAMIC RAMS	8			3.
TMS 4027	250ns	.79			3.
UPD 411	300ns	2.89			31
MM 5280	300ns	2.89			9.0
					4
			4		4)
					CAL
			- , ,		CAL
4116	150ns	GALL			CAL
4164	200ns	CALL			32.9
4164	150ns	GALL	LF	= LOW POWER	4
	2708 2758 2716 2716-1 2716-1 TMS2716 2532 2732 2764 MC68764 D' TMS 4027 UPD 411 MM 5280 MK4108 MM 5298 4027 4116 4116 4116	2708 450ns 2758 450ns 2758 450ns 2716 450ns 2716-1 350ns TMS2516 450ns 2732 450ns 2732 450ns 2732 450ns 2764 450ns DYNAMIC RAMS TMS 4027 250ns MM 5280 300ns MM 5280 300ns MM 5298 250ns 4027 250ns 4116 200ns 4116 150ns 4164 200ns	2708 450ns 2.98 2758 450ns 5.89 2716 450ns 5.89 2716 450ns 3.25 2716-1 350ns 4.69 TMS2516 450ns 5.40 TMS2716 450ns 7.89 2532 450ns 4.09 2732 450ns 4.15 2764 450ns A.15 DYNAMIC RAMS TMS 4027 250ns 7.9 UPC 411 300ns 2.89 MK4108 200ns 1.74 4027 250ns 2.00 4116 200ns CALL 4116 150ns CALL 4116 150ns CALL 4116 150ns CALL	2708	2708

RESISTORS

PRESIDIONS
SWATT 5% CARBON FILM
ALL STANDARD VALUES
FROM 1 OHM TO 10 MGE OHM
50 PCS. SAME VALUE
1000 PCS. SAME VALUE

EPROMS

Will Beat

Any Competitors'

Prices!

6502 6504 6505 6607 6520 6532 6532 6545 6551	6500 1 MHz	5.25 6.85 7.80 9.85 3.95 4.95 5.95 16.95
6502A 6522A 6532A 6545A 6551A	2 MHz	8.95 9,95 11.90 27.90 11.90
6502B	3 MHz	11,90

STATIC RAMS

UARTS AY3-1014 AY5-1013 AY5-1015 TR1602 3.90 5.90 3.90 7.85 8.85 IM6402 IM6403

INS8250

LEDS Jumbo Red Jumbo Green 10/1.00 6/1.00 8/1.00

10.49

Jumbo Yellow

DIP SWITCHES

8599999 5 Position 6 Position 7 Position 8 Position

EXAR 3.75 3.75 3.90 5.25 3.25 XR 2206 XR 2207 XR 2206

GA 3010 GA 3013 GA 3023 GA 3035 GA 3046 GA 3053 95 1.99 2.75 2.49 1.25 1.45 2.90 1.75 1.10 1.65 CA 3059 CA 3060 CA 3065 CA 3060 CA 3080 CA 3081 CA 3082 CA 3083 CA 3086 CA 3089 CA 3140 CA 3146 CA 3160 CA 3401 CA 3600 165 1.65 2.10 1.25 1.15 1.75 1.15 9 1.45

APPLE* II COMPATIBLE **DISK DRIVE** 225.95

CONTROLLER CARD 79.95

APPLE SUPER COOLING **FANS** 49.95

WITH SURG PROTECH 69.95

51/4" FLOPPY DISK FLIP FILE CAPACITY 75 EA 19.95

> APPLE **PADDLES** 9.95

UPGRADE

4116 - 200 ns 8/10.00

Computer Products, Inc. 3250 Keller Street, #9 Santa Clara, CA 95050 (800) 538-8800

Calif Residents (800) 848 8008

Local Phone 4081 988 0697

STORE HOURS MON-FRI 8:30 A.M.-5:30 P.M. SAT 10:00 A.M.-3:00 P.M.



1.48 1.48 1.48

master charge

TERMS: For shipping include \$2.00 for UPS Ground, \$3.00 for UPS Blue Label Air \$10.00 minimum order. Bay Area residents add 61/3% Sales Tax. California residents add 6% Sales Tax We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list

APPLE II USERS DISK DRIVE!

- Includes metal cabinet
- Color matches Apole
- 35 tracks/single side
- Includes cable Use with Apple II controller

225.95

CONTROLLER CARD 79.95





LM301 LM308 LM309K LM311 M317T LM317K LM318

LM318 LM323K LM324 LM337K LM339 LM377 LM380

LM386 LM555

LM566 LM565

3250 KELLER STREET, #9

SSSD 18.95

SSDD22.95 DSDD 27.95

BULK

SSDD SOFT \$1.65 EA

SANTA CLARA, CA 95050

LINEAR 32 LM741 75 LM747 25 LM748 64 LM1310 65 MC1330

LM1889 LM3900 LM3909 LM3914

LM3915 LM3916 75451

29 75 49 2.45 1.69 1.25 5.65 6.85 2.45 2.45 3.70 3.70 3.70 3.70 3.70 3.70 3.70



CIRCUITS MM5314 MM5369 MM5375 MM56167

MM 58174 MSM 5832 4.90 3.90 4.90 8.90 10.95

6.90

EPROM ERASERS

HOLDS 15 EPROMS ERASES IN 20 MINUTES




15.95 20.95 20.95 20.95

2.5 MI	-lz	
Z80-CPU Z80-PIO Z80-CTC Z80-DMA Z80-DART Z80-SIO/O Z80-SIO/O Z80-SIO/O Z80-SIO/O Z80-SIO/O	3.35 3.35 3.35 12.49 14.98 18.95 16.95 16.95	Z80 SERIES
4.0 MI	4z	
ZBOA-CPU	4.90	
ZEOA-PIO	4.90	
ZBOA-CTC	4 90	

Z80A-DART Z80A-SIO/0 Z80A-SIO/1

ZILOG



Disc Controllers

1771 1791 1793 1795 1797 29.95 49.95 49.95 32.95 39.00 34.95 17.95 6843 8272 **UPD765**

1		59.95	
2.5 MHz 30-CPU 30-PIQ	3.35 3.35	780	

	28132 28671	32.95 38.95		
ORDE	R TO	OLL	REE	
(800)	53	8-8	80	0
			\bowtie	H

(800) 848-8008 (CALIFORNIA RESIDENTS) MERCHANDISE IS 100% GUARANTEED

9000 SE	RIES	MISC.	12.05
316 334 368 401 601 602 6502	.95 2.39 3.69 8.95 .69 1.39 1.79	11 C 90 3242 MC 3470 MC 3480 ULN 2003 CA 3146 2513-001 up 2513-002 low	12,95 6,95 7,95 8,95 5,95 1,75 9,69

		TAGE ATORS	
20047			
7805T	75	7908T	85
7808T	75	7912T	85
7812T	75	7915T	85 .85
7815T	75 75	7924T	.95
7824T	.85	,	
		7905K	1.39
7805K	1.29	7912K	1.39
7812K	1.29	7915K	1 39
7815K	1.29	7924K	1.39
7824K	1.29	T = TC	
7905T	85	K=T	

	CONNECTORS	
AS232	Male	3.00
RS232	Female	3.50
FIS232	Female Right Angle	4.95
RS232	Hood	1.20
30 pin	Edge	2.49
44 pin	Edge	2.49
50 pin	Edge	2.69
86 pm	Edge	3.90
100 pin	ST	3 90
100 pin	WW	4.90

	CRYS	STALS	
32.786 KHz	1.90	6.144	2.69
1.00 Hz	4.50	6.5536	2.69
1.8432	4.50	8.0	2.89
1.00 Hz 1.8432 2.0	3.90	10.0	2.69
2.097152	3.90	12.0	2.69
2.4576	2.69	14.31816	2 69
3.2768	2.69	15.0	2.69
3.579545	2.89	16.0	2.69
4.0	2.69	17.430	2.69
5.0	2.69	18.0	2.69
5.0688	2.69	18.432	2.69
5.185	2.69	20.0	2.69
5.7143	2.69	22.1184	2.69
6.0	2.69		

	80	100	
8035	4.95	8251	4 39
8039	5.95	B253	6.89
8080A	3.89	8253-5	7.89
8085A	5.89	8255	4.39
8086	24.95	8255-5	5.19
8088	34.95	8257	7.89
8155	7.75	8259	6.85
8156	8.75	8272	39.00
8185	29.00	8275	29.00
8202	27.95	8279	8.89
8205	3.45	8279-5	9.89
8212	1.79	8282	6.49
8214	3.75	8283 8284	6.49
8216	1.69	8284	5.49
8224	2.19	8286	6.49
8224 8228	1.79	8287	6.49
8228	3 34	6288	24.95
8237	19.00	8289	39.00
8236	4.39	B741	34.95
8243	4.39	8748	14.95
8250	10.49	8755	29.95

IC Sockets

	ST	WIW
BPIN	.10	49
14 PIN	12	50 57
15 PIN	15	57
18 PIN	.20	.85
20 PIN	.25	.99
22 PIN	.25	1.30
24 PIN	25 25 25 35	1.40
28 PIN	35	1.50
40 PIN	.40	1.80
1	ST = Soldertal	1

6800	4.75
6802	7.B9
8088	8,45
6809	11.95
6809E	17.95
6810	2.89
6820	3.50
6821	2.95
6828	13 95
6840	7.95
6843	32.95
6B44	24.95
6845	13.95
6847	11 95
6850	3.20
6852	3.50
8680	9.80
8862	11.90
6875	6.89
6880	1.80
6883	22.95
2 MHz	
68800	9.95
68802	21.95
68809	28.95
68B09E	28.95
6810	7.89
68.10	11.95
68B45	33.95
66850	11.95
2 MHS	E7.05
UDANU	57.95

6800 1 MHz

Power Supplies

MOUNTED ON PC BOARD MANUFACTURED BY CONVER +5 VOLT 4 AMP ±12 VOLT 1 AMP



34.95



Computer Products, Inc. 3250 Keller Street, #9 Santa Clara, CA 95050 (800) 538-8800

Calif Residents 300) 848 8008

Local Phone (408) 988 0697

STORE HOURS: MON-FRI 8:30 A.M.-5:30 P.M. SAT 10:00 A.M.-3:00 P.M.

BANKAMERICARD VISA



TERMS: For shipping include \$2.00 for UPS Ground \$3.00 for UPS Blue Label Air \$10.00 minimum order. Bay Area residents add 6%% Sales Tax. California residents add 6% Sales Tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.



* MADE IN U.S.A. BY AMERICANS *

California Computer Systems SPECIAL!



CCS SYSTEM 2410 . , \$1995.00

- Includes CP/M® 2.2 2-Serial/1-Parallel Port
- DMA Disk Controller
 Hardware Vectored Interrupts
- 2-Real Time Clocks
 Supports CP/M®,MP/M®,OASIS

CCS 2300 System, A&T., 1695.00

	2810 CPU	**********	Only-255.00
•	2422 Disk	Controller,	Only-330.00
	2066 BAK		Only-380 00

- 2300A Mainframe NEW! ... Only-399.00
- CCS Apple Boards. . . Call Toll Free For Prices

UNIVERSAL POWER SUPPLY



For Big Board, Apple or Aim 65 +5VDC @ 3 Amps +12VDC @ 750 Amps -12VDC @ .750Amps

-5VDC @ .500 Amps Dimensions: 4"x4"x11" \$69.95

DISK DRIVE POWER SUPPLY

For 2 - 8" or 5" Drives + 5VDC @ 4 Amps +24VDC @ 3 Amps 5VDC @ 1 Amp



AC Cables for 2 Drives \$7.50

Dimensions: 4" x 4" x 11"

\$59.95

S-100 POWER SUPPLY



\$89.50

+8VDC @ 30 Amps +16VDC @ 6 Amps -16VDC @ 6 Amps PC Board Design

Dimensions: 5" x 6" x 11"

\$-100 MOD by XOR

For test or systems applications Complete S-100 12 Stot Main-Irame with Disk Drive Power Supply for 4 Drives

SPECIFICATIONS

Regulated Unregulated +5V @ 5A +8V @ 30A +24V @ 3A ±16V @ 6A -5V @ 1A

\$225.00 Kit with 12 S-100 Bus Connectors \$255.00 Assem and Tested with 12 Bus Connectors \$15.00 AC/DC Drive Cable Set for 2 Drives Dimensions 6" x 10" x 18" — Shipping Weight 25 lbs.



nie Volocity Whisper Fans Only \$18.00 es. Finger Guards \$2.50 each.



CUSTOMER SERVICE 898-5525

DUAL DRIVE SUBSYSTEMS





HORIZONTAL OR VERTICAL Fully Assembled and Tested Units

ONE YEAR P+L WARRANTY On Shugart and Mitsubishi Subsystems

w/two Mitsubishi DS/DD	\$1170,00
w/two Shugart 801R SS/DD ,	975.00
w/two Shugart 851R DS/DD	1225.00
w/two Siemans 120-8 SS/DD	675,00
w/two Gume DT-8 DS/DD , ,	1250.00
Cabinet A & T w/Power Supply and Accs.	235.00
Cabinet Top and Bottom Only —	69,50

AN calculates A & T and subseysteme inclinion of ACFDC withing and 5D pin data calculations for the horizontal model which includes the lobertum 5D pin cable and require an external 5D pin cable part θ C-6000-01

5 14 " Subsystems W/two 48TPI SS/DD 495.00 w/two 48TPI DS/DD 595.00 w/two 96TPI DS/DD 695.00

* SPECIAL *

OF THE MONTH ON MITSUBISHI DS/DD SUBSYSTEM*



2.4 MEGABYTES . . . ONLY \$1095.00

Fully assembled and tested horizontal drive cabinet including fused power supply, fused AC input, Ian, all AC and DC cables, 50 pin data cable and ONE FULL YEAR PARTS AND LABOR WARRANTY on the complete subsystem including the Mitsubishi 2894 double sided double density drives.

> Add \$15.00 for shipping material. *OFFER EXPIRES JULY 31st 1983

FLOPPY DRIVES

Buy a set at these reduced prices





8" Shugart 801R SS/DD ,	\$369.00
8" Shugart 851R DS/DO	495.00
8" Quine DT-8 OS/DD	519.00
8" Mitsubishi 2894 DS/DD	465.00
8" Mitsubishi Slimline DS/DD ,	465.00
8" Tandon 848-1 Thinkne SS/DD	370.00
8" Tandon 848-2 Thinking DS/DD	470.00
8" Siemans 120-8 55/00	235.00
5% " Mitsubishi 95 DS/DD Full	315.00
5 % " Milsubishi 96 DS/DO 1/2 Height	315.00

All Shugart and Mitsubishi drives will have a 1 year parts and labor warranly Dume drives - Full 6 months - All others 90 days.

★★★ SYSTEM SPECTACULAR



The total system includes the XOR S-100-4 Computer System, the ADDS Viewpoint 3A+ terminal, the Star Micronics Gemini 10 printer, and all AC/DC, serial, and RS232 cables with CP/M 2.2 software, manuals and our full SIX MONTH parts and labor warranty.

And now a complete system package is available from U.S. Micro Sales featuring the famous S-100-4 Computer System. 64K based Z-80A @ 4MHZ with two Tandon 8" floppies to provide over 1.2 Megabytes of formatted storage. The new ADDS Viewpoint 3A+ with green screen and detachable keyboard makes the perfect terminal with features like reverse video, 1/2 intensity, visual highlighting, and full auxiliary port use. For a printer you'll get the new Gemini 10 dot matrix 80 column by Star Micronics with features like 100 CPS print speed, serial and parallel interfacing, 4K ram buffer, self test, bi-directional print, and single or multi-sheet feed. What more could be asked for?? A full six month parts and labor warranty on the COMPLETE system - warranty includes the disk drives, terminal and printer. We service what we sell. Call your order in today TOLL FREE.



Visit Our Retail Stores

ORDER TOLL FREE

☆ EAST ☆ ☆ WEST ☆ 1 (800) 435-9357 1 (800) 854-8174

In III. (815) 485-4002

In Calif. 1 (714) 898-1492

ERMS: We accept VISA/MC, prepay, check or money order. Please allow personal check two weeks to clear before shipment 5.00 handling change on all orders under \$5.00.15% hestocking Fee. All orders shipped via U.P.S. unless otherwise specified. A PS C.O.D orders over \$100.00 require a Cashiers Check. W Our products carry a full 6 months parts and allow wantly excluding these parts of the Committee of the Committe



* MADE IN U.S.A. BY AMERICANS *

★ EAST ★ 11 Edison Drive, New Lenox, Illinois 60451
★ WEST ★ 15392 Assembly Lane, Huntington Beach, CA 92649

TERMINALS

Adds Viewpoint 3A+: A low cost high performance terminal w/green screen and detachable keyboard. Features include & Reverse video & ½ intensity & Visual highlighting & Full auxiliary port use & 150 — 19.2K baud rate.

#T-1000-04..., \$519.00

Televideo 910+: Save your eyes on a great green screen w/features like * Built-in self test * Full editing * Tab options * cursor control * 16 visual attributes like, reverse video, monitor mode and ½ intensity.

#T-1000-05 \$569.00

Televideo 925: From the hobbyist to the basic professional this popular terminal will fit your needs. * Detachable keyboard * Numeric keypad * Green screen * Self test * Time of day display * Programmable function keys * 912/920 emulation hardware/software programmable configurations.

#T-1000-08 ... \$739.00

Televideo 950 #T-1000-09 \$939.0

PRINTERS

C-floh Starwriter F-10: The best you can get in a daisy-wheel letter quality printer with removeable print lead and speed to 45 C.P.S. Order serial or parallel models — same price. No exit a charge for the quiet-low profile design F-10 Starwriter Parallel #M-2000-47
F-10 Starwriter Serial #M-2000-31

Oklista Microlina: New versahily, correspondence quality printing and speed make the ML92 and ML93 the best printer values in their categories. Both printers provide multi-speed print modes; bi-directional high speed mode with short line seeking togic at 160eps, amphasized and enhanced mode printing at 80cps, and high resolution correspondence quality printing at 40eps Dol-addressable graphics is slandard. Both serial and parallel interfaces are standard and 80TH prices include full tractor assembly at no extra charge.

ML92 PM-2000-10 \$ 629.00 ML93 PM-2000-11 \$ 966.00

Epson FX-80: This is the latest entry from the manufacturer that has taken the printer market by storm by offering the highest quality at very reasonable prices.

One quick glance at the features below should convince you that Epson has created a real winner with the new FX80:

 Burst print speed of 160 cps. continuous speed of 110cps = 11x9 character matrix; 18x18 in emphasized and doublesize modes = User definable characters = Internal RAM can function as either 2K print buffer or user-definable character set storage area = Standard Centronics parallet eitherage = Programmable felt margin; 32 horizontal tab stores and 8 sets of 16 wortical tabs.

Introductory offer #M-2000-70
Above w/Serial/Int #M-2000-71

\$699.00


The 4 slot S-100 systems below are equipped with the XOR Z-80 4MHZ three board set. Each can run 8" or 5" disk simultaneously. In addition to the high speed XOR mini format, they can read KPRO, IBM and Morrow 5" disk formats. Each has a modular dual power supply sub chassis. They are fan cooled. Standard 10 is 2 serial ports and one centronics parallel. Expansion 10 is available.

TWIN 51/4" MINI



t	System less boards	and	drives	,	Þ	\$ 425.00
t	Mini 48TPI SS/DD					\$1395.00
r	Mini 48TPI OS/DD				4	\$1495.00
r	Mini 96TPI OS/DD			- 1 + +	4	\$1650.00

5¼" HARD DISK * NEW PRODUCT SPECIAL *



												ONLL
k	W/1	48TPI	+	5	Meg		4					\$2305.DD
k	W/1	96TPI	+	5								\$2495.00
+	W/2	96TPI	+	5	Meg	 ,	4 -		4 1			\$2750.00
×	W/2	96TPI	+	10	Meg			γ	4	,	e	\$2995.00
												\$3445.00

SALE


8" MITSUBISHI/TANDON



r	System less boards + drives .	\$ 395.00
r	W/2 Mitsubishi DS/DD	\$1895.00
t	w/2 Tandon SS/DD	\$1725.00


The 12 slot commercial grade S-100 systems below have all of the features listed above plus a massive 30 amp power supply capable of the expansion we expect you will do. All units are cooled by four inch fans. Each system must pass 2 days of constant read and write disk testing without a single error before shipment. *One year complete system warranty is included*.

BASIC PROFESSIONAL




							_	-	-	
ir	w/n	drives (full boar Mitsubishi Shugari 801R Shugari 851R Quine	rd s	et				1	-	\$1350.00
٠	w/2	Mitsubishi		_			,	(=		\$2295.00
k	W/2	Shugart 801R			* *		F #	4	à	\$2125.00
٠	W/2	Shugart 851R	4 - 1				L 0		1	\$2425.00
*	w/2	Qume		1.1		-			_	\$2450.00
	16	A ATALL, MILE A I was								6000E 00

IOMEGA S-100-12+



	794
★ w/1 lomega	
+ 1 Floppy	\$3395.00
★ w/1 lomega	
+ 2 Floppies	\$3715.00
★ w/2 lomega	
+ 1 Florov	\$3995.00

PROFESSIONAL 8" HARD DISK TO MP/M



*	w/20 Meg + 1 Floppy	\$4395.00
	w/40 Meg + 1 Floppy.	\$4950.00
	w/85 Meg + 1 Floppy	\$5395.00
#	Add Tape Backup	\$1495,00
*	Add MP/M	
*	Add per User,	\$ 250.00

7400	O "Name of Plot of such) C for cook Backer purching	MICROPROCESSOR C	COMPONENTS	Digitalker"
SEP-Eddley Ma 10 SEP-ETTM	Piet Piet	MICROPROCESSOR CHIPS	DYNAMIC RAMS	DT1050 — Applienters: Teaching alde, appliances, ciocks, statemotive, telecommunications, supularios, ciocks, statemotive, telecommunications, supularios, colores, asset control in the colores and tones are been seriped discrete addresses, making in possibile to obtave area been seriped discrete addresses, making in possibile to obtave area been seriped discrete addresses, making in possibile to obtave area been seriped discrete addresses, making in possibile to obtave a tensor of worder expendentation in phrases or sever seriped color. Fernal and chinistry is calobia can be interested and chinistry in scalose can be apprinted sed. The vocabulary is chosen so that it is applicable to many porticit and material. The DT1050 Especia Rolles wide that and a resommended telepation and the city Beeck Rolles wide that and a resommended telepation and the city Beeck Rolles wide that and a resommended telepation and the special behavior. DT1050 Digitalker™ DT1050 Digitalker™ S34.95 6s. RADIO CONTROL CIRCUITS Ideal is use far: - Tops, haidoly cartis, reducts, limites - Tops, haidoly cartis, reducts, limites
CA10864 16 2 25 CA10824 CA10864 CA1086	10S CD4008 II 138 CD4506 III 138	C SOCK TITTE For Sacket Required, See Column A LOW PROFILE (TIN) SOCKETS WIRE		SLOTIE 1 79 LINEAR NESTON 16 7 % 107772 1 130 1 107722 1 130 1 107722 1 130 1 107722 1 130 1 107722 1 130 1 107722 1 107
CO-9907 14 28 CMARC 16 CMARC 1	1	1	## 10-10 10-	TOURIST TOUR

Portable Speakers For "Walkman" Style Stereos



Portable Stereo Speakers with Carrying Case

Alter spating, thinky (applying care or write care) gring design and the spating, thinky (applying care of the celebrate spatial spatial and point and point weeks care report point for the celebrate spatial spatial and point weeks care report point for the celebrate spatial spa

Stereo Cassette Player with FM Stereo Tuner Pack

- · Lightweight Headphones
- · Cr02/Metal/Normal Tage Salegior
- · Anti-Rolling Mechanism



Model TWF-802 \$69.95 AM3-4 AA Aikaline Batteries



CREDIT CARD AM/FM RADIO World's Thinnest Stereo Hi-FI

a pocaptania AMFM kraren radio with a folding stateo Arani III anigha just 5 de, sed nicessures Açilla 25°M y şiTha compania with radio, hasuphonas and hasadprone case stated A tustistica (not incisulan).

Part No. TCR-809 \$29.95 each



_	JOYSTICKS 58 Cineur	
15-5K	Taper Pets	\$5,25
JS-100K	100% Linear Taper Pols	\$4.95
JS-150K	150X Linear Taper Pets	\$4.75
JVC-40	4DK (2) Video Con- troller in Case	\$4.95

JS KNOB Knob for JSSK, 100K, 150K \$.99 va. JVC KNOB Knob for JVC-40 5.99 ea.

ATARI



BOOKS



HATPOWAL REMICO

TV GAME SWITCH Used on Alari. Cosmet-lically blemlahed. 100% functional.

TGS-1 . . . \$2.95 ea.

CTOR - INTERSE - INTEL

	NAMED OF TAXABLE PROPERTY OF THE PROPERTY OF T	La harr
	National CMOS Data Both (1963) (540 pages) 74G, GO4000, and A/D Conveilles	16 BS
	National Interface Data Book (1986) (70e pages) DP, DESONG DS3662 DS5750, etc.	14 95
	National Linear Data Book (1982) (1376 pagest LM, LF ADC: DAC, LH Series	811 96
10001	Namonal TTL Legic Data Book (1981) 1924 pagest 7400 LS.L.M.S., and UNIGOS Series	18 95
3000	6 Above (3) 30001,3,5 as set	\$24.95
30008	Fairmel Momery Data Book (1960) (464 papes) PAMs. ROMs. PROMs. EPROMs S	14.03
30009	Intersit Data Book (1943) (1206 pagas) Complete Pro	26 91
\$0010	Particul Audin/Radin Handbook (1980) (260 papin) Pin Ampe. AM FM & FM Storeo, I	SS 95 Course Ampa
30011	Pinitimal Larger Application Handbook (1980) (736 paper) Application Notes, Little Briefs (B+8-81
11000	Netronal PAt, Data Book (1963) (196 pages) Cota Broat, PAL Design	14.01
39813	Zing Date Book Hisklij HAT zagani Microprocessors and Subscrit Chi	\$7.95 95
816450	Intel Component Date Book (1982) (1425 pg.) Furl date should for Intel's produc	

MATE pages	to Full dels events, application in description properties	nent with even
Universal _	Computer Keyboard I	
1	Designed to	in fee hacigrams.
	Second Late Laboration	pares for agreed?
	the same process for the same services and the same services are same services and the same services and the same services are same services are same services and the same services are same services and the same services are same serv	West splates makes the
	de Aliental, jall y leagung three for a	met the england
OTE- Panel	Width 7.5"	. \$24.95
DTE-11 Panel	Width 10.13"	\$27.95

KEYBOARDS — POWER SUPPLIES



DATAMETICS 73-KEY KEYBOARD (ASCH) Apple Compatible Bret May Knytomet was Mill\$700 ME/N request simp 11-ing americ kryped. \$P\$1 systehing 26-pm edge cord Ppst Mc. 188261 (Res. 818-20 Enclosure)

MICRO SWITCH BS-KEY KEYBOARD

West Processing Engineer 19 Per Tage Earl Connection Supply Yolloge - 1900 Main Confirmed in Part No. 855016-1 STACKPOLE 62-KEY KEYBOARD

Part No. K-62 (Fits BTE-14 Encoune) \$34.95 each HI-TEK 14-KEY NUMERIC KEYPAD E. moleton IN-TEX II-Sil Handaurt Inlanci Mitarial on

5"L + 27W + 1517 BE'L & BL'W & TE'M

Unicission in

Part No. K-14 ALPS 29-KEY CALCULATOR KEYBOARD Conference and B-purifier distinct bottes and to, dee S-publies and this p-op-replaced BPUT and time 22-yes repaired assessment. Pro-mat receives Part Ma. NO207040 (Fig 4TE-1) Exchange

PUWER SUPPLY + 5VDQ @ 1 AMP REGULATED

Transaction foch
Delaw - 140C e 14 cm - 200CC eq reper 15944 600 J fave | black larger put for weiterd
tage 6 P 2 cm black placer cm 5 to 10 c 775 x 20 11 on 3 de des shoulders
Part No. P\$\$1194 Part No. PSS1194

POWER SUPPLY + SVDC

3 AMP REGULATED

Detection

And Track (1-4-400) better. IVEC (48-1400-1) 1 ray. 1VEC (47-4400) better. IVEC (48-1400-1) 1 ray. 1VEC (47-1400-1) 1 ray. 1 ra

PAIR NO. LIPS-1

POWER SUPPLY +5VDC @ 7.5 AMP. 12VDC @ 1.5 AMP EWITCHING

(roys) 1119AC McSells at 3 May 7304 Mc 5889 at 1 8 Amp. Far rath figurest suppry select undcase (1972/2004). Datapa 5900 of 16 Amp. 12V0C at 16 Amp. 12 Mc 5900 of 18 Amp. page case 11% Wr.
1314 0. 3.5 3 1 Mc 8 1 Mc. Pari No. PS94VD

549.95 each
POWER SUPPLY 4-Channel Switching - Apple Compatible
Rectifications Interpret formula institut organisms and press cannot applicates inpar 10.78942 4-444011 Supple - 5702.0 16. 5702.0 16. 5702.0 16. 1702.0 16.

Lating - 0.77. Reput Substy - p. Lasting - 17. Rectification and pression of the substyle of t

POWER SUPPLY Adjustable Switching 4-24VDC to 5 Amps Adj 4.14VBC SVEC on 1.04 SVEC o

JUMPER AND CABLE ASSEMBLIES STANDARD DIP JUMPERS

ł	THE PERSON NAMED IN		-								Commen
		TANDAR				5	Contract of	AMERICA T			-
		I AN IEN MEN			in female	the desired	_	Desc 1	mpaign to 4	P -market 12	
		market describe	ert o	Contractor)				Date of	400 (a) 24 . 1	S SAMPLE S	
ı	ATTACO .	1 40	事	_	Spring	1		Dalla a	421 (20 m)		
ı	Ser. Ba.	-		Ph	1	Phone		Charles is mid	Ø110012 (9.00
ı	M#1# 4	434 103 12	110	1 1000 0-4	**	\$1.78		Date & dill	43-130 et 4		10.0
ı	mete #	43410 14	H	Transport Street	Jan.	2.95			4415		193,95
ı	mets o	834 1PF 48	*4	E-del	37	2.25		Dem and 1	Aberran		r ryggiai
ı	Mpin a bn	all of 16th 12	Hi	The state of the s	×2	2.86		OF A MISS	ARD DES	SERIES C.	A D4 DD
ı	CHAZ M	224 (m. 24	bij		34	3.18		SIAMU	WALL DOS:	DEPUES U	MB4.ES
ı	Died B Fil	9.24 19h. Jb	19		38	3,49		See you c	er ware DADS	For Euler	ne with the
ı	Date to	434113 43	18	-	19	1.89		AND THE REAL PROPERTY.	ears on his one	F COPPLESSON C	SECON PROPERTY.
Į.	PREPARE N	484442-84	100	PROPERTY.	241	2.19		mail stanting	of feet waters on	9 fruit truppet C	all testan
	Date-3	484143-30	181		36	2.50		_ ,_ ,_			
ı	BUAS F IB	434 115 12	16		18	2.96			B1 Pulling	EI CANALES	
ı	96316-3 18	APRILL OF	100	miner treat	24"	3.29	1	that files	Colds Larger	Comments of	Pyron
ľ	DAME A SE	WPANOL PA	博			3.50		DESMP4	4 feet	1.530252	37.95
	Digit 1	MINTER LE	30	mail gove	9	2.58					
ï	2474.7	V54+52.68	3%	-	294	1 11		D4254 4	-IF Point	THE CHIEF	8.49
١	0.00 3	400 x \$1 34	èsti	manage and	70	3 50		DM35/47	4 Femal	2 5kg/p	13.48
ì	G29 1 94	Name (48, 512	29	-	(Zi	1.49		G6294-43	of these Edition		
ı	BLD + 2 24	MARKET BE	24		24	4.0%	100		4 (10)	Mari Office	13.75
ı	B 204 3 34	A1304 C230 JB	24		(in)	5-30		District 4. S	- Complete	2 047%	13.95

	1 mile and	- 10	1301.78				40 -		10.29
ij.	1	\$M	2.95		1340 ft dag	43+130 64	4		110.95
a	14q	37	2.25		Character at all 1	Albeit var van	1 98		F 19Acitor
ä	Street, Street	×T	2.94		and a bin			4 100 40 4	
à		34	3.18		SIAMU		323 SE	RIES C/	IBLES
9		38	3.49		Steps will be	r 400 D	625 F to	E comments	WELL THE
0	-	19	1.89		STATE AND ADDRESS.	MATE AND RE	WHAT GOT	RESERVE CO	mon Num
n	PROPERTY.	24"	2.19		mail stamps	of feet water	0 (mar	Designation Co.	all testan.
b	1	30	2.50				DARIE CA		
6	-	10	2.06					****	
je.	miles tred	241	3.29	, 1	On Fifth.	Cobie La	illiga (Pyron
R			3.50		EI639P-4	4 feet		50075P	\$7,95
P	mili gert	Q	2.58						
6	-	294	3 18		D4254 4	-@ Nani		THE PARTY.	8.49
4	manager with	70	3 500		DM256 4 8	4 femile	2	F GALTAGE	13.48
	-	L(F	4.49						
٠		24	4.0%		EH764-6-3	4 10-1	ONLINE	ONL THE	13.75
1		00	5-30		Distants at 8	- G. Frage i	2	CHITM	13 05

BUG BOX™

STORAGE

SYSTEMS

BUG CAGE® (BGC 001 __) with Bug Diam

LSI BIG BUG BOXTM — Designed to store large C.s Resistors. Capacition and Radous - Drest ed lent three compatituding managining (* a.415 * s. Stage - Prises ventical and three inspragnial distant included - Buy Rugs not included - Buy service - 33 * s. s. v. Propin. 178 ac.

LSI BIG BUG BOXTM

PART NO/COLOR COOK GITY PRICE
BLX-00-(-) 1 5 1.20
WLX-010-(-) 10 ELTO

BACK PACKYTA — Sart agransing laisest to the book of the a Shows wavel internal logic in religious to the safe of the safe of

REN GOIL IAS BLAGOIL IAS

* Weight 1 78 or BUG BOXTM

Please equisity review cards (8) River, title Rest, title
Part Revitation Code

GUT FROM

1 8 2.25

BOX-010-1 1 8 2.25

BUG CAGETS — 12 exceptions store Blug British Bug British Blug Tires - Modular and in electriciting - steeps but injection moded preside - Each Lage had 6 between 60 measures - 2 cages per 30, - Cage at 21 5 1/17 - 5 1 3 7/8 - 7 a point availabilit — threate specify value 100% (f) threate (11 Values (11 Val

Part Nu./Color Code 100-061-1 | Elleger | State as | \$11.25/pkg. BUG TRAYTM — Stones -- Bug Cage -- Misses plastic -- Three sylves Open II caregainment 26 -- 65 -- 67 \; wearing 15 compariment 5 -- 64 -- 61 \; and Misseshill 16 compariment 4 -- 130 -- 61 \; entant 16 in some art corrections, e.g. -- circled 10 toles hardware commission of control to the control of the

Herizantal Bug Tray Vertical Bug Tray Open Bug Tray I of each Bug Tray [3]

BUG RUG^{1M} — Static discharge protection for CMOS and MOSFET devices - Practit to street signs of BUG BOX (11 x 25)

CAGE KEEPERTS — Pins column of Bug Boses in Bug Cape Price CNP 005 5 inch 14.50pag. CNP 010 10 inch 8.50pag.

Description
TTL
CMOS
Combs
Microprocessor BUG TAGSTM — Solf adhrages, stary-license inhose for marking Bug Box and LEJ Bug Bug Box • Most popular components PART NO DESCRIPTION PRICE 34.96 4.56 4.54 15.65

TTL 700 CMGS 200 L3 Schwitty 200 Special 500 Miles 800 HORE BUG TAGS AVAILABLES * * * BUG BOX SYSTEMS INTRODUCTORY SPECIAL * * * from change articles or man barne. Consumes of Augo Capes (17) measures). Chang Manag S.C.LD ding data Manag. S.C.LD ding data Sale Price \$49.95

SP-BUG Regular (Passil value \$10-45)
5P-BUG-AS Anti-Static (Passil value \$12-45) \$10.00 Minimum Order — U.S. Funds Only California Residents Add 6½ ½ Sales Tax Shipping — Add 6½ plus \$1.50 Insurance Send S.A.S.E. for Monthly Sales Flyeri

Spec Sheets — 30e each Send \$1.00 Postage for your FREE 1983 JAMECO CATALOG Prices Subject to Change



1355 SHOREWAY ROAD, BELMONT, CA 94002 5/83 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043

8K, 16K, 32K, 64K **EPROM Programmer**



2700.2716.2732 & 2764 EPROM Propri JE664 EPROM PROGRAMMER SK TO 64K EPROMS — 24 AND 28 PIN PACKAGES Self-Confeired — Requires No Additional Systems for Operation

"Programs, estimates, and others to properly locate Programs and Compensation of Programs, and Compensation of Programs of Programs and Compensation of Compensation of Programs and Compensat

JE664-A EPROM Programmer

Acceptance in Testing (Installar 1915) Megades

JEEGS — RECURENCE OPTION — The JEEGS RETAIL MATTER

Commission on Company of Supply I for 1984 19842 Exercise arthropy makes in

MEMO Convent for 1984 Of March 19842 Exercise Champions and March Convents

All Annual Registers and the Testing of a Supply of March 1984 (Annual 1984) Annual March 1984 (A

JE654-RRS FRINK frog or /1455 depairs 57195.00
Assembled one from the factor of the Assemble one from the factor of the Assemble on Front Institute of the Assemble on Front Institute of the Assemble of the

EFRON MANUFACTURER ANY WILLD SEE NAMED OF THE THE THE SEE OF TH 7/10 TM5/510 TWS2716

8" Floppy Disk Drive



Cathle

- Shugart 8018
- compatible
 Single-Sided
 77 Tracks
 400/800K Bytes
- Capacity
 Industry Standard

The FDD1008 8° Pappy Diek Ories (Industry Elambert) feabures single or double density. Recording Ander: FM engine MFM double density Traveller rate. 2000; this same, angle density; 500% this same density traveller rate. 2000; this same single density; 500% this same states of the same single same same single same sin

51/4" Mini-Floppy Disk Drive 3 74 MINIT-TOOPY USE UTIVE FOR TES-56 MODEL is linkularly Standard Features pingle or doubte deroity. Recording mode Piki argide, MPM storphic deroity. Polygre v 12 VDC 1-20 8V1 184 mas v, 12 VDC 1-20 25V1 (484 mas Inh.) as put of spirit-down and lated case, power supply, cabbell 22 go data bots incl VM 34 libs Stars 5 x W x 370 a 31 th

FD200 Stople-stoted, 40 purchs, 280% leyter capacity FD250. \$199.95 Couble-hided, 34 weeks, 420K bytes capacity



EXPAND YOUR MEMORY

*Model 1 — From 4K to 15K Requires (3) One KR
Model 3 — From 4K to 46K Requires (3) Tirree Kils
Color — From 4K to 15K Requires (3) Tirree Kils

TRS-16K3 *200ms for Color & Model (II) TRS-16K4 *250ms for Model (

TRS-80 Color 32K or 64K Conversion Kil


RII comes complete win 8 gen etfe 3 grooms (MR gynamic RAMs and convession documentation Comments PRI-96 cube computers with D and E-circuit Marke), and all new color computers to 37% kinds modellications of 37% memory, and all adopt the upp of all DR of the providing the providing type have a FLEE DRS developing extension.



Sprite-style Fan

- 36cfm free air delivery - 3.125" eg. x 1,865" depth 5" Meiss 3 - 10 yra cont. cuty at 20°C 5" meiss - 115V 50/60Hz

Muffin-style Fan



MUZA1-U Cheese A MUZA-1N New

* 105c/m free air delivery * 4.88" ag = 1.50" depth * 10 yrs cont duty at 20" C * Introduce profested, emblents to 70° C * 115V \$0/604z 14W Wt 17 uz



Mostek DC/DC Converter



LINEAR

2,85 89 35 1,95 1,85 1,85 1,46 1,46

LM14146 LM1456C MC14886

MC1489N LM1496N LM1696N LM1690N LM1890N LM1890N LM2111N

7BH05K 7BM06 7BM G LM19BAH LM30GH LM30T CN LM30GH LM30GH

LMS12H LMS17T LMS18CN

FW2999 THE PROPERTY OF THE PRO

LM340H+X LM344H+ LM348N LM356CH LM356CH LM350N LM372N LM372N

M377N

LMS77M LMS80CN LMS81N LMS83T LMS80N LMS87N CMS90N MESS11 V/T MESS8V MESS6N/H MESS6N/H MESS6N/H

NESGS/UH NESGS/UH NESGS/UH NESGS/UH NESGS/UH NESGS/ LM710N/H LM710N/H LM713N/H LM733N/H LM733N/H LM741CN/H LM747CN-H LM748UH LM748UH LM748UH LM7480CN

LM780CH

7400

149

F#83 7404

74LS00

74.51134
74.51141
74.51141
74.5121
74.5122
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123
74.5123

74LS01
74LS02
74LS03
74LS03
74LS08
74LS08
74LS08
74LS10
74LS11
74LS13
74LS13
74LS14
74LS14
74LS17
74LS27

74.526
74.526
74.526
74.526
74.527
74.528
74.528
74.528
74.526
74.527
74.528
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527
74.527

74L5109 74L5112

CMOS

LINCORON LINCORD LINCORON LINCORD LI

7410 7411

74,5245 12 74,5245 1 74,5245 1 74,5245 1 74,5251 1 74,5251 74,5251 74,5251 74,5251 74,5251 74,5251 74,5251 74,5251 74,5251 14,5275 74,

74LS296 74LS294 74LS394 74LS395 74LS385 74LS385 74LS385 74LS385 74LS387 74LS387 74LS387 74LS387

74LS374 74LS375 74LS375 74LS385 74LS385 74LS380 74LS380 74LS380 74LS424 74LS670 81LS86 81LS86 81LS86

TOLL FREE

\$2 95

6K Apple™ Ramcard



LIST 195 ACP

5995 °5 Full 1 year warranty

 Too quality — gold lingers Expand Apple II 48K to 64K

NEW FROM COEX

Apple the Compatible Extended 80 Column TEXT Card List \$199 DO ACP 6149.00

32K STATIC RAM

2 or 4 MHz Expandable Unga 2114l's

TAK 4 NHZ KU TAK 1444 P NAT TAK 1444 P NAT TAK 1444 P NAT ORAGE BOARD \$150.00 \$199.05 339.00

REPEAT OF REIL OUT 58 Key Unencoded Keyboard

1905 aL

The is a rice 68 key terminal Keyboard manufactured by a major manufactured by a major manufactured it is tenerated with SPST keys until school to any PG bosel. Solid modified (Major) 1 (* a 4* bose.

Unencoded Key Pad

I-10 keys and tab L. 49⁴¹...



UV "EPROM" ERASER

Model DE-4 \$89.95 \$325.00

Model S-52T

16K Memory **Expansion Kits**

for Apple/TRS-80 V250% \$12.95 CALL FOR VOLUME PRICING

CORCOM FILTER



Astec RF Modulator



AMD MODEM IC

PAN 1082 Channel 3 or 4



64K CMOS RAMCARD IFEE mpalible Uses Low Power 6116 IC's \$299 Single Supply Asset and Toward

INTEL

Super Low Power Part No 2147 . \$1.95 ea.

4K STATIC

Super Fasti

STEPPER MOTOR



Operates by applying 12VDC in one direction and then reversing polarity (or aquate water). Uses 12VDC Clock Wite Rotelian Rated 3 RPM at 4 PPS with a 5 degree at 4

395 88.

10 for \$34.95

RS232 SIGNAL TESTER



COEX RS232 Line Tester (7) LED Indinator

only \$2485 Other Stales Also A

INTEL CODEC IC

P/N 2810A For Digital Volce



SURGE SUPPRESSOR

"Surgeonics" Power Sentry 15 Amps 250 Volta transient suppression ACP Low Price 13915 13915

CONNECTORS



PARALLEL ALPHA NUMERIC PRINTER

19 Column Printer prints 15 numerical columns plus 3 columns which have malti, alphe and other notations Each wheel has 12 positions with position 12 based on 11 on numerical columns have described onto 4 cutages 2.75 adding machine base and a dual color internition input data parallel

wintoured BCD comparator circuit schematic provided. Printrale, 3 lines rating voltage 22-28VDC with typical cycle time \$9,95 ea. 3/\$27 340mS Sur BY"VY x 3h" H x 5%" Do Now.

56 95

MICROPROCESSORS

					_
mio)	986.00	B008-1	114 St	MODZO	14 10
100	OU DO	2803	6 50	PLICE	1000
Mic C	9.95	79014	14 95	W336	1294
THE R. P. LEWIS CO., LANSING	1.5 (0%)	BUCCO &	-10 05	6073ri	34 86
E (346)	0 (40 84)	DEATE	0.05	0010	40 105
Door	(w dea	BORD A	1695	6748	43.96
ellical .	9.76	HARMOO	298 923	0009	30,00
EPSIA.	4.75	COM	11 75	aver	41 00
OALS.	14 08	80008	16 00	68370	120 03
				. 6	yPr

RAMS OTY PRIC

5290 51 99 5296 1 40 6508 4 50 8118/2016 67 05 2147 5 99 4 88 99 99 4 89 4 89 1 49 7,95 1 99 4 80 5296 1 40 6508 4 50 6518 6 28 6518 6 3 28 6504 3 63 6605 7 90 9140 6.95 93425 6 96 4110-2 2101 1100 2102-4 2102-4 79 1 49 1 29 2 49 3 40 1 90 2 25 6 99 4027 4044 4050 4060 4066 4115 4200 4402 5280 2111 2112 2114 2114L-9 2114L-9 2125 (388)

SUPPORT

8155 \$9.95	8259 \$8 95	68047	229 95
8166 5 95	6275 19.95	68488	19 95
8202 29.95	8279 9 50	46505	22 50
B205 2.89	5610 475	6520	6.95
8212 275	6020 E 50	0522	W 95
8214 4 95	6821 B 50	8630-X	24.05
8216 273	8826 10 50	6832	17 96
8224 2 85	6834 16 95	6551	19 95
R22E 2.95	BB45 22 B5	ZBO-PIO	6.50
8226 1.98	8847 27 95	ZBDA-PIO	9.50
8243 VI 50	6850 5.75	780-CTC.	5.50
8250 14 96	6857 5.75	ZBDA-CTC	9 BO
80°51 8 60	6860 10 95	280-DMA	19 95
8253 11 95	6862 10 95	ZBOA-DMA	27 98
8255 4 50	6875 5.95	Z80-510	2495
8257 B 50	6500 249	Z80A-5IO	29 95

MOS PROMS

2764 (Bh) (B) 15	960 DS	270B (450rS)	野日
2732 (4HJB) TS	10 55	2708 (850-5)	5
2715/7518 SV		F7DZA	5.7
(ZKNB) TE	795	MM5203AC	145
TMS2716, 5V 12V	17 N5	MM625HQ	10.0
2758, 5V (450m5)	3 50		
	-		

HI-TECH

2512 881 (W) Upper	\$49.50	DATM	91 05
2519 000 (W) Low			3 93
2512-ADM21891 Lune			4.50
Michigan Strategy (Strategy)	# 12.95	PRESENTANT PROPERTY.	76
MCANN, FAX MAYS Named	1145	4.MY-BIS WILLS	7 95
NEWSTYN AND COM	FITAN	1707700 Fustion Green	#1/3
1771 67 8" A Delication	3035	PRINCIPAL (SVI 179)	3.00
1721 Blow Brompy			436
1791 41 Date Floggy	19.65	AVS IGHAW INTO the PANS	6 43
1751-40 Date Fittings	相始	APRIOREMINED HAVE	4 105
1787 DG (16 Finance)	和略	Mark (F)	145
174FBB Uh Flugsy	SERS	Minutel S	0.95
1071 Des Noirer	19.10	Z.364 U.D.4	16
Ji (3 Chub dament	14.40	Chif Cli. Belleyen	例動
40794 St tel Browner	1430	MERCHAN	1110
B761 Isk col Breaty	224	6 Physi	1148
4 (cd 4 to 12	19.30	401041	1495
GORG AND HE LINE COMM	735	(COMPACT 4	18-95
STALEN BUT BED	月卷	ds9625a	15 %
1-00A14, 9 0P	10	44×344	P1 78
(PARTL 6 F aux	1.45	Ay5-380s	13.19
Amii safan	340	MMA24RAGE	0.93
S	oci	KETS	

LOW PROFILE SOCKETS (TIM)

	1.24	25-49	5Q-10
6 pm LP	18	15	14
14 pm LP	20	16	18
16 ton U*	22	21	20
10 min UP	20	28	27
20 ann LP	348	242	30
22 pint P	50	27	24
24 pin LP	38	2.7	30
26 pm U*	45	4.8	42
40 pm LP	60	5.0	50
			-

31 WIREWRAP SOCKETS (GOLD)

	1-24	25-49	50-100
WW not 6	65	54	451
O pen WW (Ten)	B5	83	-56
14 cars WW	75	£.11	97
IB put WW	B-CI	77	fo
B pm WW	85	90	91
WW reg US	1 15	1 09	199
72 pun WW	1.48	1 35	1.23
WW mig Mg	1.3E	1 28	1.11
25 pill WW	TEU	153	7 196

DIP **SWITCHES**

74500



5 P8
1 19
1.29
1.35

2.01		_
6 Postton	1.35	
5 Posteon	1.29	
4 Postage	1 19	
S Latinibu	3 746	

MUFFIN® FAN



The dependable, low cost, largest selling fan applications.

THE STATE OF

7 Position \$1.39 El Position 1.49 El Position 1.65 IU Position 1.69

10 Po

TOSCIT HAB AP HINNEY 4.08' SIG 4 T 60' CHARL WAIGH > 17 OI

SPECIAL PURCHASE \$9.50 m

IC CLOSEOUT SPECIALS

30	LEV	IC CL	.UJ	EUUI	OLE	CIAL	-5
14411	\$7.95	6571A	\$5.95	60HOA CFU	58 95	5027 CRT	\$0.5t
/4LSG68	:V1.90	59G 2H62	3.99	MAR COLS	75	1005	3 94
74L5377	2/1.00	8253	6.96	HAPF GROP-	0 40	9039	19
7AL 5341	F/1 594	2758 EPROM	P 65	2732	6.95	MM5320	5 6
9269	B.W5	1802	8 55	UPD410	2.98	MAR 1E10	1.90
BSEI RAM	2.69	ZBOA CPU	네 목도	LIPERN 1	7.98	EMMM402	1.9
LMTASCN	3/1 98	6822	B-95	2708 EPROM	8/29 95	10416	4.98
WESTERN	0.95	RENDER CIPLU	5 95	2114	6/14 50	6700 A/O	2/18.9

800-854-8 910-595-1565 Mail Order: P.B. Box 17329 Irelas, CA 92713

Retalt: 13165 E. Edinger, Santa Ana CA 92765 (714) 558-8813 542 W. Trimble, San Jose, CA 95131 (408) 948-7010

1 (20) (20

DVA NCED

SIEMEN'S SA

You can now purchase Shugart compatible 6" Disk Drives below your existing factory direct pricing!



"Elemen's \$309 FDD 190-0 ... \$199.00

Also, will putchese of Delk Otives you can buy the Vieta V-1000 Dual Case with Power Supply and Cebin for only \$876.09..... Regular Price \$485.00 SHIPPED MAMERIATELY FROM STOCK GEFER LIMITED

S-100 64K "CMOS" RAMCARD



Unbelieveable **Price** \$299⁰⁰

Assembled and Tested

- ☐ ACP has sold over 1000 of these IEEE compatible, low-priced, high-reliability 64K Static RAM Cards.
- ☐ Single 5-Volt operation.

Light Pen System for Apple Il Computers

ACP \$29900 Price

IBM LOW COST MEMORY

QRY PLUS AT LOW PRICES! "Multicard" expandable from 64 - 256K with (1) PARALLEL III SERIAL

COEX 25A SPC \$19900

1708 - 64 SPC \$33500 with 258K

(I) CLOCK/CALENDAR

COEX COEX 80-F



Best of all, the price . . .

only

Optional COEX Interface Card 549.95 to Apple

Apple System Saver Fan

Surge Suppressor Fan. Double Ouliel Receptacle

		FLO			SK DE				
MFG.	Prite:		2	10	MFG	P/N	1	2	10
Ħ	SABOTE FOR THE	199	199	Call	Tandon	B48-1	5361	1362	1363
			DO	UBLE	SIDED	8			
Division Cumo Universit	MANS I FL DING FROM	515 559	496	489 465 519	Signations Transform	FDD2094I 848-2	398 479	189 475	378 469
4			SIN	GLE-	SIDED 5	W-			
P(1)1-48-817 (-20%)	NAMES 1	310		106	Tanderi Persec	TM i po-1	149	190	195
			DOU	BLE-	SIDED S	84"			
filmalate Patriga	11AA50 7 D250	345	395 159	313	Tender	TM100-2	750	285	759
		DOL	BLE	SIDS	D SW'T	hinline			
BAE	44" thinking	375	345	159		5/4" Thirdina	375	165	359
					-SIDED				
tidachi		CHI	WIN	CHE	STERS 5	NAT.			
Sugar) w	HIS DESIGNATION	699	679	589	Seapare	91512(1346)	990	875	949

HSS 030 810 HS 1212 1298 1225 SPECIAL LIQUIDATION - SMALL CITY SHUGART 4004 14" WINCHESTER Only 10 Available -So Hurry 14 5 MEGABYTES

List 2495 00 Special Sale Price ... \$995.00

HARDWAR	E	
ABM	List	ACP
BSR x10 intertace	591	185
Carpe to Minns util Morphie	75	85
Telegraphian feet legals with subspit	1634	675
PS3276 Boyn Emiliano	174.	1150
AMDEK Doul 3 Amolia	-	-
(B) Himch DS (250k)	16414	649
AST Megapius Card		
PIN MAGINES SAF SAF CA	945	449
Pith MG-0645P addi Sri Pini	636	499
PINING 256, 256K Ser Cir	993	695
PINING 255 SP add Sn Fmi	1099	149
AST I/O Plut Card		
PIN NOISE ON 121561 Plut	265	199
AST Combo Plus Card		
FININGS SESTE STUN OF PYS!	994	695
AST PC Disk + + * Card		44-
PIN NOWLE FAR MOST PIN	45	495
CACTUS TECHNOLOGY		
100 Bau 1 Din 1 Million	149	299
COEX		
Ecturator Carn	40	10
Prototype Card	49	45
37 Pm D. Commeter Sneed & Card Guiden (5)	10	-8
CORONA Hard Disk System		Call
CORVUS Hard Diek System		CHI
DAVONG	h death of	A.v.
SA'D Hard D	2495	Call
1 2 Mg teard Date	6433	CHI
MAYNARD Disk Drive Card	Maril Pr	249
Floory Card & Paramer Floory Eard w. Seria	995 935	260
MOUSE SYSTEMS	.0429	-00
MOUSE SYSTEMS	123	870
Mouse Regard 11	40	379
ORCHID	411	200
HI SUS CITATION A TABLE.	496	429
PERSYST Spectrum (64-2568)		-69
PIN SPACEP 445 S F		499
PIN SPEA BAK		375
14K Upgrade Killing empu	180	50
QUADRAW Quadboard (64-756		
P.N Q64 1 4F at 1 unctions	695	429
TANDON THE TOO ! ! TARE	¥95	195
TM 16 7-2 (300A)	395	280
TEAC FD556 GOD - Ever	355	280
TG PRODUCTS Jayalles	45	49
Trace Bah	85	52
VISTA	40	
MULTICARD & HAN SPC	529	168
MULTICARD WISSEN SPC	529	599
ESP Utransper a 119 ch car		50
MAAICAAD & BAK	310.	289
MANCARD W 256K	6.16	549
MARKICARD W STAY	3.116	899
	. 30	459
DISKMASTER IS: 5 I	37B	585
ECONOCARD-SPC ons	200	159

п	PRINTER	S	
Г	COEX BOFIT BRODE	5-19U	\$295
	STAR MICRONICS - NEW!		
	German 10 100-ps	100	349
	Jamin. 15 15	049	470
и	EPSON Mixe a ma Caratteria	494	610
	Mix100 w/Graffrer	F40	886
	FRACI M CANTING	690	521
н.	INTEGRAL DATA		
4	Mataggmam (697)	1917	DES
	Stranger Chicagon	1 196	1495
	Parent 1 42 Capter in	1 1gFats	1685
1	BROTHERME	1 1565	895
Е.	Discourters	*After	1285
	HOM PC III EPSON CANA	65	95
1	OKIDATA Mirrouna of A	500	489
	Ach colorate	HO I	729
	faber gegteren fliefch [F	3 797	1096
L	Okidata 52	693	549
	MONITOR	15	

MONITORS					
AMDER CORP					
100 Gir on to	\$100	215			
.10 Amp + 1.	210	175			
Color I Cumpo In	200	28			
COMM II ARGIS HO REAL	PHIP	791			
Coips 16 RGB Commit		Co			
Coler to RGB Amiltag	1200	100			
NEC 12 SIMPS NEW	109	15			
13 RGB (FSD v 230)	at the	781			
PRINCETON GRAPHICS	*******	-			
FGG (BM) SHIP of ALL	360	981			

DISKET	TES	
DYSAN 514 SS 50	10/555	1
DYSAN SIN DE SO	10(6)	-
IBM 6 - 55 50	1 Section	
1844 5'+ 35 DD	8.52.42	
VERBATIM 525 01 SS	*2 47 *	
VERSATIM 550-01 DS	101 75	
MAKELL MEN SS	4 (2 1/4)	
MAXELL MOS DS	16 60	
AMDER Hitter T DS Mr.	1: 70	
BULK SPECIAL SS	10:25	

Man 2-loden and Ref.	100,00	3.4
MORE IBM GO	OODIE	S
CURTIS PC Products	\$80 50	90
INTEL BORT IC	281,0	11
RAM EXPANSION 168 Majori part (10 et a)		
Bitt. thereany E ap. 176 162 10		
BRAFT IBM JOVALICE	10	2

tel Paden.	:113	•				
MODEMS						
	LIST	-				
BIGNALMAN MITS HTS 2022	1490	3				
MAYES						
To get any open and date	VIII.	2				
1 - ger- je er 1 29	Jimp-					
THE POST OF THE PARTY OF THE PA	64					
55M						
\$6.86 Fr + 41 ft +						
SARC COLL & St. o.						
TEANS HAN !	1000	- 2				
Lar, car	100	1				
TRULE THE	100	- 4				
NOVA FION						
T A ·	~4	- 1				
5.41	a d ti	- 1				
P27 A 1	4 46					

910-595-1565

Mail Order: P.D. Box 17329 Irvine, CA 92713

Notalt: 13108 E. Edinger, Santa Ann CA 92705 (714) 558-8813

542 M, Trimble, San Jene, CA 95131 (408) 948-7010

jappke computer

"SOLD"

Computer Company



Apple II/Ile Compatible Disk Drive

Totally compatible to Apple Drives.

\$249⁰⁰

Controller\$99.00 Just plug in and run.

Vista Quartet

Equivalent

4

Apple

Drives

Disk



000



Up To 2.4 Megabyte! Now "TRIMLINE V1100" with Tandon Thinline DS DD Drives,

Tandon Dual DS DO. Cuma Dual DS DD #1895.00 Shugari Dual-801 H 1995 00

SPECIAL

(2) Siemen's 8" Disk Drives (1) Vista V-1000 Enclosure

(1) Power Supply w/Fan, w/Cable

ACP Low Price

Apple Compatible Software

SAVE UP TO 40%

THE PERSON NAMED IN COLUMN 1		KING KING Y	
Scrown WHMP	228	Bag of Tricks	832
Word Handler	149	Graphics Magic'n	48
ED Muster	155	DOS Sons	19
V-mcakc* 5.3	105	Zoom Graphics	82
Mineter Type	20	DICHY CHY	22
Dresh Teps Plan II	179	Locksmith 4 0	90
Deak Ton Plan III	225	Compl Greph Sys.	55
Vortaled	150	Apply Machanic	34
PFS Fate II	115	Hitchies Away II	35
FPS FM III	158	GAMES	
Visiting red/Visitility	25	The Messing Amg	20
PFS. Graph I)	115	Chapliffer	26
PFS. Braph IV	158	Fragger	24
Multiplian	789	MITERION	39
Variablem	579	Snorth Allert	34
Worldtet	388	Cability Wholeomaken	24
Formal II	176	Arcade Macters	44
HBASE H	439	Carryon Cityshur	24
Suppressio	169	Acton	20
PFS Report N	95	Minh of the Bun	20
PFS. Report III	115	Carronball Bists	28
April Plus G/L	295	Knighi Darmande	28
G/L A/P A/R	590	Zare I	20
ADDINO+ HIVEMORY	798	Zora (II)	20
Mingric Whydon	115	Starcium	20
HOME		Sympontinu	26
Home Arcounters	59	Star Bingwi	26
Transund 1	T6	Deadhne	39
Franswed II	119	Tubunyay	28
Daw Cambre 40	49	Fashi Samulator	28
Vestorin	ø9	Sonda Yhinga	25
Pre Empres Mg	85	Sangran II	29
ASCII Eupra Prof.	910	Saffirm Benulator	29
Glesteens Dual	75	Apple Penc	33
Tata Prints 1983	149	Окумрю Васил	53

Superf Indical Cold 195 00 188 00 Payarini (mention Card 188 00	Appende Append	LIST \$1394.00 \$985.00 \$195.00 \$46.00 386.00	ACP 81195 00 1665.00 1893 00 445 00 359.00 169 00
"Apple Products Available In-store Grity"	Super Intent Cost) Paradol (rend)Cor Card) 60 Column Trat Card Entended (Column Trat Entended (Column Trat Dot Abattic Printer	195 00 168 00 176 00 176 07 696 00	159.00 139.00 109.00 249.00 889.00

MORE HAR	DWAR	E
MICROSOFT	4.00	ACP
280 Selicard	\$385.00 198.00 685.00	\$249.DD
280 Sellicard 164 Rangard	189.00	\$249,00 89.00 884.00
The Promision Regulator SSM	685 00	864-00
AND-DA Francisco Service		
Paratiel AIO Sersil Parasis EASTEIDE	725 00 198 00	179.00 165.00
AIC SHIGHPAREE	198 00	165.00
Wildcard Apple 9	146 00	115.00
Wildcard Apple B KENSINGTON		
System Saver KEYBOARD COMPANY	86 95	74.96
	1.cdi 09.	194.QR
Apple II Joyatich	148 95 46 B5	124,98 44.50 38.95
Apple It Handcontrollers	79 95	38.95
Apple II Joyatich Apple II Joyatich Apple II reardcontrollers KRAFT (IBM also) Joyatich Mart Controller		49.00
Harst Controller		49,00
See State		
1284 Bubble Memory PROMETHEUS	875 OO	599.00
	249.00	199.00
VERSACING FOUND 1	199 00	199.00 166.00 82.00
AUTO-DOC designostics	88.00	W5.00
VISION BO SOVER CAM	385 00	219.00
VERSALION SOCIATION 1 VERSALING FOUND 1 AUTO-DOE diagnostics VISTA COMPUTER CD VISION B) SOVIA Care COMPUTER CONTENTS		
Col Plack	59 00 379 95 849 00	49.00 349.00 799.00 249.00
Quantital Deals Drawn 51s	940 UD	799 00
Solo Dat Drive w/Confr		249.00
Quartel Diali Drive 5"s Solo Diali Drive w/Confr Solo Drive w/o Confr Vida 5"s Diali Confr Vida 5"s Diali Confr	370.00	310.00
Typophwed Buller	3/0 00 92 00 40 95	79.00 39.00
VIDEX		22.00
Videblerin IIDe24 Card	145 00 149 00 35 00	279.00 129.00 30.00
Keynigard Engances 6	149 00	139.DQ
Function Stro Knye	74.00	68,00
Videbturn BD 24 Card Keynania Enninces I Son Sentin Function Stra Keye PHACTICAL PERIPHEN 16K Macqualley 22K Micropalley	ALS	
15K Microbadhar	259 00 299 00 149 00	220,00 253,00 100,00
Spranne Onton	140 00	100.00
STREET ON ON ON VOTRAX Type of 1 at 5 parc1		
Type of 1 all 500mc1	349 DO	219,00 339.00
Personal System VYNET	300 00	
Apple is Voice Byn Apple is Talaphore (IO SCOTT INSTRUMENTS	195 QD	349 DO 349.DO
Apple of Table Propries (10)	196 00	349.00
Voice Recogners VETED	/49.00	\$75,00
COER		
16K PAM Card Parallel Card w/cable	130.00 00 20 130.90 130.90 130.90	50.95 49.95 19,95 19.65
Abple Protection	29 00	19,05
Apple Extendercard	30.00	149.00
Appro No Est RAM CANS	199 (8)	149 00
5 Min Hond Disk	J180 00-	CHH
10 Mb Hard Drak	5350.00 6460.00	Call
20 Mb Hard Disk	8460.00	Call
The Grapoids VD (Plus)	175-00	139.00
Abple FMADCAM Apple FMADCAM Apple Tandor Card Apple Ne Ext RAM Card CDRYMB 5 Min Mand Dub 20 Min Mand Dub 20 Min Mand Dub 20 Min Mand Dub The Graphe VO (Rusy The Burlharboard EATURN EXTERNS TAN RAM Card 128K RAM Card 128K RAM Card	175-00	139.00 138.00
EATURN BYSTEMS	219:00	179,00
128K RAM Card 128K RAM Card 8COTT ECHO II	499 00	439.00
SCOTT		
ECHO I	149.00	139,00
STREET ECHO N	149.00	129.00
BARC WIN 128RC WHO 188RC WHO 185RC IBK SIMIC MOUNTAIN COMPUTES CPS MUNICIPAL TO THE TRANSPORTED TO THE TRANS	397 00 598 00 149 00	289.00 499.00 135.00
18SAC INC STANC	140.00	135.00
MOUNTAIN COMPUTED	1	
CPS Multifunction	776 00	189 00
Music System A/D plas D/A FICAL Plus	236 00 395 00 350 00 165 00	189 00 335.90 299.00
FICH! Pruk	165 00	129.00
MAD FUTERRINGER	495,00	260.00
Sup represented Cord Sup report o Sup report V (1840)	90.00	289.00 49.00 49.00 Gall
SupirMod V HBMQ	09-00	49.00
Sub-raceins (Nine)		
The CSYMPica 280 cand Smarrers 60424 Cord The Synengani Pacespa	CID PREE.	319.00
Smarrerm 60x24 Card	349 00 349 00	319,60 279 00 day,00
The Synenguer Paceage	epa 00	dap.oc
16K RAM	CARD	

16K RAM CARD



ZBO Setteard" ... PASCAL CP/M"

1 year Warranty Top Quality by COER 59⁹⁵ LOW PRICE

Also from GOEX NEW EPSON

Parallel Interface for Apple With cable.

THERE ARE NO BETTER BOARDS — THERE ARE NO BETTER PRICES!

ompuPro FROM PRIORITY ONE ELECTRONICS



CPU BOARDS

18 bit 8 or 10 MHz 8086 CPU with sockets for 8087 and 80130

Part No.	Description	List Price	Der Price
BOSET189CS7	A&T 8MHz 8086 only CSC 10MHz 8086 only A&T with 8087 option CSC with 8087 option 087 Limits clock speed	\$850.00 \$1050.00 \$1150.00	

(III) DUAL PROCESSOR 8085-8086

6 or 8 MHz provides true 16 Bit Power with a standard 8 bit 5-100 bus

A&T 6MHz CSC 6/8 MHz	\$495.00 \$595.00	

68K - 68000 16 BIT CPU

FORTH OPERATING SYSTEM FOR 68K CPU

Requires a DISK 1, 64K of CompuPro memory, and an INTERFACER 3 or 4.

808518865 FORTH operating system \$200.00

CPUZ - Z809 CPU NOW 6MHz1

3/6 MHz Z80R CPU with 24 Bit Addressing.
FASTEST Z80 CPU AVAILABLE

808071884 3/6 MHz A&T \$325.90 \$288.00

80807180 3/6 MHz CSC \$425.00 \$278.00

DMA DISC CONTROLLER CP/M 2.2 FOR FREE!!*



•When 2 or more 8" disk drives are purchased with Disk 1 Controller.

DISK CONTROLLERS

DISK 1 FLOPPY CONTROLLER - OUR BESTI First DMA, Salt Sector, Controls Up to Four E^{rr} or 5½° Single or Dauble Density Drives.

OCCUPATION OF THE PERSON	A&T w/CPM 2.2 & BIOS *When purchased with		\$495.00 \$450.00
00708171CCPW	disk drives gnly. CSC w/CP/M 2.2 & BIOS Disk 1 Controller A&T	\$770.00 \$495.00	1506.00 5440.00

DISK 2/SELECTOR CHANNEL HARD DISK CONTROLLER

Fast DMA 2 board set. controls 4 Shugari 4000 series or Fujitsu 2300 type drives. Includes CP/M 2.2*
De801114 Assembled & Tested \$798.00 \$780.00 \$780.00 \$895.00 \$895.00



CMOS RAM SALE!

RAM 17 - 64K CMOS STATIC RAM
12 MHL RAM 17, 2 Walt DMA Compatible 24 Bit Addressing

Part No.	Description	Liel Price Our Price
BOSST175A64	64K A&T 12MHz	\$499.00 \$469.00
BQ88T175C84	64K CSC 12MHz	\$599.00 \$550.00

RAM 16 - 32K x 16 BIT CMOS STATIC RAM

8 and/or 16 Bit
12 MHz, RAM 16, 32K ± 16 or 64K ± 8
IEEE/698 18 Bit 2 Wett, 24 Bit Addressing
DOMNTONA 64K A&T 12MHz \$550,00 \$518,80
DOMNTON 64K CSC 12MHz \$650,00 \$518,80



NEW! RAM 21 - 128K STATIC RAM

816 RAM 21 12MHz, 728K x 8 or 64K x 16 IEEE/696 8 or 16 Bit, 1,2 Amps, 24 Bit Addressing GRETTING 128K A&T £1095.00 \$ 995.08 BQRTTING 128K CSC \$1245.00 \$1138.08

M-DRIVE SOLID STATE DISK DRIVE, 3500% FASTERII

Not really, but the next best thing for CompuPro 8085/88 Users. Call for Details on M-Drive. M-Drive requires a 6MHz CPU 8085/88 dual processor, Disk

M-Drive requires a 6MHz CPU 8085/88 dual processor, Dis 1 DMA disk controller and System Support 1 Multifunction Board.

Egestino izeua izak of Ast memory & M-Drive Software Egestino izeua izak of Ast memory & M-Drive Software Egestinozeua izak of Ast memory & M-Drive Software Egestinozeua izak of GSC memory & M-Drive Software Egestinozeua

M-DRIVE/H HARDWARE LOGICAL DISK SYSTEM Interlaces through two I/O ports, and runs at 10MHz. IEEE 896 compatible. Requires any CompuPro CPU and a Disk 1. Each board contains 512K of last, low power (900mA) RAM, with parity checking.

SQUETTOTA M-ORIVE/H W/software. AST \$1895.00 \$1295.00 **SQUETTOTC M-ORIVE/H W/software. CSC \$2095.00** \$1495.00



S-100 MAINFRAME

110V 80Hz CVT Mainframe uses famous 20 slot CompuPro Motherboard (55 lbs.)

| DESITERCZORM 20 Slot Rackmount | \$895.00 \$825.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$765.00 | \$76




I/O BOARDS SYSTEM SUPPORT 1 MULTIFUNCTION BOARD

Serial port (software prog. baud), 4K RAM included, 15 levels of interrupt, real time clock, optional math processor

Part Ma.	Description	List Price	Der Price
BOBETI DZA	Assembled & Tesled	\$450.00	\$395.00
1088T1 62C	CSC	\$550.00	1405.00
HOBETTE 231	Math Chip		\$186.00
HORSTHEESE	Math Chip		\$185.00
HORST CZAMI	MI A&T w/8231 Math Chip		\$570.00
BOOKTI 62CMI	CSC w/8231 Math Chip		\$670.00
BORSTI GEARS	A&T w/8232 Math Chip	1	\$570.00
	CSC w/8232 Math Chip		\$670.00

MPX CHANNEL BOARDS

VO Multiplexer, using 8085A-2 CPU on board w/16K RAM
99467189418 Assembled & Tested 5649.00 \$564.89
99467189618 CSC \$749.00 \$774.89



INTERFACER 1

Two Serial I/O 3259.80 \$259.80 \$259.80 \$370.00 \$3259.80

INTERFACER 2

INTERFACER 3

Eight-channel multi-user serial V/O board

101211148A Assembled & Tested \$699.00 \$228.89

101211148C CSC 200 hz. 8 port \$849.00 \$358.88

101211148C CSC 200 hz. 5 port \$699.00 \$228.89



INTERFACER 4

Three Serial, 1 Parallel, 1 Centronics Parallel

1001117A Assembled & Tested \$450.00 \$100.00

1001117C CSC \$540.00 \$470.00

S-100 MOTHERBOARDS

ı		ING WATHER		
	Section 1971	Active termination, 6-1	2-20 Slot	
	ACCITEDOS	A&T 6 slot, 2 lbs.	\$140.00	\$125.00
	3681TE30B	CSC 6 slot, 2 lbs.	\$190.00	\$155.00
	BOGSTI BAA	A&T 12 slot, 3 lbs.	\$175.00	\$155.00
	BORRTIBAC	CSC 12 slot, 3 lbs.	\$240.00	\$220.00
	AGESTISSA	A&T 20 slot 4 fbs.	\$265.00	\$235.00
	BOSETISEC	CSC 20 slot, 4 lbs.	\$340.00	\$310.80
	100			



WORLD'S BEST SELLING TERMINAL

Extra Memory Pages FREE!

*TeleVideo 925 W/Iree 2nd page memory (v), a \$95,00 Value! MARKEN \$549.00

"TateVideo 950 wyliree 2nd 3rd & 4th page memory NL\$28500 value! \$541.00

With emulations & foreign languages (Shipping Weight 37 lbs.)



BEST BUYS!

-1200 BAUD AUTO-DIAL HAYES SMARTMODEM COMPATIBLE



495.00

The ANTO BIAL 212A Modern is a direct connect 0-300 or 1200 band modern capable of dialing and calling for you. The AFFO BIAL 212A is competible in inaction to the PC Mayer REARTMONERY".

Part-No.

Description

Ligi MAE Price

LIBERTY

ELECTRONICS

- 9 cursor control keys
- 7 editing function keys
- Programmable protection Multi-emulations
- Green screen 12"
- Till Base
- 5 function keys

89418F50 (Sh. WL 34 lbs.) List Price: \$599 00

SALE PRICE:

S475

FREEDOM 100

Contains all of the above features of the FREEDOM 50 olus 5 additional function keys, 7 character sets, 15 special graphics symbols, and block mode transmission. (\$1. Wt. 34 Ho.)

HUBIN SALE List Price

PRICE: \$525.00



California Computer Systems

64K IEEE/S-100 DYNAMIC RAM



2 or 4MHz BANK SELECTABLE

 2 or 4MMz operation
 Designed to IEEE proposed S-100 bus standard
 Operates with either an 8080 or 2-80 based S-100 system providing processor transparent refreshes with both . Bank-select system allows system memory expansion . Any 16K block can be made hank-independent @ All 6410 can be made hank-exhibit on and resel · Supports DMA · Jumper-selectable Phantom input ribled & Tested . Uses Popular 4116 RAMs

REGULAR LIST PRICE IS \$375.00

BOCC\$20653 (Sh WL 2 ths.)

DUAL QUME 8" FLOPPY DRIVE, CABINET, DMA S-100 CONTROLLER. CP/M®

ompuPro

ABSOLUTELY THE MOST COST EFFECTIVE DISK SUBSYSTEM EVER OFFERED BY PRIDRITY ONE ELECTRONICS!!

PROVIDE 2.4 MBYTES OF MASS STORAGE!!

2 Double setted it. LIUMF Will desk droves

OMA bigger Controller protects up to 3 breest
 CPAC 2 whose written up to the breest
 Class 2 whose written up to these 4 Controller
 Calmet us fully a men milely A informational action and milet

\$2325.00 \$495.00 \$175.00 \$ 19.77 GETITLA CBTCPM80 PGC50S60S

YOU SAVE

\$1419.77!

(Shipped freight collect) \$3014 17 CABINET AND 2 QUME DT8 DOUBLE SIDED DRIVES \$1295.00

> ompuPro UN-SYSTEM 816



Each CompuPro system contains the same nucleus of common hardware and software. This insures compatibility between systems as well as allowing you to expand as your needs prow. The following is a list of the basic hardware components as well as software.

Desk top Enclosure 20 stols

OWA Roupy Controller 8085/8088 CPU operates 8 or 16 software

Memory in the form of RAM 17s System support 1 (Clack calendar RAM/RDM/math processor options, RS-232 Senal port disal interrupt controllers, triple interval limits and

· Alt internal cables

SOFTWARE:

CP/M 2.2" and CP/M 86"

M Direc Software - allows the use of memory as another than driver Sorter's SUPERCALC 86

Askton Tate's DBase N

DIG DEEP!! Now is the time to buy

the CompuPro UN-SYSTEM 816!! SAVE MONEY, and have an UN-SYSTEM 816 for your very own! All UN-SYSTEMS contain the very same components as the SYSTEM 818s listed in our Winter 1983 Engineering Selection Guide, but are not installed or configured. All it takes is your professional computer expenence and knowledge to have the highest performing S-100 computer system on the market today. BEWARE! This is not for the novice and inexperienced user, as it requires a well-matured knowledge in system integration procedures.

So. WHY WAIT!? Don't Pass Up This Incredible Deal!!

Each component of the UN-SYSTEM 816 has been assembled and individually tested. Final installation and configuration and life sole responsibarry of the purchases

UN-SYSTEM 818/A

ENTRY LEVEL - SINGLE USER Disk storage: 2.4 Megabytes. Expandable to 4.8 Megabytes.

Main memory, 128K - enpandable to 1 Megabyte Serial Ports: 4 / Parallel Ports: 1 Serial Ports: 4 Centronics/Epson ports; 1

Software: CP/M 22", CP/M-86", M-Drive, SuperCalc-86, dBase SOCRTHICSYSALS Component List Price \$8705.00

QUR SALE PRICE:

SAVE \$1910.00H

\$4795,00

UN-SYSTEM 816/8

ENHANCED HIGH PERFORMANCE SINGLE USER SYSTEM

Disk Storage 2.4 Megabytes Expandable to 48 Megabytes Main memory, 256K - expandable to 1 Megabyte Serial ports: 6

Software: CP/M 2.2", CP/M-86", M-Drive, SuperCalc-86", dBase SOCETURETES15

Component List Price \$8497.00

SAVE **OUR SALE PRICE**:

82702.0011 \$5795.00

UN-SYSTEM 818/C

HIGH PERFORMANCE MULTI-USER SYSTEM Disk storage 2.4 Megabytes. Expandable to 4.8 Megabytes. Main memory: 384K - expandable to 1 Megabyte Serial ports. 9

Software: CP/M 22", CP/M-86", MP/M 8-16", M-Drive, SuperCalc-86", dBase II"

Component List Price \$10,636.00 **OUR SALE PRICE:** \$7595.00

DESTUNCTEDIO SAVE \$3041.00H

VISA

PRIORITY ONE ELECTRONICS



ORDER TOLL FREE (800) 423-5922 - CA. AK. HI CALL (213) 709-5111
Terme U.S. VISA, MC, BAC, Check, Mcrey Order, U.S. Funds Only GA residents add 61978 Sales Tax, MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING or \$3.00 for the first 3 lbs. plus 40°t for each additional pound. Orders over \$0 lbs. sent freight collect. Just in case, please include your phone number. Prices subject to change without notice. We will do not best to maintain prices through May, 1983. Credit Card orders will be charged appropriate. traight If you haven't received your Winter 83 Engineering Selection quide send \$1,00 for your copy today! Sale prices for prepaid orders only

RETAIL STORE PHONE NUMBERS: (Chatsworth:) (213) 709-5464 - (Irvine:) (714) 660-1411



S-100 DUAL 8" SUBSYSTEM

BO CCSZ422A 8081EGF312 P# BE HIFDEODS

S-100 Disk Controller with CP/M 2.2 Siemens Double Density 8" drive **Dual Honzontal Cabinet**

with Power Supply and Data Cable

\$398.00

\$295.00

\$ 35.00 \$1127.00

SAVE \$132.00!!

DON'T MISS OUT!

Arder No. BO PDBSIESUBI



BUY DRIVE AND CABINET TOGETHER AND SAVE!



● Power Supply 4A = +5V.3A = +74V

IAM-SV

- · Each output is individually forest
- Hinged top stir timey manual
 Heavy non-flex 090 alumin-
- Modular power connectors

DUAL 8" SIEMENS FOD1008. **DUAL 8" CABINET POWER SUPPLY** AND INTERNAL POWER CABLES

IF BOUGHT SEPARATELY: \$890.00

PRICED AT:

BPPDBILISTE

ENVIRONMENT MONITOR PANEL

Tomograture and voltage manifer with visual and audible alarm for overtemp condition. Olivet Hightal Readout of Internal Immerature to C' on standard DYM

89 (IIFDEODZ CABINET ONLY (Sh W) 38 lbs.) \$285.00

10 P081)181EEM 2 Orives. Calairel & disk environment monitor

10 HIFDEODZER Calairel only with disk environment monitor

277.80

277.80 \$905 NA BO POUSONI DE LAE DUM ONTO CATA 8 31.15 80 PG C50580% External That's Calab

OUR FINEST 8" DUAL DISK DRIVE CABINET



International Instrumentation Incorporated

Compare these features listed and you'll see why this cabinet is our

FINEST DISK CABINET

- Positive pressure forced air cooling for reliable disk drive operation
- AC input via 3 wire 7 foot international cord/socket set AC input EMI filtered to six arross to help prevent disk crashes due to power spikes and line noise
- 14 gauge main chassis
- Integral power supply with 5V @ 6A/-5V @ 1A/24V @ 6A
- Double-sided custom PC power licard and supply

Each DC supply and AC separately fused



STANDARD UNIVERSAL DISK ENGLOSURE

List Price

OUR Price \$495 00 \$425.08

With augmented power suply to handle Tandon Slimline, or Winchester disk drives includes the disk environment monitor

\$525.08 BOINUDEDGA AND \$733 00 With Disk Environment Momitor for cool, reliable operation BOILIND ESSAEM

\$495.00 3584 95



B0 MP(51* Single-Sided Double-Density 48 TPI \$200.00 80 MPI52* Double-Sided Couble-Dansity 4B TPI \$270.00 64 MP191* Single-Bided Double-Density 96 TPI \$275.00 DAMPINE. Double-Sided Double-Density 96 TPI \$400.00 Reniare " when ordering, with "w" for MPI style bezet

or "\$" for Shugari style bezel (Shipping Weight 5 lbs.) HIGH 8" DISK DRIVES



The first 2" high 8" disk drive allows for mounting under the keyboard on CRT, etc.

NO AC Required +5V +24VDC only FAST 3 msec track to track!

MI MPM IM \$380.00 19 High 1 side double-density \$480.00 ВО мемем 1/2 High 2 side double-density DE MPMIS Full height 1 side single drive, dble-density Full height 2 sided single drive, dble-density \$366,00 Full height I side dual drive, dble-density BO MPMID \$760.00 Full reight 2 side dual drive, dble-density (Shipping Weight: 11 lbs per drive) BB MP420 8820 CO



Exactly one-half the height of any other model Proprietary, high-resolution, read-write heads patented by Tandon

D.C. only operation - no A.C. regulted industry standard interface

Three millisecond track-to-track access time **TANDON 8" DRIVES**

TANDON 51/4" DRIVES

MOTHSTWIDE! Single Sided, 250KB (5 fbs.) \$220.00 pa.

Z or More: \$200.00 each

#97NPTW1002 Double Sided 500KB 2 or More: \$270.00 each

EQTINETM (603 Single Sided, 500K8

2 or More: \$270.00 each

\$295.00 sa

\$205.00 sa.

SCTNETW1084 Double Sided, 1000KB \$395.DG ea. 2 ar More: \$375.00 each

DUAL 8" HALF HEIGHT FLOPPY CABINET

24V @ 4A 5V @ 3A

-5YE 800 ma Historicational Service College

Fan cooled Spelusted power connections

 All supplies regulated List Prion

BUY THE CADINET & DRIVES AND SAVE With 2 Tunden Thislines

89 POINTITIES Cabriet w/2 TNDTM6481 -1 sided (30 ths)\$885.65 #0798HITHEZ Cabmet w/2 TNUTM8482 -2 sided (30 His.) \$1116.80

With 2 MPt Silmiless

#0PERINTEP11 Cabinet w/2 MP41 M - 1 sided (30 lbs) \$929.00 40PDBIUMP12 Cabinet w/2 MPI42M - 2 sided (30 lbs.) \$1000.00

REPUTUTION FIRST MPI drive adaptor mounting kit (2 lbs.) 10/M876880 Shugari / AC/BC power connector kit (2 lbs.) \$14,65 (For full size single SA801 or compatible drives)

PRIORITY ONE ELECTRONICS

SANYO 12" DATA DISPLAY MONITOR 24 Lines x 64 Characters



BOSY00M2112 List Price: \$160.00

\$75.00!!

SALE PRICE:

SAVE \$85.00!!

LOWEST COST PRINTERS AVAILABLE S299.00 !!



COEX 80 F/T by

SECONT!

\$299.00

 80 cps ■ 10, 12 or 18,5 cps ■ 3 selectable line spacing ■ Vartical format control . Controlles paratiel or RS232 serial interlace . Uses a standard Underwood specied ribbon . Friction and tractor feed Hoping Weight 21 Ibs i

MCGUREY Parallel int BERTHRESE Senal Int.

\$399.00 \$399.00

DECOMPOSITE Annie carallel interlace w/cable

\$329.00 249 49

\$229.00





 Doi Addressable Graphics
 Up to 3-Part Paper
 Self Test
 One Year Warranay
 30 CPS
 B0 Column Unidirectional
 Uses Recolar Panel

BEAXMEPICOA Dot Mains Printer

\$389,00 \$229.00

gemini-10



100CPS DOT MATRIX

PRINTER

 Centromes parallel interface ● 9 x 9 character matrix ● 6 x 6 bloc graphic matrix . Bit image (7 or 8) x 480 dot matrix (single density) (7 or 81 x 960 dot maters . Bi-directional printing with logic seeking . 40, 48, 56, 80, 96, or 132 characters per line # 98 ASC | characters 4 5, 5, 8 5, 10, 12, or 17 characters per inch • 1/6, 1/8, n/72, n/144 Line nutch . Sorocket or triction feed . Uses a standard underwood ribbon BOSEM10 80 Column* Printer List Price: \$399.00

SALE PRICE: (Shipping Weight 20 lbs)

BOSEM15 132 Column* Printer List Price: \$649.00

SALE PRICE: (Shipping Weight 26 lbs

*Based on 10 characters per inch SERIAL INTERFACE CARD FOR GEMINI 10 6 15 BOGEMSENINT Serial Interface Module (5h Wt 1 lb.)

IBM MULTICARD

Vista MEMORY & I/O CARD



- 64K RAM Expandable
- One RS232 Serial Port

BOVIS025005

- One Parallel Printer Port
- · Real Time Clock Calendar with Balfery Backup (Sh. WL 1 (b.)

List Price: \$595.00

SALE PRICE:

\$399.00

IBM" MAXICARD

VISE PERSONAL COMPUTER RAM CARD POPULATED IN 84K, 258K, or 576K



- Runs at full speed with no wait states
- Parity can be disabled at User's option
- On board parity bit on each Byte
- Fully expanded, a full 576KB on one card
- One board fills entire primary RAM address space available
- Full Vista 120 Day Warranty

64K \$199.00 BOVIS057584 List Price \$379 00 SAVE\$180.00

256K **\$449.00** BOY120578258 Ust Price, \$789.00

SAVE \$340.00

576K \$950.00 80 WS0578578 List Price \$1299 00 SAVE \$349.00

*Available with 256% & 576% boards only (Sh WL 6 (18M is a trademark of international Business Machines) iSh WILE loca

EIA/RS232 WALL PLATES

(Does not include connecte

SOUNTOR251 Single punched

4/\$10.00

801(WP88252 Dust Punched 4/\$12.00



RS-232 "D" SUB-MINIATURE CONNECTORS

1-4 10-24 25-00 100-UP DOCKDORSS.P 25 Pin Make \$2.75 \$2.50 \$2.25 \$1.85 DECKEDRESS: 25 Pin Female \$4.00 \$3.50 \$3.25 \$3.00 BOCHODES1212 1 Pc. Gray Hood \$1.85 \$1.40 \$1.25 \$1.15 \$1.50 \$1.25 \$1.18 2 Pc. Grey Hood 80CN00851226 2 Pc. Stack Hood \$1.75 \$1.50 \$1.35 \$1.20 80CN0020418 Hardware set 2/Pr. \$1.00 \$.80 \$.78 \$.80

TEXAS **INSTRUMENTS** 16 PIN GOLD AND TIN **DIP SOLDERTAIL SOCKETS**



BOTISIBLE BOTIGIBLE 50 S 8.00 \$ 10.00 1000 \$ 60.00 \$ 80.00 4500 \$225.00 \$315.00

DIRECT CONNECT MODEM MURA \$79.00

0 - 300 BAUD MURA MM-100

- 0 300 baud BS232C miertace

- Full duplex Carrier detect indicator Bell 103 compatible
- Low voltage
 Originate/Answer switch selectable

List Price SALE \$99.95 \$70.00

\$25.00

EQUIPMENTION 0 - 300 band modern (Shipping Weight: 2 lbs.) EQUIPMENTICE R5212 cable

LIFETIME

JURA MAGNETICS

WARRANTY **FLOPPY DISKETTES**



FEATURES:

- Includes reinforcement ring
- Write protect with tabs
- 100% Surface tested
- Lifetime warranty
- SALE!

Description

BOBLT52401 Soft sector, 40 track, 2 side 10 sector 40 track 2 side BOHL 152410 8001732418 16 sector, 40 track, 2 side

#QUL75180) Soft sector, 80 track, 1 side 108LT51610 10 sector, 80 track, 1 side **GOULTS 1618** 15 sector, 80 track, 1 side

BBULT52501 Soft pector, 80 track, 2 sided ORULTS PAID 10 sector, 80 track, 2 sided 15 Sector, 80 track, 2 sided BOULT52816

自然於

SINGLE SIDED 40 TRACKS -DOUBLE DENSITY DRDER INFORMATION:

BOULTS1401 Soft Sector BOULTS1410 10 Sector 80111751416 16 Sector

BOY DE 10 2 BOXES:

\$40.00 10

2 Boxes

BOXES: \$180.00 10 Bezen

\$35.00 \$60.00 **\$280.00**

\$30.00 \$50.00 **S40.00**

\$70.00

\$220.00 \$320,00

(Sh. Wt. 4 (bs.)

(Sh Wt 20 lbs)



PRIORITY ONE ELECTRONICS MosterCor


9161 DEERING AVE, CHATSWORTH, CA 91311

Bax of 18



PRIORITY ONE ELECTRONICS





SAVE OVER 45% !! There are price barriers to be broken,

and then there are PRICE BARRIERS TO BE S-H-A-T-T-E-R-E-D!! Priority One Electronics prides itself on breaking price barriers - but never like the one you see here! We're talking about 16 M-E-G-A-B-Y-T-E-S FOR ONLY

\$1595.00

That's the storage capacity of THIRTY TWO Shugart SA801Rs - at one tenth the price! And there can be no comparisons between the performance of this system and floppy disk drives!

PURE SPEED

That's what you get when you operate this subsystem. Imagine data access That's what you get when you operate this subsystem. Imagine data access MICROSOFT BASIC V5.2TM virtually without wait! By using DMA technology, the actual time required to send MICROSOFT BASIC V5.2TM and retrieve data is greatly reduced. With the additional speed and high density of the 51/4" Winchester disk drive from COMPUTER MEMORIES, you will have enormous files at your own fingertips without the frustration of searching for the right floopy disk! The throughput of this subsystem is further increased by having all low level disk drive routines resident on the DMA controller, thus relieving the computer for other tasks.

COMPATIBILITY

MORROW DESIGNS engineers have Invested thousands of man-hours to assure that this M16 hard disk subsystem will be compatible with almost all S-100 IEEE/696 computer systems. Each M16 hard disk subsystem is supplied with CP/M 2.2", and MICROSOFT BASIC V5.2". NORHOW BESIGNS has even included an INSTALL program on 8" disk so you can easily custom configure your M16 subsystem to operate flawlessly with any system that is fully IEEE/696 compatible and has no other DMA devices on line. North Star compatible INSTALL package available by special order.

EXPANDABLE

The M16 subsystem can grow with your needs. The DMA controller can operate up to four drives at one time. Just imagine — 64 MBytes on line! Also, as technologies progress, you will be prepared with a controller designed with the future in mind!

KEY FEATURES:

DISK DRIVE:

- DISCUS M16: Computer Memories CMI5616, 16Mb formatted capacity
- Same physical size and mounting as the minifloppy Same OC voltages as the minifloppy
- Band actuator and stepper motor head
- positioning
- 5.0 megabit/second transfer rate
- Same track capacity as a double density 8 inch Roppy
- 170 millisecond random average access time, reduceable to 95 ms via a simple software algorithm

CONTROLLES:

- Fully compatible with high speed 6MHz and 8 MHz CPUs of today and tomorrow
- DMA bus arbitration as outlined by the IEEE 696 standard
- Controls 1 to 4 soft sectored Winchester drives
- Variable sector length (256, 512, 1024, or 2048 byte sectors)
- Automatic CRC generation and checking
- Addresses 1 to 16 heads
- Addresses an infinite number of tracks. 24-bit address burst DMA transfers
- Due to this high transfer rate, a minimum CPU speed of 2.5MHz is required

WITH CP/M 2.2™ AND

NO KIDDING! 16.000.000 BYTES FOR

BOMDSDMAM18 16 MB Subsystem BOMDEDMANIENS With NorthStar (NSTALL package

DON'T WAIT

WE HAVE PURCHASED ANOTHER PRODUCTION RUN — AS WE SOLD OUT THE LAST ONE IN LESS THAN A MONTH!!

RETAIL STORE PHONE NUMBERS: (Chatsworth:) (213) 709-5464 - (Irvine:) (714) 660-1411

ST CHANCE FOR SCOPE REBA

PRECISION DYNASCAN CORPORATION

BKP1535 SPECIFICATIONS

 35MHz response; useable beyond 50MHz • 2 mV/cm vertical sensitivity . Signal delay line for accurate view of high frequency pulse leading edge . Alternate trigger capability . Automatic or manual selection of CHOP AND ALTERWATE dual-trace display • Variable hold-off for accurate pulse train display • Video sync separators standard . Built-in triggering litters . PDA CRT with P31 phosphor • 10:1/rel/direct probes included • Differential Input capability

> 35 MHz **DUAL TRACE - TRIGGERED** BOBKP1535 List Price: \$950.00

695.00 (Shipping Weight 20 lbs.)

SAVE \$330.00!! INCLUDING REBATE



DIRECT FACTORY

BYNASCAN CORPORATION

BKP1530 SPECIFICATIONS:

 Delayed sweep operation for sweep expansion up to 1000V • 5 mV division sensitivity selectable 2 mV to 20MHz • Variable hold-off pulse train display • Singlesweep for nonrepetitive wavelorms • Built-in triggering filters • Video sync separator standard • CHOP or ALTERNATE display . Differential input capability . 11.7 nS rise time for short duration pulses . Alternate trigger capability . Front panel x-y operation . 10:1/reference/ direct probes included

30 MHz DUAL TRACE - DELAYED SWEEP BOSKP1530 List Price: \$875.00

625.00

(Shipping Weight 20 (bs.) **SAVE \$300.00!!**

CONSUMER REBATE CERTIFICATE INCLUDED! **INCLUDING REBATE**

* TAXAN

12" RGB COLOR MONITOR 380 HORIZONTAL LINE RESOLUTION



BOTAXRES! Ust Price \$399.00 (Sh Wt 29 lbs.)

BOTAKIBMBOL Interlace cable to IBM \$19.00

BOTAXHEBAPL Apple lie & III cable \$10,00

WITH APPLE II RGB INTERFACE

BOPDETAXREBAPL List Price: \$528.00

\$359.00

12" RGB SUPER HIGH RESOLUTION MONITOR

630 HORIZONTAL LINE RESOLUTION BOTALREB3

- 18 MHz bandwidth
- Linear RGB input provides untimited color combintations
- Compatible with APPLE III and IBM P/C

LIST PRICE: \$699.00

(Sh. WL 29 (bs.)

SALE PRICE:

SUPER HIGH RESOLUTION RGB MONITOR WITH AN APPLE INTERFACE CARD BOPOBROBJAFL \$695.00

HIGH RESOLUTION 12" GREEN OR AMBER **VIDEO MONITOR**

- >18 NHz bandwidth 800 line horizontal resolution
- Composite video input BOTAXEG12N Green

SOTAXUS12NUT Amber LIST PRICE \$179.00 (Shipping Weight 19 lbs.)

SALE PRICE: S129.00



HEWLETT H-P QUALITY & PERFORMANCE PACKARD AT OUR LOW PRICES!

SERIES 10 Programmable Calculators

BQ HP-10C BO HP-11C BQ HP-12C BQ HP-15C BQ HP-16C

Beneriution. Scientific (Shipping Weight 3 lbs.) Advanced Scientific (Shipping Weight 3 (bs.) Advanced Financial (Shipping Weight 3 lbs.) Advanced Scientific w/matrices (Sh. Wt. 3 tbs.) For Digital Electronics & Computer Science (3 lbs.)

4년 1년 리 의 의 리 의 의 의 使怕語語問題的但以

- - Continuous Memory
 - Convenient Design
- Automatic Turn-off Function
- Self Diagnosis .
- **Augged Construction**

Uld Mes SALE PRICE \$59.00 \$ 70.00 \$79.00 \$ 90.00 \$99.00 \$120.00 \$99.00 \$120.00 \$99.00 \$120.00

HP-41 C/CV - Handheld Computer System



SALE \$195.00 \$159.00 Handheld computer w/HP821061 memory module included (5 lbs.)

BQ HP-41 CV Handheld Computer w/5X Memory (5 lbs.) \$275.00 \$219.00 BQ HP82104A Plug-in Card Reader (Sh. Wt. 5 lbs.) \$195.00 \$159.00 \$125.00 \$ 99.00 BQ HP82153A Optical Wand (Sh. WL 5 lbs.) BQ HP82161A Digital Cassette Drive (Sh.WL 5 lbs.) \$450.00 \$349.00 \$450.00 **\$349.00** \$225.00 **\$179.00** BQ HP82162A Thermal Printer/Plotter (Sh. Wt. 5 lbs.) BQ HPB2163A Video Interface (Sh. Wt. 5 tbs.)

ENHANCEMENT MODILLES:

HINMARIURII MARAFEA		
HP-IL Module	\$125.00	\$25.00
Quad RAM	\$ 75.00	\$59.00
Extended Functions/Memory Module	\$ 75.00	\$59.00
Extended Memory Module	\$ 75.00	\$59.00
Time Module	\$ 75.00	\$59.00



RO HPRZIRIA

BO NP021624

BP HP-75C (Sh WL 9 bx) List \$895,00

HP-75C PORTABLE COMPUTER

- Accepts 48K of applications ROM Touch-type typewriter-like keyboard
- Powerful BASIC Language Uses same peripherals as Senes 40
- 00



PRIORITY ONE ELECTRONICS

9161 DEERING AVE. CHATSWORTH, CA 91311





583

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (213) 709-5111
Terris U S VISA, MC BAC Direck, Morrey Order U S Funds Only GA residents actd 61/46 Sales 1 at. MINIMUM PREPAID GROER 1/5 00 Include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3 lbs. plus 40¢ for each additional pound. Orders over 50 lbs. sent freight coffect. Just in case, please include your phone number. Prices subject to change without notice. We will do our best to maintain prices through May, 1983. Credit Card orders will be changed appropriate

freight If you haven't received your Winter 83 Engineering Selection guide, send \$1,00 for your copy today! Sale prices for prepaid orders only

64K DYNAMIC \$595 200 NS

TMM2016 2KX8 STATIC \$415

59.95

3,95 7,95 13,00 19,95 11,95 2,96 4,34 34,95 14,95 12,96 34,95 11,98 3,25 5,75 11,98 1,95 11,95

6,95 2,25

22.95 10.95

10.95

22.25

1MHZ

6800

S	TAT	ICI	RAMS	
2101	256 x 4	(450ns)		1.95
5101	256 x 4	(450mm)	(cmos)	3,95
2102-1	1024 H 1	(450ns)		.89
E102L-4	1024 x 1	(450ns)	(LP)	.99
Z102]2	1024 a 1	(250ns)	(LP)	1.49
2111	256 x 4	(450nm)		2.49
2112	256 a 4	(450nu)		2.99
2114	1024 1 4	(450ns)		8/9.95
2114L-4	1024 x 4	(450ms)	(LP)	8/12.95
21141-3	1024 ± 4	(300ns)	(LP)	8/13.45
2114L-2	1024 x 4	(200ms)	(LP)	8/13,95
2147	4096 x 1			4.95
TMS4044-4	4096 x 1	(450na)		3.49
TMS4044-3	4096 x 1	(angos)		3.99
TMS4044-2	4096 g 1	(200ns)		4.49
MK4118	1024 x 8	(250ng)		9.95
TMM2016-200	2048 x 8	(200ns)		4.15
TMM2016-150				4.95
TMM2016-100				6.15
HM6116-4	2048 ± 8			4.75
HM6116-3	2048 x 8			4.95
HM6116-2	2048 x 8			8.95
HM8118LP-4				5.95
HM6116LP-3	2048 x B	(150mm)	(cmps)(LP)	6.95
HAI6118LP-2			(cmos)(LP)	10.95
Z-6132	4098 r 8			34.95

transfer transfer transfer t				
LP - Low	Power -	Dalat = Quasi-Static		

DYNAMIC RAMS

TMS4027	4096 末 1	(250ne)	1,99
UPD411	4098 x 1	(300ns)	3.00
MM5280	4096 x 1	(300ns)	3.00
MK4108	8192 x 1	(200na)	1.95
MM5298	8192 x 1	(250ms)	1.86
4116-300	16384 x 1	(andons)	8/11.75
4116-250	18384 x 1	(250ns)	8/11,95
4116-200	16384 x 1	(ROOns)	6/12.95
4116-150	16384 x 1	(150ns)	8/14.95
4116-120	16384 x 1	(129na)	8/29.95
2118	16384 x 1	(150ns) (5v)	4.95
4164-200	65536 x 1	(200ns) (5v)	5.95
4164-150	85536 x 1	(150ns) (5v)	6.95
4104-100	BOSSEN W 1	fights fast	494 TEAS

EPROMS

5V = single S volt supply

1702	256 x 8	(166)	4,50
3708	1024 x 8	(450ns)	3.95
2758	1024 × 8	(450ns) (5+)	5.95
2718		(450na) (5v)	3.95
2716-1		(350ns) (5v)	5.95
TM32515	2048 x 8	(450ns) (5v)	5,50
TM\$2716	2048 x 8	(45Qna)	7.95
TMS2532	4096 x 8	(450ns) (5v)	5.95
2732	4095 x B	(450mm) (Sv)	4.85
2732-260		(250nn) (5v)	8.95
2732-200	4096 × A	(200ns) (5v)	11.98
2764		(450ns) (5v)	9.95
2764-250		(250ns) (5v)	14.95
2764-200		(200ns) (5v)	24.95
TMS2564		(450ms) (5v)	17.95
MC68764	8192 4 5	(450ns) (5v)(24 pin)	39.05
		igle & Yoti Gupply	-

EPROM ERASERS

	Timer	Capacity Chip	Intensity (uW/Cm²)	
PE-14		6	5,200	83.00
PE-14T	X	6	5.200	119.00
PE-24T	X	9	6,700	175.00
PL-265T	X	20	6,700	255.00
PR-125T	X	16	15,000	349.00
PR-320	X	32	15,000	595.00

Z-80	*
2.5 Mh	IZ
Z80-CPU	3.92
Z0G-CTC	4.49
ZEG-DART	10.9
ZBO-DMA	14,95
280-P10	4,45
Z80-B1O/0	16.95
Z60-51O/1	16,9
ZB0-510/2	16,95
Z80-S10/9	16.95
4.0 Mh	Z
Zaga-CPU	4,95
280A-CTC	4,93
Z80A-DART	11.95
ZIGA-DMA	16,95
ZBOA-PIQ	4.93
ZBQA-SIO/Q	16.8
280A-810/1	16,55
Z80A-510/2	16.83
ZBGA-SIO/9	16,9
6.0 MH	IZ
Z808-CPU	11,9
Z80B-CTC	13.85
280B-P(O	13.9
2808-0ART	19.9

ZILOG

34.95

Z8132 Z8871

CRYST	ALS
32,764 khz	1,98
1.0 mhs	4.95
1.8432	4,95
2.0	3.95
2.097152	5.95
2.4576	3.95
3,2768	3.95
3,579535	3.95
4.0	3.95
5.0	3,95
5,0688	3,95
5,185	3.96
5.7143	3.95
6.0	3.05
5.144	3,95
6,5536	3.95
R.C	3,95
10.738695	3.95
14,31818	3,95
15.0	3.95
†#.D	3.95
17.430	3.95
18.0	3.95
(B.432	3.95
20.0	3.95
22.1184	3.95
32.0	3.95

CRT	
CONTROL	LERS
6845	14.95
68845	35.95
HD485058P	15.95
5547	12.25
MC1372	6.95
68047	24.95
8275	29.95
7220	99.95
CRT5027	39.95
CRT5037	49.95
TMS9918A	39.95
DP8350	49.95

KEYBOARD		
CHIP	S	
AY5-2376	11.95	
AY5-3600	11.95	

000	4
800	0
903 5	5.95
1039	6.95
INS-8080	17,95
(NS-8073 8060	24,95 3,95
8085	5.95
8085A-2	11.95
8086	29.85
8007	CALL
BORG	39,45
8089	29.95
8155-2	6.95 7.96
B156	B.86
B185	29.95
#185-2	39.95
8741	39,95
8748	24.95
8755	24,95
820	00
9505	24.95
8283	39.95
8205 R212	3.50 1.80
8214	3.65
8218	1.75
8224	2.25
8226	1.80
8228	3.48
8231	call
8237	19,95
8237-5 8238	21.95
6243	4.45
8250	10,95
8251	4.49

8286	25.00
#289	49,95
1	
DIS	C
CONTRO	LLERS
1771	16.95
1791	24.96
1793	26,95
1795	49.95
1797	49.95
2791	54.95
2793	54.98
2795	59,95
2797	59.95
8842	34.95
8272	39.95
UPD765	19.95
1691	17.95
2143	18,95

ń	CONNECTO	PRS
ı	RS232 MALE	2.5D
ı	RS232 FEMALE	3.25
ı	RS232 HOOD	1.25
	S-100 ST	3 95

-	
95	68000
95	6800
95	6802
95	6808
95	GRORE
95	6808
95	6810
95	6820
LL.	6821
35	6828
95	684D
95	6843
96	6844
36	6845
95	6847
95	6150
95	6152
95	8860
.95	6882
-	6175
	8840
-	
	6883
	68047

	68802 68809E 68808 64810 88821 68850 68850 68800 *	22.25 29.96 29.96 5.95 6.95 19.96 5.95 2 MHZ
	650	
	6502	4.85
	6504	6.95
	6505	0,95
	6507	9.85
	6520	4.35
	6522	7.95
٠,	6532	0.95
	6545 6551	22,50 11,85
	9551 2 M	
	6502A	0,05
	8522A	9.95
	5532A	11,98
	8545A	27.95
	6551A	11.95
	3 M	
	85028	14.95
	IIAI	RTS

6.95 7.95 4.49 5.29 7.95 6.90

7.50

39,95 29,95 29,95 8,95

6.50

6.50 5.50

6.50

8253-5 8255.5 8257 8257-5 1259

8271

8272

8275

8279

8279-5 0282 8283

5284

8286 8287

6800 ⇒

Kirann

68802

UART	S
AY3-1014	6.95
AY5-1018	3,95
AV3-1015	6.25
PT1472	9.95
TR 1602	a.95
2350	9.05
2851	0.95
TMS6011	5.95
IM6402	7.95
IM6403	6.95
IN60250	10.95
GENERAT	ORS
BIT-RA	TE
MC14411	11.05
BR1841	11.95
4702	12,95
COMB016	15.95
COME116	10,95
MM5807	10.95
FUNCTI	ON
MC4024	3.95
LM566	1.49
XH2206	3.75
8038	3,95

	74L	S00	
74L500	,24	74L5173	,61
74LS01	.25	74LS174	.55
74L802	.25	74L9175	.55
74L503	.25	74LB181	2.15
74L904	.24	74L5189	8.95
74L605	.25	74L5190	,85
74LS08	.28	74L5191	.05
74LS09	.29	74LS192	.79
74L810	.25	74L8193	.79
74LS11	.25	74L8194	.69
74L\$12	.35	74LS195	.69
74L813	.45	74LS196	.79
74L814	.59	74L8197	.79
74LS15	,35	74L \$221	. 69
74LS20	.25	74L8240	.95
74LS21	.29	74LS241	.98
74LS22	.25	74LS242	.99
74LS26	.29	74LS243	.99
74LS27	.29	74L3244	.99
74L528	,35	74LS245	1.49
74LS30	.25	74L8247	.75
74LS32	.29	74L9248	.99
74LS33	.55	74L8249	.99
74LS37	.35	74L5251	.59
74LS38	.35	74L\$253	.59
74L840	.25	74L8257	.59
74L842	.40	74L5258	.59
74LS47	.75	74L8259	2.75
74LS48	.75	74L5260	.59
74LS49	.75	74LS268	.55
74L851	.25	74L5273	1.48
74LS54	.29	74LS275	1.35
74L955	.20	74L8279	.49
74L563	1.25	74L5260	1.98
74L573	.39	74L8283	,69
74LS74	.25	74LS29D	.88
74L575	CE.	74L\$293	.09
74LS76	.39	74L5295	.98
74LS78	.49	74LS298	.09
74LS83	.60	74L8299	1.75
74LS85	.69	74L8323	3,50
741886	.39	74L5324	1.75
74LS90	.55	74LS352	1,29
74L991	.AD	74L6353	1.29
74LS92	.55	741.8363	1.35

741.5123	11.95	74LS122	.45	74LB37B
74LS125 .49 74LS386 .74LS136 .74LS380 .74LS132 .59 74LS380 .74LS132 .59 74LS395 .3.95 74LS136 .39 74LS395 .74LS136 .39 74LS395 .74LS136 .39 74LS494 .74LS136 .55 74LS494 .74LS136 .55 74LS496 .9.5 74LS136 .55 74LS496 .9.5 74LS136 .55 74LS640 .74LS136 .56 74LS668 .9.5 74LS136 .56 74LS688 .9.5 74LS136 .9.5 74LS688 .9.5 74LS136 .9.5 74LS688 .9.5 74LS136 .9.5 74LS688 .9.5		74L5123	.75	74L5379
74L\$125	14.95	74LS124	2.90	74L8385
8 74LS132 .59 74LS393 74LS132 .59 74LS393 3.95 74LS136 .39 74LS395 3.95 74LS136 .39 74LS395 3.95 74LS136 .39 74LS439 3.95 74LS138 .55 74LS439 74LS439 3.95 74LS138 .55 74LS439 74LS149 74LS648 74LS148 1.35 74LS648 74LS148 1.35 74LS648 74LS151 .55 74LS668 74LS151 .55 74LS668 74LS151 .55 74LS668 74LS151 .55 74LS668 74LS152 .69 74LS674 74LS156 .69 74LS668 74LS156 .69 74LS668 11.95 74LS668 12.95 74LS156 .69 74LS668 12.95 74LS156 .69 74LS668 12.95 74LS156 .69 74LS668 10.95 74LS156 .69 74LS668 10.95 74LS168 .99 74LS668 10.95 74LS168 .99 74LS668 10.95 74LS168 .99 31LS96 0N 3.95 74LS166 1.95 31LS97 74LS166 1.75 31LS97 3.75 31LS97 74LS166 1.75 31LS97 3.75 31LS96 3.75 31LS97 3.		74LS125	.49	74L 5366
6.95 3.95 3.95 74LS132 3.95 74LS133 3.97 74LS138 3.97 74LS139 5.57 74LS139 3.95 74LS139 3.95 74LS139 3.95 74LS139 3.95 74LS139 3.95 74LS145 3.95 74LS145 3.95 74LS147 3.49 74LS147 3.49 74LS148 3.95 74LS148 3.95 74LS148 3.95 74LS148 3.95 74LS153 3.95 74LS154 3.95 74LS154 3.97 74LS158 3.98 3.95 74LS168 3.75 74LS168 3.7		74L5126	.49	74L539D
8.95 74LS133 .59 74LS395 74LS136 .39 74LS395 6.95 74LS136 .39 74LS424 74LS138 .55 74LS427 74LS138 .55 74LS427 74LS138 .55 74LS427 74LS138 .55 74LS428 8.95 74LS148 1.30 74LS624 74LS148 1.35 74LS688 74LS151 .56 74LS688 74LS151 .56 74LS688 74LS151 .56 74LS688 74LS151 .69 74LS674 74LS151 .69 74LS681 74LS151 .69 74LS681 11.95 74LS681 74LS156 .69 74LS681 11.95 74LS681 74LS156 .69 74LS681 74LS156 .69 74LS681 11.95 74LS681 74LS168 .99 74LS681 74LS168 .99 74LS688 10.95 74LS688 14.96 81LS96 74LS168 .99 31LS96 74LS168 .99 31LS96 74LS168 .99 31LS97 74LS168 .95 31LS97 74LS168 .97 31LS97 .97 31LS96 .97 31LS97 .97 31LS97 .97 31LS96 .97 31LS96 .97 31LS97 .97 31LS96	9	74LS132	.59	74L5393
3.95 74L5126 38 74L5296 3.95 74L5427 74L5128 .55 74L5447 74L5128 .55 74L5449 74L5128 .55 74L5449 74L5128 .55 74L5449 74L5149 74L5149 74L5149 74L5149 74L5151 .55 74L5149 74L5151 .55 74L51		74LS133	.59	74LS395
6.95 74L8137 9.95 74L8138 9.55 74L8490 74L8145 1.20 74L8490 74L8145 8.95 74L8147 8.95 74L8147 8.95 74L8148 1.35 74L8648 74L8151 35 74L8648 74L8151 35 74L8688 74L8153 35 74L8687 74L8154 36 74L8158 39 74L8687 74L8158 35 74L8688 11.85 74L8158 35 74L8688 11.85 74L8168 35 74L8688 11.85 74L8168 36 74L8688 10.95 74L8168 38 74L8168 38 74L8168 38 74L8168 39 31L896 74L8168 39 31L896 74L8168 39 31L897 74L8168 3.95 31L897 74L8168 3.75 31L897 31L897 31L897 31L896 3.75 31L896		74L5126	.39	74LS399
9.95 74LS138 .55 74LS447 9.95 9.95 74LS138 .55 74LS459 9.95 74LS145 1.20 74LS624 9.95 74LS145 1.20 74LS624 9.95 74LS148 1.35 74LS645 74LS151 .55 74LS668 74LS151 .55 74LS668 74LS151 .55 74LS668 74LS152 .69 74LS674 74LS156 .69 74LS662 74LS156 .69 74LS664 11.95 74LS664 11.95 74LS165 .69 74LS668 12.95 74LS165 .69 74LS668 12.95 74LS165 .69 74LS668 10.95 74LS165 .69 74LS668 10.95 74LS166 .99 31LS96 74LS166 1.95 31LS97 74LS166 1.75 31LS97 3.75 3		74L8137	.99	74L8424
3.95 74LS128 .55 74LS490 8.95 74LS145 1.20 74LS645 74LS145 1.35 74LS645 74LS148 1.35 74LS645 74LS151 .55 74LS645 74LS151 .55 74LS689 74LS153 .55 74LS689 74LS154 .90 74LS670 74LS154 .69 74LS682 74LS156 .69 74LS682 74LS157 .65 74LS683 11.95 74LS164 .59 74LS683 12.95 74LS164 .89 74LS683 10.95 74LS164 .99 34LS68 0.95 74LS164 .99 34LS68 0.95 74LS164 .99 34LS68 0.95 74LS166 .95 34LS68 0.95 1.49 74LS168 1.55 74LS68 0.95 1.49 74LS168 1.55 34LS96 0.95 1.49 74LS168 1.55 34LS98 0.95 1.49 74LS168 1.55 34LS98 0.95 1.49 74LS168 1.55 34LS98 0.95 1.49 1.45 1.55 34LS98 0.95 1.49 1.45 1.55 34LS98 0.95 1.49 1.45 1.55 1.55 1.55 1.55 1.55 1.55 1.55		74LS138	.55	74L5447
8.95 74LS145 74LS147 8.95 74LS148 1,35 74LS648 74LS148 1,35 74LS648 74LS151 35 74LS688 74LS153 35 74LS688 74LS154 1,90 74LS870 10,85 74LS154 1,90 74LS870 74LS156 39 74LS687 74LS156 39 74LS687 74LS156 39 74LS687 74LS687 74LS156 39 74LS6887 74LS6887 74LS156 39 74LS6887 74LS6887 74LS156 39 74LS6887 74LS156 39 74LS68887 74LS156 39 74LS688888 10,95 74LS168 3,95 74LS168 3,		74LS129	.55	74LS490
8.95 5.98 74LS148 74LS648 74LS148 74LS648 74LS151 .55 74LS648 74LS151 .55 74LS668 74LS154 .55 74LS668 74LS155 .69 74LS674 74LS155 .69 74LS674 74LS156 .69 74LS682 74LS157 .65 74LS684 74LS158 .69 74LS684 74LS168 .69 74LS684 74LS168 .69 74LS684 74LS168 .69 74LS685 10.95 74LS168 .69 74LS686 10.95 74LS168 .69 74LS688 74LS688 74LS688 74LS688 74LS688 74LS688 74LS688 3.95 74LS166 1.95 81LS96 3.95 74LS168 1.75 81LS96 3.78 74LS168 1.75 81LS97 81LS96		74LS145	1.20	74LS624
\$.95 74L5148 1,35 74L6645 74L8151 .55 74L8669 8.95 74L8153 .55 74L8669 74L5154 .90 74L5670 74L5156 .69 74L5682 74L5156 .69 74L5682 74L5156 .69 74L5682 74L5157 .55 74L5682 74L5158 .59 74L5682 11.95 74L5161 .55 74L5683 12.95 74L5161 .65 74L568 10.95 74L5161 .85 74L568 10.95 74L5164 .99 81L595		74LS147	2.49	74LS640
7.95 74.8151 .55 74L8688 74L8153 .55 74L8689 10.95 74L8154 .90 74L8670 74L8155 .89 74L8670 74L8138 .69 74L8687 11.95 74L8188 .59 74L8683 11.95 74L8186 .99 74L8686 12.95 74L8186 .99 74L8688 10.95 74L8163 .85 74L8688 10.95 74L8164 .99 81L896 ON 74L8166 .99 81L896 0N 74L8166 .99 81L897 74L8166 .95 81L897 74L8168 .95 81L897 74L8168 .95 81L897		74LS148	1.35	74L 6645
8.95 74L5153 ,55 74L5669 74L5154 1.90 74L5674 74L5155 .69 74L5674 74L5156 .69 74L5682 74L5157 .65 74L5684 74L5158 .69 74L5684 74L5163 .69 74L5684 74L5163 .69 74L5684 74L5163 .65 74L5685 74L5163 .65 74L5685 74L5163 .65 74L5685 74L5164 .59 61L596 74L5165 .95 61L596 74L5166 .95 61L596 74L5166 .95 61L596 74L5166 .95 61L597 74L5168 1.75 61L598		74L8151	.55	741.5665
10,95 10,95 10,95 11,97 11,97		74LS153	.55	74L 3659
ORS 74L5155 .89 74L5674 TE 74L5136 .69 74L5682 74L5157 .65 74L5682 11.85 74L5157 .65 74L5682 11.85 74L5151 .85 74L5684 12.95 74L5151 .85 74L5684 19.95 74L5152 .69 74L5685 10.95 74L5162 .89 74L5865 10.95 74L5162 .99 81L596 ON 74L5164 .99 81L597 74L5166 1.95 81L597 74L5166 1.95 81L597 74L5166 1.75 81L597 1.49 74L5166 1.75 81L597 74L5166 1.75 81L597		74LS154	1.90	74LS870
TE 741.5157 .65 741.5684 11.95 741.5157 .65 741.5684 11.95 741.516 .69 741.5684 11.95 741.5151 .85 741.5685 16.85 741.5152 .69 741.5889 10.95 741.5164 .89 811.895 ON 3.95 741.5164 .99 811.896 3.95 741.5166 1.95 811.597 741.5165 1.75 811.597 741.5165 1.75 811.597 741.5165 1.75 811.597 741.5165 1.75 811.597 741.5165 1.75 811.597 741.5165 1.75 811.597 741.5165 1.75 811.597	144	74LS155	.69	74L3674
11.85 741.8158 .59 741.8684 11.85 741.8150 .69 741.8685 12.85 741.8161 .55 741.8688 18.85 741.8162 .69 741.8689 10.95 741.8163 .65 741.8763 10.95 741.8164 .59 811.896 ON 741.8165 .95 811.896 1.85 741.8166 1.85 811.897 1.49 741.8168 1.75 811.897 741.8168 1.75 811.897 741.8169 1.75 811.897		74LS158	.69	74LS682
11.95 74L8180 .89 74L8885 12.95 74L5181 .85 74L8688 18.95 74L5181 .85 74L8688 10.95 74L8163 .85 74L8783 10.95 74L8184 .89 81L898 ON 74L8186 .95 81L898 1.95 74L8186 1.95 81L897 1.49 74L8188 1.75 81L897 1.49 74L5188 1.75 81L897		74LS157	.65	74LS652
12.95 74L5151 .85 74L5688 18.95 74L5162 .69 74L5889 10.95 74L5162 .69 74L5889 10.95 74L5164 .59 81L896 ON 74L5165 .95 81L596 3.95 74L5166 1.95 81L597 1.49 74L5169 1.75 81L597 3.75 74L5169 1.75 81L598		74L8158	.59	74LS684
18.85 741.5182 .69 741.5889 10.95 741.8163 .65 741.8763 10.95 741.8164 .59 811.896 ON 741.8165 .95 811.896 3.95 741.8166 1.95 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897 741.8186 1.75 811.897	11.95	74L8180	.69	74L9685
10,95 74L8163 .85 74L9763 10,95 74L8164 .89 81L896 ON 74L8165 .95 81L896 3.95 74L8166 1.95 81L897 74L8166 1.75 81L897 74L9169 1.75 81L897 74L9169 1.75 23L82821		74L5161	.65	74L8668
10.85 74L8164 .89 81L895 ON 74L8185 .95 81L896 3.95 74L8186 1.95 81L898 74L8168 1.75 81L898 3.75 74L8169 1.75 28L82821		74L5162	.69	74LS869
ON 7418185 .95 81L586 3.95 7418186 1.95 81L587 1.49 7418188 1.75 81L598 3.76 7418189 1.75 28182821		74L8163	.65	74LS783
3.95 74LB186 1.95 41LS87 1.49 74LS188 1.75 81LS98 3.76 74LS189 1.75 25LS2621		74LB164	.59	81L895
1.49 74LS188 1.75 81LS98 3.75 74LS189 1.75 25LS2521	ON	74LS185	.95	81LS96
3.75 74L5169 1.75 25L82521	3.95	74LB186	1,95	81LS97
	1.49	74LS168	1.75	81LS98
3.95 74L5170 1.49 25L82559	3.75	74L5169	1.75	25L82521
	3.95	74L5170	1.49	25L82559

74LS93 74LS95

74L\$96

74L5107 74L5109

74LS112 74LS113

74L5114

.55

.89

.39 .39 .36 .95

74L5364 74LS365

74LSJ68

74LS367 74LS36B

74LS373 74LS374

74L6377 74L6378

1.95

.45

.45 ,45 ,96 .85 1,35

1,90 ,45 1,15 1,15

1.15

2.95

1.95

2,20 1,65 1,45 9,65 3,20 3,20 3,20

3.20

3,20 24,95

1.45

1.45

4,25

Microdevices 1224 S. Bascom Avenue

San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 Telex 171-110

. 1983 JOR MICRODEVICES, INC.

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERIN PLEASE USE YOUR COSTOMER NUMBER WHEN OPERIN TERMS: For shipping include 32 for UPS Ground or 32 for UPS & Label Air. Hems over 5 pounds require additional shipping charge Foreign orders, include sufficient amount for shipping. There is a infinimum order, Bay Area and Los Angeles Counties add 6%% Si Tax. Other California residents add 5% Sales Tax. We reserve right to substitute manufacturer. Not responsible for typographi errors. Prices are subject to change without notice. We will make best any compelitor's price provided it is not below our cost. 2114 450 NS 8/\$995

2114 250 NS 8/\$1095

	74	00					LIN	EAR				RC	A			CMOS
10 11	.19	74132 74136	.45 ,50	LM301 LM301H	.34	LM340 (m		LM566 1.48	LM18		CA 3023 CA 3039	2.75	CA 3082	1.65	4000	,29 4527
12	.19	74141	.65	LM307	.45	LM350K	4.95	LM567 ,89 NES70 3.95	LM18		CA 3046	1.29	CA 3083 CA 3086	1.55 ,80	4001 4002	.25 4528 .25 4531
13	.19 .19	74142	2.95 2.95	H80EM1	,EB	LM350T	4.60	MES71 2.95	LMIB		CA 3059	2.90	CA 3089	2,96	400E	.86 4532
íS	.25	74145	.60	LM309H	1.15	LM359	.69 1,79	MESB2 2.76 LM709 .50	LM10		CA 3060 CA 3065	1.75	CA 3098 CA 3130	3,49 1,30	4007 4008	.29 4538 .95 4639
16	.29	74147	1.75	LM309K	1.25	LM376	3.75	LMT10 .75	LM18	1.95	CA appo	1.10	CA 3140	1.15	4009	.39 4541
17	.29	74148	1.20 1.35	LM310 LM311	1.75	LM377 LM378	1.95 2.50	LM711 .79 LM723 .49	LM18		CA 3081	1.65 A 3180	CA 3146	1,85	4010	.45 4543
19	-11	74157	,55	LM311H	.88	LM379	4.5Q	LM723H .55	LH29		-	W 7100	1.10		4012	,25 4563 .25 4555
0	.19	74152 74153	.65	LM312H LM317K	1.75	LM380	.89	LM723 .98	LM28			T		- 11	4013	.38 4556
12	.30	74154	1.25	LM317T	1.10	LM381	8 1.10 1.60	LM741 .35 LM741N-14 .35	LMZ9		TL494	4.20	75365	1.95	4014 4015	.79 6581 .39 4582
13	35	74155	.75	1M318	1.49	LM382	1.60	LM741H .4D	L.M39	.59	TL496	1,65	75450	,59	4016	.39 4584
16	.49	74155	.65 .55	LM318H	1.50	LM384	1.95	LM747 ,69 LM748 ,59	LM39		TL497 75107	3.25 1.49	75451 75452	.39	4017	.69 4595
17	.25	74159	1.65	LM319	1.25	LM388	.89	LM1074 1.19	LM39		75110	1.95	75453	.31	4018	.79 4702 .39 74C00
10	.19	74150	.65	LM320 (se LM322	e 7900) 1.65	LM387 LM389	1.40	LM1303 1.95	LM39		75150	1.95	75454	,39	4020	.75 74C02
12	.36	74162	.65	LM323K	4.95	TW380	1.35 1.95	LM1370 1,49 MC1330 1.69	LM39		75154 75188	1.95	75491 75492	.79 .79	4021	.79 74C04 .79 74C08
33	.29	74163	.69	LM324	.50	LM392	.60	MC1349 1,89	MC40	24 3.95	75169	1,25	75493	.89	4023	29 74C10
25	.25	74164	.85	LM329 LM331	1.95	LM394H LM399H	4.60 5.00	(41.1350 1.19 MC1358 1,59	MC4P RC41		75	1494	.00		4024	.65 74C14
27	.29	74186	1.00	LM334	1,19	NE531	2.95	MC1372 6,95	RC41			BIF	ET	- 1	4025	.29 74C20 1.66 74C30
18	.45	74367 74170	2.95 1.65	LM335 LM338	1,40	NESSS NESSS	.34	LM1414 1.59	LM42		TLOTT	.78 -78	TLOB4	2 44	4027	.45 74C32
12	29	74172	5.95	LM337K	3.95	NESSO	.65 1.50	LM1459 ,59 LM1488 ,69	LM454		TL072	1.19	LF347	2.19	402# 402#	.69 74C42 .79 74C48
13	.45	74173	.75	LM337T	1.95	NE561	24.95	LM1489 .69	LM134	1.28	TL074	2.19	LF351	.60	4030	.39 74073
37 38	.29	74174	.89	LM338K	6.95	NE584 LM565	2.85	LM1408 .85 LM1558H 2,10	LM131		TLOS1 TLOS2	1.19	LF353 LF355	1.90 1.10	4034	1,95 74C74 .85 74C76
10	.19	74176	.89		-						TL083	1.19	LF356	1,10	4040	.85 74C75
42	.49	74177 74178	.75 1.15		H = TO	-5 CAN	7:	TO-220 I	K TO-3		L	F357	1.40	-	4041	.76 74CB5
84	.65	74179	1.75						-						4042 4043	.69 74C86
45	.69	7418D	.75		74	500		INTERFA			VOL	TAC	GE		4044	.79 74CBQ
46	.69	74181 74182	2,25 ,75	74800	.32	745163	1.95	\$726 \$726	1.59	D	EGU	AT	ADG		4045	.85 74C93 .85 74C95
48	.64	74184	2.00	74502	.36	748168	3.95	AT96	.89					200	4049	.35 740107
50	.39	74195 74190	1.15	74803 74804	.35 .35	745169 745174	3.95 .95	3T96	.59	780ST 7808T	,75 ,75		OST OST	.85 .85	4050	.35 74C150
53	.23	74191	1.15	74805	.35	745175	.95	5797 8798	.89	7812T	,75		127	.45	4051	.79 74C151 .79 74C154
54	.23	74192	.79	74800	.95	748181	3.95	DM8131	2,95	7815T 7824T	.75 .75		115T 124T	.85 .85	4050	89 74C157
60 70	.23	74193	.79 .85	74909 74810	.40	749182 745181	2.95 1.95	DP8304 DS8835	1.99	7805K	1.39		105K		4066 4068	.39 74C160 .39 74C161
72	.29	74195	.85	74811	.35	745189	6.95	DS8836	99	7812K	1,39		112K	1,49	4069	.29 74C162
73	.34	74195 74197	.75	74815 74820	.35 .35	748194 745195	1.49	MISC.		7815K	1,39		115K	1.49	4070	.35 746163
75	.45	74198	1.35	74822	.35	745196	1.49	ULM2003	2,49	7824K	1,34		24K	1.46	4071	.29 74C164 .29 74C165
76	.35	74199	1.95	74830	.35	749197	1.49	3242	7.95	781.05	22. 88.)L05)L12	.79	4073	.29 74C173
80 81	,59 1,10	74221 74245	1.35	74532 74537	.40	749201 745225	6.95 7.98	3341 MC3470	4,95	781.12 781.15	.59		L15	.79	4075	.28 740174
92	.95	74247	1.25	74838	.85	745240	2.20	MC9480	9.00	78H05K	0.05		4325K	4.95	4076	.79 74C179 .29 74C192
83 85	.50	74248	1.85	7484D	.25	745241	2.20	11G90 95H90	13,95	78H12K	9,95	U	A74540	1.95	4081	.29 74C183
66	.59 .35	74251	1.95	74551 74564	.36 .40	745244 749251	2,20	2513-001 UP	9,95		T - TO-220		• TO-3		4082	.29 74C195
66	2,15	74250	2.25	74865	.40	745253	.95	2513-002 LOW	9.95		Lª	TO-92	_		4086	.95 74C221
90	.35	74265 74273	1.35	74574 74885	.59 1.99	748257 748258	,95 ,95								4093	.48 74C373
92	50	74275	1.25	74888	.50	748260	.79	IF YOU GA LET US KN PRICEI (SE	N FIR	D A PR	CE I NU	ER EL	SEWH	112	4098 4099	2.49 74C374 1.95 74C901
93	.35	74279 74283	.75 2.00	745112 745113	.50	745274	19.55	I FT IIS WIN	TIME AT	in illiali	मि तिस		214	310	14409	12,95 74C902
95	.55	74284	3.75	745114	.50	746275 746280	19.95	DBICEL (8	1		AUIN		17,114	1711)	14410	12.95 74C903 11.95 74C905
96	.70	74285	3.75	745124	2.75	748287	1.90	FRIGHT (S)	44 14	IIII BILL	(WIV)	-	and the		14412	12.95 74C906
100	2.75 1.75	74290 74293	.95	749132 749133	1.24	748288 748289	1,90	* Compu	or m	anageu	invento	iry —	VIPTUS	III	14419	7.95 74C907
107	.30	74290	.85	745134	.50	746301	6,95	no back	(ord	9P8!					14433	4.18 74C908 .85 74C909
109	.45	74351	2.25	745135	.00	748373	2.45	. Very co	mne	itius ne	ICASI				4503	.85 74C910
110	.43	74365 74366	.65	748138 748139	.85 .86	748374 748381	2,45 7.98	Friendi	100	41	Little);				4500 4510	1.95 74C911 .85 74C912
116	1.55	74367	.65	746140	.55	745387	1.95				-		And Division	141	4511	.85 74C914
120	1.90	74368 74376	2.20	745151	.95 .95	748412 748471	2,98 4.95	+ Fast se		— MUS	UUTUUT	58110	मेशक कर्म	UIII)	4612	.85 74C815
122	,42	74390	1.75	748157	,95	748472	4.95	24 hour	81						4514 4515	1.25 74C918 1,78 74C920
123	.49	74393	1.35	748158	.95	748474	4,95								4516	1,55 740921
125	.45	74425	3.15	749181 749162	1,95 1,96	748482 748570	15.25						-		4518 4519	.89 74C922
128	.55	74490	2.55	,	,,,,,,,,	749571	2.85	firm	sterCare			MEA			4520	.39 74C923 .79 74C925
												VISA			4522	1.25 74C926
-	LOC		14	TEPON	-	900	. 4								4526	1.25 74C928 74C928
	CILIT		170	ITERSIL		9000										1.44480

ORDER TOLL FREE

9.50 9.95 12.95 2.95 3.95 5.59

ICL7109 ICL7106 ICL7107

CL7660

ICM7207A

800-538-5000

3.75 3.75 3.75 5.26 2.25

EXAR

XR 2206 XR 2207 XR 2208 XR 2211 XR 2240

0-662-6279 (CALIFORNIA RESIDENTS)

2.95 8.25 5.95 1.95

ALL MERCHANDISE 100% GUARANTEED

1,00 2.50 3.95 9.95 .75 1.50

CALL US FOR VOLUME QUOTES

ACQUISITION

DAC0508

DAC1020 DAC1022

MC1408L6 MC140BLB

DATA

15.55 3.49 4.49 8.95 4.95

ADC0800 ADC0804 ADC0809 ADC0817 DAC0800

1983 JDR MICRODEVICES, INC.

CIRCUITS A5314 A5369 A5375

A58167 A58174 M5832

3.95 4.95

8.95 11.95

SOUND CHIPS

76477

76469 AY3-8810

AY3-8912 MC3340

1.75 2.45 2.45 .39 .85 .85

,95 1.00 2,00

9.95 8.95 8.95 1,95 1,19 2,75 17,95 19,95

4.49 4.95 5.95 7.95 7.95

3,95 8,95 12,95 12,95 1,49

CAPACITORS

		TA	NT	ALI.	IM		
	8V	107	157	20V	25V	35V	SOV
.22u/						.40	
.27						.40	
.23						.40	,48
.47				.35			.50
.58						,45	.50
1.0			.40	.40	.45	,45	
1,5				.45		.50	.01
1.6							.75
22		.25	.40	.45		.66	.81
2.7		.40	.42				.90
3.3		.45	.50	.55	.60	.65	.90
3.0		.44					
4.7	.45	.55		.60	.85	.85	.90
6.0			.60				
6.8			.70		.75		
1.1							1.00
10	.56	.85	.80	.85	.96	1.00	
12	.65		.45	.80			
15	.75	.65	.90				
18			1,25				
24		1.00	1.35				
27			2.25				
5 P		1,50					
47	1.05						
56	1.75						
100		3.25					
270	3.75						

		DI:	SC		
10pl	50V	.05	470	50Y	.05
22	50V	.05	560	SOV	.05
25	50V	.05	680	50Y	.05
27	50V	.05	820	50Y	.05
33	50V	.05	.001uf	50Y	.05
47	SOV	.05	.0015	SOV	.D5
56	SOV	.05	0022	50Y	.05
68	50V	.05	.005	50V	.05
62	SOV	.05	.01	50V	.07
100	SOV	.05	.02	SOY	.07
220	SOV	.05	.05	SOV	.07
330	50V	.05	.1	12V	.10
			.1	50V	.12

MONOLITHIC

ful-mona	Enti	18	42.4 004	
	SAA	6.4	.47uf-mono 50V	.25

ELECTROLYTIC

			CIR	OLI		
		RADIAL			AXIAL	
	.47u1	50Y	,14	tol	SOY	.14
	1	25Y	.14	4.7	187	14
	2.2	35Y	.15	10	184	.14
	4.7	50V	.15	10	SOY	.16
	10	50V	.15	22	189	.14
	47	35V	.18	47	50Y	.20
	100	16V	.18	100	15Y	.20
	220	35V	.20	100	35Y	.25
	470	25 V	.30	150	25Y	-25
	2200	16V	.60	220	25V	.30
				330	16V	.40
	COMPUTER GRADE			500	16¥	42
				1000	16V	.60
	G	KAUI		1500	16V	.70
	26.500	WIE PE	3.95	6000	169	85

WIREWRAP CARDS

FR-4 Epoxy Glass Laminate With Gold-Plated Contact Fingers

S-100 BUSS

P100-1	Bare - No Foll Pads	15.95
P100-2	Horizontal BUSS	22,95
P100-3	Vertical BUSS	22,95
P100-4	Single Foil Pads Per Hole	23.95
	10015	

APPLE

P500-1	Bare - No Foil Pads	15.95
P500-3	Horizontal BUSS	22.95
P500-4	Single Foil Pads Per Hole	23.95

IBM

IBM-PR	BUSS Lines + Pads	55.00			

	GENERAL PURPOSE	
2	22/44 PIN (.156" SPACING)	
P441-3	Vertical BUSS, 4.5" x 6"	13.95
P442-3	Vertical BUSS, 4.5" x 9"	14.95
	36/72 PIN (.1" SPACING)	
P721-3	Vertical BUSS, 4.5" x 6"	13.95
P722-3	Vertical BUSS, 4.5" x 9"	14.95

IF YOU CAN FIND A PRICE LOWER ELSEWHERE, LET US KNOW AND WE WILL MEET OR BEAT THEIR PRICE! (SEE TERMS BELOW)

OPTO-**ISOLATORS**

1.00	MCA-7	1.50
1.10	MCA-255	1.75
40,	IL-1	1.25
1,73	ILA-30	1.25
1.25	ILQ-74	2.75
1.25	H11C5	1.25
1.00	TIL-111	1.00
1.50	TIL-113	1.75
	1.10 ,69 1.73 1.25 1.25 1.00	1.10 MCA-255 .68 IL-1 1.73 ILA-30 1.25 ILQ-74 1.25 H11C5 1.00 TIL-111

DIODES

1N751	5.1 volt zener	.25
18759	12.0 voll zener	.25
1N414B	(1NB14) switching	26/1.00
1N4004	400PIV rectifier	10/1.00
KBP02	200PIV 1.5amp bridg	e .45
KBP04	400PIV 1.5amp bridg	e .55

MUFFIN FANS NEW UN-USED

4.68" Square	14,95
3.125" Square	14.95

SWITCHES

	_
SPDT mini-toggle	1.25
DPDT mini-toggle	1.50
SPDT push-button	1.49

TRANSISTORS

2N918	.50	MP\$3706	.15
MP9918	.25	2N3772	1.85
2N2102	.50	2N3803	.26
2N2218	.50	2N3904	-10
2N2218A	.50	2N3906	,10
2N2215	,50	2N4123	.25
2N2219A	,50	2N4123	.25
2N2222	.25	2N4249	.25
PN2222	.10	2N4304	.75
MP\$2369	.25	2N4401	.25
2N2484	.25	2144402	.25
2N2905	.50	2144403	.25
2N2907	.25	2N4857	1.00
PN2807	.125	PN4916	.25
2N3055	.70	2N5085	.25
3055T	.80	PN6129	.25
2N3393	.30	PN6139	.25
2N3414	.25	2N5209	.25
2N3563	.40	2NE028	.35
2N3565	.40	2NB043	1.75
PN3565	.25	2N6045	1.75
MP53636	.25	MP8-A05	.25
MP83640	.25	MPS-A08	.25
PN3843	.25	MPS-A55	.25
PN3644	.25	TIP28	.85
MPS3704	,15	TIP31	.75
		TIP32	.79

HEAT-SINKS

TO-3 style	.91
TO-220 style	.3

IC SOCKETS

	1-83	150
8 pin ST	.13	.11
14 pin ST	.15	.12
16 pin ST	.17	.08
16 pin ST	.20	.18
20 pln ST	.25	.27
22 pin ST	.20	.27
24 pin \$T	.30	.27
28 pin ST	AO	.32
40 pin ST	.49	.39
64 pin ST	4,25	Call
ST = SOL	DERT	AIL
# pin WW	.50	.49
14 pin WW	,69	.62
16 pin WW	.49	.49
18 pln WW	.99	.90
20 pln WW	1.09	.98
22 pin WW	1.39	1.28
24 pin WW	1,49	1.35
28 pln WW	1,69	1,49
40 pin WW	1.99	1.60
MM = MI		
16 pin ZIF	6.75	call
24 pin Zif	9.95	cell
28 pin ZIF	10.95	cell
ZIF = TE		
(Zero Inser	tion Fe	NC#)

DIP CWITCHES

SWILCH	63
4 POSITION	,85
5 POSITION	.91
5 POSITION	.94
7 POSITION	,96
a POSITION	.98

MasterCar

Т	VISA	

LED LAMPS 1-99 100-44 Jumbe Red .09 Jumbo Gree .15

.18

I ED DISDI AVS

LED	Diar		,
MP 5082-7760	.6"	CC	1.29
MAN 72	-3"	CA	.99
MAN 74	.3"	CC	.99
FMD-357 (388)	.375"	CC	1.25
FND-500 (503)	.5"	CC	1,48
FND-507 (510)	.5"	CA	1.48

BYPASS CAPS

.01	UF DISC	100/6.00
.1	UF DISC	100/8.00
.1	UF MONOLITHIC	100/15.00

RESISTORS

WATT 5% CARBON FILM ALL STANDARD VALUES FROM 1 OHM TO 10 MEG OHM 50 PCS. SAME VALUE .025 100 PCS. SAME VALUE .02 1000 PCS. SAME VALUE 015

JDR Microdevices

1224 S. Bascom Avenue San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

. 1983 JDR MICRODEVICES, INC.

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: For allipping include \$2 for UPS Ground or \$3 for UPS Blue Lebel Air. Herns over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6½% Sales Tax. Other California residents add 6½ Sales Tax. We reserve the right to aubstillute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or best any competitor's price provided it is not below our cost.

MICROCOMPUTER HARDWARE HANDBOOK

FROM ELCOMP - \$14.95 ver 800 pages of manufacturers data eets on most commonly used IC's.

-74/74LS and 74F

CMOS Voltage Regulators

Memory — RAM, ROM, EPROM CPU's — 6800, 6500, Z80, 8080, 8085, 8086/8

MPU support & interface — 6800, 6500, 280, 8200, etc.

BEST SELLING BOOKS

OSBORNE/MC GRAW-HILL

Apple II User's Guide			•	8				18.95
CRT Controller's Handbook		+	+	4				9.95
68000 Assembly Language				•		i		
Programming					4	A	le-	18.99
CBASIC User Guide	E é	+	ę	+	•	0	,	15.00
SYBEX								
Your First Computer			ø		n			8.95
The CP/M Handbook	- 0	+	4	+		±		14,95
The PASCAL Handbook				a	ė			18.95
Microprocessor Interfacing								
Territorium			_				_	17.96

TRANSFORMERS

FRAME STYLE

SVAC	2emp	4.95
AVAC CT	2emp	5,95
AVAC CT	4amp	7,95
LEVAC CT	Samp	10.95
ZVAC CT	2amp	7,95

WA

W

	LUG CASE SIT	LE
C	250mg	3.95
C	500ma	4.95
C	Jamp	5.95
C	2amp	5.95

DC ADAPATER

8, 12 VDC selectable with universal adapter

OTE: Please include sufficient amount for Apping on above Hems.

DISK DRIVES TANDON

TM100-1 6W" (FOR (BM) \$5/00 229,00 TM100-2 5%" (FOR IBM) D9/DD 295.00

SHUGART

SA 400L 5H" (40 TRACK) 88/DD 199.95 SA 400 5W" (35 TRACK) 58/DD 189.95

SIEMENS

FD100-8 a sa/00 (801 REPLACEMENT) 259.00 PERTEC

FD-200 sw sa/pp 179.95 FD-250 5% DS/DD 199.95

MPI

MP-52 5%" (FOR IBM) DB/DD 295.00

NOTE: Please include sufficient amount for shipping on above items.

CABINETS FOR 51/4" **DISK DRIVES** CABINET #1 \$29.95

- ★ DIMENSIONS 8% x 51% x 31% 6"
- * COLOR MATCHES APPLE
- ★ FITS STANDARD 5½" DRIVES. INCL. SHUGART
- * INCLUDES MOUNTING HARDWARE AND FEET

CABINET #2 \$79.00

- * COMPLETE WITH POWER SUPPLY, SWITCH, LINE CORD. FUSE & STANDARD POWER CONNECTOR
- * DIMENSIONS: 111/2 x 51/4 x 31/1/6"
- * +5V @ 1 AMP, +12V @ 1.5 AMP
- * FITS STANDARD 51/4" DRIVES
- * PLEASE SPECIFY **GRAY OR TAN**

NOTE: Please include sufficient amount for shipping on above liams.

JDR SPRING SPECIALS

SA400 \$189.95

* 35 TRACKS

2114 450NS (TMS4045)

2114 250NS (TMS4046)

- * REPEAT OF A SELLOUT
- * LIMITED SUPPLY (AGAIN)
- * MODIFY FOR USE IN APPLE (EXPERIENCED TECHNICIANS)
- * USE WITH CABINET #1 TO MAKE A BEAUTIFUL APPLE COMPATIBLE DRIVE

MODIFICATION INSTRUCTIONS \$1.00 34 PIN EDGE CARD CONNECTOR MATES TO RIBBON CABLE \$3.25

MEMORY SALE 8/9.95

8/10 95

2102L-4 LOW POWER			OR .49 ea.
E 102E - DON FORCE	שעה פוווטני	100	UN 140 EU.
4164 200NS	5.95	Z80A-CPU 4MHZ	4.95
HM6116-4 200NS	4.75	8080 2MHZ	3.95
TMM2016 200NS	4.15	8085 3MHZ	5.95
2732 450NS	4.95	8086 SMHZ	29.95
TMS2532 450NS	5.95	6800 +MHZ	3.95
2764 450NS	9,95	68000 BMHZ	59.95

COMPONENTS

LM1488 or LM1489 .69 ... 7805T or 7812T .75 ... 16 PIN LOW PROFILE ST IC SOCKETS 100/8.00 16 PIN TOOLED WIRE WRAP IC SOCKETS 49 EA.

SPRING SPECIALS ARE GOOD ONLY UNTIL MAY 31, 1983

POWER SUPPLY MODEL 2 \$39ss

MOUNTED ON PC BOARD MANUFACTURED BY CONVER

> +5 VOLT 4 AMP ±12 VOLT 1 AMP

NOTE: Please include sufficient amount for shipping on above (tems.

CONNECTORS

100 FOR .99 ea.

100 FOR 1.99 ea.

RB232 MALE R5232 FEMALE 3.25 R5232 FEMALE RIGHT ANGLE 5.25 R\$232 HOOD 1,25 3.95 4.95 2.85 9-100 ST 8-100 WW 44 pin BT 44 pin WW 72 pin 9T KOK

RIBBON CABLE

ONTACTS	SINGLE	COLOR	COLOR CODED		
	1'	10'	1'	10'	
10	.50	4.40	.83	7.30	
20	.65	5.70	1.25	11.00	
26	.75	6.60	1,32	11.60	
34	.98	8.60	1.65	14.50	
40	1.32	11.60	1.92	16.80	
50	1.38	12.10	2.50	22.00	

D-SUBMINIATURE

DESCRIPTION	SOLDER		RIGHT ANGLE SOLDER		RIBBON CABLE		HOODS	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	BLACK	GREY
ORDER BY	DBxxP	DBxxS	DEMMPR	DBxxSR	IDBuxP	IDBuxS	HOOD-B	HOOD
CONTACTS 9	2.08	2.66	1,65	2,18	3.37	3,69	-00-	1,50
15	2.69	3.63	2.20	3.03	4.70	5.13		1.60
25	2.50	3,25	3.00	4.42	6.23	6,84	1,25	1.25
37	4.80	7.11	4.83	6.19	9.22	10,08		2.95
50	8.06	9.24	_	_	_	_	_	3.50

For order instructions see "IDC Connectors" below.

IDC CONNECTORS

DESCRIPTION	SOLDER HEADER	RIGHT ANGLE SOLDER HEADER	WW HEADER	RIGHT ANGLE WW HEADER	HEADER SOCKET	AIBBON HEADER	RIBBON EDGE CARD
ORDER BY	1DHxxS	IDHXXSR	IDHxxW	IDHxxWR	IDSxx	IDMxx	IDEXX
CONTACTS 10	.82	.85	1.86	2.05	1.15	_	2.25
20	1 29	1,35	2.98	3.28	1.86	5.50	2.36
26	1.68	1,78	3,84	4.22	2.43	6,25	2.65
34	2.20	2.31	4.50	4,45	3,15	7.00	3,25
40	2.58	2.72	5.28	4,80	3,73	7.50	3.80
50	9.94	2 20	8 87	7.25	4.65	8.60	4.24

ORDERING INSTRUCTIONS: Insert the number of contacts in the position marked "tur" of the "order by" part number listed. Example: A 10 pin right angle solder style header would be IDH10SR.

SPRING APPLE SALE!

FD-35 DISK DRIVE

By MA Systems

- Direct Replacement for Apple Disk II
- Compatible with Apple Controller or other Apple compatible controllers
- ★ Specially designed electronics with low power consumption
- ★ DOS 3.3 and 3.2 compatible
- ★ Owner's Manual and Warranty Card included
- * 90-day Warranty

INTRODUCTORY \$22995

CONTROLLER CARD \$89.95

APPLE II KEYBOARD 999.95

From the Keyboard Co.

- * Brand New Rev. 7 keyboard NOT an imitation
- Special Purchase Supply very limited
- ★ Includes Encoder Board and Cable

APPLE COMPATIBLE POWER SUPPLY \$99.95

- * Compact Switching Design
- * All Outputs regulated
- Short Circuit and Overload Protection
- * Complete with Apple-type plug-in power cord
- Apple Compatible Yet higher output allows more disk drives and cards without overheating
- * +5V @ 5A, +12V @ 3A, -5V @ .5A, -12V @ .5A
- * Shielded enclosure: 10%" x 3%" x 2%s"

VIEWMAX 80

A Full Function 80 column card for Apple II*

2 YEAR WARRANTY

\$19995

NEW IMPROVED JDR COOLING FAN FOR YOUR APPLE II

- ★ Easy modification no modification of Apple required
- ★ Eliminates overheating problems
- * Switch on front controls fan, Apple, and extra outlet
- * Rotron whisper fan is the quietest, most reliable on the market

NOW WITH SURGE SUPPRESSION \$69.95

WITHOUT SURGE SUPPRESSION 159.95

INTERFACE CARDS

By Perisoft PRINTERLINK '79.00

* Centronics Standard Parallel

Interface for Apple II

- * Simple to use Yet supports custom driver applications from ROM or Disk
- Includes card, cable and user's manual
- * 1 Year Warranty MESSENGER *119.00
- * Serial I/O for Apple II
- * Connects virtually any RS-232 serial device
- * 6 switch selectable drivers:
 - 4 printer drivers
- Terminal Driver 40 or 80 driver
- Includes card, cable and user's manual
- * 1 Year Warranty

OKIDATA PRINTERS

- * 120 cps, 9x9 Dot Matrix
- * 50% faster than EPSON
- ★ Parallel and Serial interfaces are standard

ML-82A \$479⁵⁰ ML-83A \$699⁹⁵

ML-84 PARALLEL ... \$105900

CALL FOR PRICES ON 82A TRACTOR OPTION AND 82A, 83A GRAPHICS OPTION. CABLES AND INTERFACE CARDS AVAILABLE

JDR 16K RAMCAR

For Apple II*

- * Expand your 48K Apple to 64
- * Fully compatible with Apple Language System — Use in place of Apple Language care
- ★ Provides extra memory for Visicalc™
- Run PASCAL, FORTRAN, Integer Basic with appropriat software
- Highest quality card features gold edge connector, sockets for all IC's

NOW WITH 2 YEAR WARRANT

ASSEMBLED & TESTED \$449

PARTS & INSTRUCTIONS... \$40

BARE PC CARD WITH INSTRUCTIONS..... \$149

MONITORS

GREEN PHOSPHOR

NEC JB1201M \$169

ZENITH ZVM-121

COLOR

\$119

AMDEK COLOR 1 \$335

ORDER TOLL FRE 800-538-5000 800-662-6279

(CALIFORNIA RESIDENTS)

51/4" DISKETTE

ATHANA SS SD SOFT ... 24. MEMOREX SS SD SOFT 26.

VERBATIM SS DD SOFT 29.

VERBATIM 10 SECT HARD 29.

NASHUA

TOP QUALITY — LOW PRICE Single Sided, Single Densit Soft Sectored with Hub Rin

\$19.95 BOX OF 10

JDR Microdevices

1224 S. Bascom Avenue San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

a 1983 JDR MICRODEVICES, INC.

VISIT OUR RETAIL STORE
HOURS: M-W-F, 9-5 T-Th., 9-9 Sat, 11-

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Bit Label Air. Herns over 5 pounds require additional shipping charge foreign orders, include sufficient amount for shipping. There is 8 minimum order. Bay Area and Los Angeles Counties add 61/1/5 Sal Tax. Other California residents add 65/5 Sales Tax. We reserve tright to substitute menufacturer. Not responsible for typographic errors. Prices are subject to change without notice. We will match beal any competitor's price provided it is not below our cost.

* APPLE IS A TRADEMARK OF APPLE COMPUTER CO.

Unclassified Ads

FOR SALE: Twee Teletype Model 43 teleprinters (all with upperflowercase) and three Texas Instruments Model 745 portable teleprinters. Two Model 43s have RS-232C and 20-ma current loop interfaces, one has modern. The TI Model 745s are silent. 700 with built-in moderns. RS-232C senal parts, and 20-ma current loop. All systems are approximately 1-2 years old, in very good condition. Teletype Model 43: \$450. TI Morel 745, \$500. Tom Radii. [714] 947-3440.

FOR SALE: BYTE September 1975 to February 1979 (January 1976 issue missing) \$125. Also, hist 14 issues of Kinthaus McLius in public, \$35. All in minic condition, shipping included. Witham Bates, 2246 Connell Terrace, Baldwinsville, NY 10027. FOR SALE: Sinclair ZX80 with 1K RAM. 4K BASIC ROM. Comes complete with cassette and TV cables, power supply. TV connector, and manual Includes software cassette with various programs. 385. Michael Kuchta, 166. Meriden Ave., Southington, CT 06489.

FREE; Electronic components and subassembles, approximately 300 lbs, of recent writage parts for donation to a qualified nonprofit organization. Also, BYTE Vol. 1, numbers 1, 4, 13, and 14, Vol. 2, number 1 through current, best offer 55 issues of involuce Arr. Vol. 2 through 7; best offer Ray Robertson, 7 Mechanic St., Dover, NJ 07801, (201) 361-1221.

FOR SALE: One RCA VIP 4K RAM (1802 Cosmac) singleboards computer with all obcurrentation and the following boards color, sound, expansion any RASIC, and RCA keyboard, best realistic offer Also, BYTE magazine issues between 1/78 and 1/82, best offer Would also like to trade Atan AOV/800 public-domain programs. Henry Will, 248 Perry St., Dover, NJ 07801, (201) 356-8366.

WANTED: I am looking for a serial interface for the Okvetti Praisis 35 electronic typewriter. It must be compatible with an RS-232C connection Send your price for the interface I will also pay a reasonable price for a tested schematic. Kenton M. Chun. 6580 Santona St. #38, Coral Gables, Ft. 33146

FOR SALE: Hewest-Packard HP-85 microcomputer with 32k main memory. HP 8-rich double-seed double-density disk dive 2.36 million bytes permanent-storage drive unit includes HP-88 interface cable with all RCMS. Has full graphics, fast thermal printer. HP-85 carrying case, financial and standard paks 56500 Carter Mebane, POB 1762, Witnington, NC 28901 WANTED: Used HP-7225 plotter. 85-13038 Graphics Presentation Pac. and 17601A. Opt 085 Personality Middule.

C.B. Campbell 222 Glenview Dr. Des Moines IA 50312.
FOR SALE: Zendt 2-89 processor logic board (85-2208-1) with 64K RAM and latest ROMs, excellent working condition: 5500. Three single-density disk I/O boards (85-2219-1) for Health/Zentin H-/Z-87-150. N. McLann. West 507 Euclid. Spokane. WA 79205. [509] 328-4185.

FOR SALE: Zenth 19-inch monitor (CV1950) with RGB, video, and audio inputs. Used once: 5400. Also, a Contribudore KNA-I Godbout it 8K memory, and documentation 5200. Marvin Green, 22262 Southwest Stafford, Tuateon, OR 97062.

FOR SALE: Telatroniu 4014-1 19-inch high-resolution graphics terminal. As is \$400 or best offer Steve Ligett Davy Hill. South Royalton, VT 05068, (802) 763-8894

FOR SALE: Intertee Compustar Model 10, 64K Intelligent terminal, still in factory box, list \$1300, sale price \$500. Bill O'Nerl. 806 Parma, Coral Gables, FL 33146, (305) 537-1761

FOR SALE: Vector Graphic System-8 complete with extensive software. 280, 64K. two Micropolis 370K drives and a Hayes Micromodem. CP/M 2.2. ASM. Scope. MBASIC-5. FORTRAN, Peachtree Accounting, Memorite III word processing. Execupian II and Scratchpad spreadsheets, dBASE II, Microstat statistics, Statgraph graphs, Crosstalli comm, and others, also, 100-pius Memorite distil. First-quality system for serious computing. 53250. Leons Kowsars, Suite. 112, 445 Unión Blvd., Lakewood, CO 80228, J303, 989-7906.

FOR SALE: TRS-80 Color Computer, Extended Color BASIC, 32K. All ongrial equipment plus joysticks, recorder, dust cover and software available in carrindges and cassettes. Extras, tike new, hardware alone: \$725. Total value over \$1000, asking \$500. Will negotiate. Mike Smith. 2457 Pioneer Rú., Evanston. IL 60201, [317] 869-9829 after 6 p.m. CT.

FOR SALE: Netronics ELF II microcomputer trainer, two 4K memory boards, gant board, and lifuge board. Software on cassettle ELF-BLIG monitor tiny BASIC, assembler, or assembler, and rest ecitor. Documentation includes RCA (BD2 uses manual, short course on tiny BASIC, all schematics, and additional software. All in excellent condition. Worth over 5500, bed offer Robert Widekia, 1420 Plain #1, Las Chices.

NM B8001. (505) 522-3075 or 646-4401 FOR SALE: Liquid-pipeline program for HP-41C calculator Computes pressures and horsepower required at each pump station for a multi-pump station pipeline. Allows for peaks and control points on pipeline profite. 50 pairs of profile points and 10 pump station locations can be input. Output can be formatted to pint surtion and discharge heads for plotting hydraulic gradient. Magnetic cards with documentation. \$30. Shashi

Menon, P.E. Box 2533. Corona CA 91720.
WANTED: SS-50 disk controller (preferably GIMIX #58 or #48) and DOS (Flex X-0) for 6800. Send details and price Chairle Hoffpaux, 2603 Perry Lane, Alvin TX 77511.

FOR SALE: ASR 33 Teletype with acoustic coupler 3400 Commodore 8096 96% (with UCSD Pascal compiler) 51600 Commodore 9000 Super PET with BASIC. FORTRAN, APL, Pascal assembler 51600 Commodore 8050 dual drial drive and controller 51600 Epson MX-100 printer with Graftean and IEEE interface 5800 Suftware free with above computers, business programs, games, and more Andrew Ring, 267 Middle Rd., Yarmouth, ME 04096

WANTED: All kinds of programs in French for the Apple II or CPTM Birnon Exchanges are also possible Boo Gradan 107 Howard St. Ashland, VA 23005

FOR SALE: Graduate student who owns a Sinctair 2X81 with 64K module has over 500 programs available to sell, trade etc. Would also like to exchange tips and information. Programs are predominantly one-med for business, household, and

yames Craig Passman, POB 4131, Hammond, LA 70402 FOR SALE: Digital Group System 5, 280, 328, two 8-inch disk drives. full keyboakt, 9-inch monitor, printerlaudio-visual interface CPM-compatible, MCOZ MainBASIC, Opus, CBASIC, utilizes, and software: \$2750, Sandor Valner, Cafetol. 51, DF 11700, Mexico, 1905; 596-2782.

WANTED: Documentation and software for Wang 2200-WSF4A SN EF-2064 Will pay reasonable charge for original or duplicate copy or I will provide deposit while I copy Jim Elrod, 1315 Birch Creek Or Kingwood TX 77339, [713] 358-0024

FOR SALE: thus 8051 single-chip microcomputer System Design kir (SDK-51) with complete hardware reference manual monitor listing and 8051 assembly-language programming manual Doginally \$1200 from Intel Make an offer check or money order forn-Lee Apt 8. 633 South 8th St., San Jose, CA 95112, (408) 946-3000 ent 501 days and 294 0607 evenings. FOR TRADE: SwTPC system boards. MPA2 monemoard, 6800 with Percom 6809 adapter, 6845 video-graphic board, 64K dynamic methody board, MPLA. All populated except memory board. With table for 5M-inch disk drive of printer. Raud., 637 Cameron. Ave. Windson. Ontano. N98, 127.

FOR SALE: 5wTPC 6800 with two 16K and three 4K RAM. senal/parallel. control and disclick/calendar boards. MF-68 diskmiterface board. Microtck MT80P printer: Microterm ACT-1 terminal, and disk software 5900 or best offer. Will sell individual items, send for complete kis. Jim Hall. 2063. 108th Ave... Otsego, MI 49078. [616] 694-9760.

FOR SALE: Own Scientific CPP with minifippity Color graphics, sound modern and printer ports, PIA ports, all necessary cables, and assorted disks complete with operating system. Also, various game and unity programs. Best offer raites all Andrew Hunt. 34 Sans Souri Dr. Plawling, NY 12564, 1914. B55-1073.

POR SALE: Commonote 2022 tractor-feed pinter. Uppercase and towercase. PET graphics, expanded characters, and formatted lines, includes PET to IEEE cable, manual, and several programs. § 495. John E. Barnes. § 3. Acott. Dr.: Wilmington, DE 19808, [302] 772-4085 days, 994-7831 evenings. WANTED: Self-study courtes on computers by Sybes, Heathlist of NRI. Should be complete and in global condition Send description of course and price. Dan Williams, POB 1321 Culleordate, Th. 37315.

FOR SALE: BYTE 24 ISSUES from 1978 to 1980 bettler Age 4 Issues from 1977 to 1978 followed Man Types 1 27 ISSUES from 1978 to 1980 introduced history 1977 ROM 1 Issue from 1977 ROM 1 Issue from 1977 Per Types 1 1 Issue from 1977 Per Types 1 1 Issue from 1979 Per Man Rader Rt. 2 80s 56, Burnishie MC 28714

FOR SALE: Osborne I including all software \$1500 Also. Epson MX-80 III F7 printer and cable: \$500 Prices include shipping and insurance. Used only a few months. Thomas Bailey, \$628 Adams Ave. San Diego CA 92116, (619) 296-6801. FOR SALE: OSI C24P++ with 6502 at 2MHz 24K RAM, expandiable to 48K, 8-mch dish drive, OS-650 V3.3 DOS, 32 by 32 or 32 by 64 video display, 256 by 512 effective screen resolution, 65-232C, and two OSI VO buses for additional enter-

resonation: e3x2522, and over LSt violusies for administrates and I/O. Also. EPROM programmer high-speed analog I/O, home security or AC remote-control systems and loss of software System works fine, in very good condition. Paid over \$2200, will sell for \$1200 or best offer from Grant, 4343 Clid Fort Rt. Klamath Fails, Cit 97601, (503) 983-2826.

from SSM. A little over 1 year old, perfect working order. Cost 5490 new. \$375 or best offer. Howard Spinole. 2087; Southwest Winema Dr., Tuataun, OR 97062, 1903; 692-678. FOR SALE: Two Tandon TM-100-1 drives mounted in an external cabinet including power supply. \$400 or best offer. 18M-64K memory board. \$200 or best offer. Temy Sellick, POB-649. Belividere, IL 61008. WANTED: Public-domain CP/M-2.2 unities, etc., and BOBD. XM solvice code, if possible. Will use reasonable cooking and

FOR SALE: SSM V83A video board for 5-100 bus with 80 by

24 display, many screen attributes, and graphics includes dish

of software drivers for intelligent terminal emulation for VB3A

WANTED: Public-domain CPIM 2.2 unlikes, etc., and BOBO ASM source code, if possible, Will pay reasonable copying and handling charges. Will also swap what I have. Need Norm Sta-5W-inch format, OS/DD preferred. Send description and usage with any known bugs. Philip Bond. 27 Shaton Dr. Spring Valley, NY 10977, [914] 425-2550 evenings.

WILL SHARE: Apple II software found useful by a school guidance/courseling department includes information on selecting a career, commercial programs helpful to counselors and has storing, retrieving, and soning capabilities. Send large SASE for information. Reith 1. Dieberg, Guidance Dept., Aubulm. Adventist. Academy, 5000. Auburn. Way 98002.

FOR SALE: Two years of 8YTE magazine, numbers 1 through 24 Good to excepted condition. Best offer John Steiner. 508 4th Ave. NW, Riverside. ND 58078. (701) 282-0293

WANTED: 6809 First user would like to correspond with other users to exchange programs and deas. Need business applications, games, scientific programs, and control applications have several disk utilities running under TSC Fiex C 3. Sevenin POB 2023, Beaverton, OR 97075, (503) 646-1545.

FOR SALE: IMSAI 22-slot. S-100 system with 28-amp supply front panet, Cromemor ZPU processor board (280 has 2 or 4 MHz), SOS Expandoram with 48K installed, Warneco EPM-2 EPROM board for 2708s or 2716s, Godbout #106 active terminator board, Also, onginal IMSAI 8080 processor and 4K RAM boards. All in working order with original boxes and manuals. 5700 plus postage from Lowery. Rt. 2 Box 706 Georgetown. KY 40324, (502) 863-6165.

FOR SALE: Compucator II. 16k RAM (expandable), screen refresh RAM, 27k system ROM including BASC, bush-in No-in-infinity partial system ROM including BASC, bush-in No-in-infinity partial system (e.g. 128 by 128 eight-color graphics, 32 by 64 ASCII, uppercase and towercase, sound board RS-232C port, and a 101-key keyboard. Software includes Star Trek: database, chess, income tax, sound effects, music, etc. Complete manuals and schematic. Operating system (stang. Originally over 52000 with sell for \$5599. Vick Bennison, 7 Georgetown Dr., Amheris NH 03031 (603) 673-9073.

FOR SALE: TRS-80 Model I. 16K. Level II. tape system with 42 tapes of \$300 worth of software: assentiaer, debugger, people's Pascat. Basex compiler: Duryunquest. Asteroids: Microchess. FSI Flight Simulator. Typing Tutor, The Game of Life. and more \$650 or trade for Apple Fred Stahl. 14872 Sycamore Manor Dr., Chesterlield, MiD 63017 [314] 532-7799 FOR SALE: SWIPC 6800 8K RAM, MPS. MPLA. \$200 Thomas Video RAM. \$75 Jaméco kéyboard with case \$110 DC3 Disk Controller \$150, 64K dynamic RAM with 64K \$360 AC30 \$40 CT-64 \$75 as is Ray Litter Box \$207. Virginia Beach, VA 23455

WANTED: A deal on a good quality primer with suitable interface, allowing it to run with Commodore PET 4032 and Paper Mate word processor. Correspondence or letter quality OK M Billik. 412 Hollybrook Dr. Midland MI 48640. [517] 631-7507, weekends or after 5 p.m. on weekdays.

FOR SALE: Onyx 20 MB hatd-disk computer, almost nevr. in perfect condition. Two Televideo 950 terminals with a detachable keyboard. One Disblo 630 Phinser R. W. Peterson (504) 387-1463.

FOR SALE: SOROC IO-170, mint condition, just burned in \$550 or best offer. David Fiotr Ji. 13 Belivue Ave. Pennidel, PA 19047, (215) 752-4101

WANTED: I am trying to find chess programs which run or CPMI 2.2 with no graphics (Televideo 950 terminal). Please send specs, documentation, and cost of your software (for 8-inch (loppy). A. B. Muller, 793 K. Transway Lane, Albuquer que, NM 87122.

UNCLASSIFIED POLICY: Readers who have computer equipment to buy, sell, or trade or who are requesting or giving advice may send a notice to BYTE for inclusion in the Unclassified Ads section. To be considered for publication, an advertisement must be non-commercial (individuals or bona fide computer clubs-only), typed double-spaced on plain white paper, contain 75 words or fewer, and include complete name and address. This service is free of charge; notices are printed once only as space permits. Your confirmation of placement is appearance in an issue of BYTE as we engage in no correspondence. Please allow at least three months for your ad to appear. Send your notices to Unclassified Ads, BYTE/McGraw-Hill, POB 372, Hancock, NH 03449.

Unclassified Ads

FOR SALE! Anderson-Jarobson Model 841 80 communicating Selectric teletypewriter, RS-232C cable included. Elecellent condition, prints ASCII text at 14.5 cps. Asking 5800 Will consider trade for Epson dot-matrix printer, preferably MX100 John Kennedy, 3300 Camageway Dr #402. Arlington Heights, IL 60004, (312) 322-6039 or 577-2282

WANTED: Atan 400/800 owners who would like to swap programs and conversation about computers, science facilitytion, electronics, etc., by cassette tape. Will also tape for conversations with other computer bulls. Bill Wheat, Apr. 1103, bend Dr., Williamson, NY 14589.

FOR SALE: SSM CBIA and SSM NO4 Both boards have sockets and other components installed, but have few inregrated circuits, \$60. Greg Bober, 20126 Doyle Court, Grosse

Pointe Woods, MI 48236, (313) 884-2133.

FOR SALE: HP-85A computer with the following options. 16K RAM module. HP-IB interface, 514-inch floppy disk and controller, 12 software pacs including Visicalc Plus and Graphics Pac Also includes ROM drawer and following ROMs. VO. Advanced Pgm. Mass Storage. Matrix. Assembler. and Platter/Printer Less than one year old Asking \$4500 Garry Derbyshire, 220 East Mermaid Lane #115, Philadelphia, PA

FOR SALE: 192K bytes of DEC core memory (MF-11 Lp). with all control boards, three backplanes, cables, and documentation Each backplane holds 64K bytes. Memory in perfect working order and still under DEC maintenance. Over 40 boards in all, including spare 8K memory core. Came out of PDP-11/50 (fits 40, 45 also). Lists for \$250 per 8K words. Lised price \$1000. Charles Viau, 424 Commercial St., Braintree, MA

02174, (617) 848-3669 evenings

WANTED: People interested in sharing ideas about the Commodore VIC-20. The possibility exists of forming a user group to span the continent. D. Piette, 2351 Workman, Montreal, Quebec H3J 2N3, Canada

WANTED: Video Brain Computer fulnitecht with APL/S carindge. Also, Video Brain peripherals (Expander 1 cassette interface. Expander 2 modern, printer, joysticks, cartridges, etc.), schematics, manuals, or any information on where I may obtain these dems. Correspondence from Video Brain owners or user proups welcome. Please send list of hardware and software with reasonable price information. Patrick King, Box 14165, San Antonio, TX 78214

NEEDED: Statistical programs general statistics, analyses of variance and regression, nonparametric statistics, phar-macolunetic programs, etc. to be run on a Sirius computer under either CPIM, MS-DOS or CPIM-86. Nils G. Svedmyr. Vultor Rydbergsg 48/357, \$412-81 Goteborg, Sweden, Tel. +46-31 204576

FOR SALE: Two Anderson Jacobson 1245 coupler/moderns Bell 103 and Bell 202 modes. (300-bps full dupli and 1200-bos half dupled. These were \$700 each new, will self for \$350 each. Alan Selfridge, 2592 Middlefield Rd., Palo Alto, A 94301 (415) 327-1140

WANTED: I own a Sinclair 2XB1, and would like to trade in formation with other ZXB1 owners. Greg E. Sedbrook, 1004.

East 2nd, Del Rio TX 78840

FOR REPAIR: Printed circuit boards for Oume Sprint 3 [45.55 cps: Sprint 5: Diablo Hytype II, and Diablo Model 630. Also, Spirit 9 (45,55 cpg carriage, assembly and motor en-coder Please quote a price for repair Don Kim, 5515 Livingston Rd. Oxori Hill MD 20745 [301] 567-0365

Barron, Diehr

FOR SALE: Two Helium-Neon Lasers, 2-milliovati visible red. autpul. 1100 each or will trade Electronics and laser knowledge required for safe operation. Jim Bonner, 1005

North Dickson St., Tuscumbia, AL 35674, (205) 383-1844 FOR SALE: IBM Selectric printer purchased as a Date! (035 terminal it includes a printer (which also doubles as a Selectric typewnter), complete Datel and IBM documentation, and an EPROM set and documentation to convert from corespondence code to paratlel ASCII 5425 Gene Nelson, 74 Brant St. #4. Amherst, NY 14226 17161835-8997 or 831-2328 NEEDED: Physics teacher needs Persci 277 disk drive in working condition. W.C. Johnson-Chamberlain, Craven Community College, Box 659, Beaufort, NC 28516 SURPLUS: Sinclair 2X81 owners, 32K memory boards with

four VO ports, 312 Board, 46-pin connector, and schematic Beduhn, 411 Clancey Lane, Stoughton, WI 53589. FOR SALE: Synetol 2022 294K double-drive RAM disk emulator for Apole II. new with warranty, software for DOS 3.3. Pascal, and CP/M 5795. Apple grayscale low-resolution himmance board (see 11/82 Crimp & EleciPE) assembled and tested with software \$100 Michael Gilbert, 73 Spaulding St. Amherst, MA 01002, M13I 253-2786

FOR SALE: Rockwell AIM-65, 28K of static RAM, plus assembler and PLAS PROMs, all documents, one year old. \$425 Ron Dail, 63 Maplewood Ave. Cranston, RI 02920

(401) 943-740B

FOR SALE: Doublevision 80-column card for Apple II, with Doublevision version of Apple PIE 2 D word-processing softwate: \$200 Also, integer BASIC firmware card, \$50 Dr. Steven Souza, Department of Physics and Astronomy, Williams College, Williamstown, MA 01267

FOR SALE: Intelligent Systems Corporation color-graphic computer systems: Computation It with 16K user mi 51/4-inch disk drive, and 72-key keyboard. Intecolor 3651 with 32K user memory. 8-inch disk drive, and 117-key keyboard Common components for above systems. B-color/13-inch RGB display, Disk BASIC/FCS (DOS) in ROM, RS-232C interface, extensive software, and complete documentation. Will pay insured shipping inside U.S. Darryl Nadvornick, 14818 Elame Ave., Norwalk, CA 90650

WANTED: 2log 2DS 1/40 Development system number 05-6013-06. Please send price and full details. Willy Adams, 52 Boerderjstraat, 8730 Haretoeke, Belgium, Tel. 056/ 223117

FOR SALE: OSI BK Superboard computer, 4 SA power supply, RF modulator and programs. 1300 Studio II video game and carridge \$30 Tom Rezachek, 6337-82nd St. S. Cottage Grave, MN 55016

BOMB

BYTE's Ongoing Monitor Box

Article #	Page	Article	Author(s)
1	14	Little Big Computer	Malloy
2	49	Build an RS-232C Code-Activated Switch	Clarcia
3	60	Local Area Networks	Saal
3	82	The Fortune 32:16 Business Computer	Barry
5	104	The Movable Conference	Lerch
5 6 7	124	Electronic Publishing: The New Newsletter	Bechhoefer
7	134	What a Concepti	Feigel
8	154	Achieving Greater White-Collar Productivity	
		in the New Office	Goldfield
9	176	Word Tools for the IBM Personal Computer	Shuford
10	220	A Comparison of Five Database Management	
		Programs	Abbott
11	232	Stalking the East-Asian Microcomputer	Lemmons
12	242	An Inexpensive Letter-Quality Printer	Brown
13	263	Painter Power, An Electronic Paintbrush for	Pappas,
		Artists	Murray
14	266	BYTE West Coast; Ferment in Silicon Valley	Lemmons
15	272	NAPLPS: A New Standard for Text and	
		Graphics, Part 4: More Advanced Features	
		and Conclusions	Fleming
16	286	Better Software Manuals	Sohr
17	298	User's Column: Ulterior Motives, Lobo,	
		Buying Your First Computer, JRT Update	Pournelle
18	342	Design Philosophy Behind Motorola's	
		MC68000, Part 2	Starnes
19	368	Building a Hard-Disk Interface for an S-100	Cruce,
44		System, Part 3	Alexander
20	402	Using IBM's Marvelous Keyboard	Glasco,
	300		Sargent
21	418	Strongly Typed Languages	McCoy
22	438	The Ins and Outs of the TRS-80 Color	5/2/01
	12.3	Computer	Stearman
23	452	A Conceptual Approach to Real-Time	
2		Programming	Wyss
24	474	Regression Fitting to Economic Indexes	Merrill

482 Sorting Algorithms for Microcomputers

Apple Shines

Apple created quite a stir in the microcomputing world long before it officially announced the Lisa and Apple IIe. Evidently these new products generated just as much interest among BYTE readers. Gregg Williams won first place in the February BOMB contest for his Product Description of "The Lisa Computer System." As a staff member he is ineligible for the \$100 prize. Second place goes to Robin Moore for his review of "Apple's Enhanced Computer: The Apple Ile." He will receive the \$50 award, Chris Morgan, Grego Williams, and Phil Lemmons earned third place for their interview with three key members of Apple's engineering team: "An Interview with Wayne Rosing, Bruce Daniels, and Larry Tesler."

25

Reader Service

inguiry No.

Page No.

Inquiry No.

Page No.

Inq	ulry No.	Page No.
21 1 52 3 4 5 12 7 8 9 11 1 5 4 5 12 2 2 2 2 2 2 2 2 2 2 2 2 3 3 2 2 4 3 3 2 4 3 3 3 2 4 3 3 3 2 4 3 3 3 2 4 3 3 3 2 4 3 3 3 2 4 3 3 3 3	181 NATIONAL 1 1 SUPER WARE 3M DATA RECO 800 SOFTWARE AST.RESEARC AB COMPUTER ABC DATA PRO ABRAMS CREA ACCOUNTS PAY ACTION COMP ACTIVE ELECT! ADDMASTER OF ADV. PROCESS ADV. COMP. PRO ADV. LOGIC SYS ADV. SYS.CONC ADISA CORP 36 ADVENTURE IL ADVENTURE IL ADV. ADVENTURE IL ADV. ADV. ADV. ADV. ADV. ADV. ADV. ADV.	COMP. 185 HOUSE 243 IRDING 113 155 HOUSE 243 IRDING 113 155 S57 IVE SERV. 548 IVE SERV. 548 IVE SERV. 548 IVER 246 IVER 363 IVER 552 IVER 363 IVER 552 IVER 363 IVER 552 IVER 363 IVER 562 IVER 363 IVER 563 IVER
45 46 47 48 48 50	ARK MICHOSYS ARTIFICIAL INT ASHTON-TATE: ASHTON-TATE: ASHTON-TATE:	TEMS 216 'L.RESACH. 396 19 152, 153 159
51 53 54 55 56 57 58 59 61 62 63	ATST LONG LIN ATARITY A, 175 ATLANTIS COM AUTOCONTROL AUTOMATED EC AVOCET 221 BAS ELECTR, 51 BASF SYSTEMS BASIS, INC. 119 BAUSCH & LOM BAY TECHNICA BELL, JOHN EN BETSY BYTES 5	IES 387 P.SERV. 558 INC. 554 2UPMNT, 395 52 IOS 542 255 8 INSTR.SYS. 289 L ASSOC. 198 GR. 551
65 66 72 73 74 76 77	BHRT 267 81-COMM SYSTI 81-COMM SYSTI 81-BLAT RESPOND BULAT RESPOND BUTTOM LINE, BUTTOM LINE, BUNKER-RAMO BUSINESS MAN BUSINESS SYS. BYTE BACK ISSUI BYTE PUBLING. 4	RETRIEVAL 303 5 DEVELP. 172 THE 197 15 396 498 AGER 325 RSCH.DEV. 542 ES 508
82 83 83 83 85 85 85 85 85 85 85 85 85 85 85 85 85	BYTEK COMP. SY, BYTEWRITER 116 CSYSTEMS 546 CSD. INC 569 CABLES UNLTD 5 CABTEK, INC. 513 CAUF. DIGITAL 56 CAUF. DIGITAL 56 CAUF. MICRO.COM CAMPASS CORP. COEX CORP. 335 CDB SYSTEMS 36	3 442
5° 2000 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CAMPAGS CORP. COBX ORP. 335 COR SYSTEMS 39 COS 555 CENTENNIAL SOF CHIPS IS DALE 48 CHRISLIN INOUST CMC INTL 447 COGRADO CHIM COLORADO CHIM COLORADO COM COLUMBIA DATA COLOMBIA DATA COLOMBIA NATIO COMMUNICATION COMMUNICATION COMMUNICATION COMPAC COMPL	SERV. 378 SERV. 378 SERV. 378 S 540 P. PERIPH. 548 PROD. 102, 103 NAL 172 I CABLE 554 NS ELECTR. 548

Inq	uiry No.	nege No.
107	COMPONEN	ITS EXPRESS 491
109	COMPUGAR	546
111	COMPUGIF	r INC. 358
112	COMPUPAC	WGODBOUT 369 WGODBOUT 500, 501 WGODBOUT 502
113	COMPUPRO	VGODBOUT 502
373	COMPUSHA	VGOOBOUT 502 VE 257 CK 252, 253 T PUBL-8 422 APPARATUS 545 CHANNEL 540 COMPNTS, UNIT D. 523 DISCOUNT PROD. 563 ENTREPRENEUR 366 EXCHANGE 200, 201 EXCHANGE 200, 201 EXCHANGE 200, 201 EXCHANGE 200, 201 EXCHANGE 200, 201 ANAL ORDER 424, 425
116	COMPUTER	APPARATUS 545
117 118 119	COMPUTER	COMPNTS UNLTD. 523
120	COMPUTER	ENTREPRENEUR 365
505 508 507	COMPUTER	EXCHANGE 200, 201
122	COMPUTER	INNOVATIONS 64 MAIL ORDER 424, 425
120 127	COMPUTER	PERIPH INC. 423 PLUS 378 SCIENCE PRESS 370
128	COMPUTER	SCIENCE PRESS 370
131 124	COMPUTER	SOLUTIONS 26 SPOLTIES, 173 STORE THE 542
125	COMPUTER	STORE, THE 542 I STORE, THE 546 I WAREHOUSE 195
513 132	COMPUTER	IS & MORE 415 LINE INTL A 350, 361
133	COMPUTER	ILINE INT'L-B 357
135 136	COMMUNIC	AL DOOD INC. CC.
137	CONTRACT	NT CORP. 386 MICROS 550 COMP. 548
139	LUUGAR M	JUNIAIN SUFT 383
141	CREATIVIT	THE 553 Y UNLTD: 412
143	CUESTA SY	
145	CYBERNET CYBORG C	ICS INC. 382
148	DAMAN 556	USITIONS 101
148	DATA ELEC	TRONICS INC. 268 IANGE 560 180
233 150	DATA MAN	AGEMENT SYS, 544
153	DATA-ED 36 DATA-LINE DATAMAST	560
155 158 512	DATASMITE	6 517 CE SYS.CORP. 323
157	DATASOUT	H COMP.CORP. 468 H COMP.CORP. 319
159 160	DECISION I	RESOURCES 27
161	DICITAL DI	MENERONE 200
18	DIGITAL MA	BORATORIES 381 ARKETING 6 SEARCH 151 SEARCH 327
163	DIGITAL RE	SEARCH 327
164	DIP INC. 54	SEARCH COMP. 541 7 SOFTWARE 188, 189
165	DISCWASHE DMA 465	R COMP.PERF 353
527 175	DOCUTEL COM	LIVETTI 275 IP.PROD.ING, 570, 571
	DOM TONE	S SOFTWARE 292 S SOFTWARE 293 I BOOK BAZAAR 544
176 530	OUDINGHE	34
177 529	DV4 SYSTE	ONTROL CORP 156 MS 90 1P. 359
178	DYSAN COL	RP. 359 BROWN CO. 412
179 180 181	EAST SIDE	17: 358 BROWN CO. 412 554 SOFTWARE 179 NTERPRISES 481 OB OSYSTEMS 412
182	ECOSOFT 5	NIERPRISES 481
183	EDUCATION.	AL MICROCOMP 429
165 166	ELECTRON	AL MICROCOMP 429 AL MICROCOMP 584 C CONTROL 216 C SPCLISTS 516 ILENG.BOOK CLUB
187	ELEC. & CTF	ILENG BOOK CLUB
188	480, 481 ELECTROSC ELECTROSC	NICS 560
1410	ECEG I NOO!	mag ugu

Inq	ulry No.	Page No.
	ELLIS COMPUT	ING 48
501 190	EMC DISTRIBUT	TORS 521
191	EMERY AIR FRE	EIGHT 330
192	EMPIRICAL RES	SPECIALTIES 558
193	EPSON AMERIC	A 223
194	EPSON AMERIC ESPRIT SYS. IN ESSEX PUBLISH	C. 211 UNG 461
196	EXECUTIVE PER	IPH. SYS. 251
197 151 198	EXECUTIVE PER EXPOTEK 158 FACIT DATARO	YAL 419
198		
200	FORMULA INT'L	BUS, EQUIP, 463 309 INC, 339
201		INC. 339 IP CORP 287
504		
203	FROBCO 324 G-H COMPUTER GARDEN OF ED GENERAL MICE GENIE COMP.CO GIFFORD COMP. GILTRONIX INC. GREAT SALT LA GTEK INC. 24 HAYDEN SOFTY HAYES MICROCX HAYES MICROCX HAYES MICROCX HAYES MICROCX HAYEN COMPA	SYS, 396 EN COMP. 548
205 207	GENERAL MICH	O SYSTEMS 552
208 209	GIFFORD COMP	SYS. 187
209 210	GREAT SALT LA	200 KE COMP 825
211	GTEK INC. 24	INC COMP. DES
52B 212	HAYDEN SOFTY	WARE 277 DMP PROD. 78
213 215	HAYES MICROCO	MP.PROD. 304, 305
458	HOBB-Y-TRONIX	(INC. 561
216	HOFFMAN COM	P.PROD. 238
30	HEATH COMPA HOBB-Y-TRONIX HOFFMAN COM HOFFMAN COM HOLLYWOOD H HUMAN SOFT 2	ARDWARE 552
218	HUMAN SOFT 2 I.B.C. 19	83
	I.B.C. 19 I.D.S. 393	
220	I.T.M. 480 IBM CORP. 122, IBM/SMALL SYS IDE CORP. 171	123
222	IBM/SMALL SYS	i. DIV. 436, 437
224 533	IMS INTERNATH	ONAL 129
235	INCOMM 517	
225	INFO, REDUCTION	N RESEARCH 308
226 238	INMAC 181 INNOVATIVE CO INSIGHT ENTER	DMM. 554
227	INSIGHT ENTER	PRISES 550
	INSTITUTE SCT	PPLD.TECH. 193
228	INT'LMICHO SY	1 /TV 136
231	INTEGRAND 39- INTELLIGENT DI INTERCONTN.M	NOSE INC SEC
232 234	INTERACTIVE S	TRUCT. 159
237	INTERCONTN.M	ICROSYS, 72 STEMS INC. 544
239	INTERTED DATA	
240	IPEX INT'L. 556 IRONSIDES COM	MP. CORP. 349
510 516	J.C.SYSTEMS BE	
242	JADE COMP.PR	OD. 585
243	JADE COMP PH	UD. 566. 267
245 246	JAMECO ELECT	ICES 584, 585
247	JOR MICRODEV	ICES 588
249	JUKI INDUSTRY	OF AM 311
250 251	JVB ELECTRON	ICS 548
253	KENSINGTON M	IICROWARE 163
254 255	KERN PUBLISHI KEYTRONICS CO	NG 131 ORP. 137
514	LABORATORY N	AICROSYS, 415
258 257	LANIER BUSN.P	ROD. 492, 493
258	LEADING EDGE	PROD. CIII
259	LEHMANN & AS	SALES 391
261	LIGO RESEARCI LOBO DRIVES I	H INC. 115
283	LOGICAL DEVIC	ES 504
285 286	LOMAS DATA PO	PMENT 227
287	LYBEN COMP.S'	YS. 546 YS. 556
288 289	LYCO COMPUTE	R 449
270	MACMILLAN BOO MACROTECH CO	OMP.PROD. 461
271	MACROTECH IN	IT'L. 17
272 274	MAILCOMP INC. MANNESMANN	TALLY 71

To get further information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 20-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions. *Correspond directly with company.

	,
275	MANX SOFTWARE 42 MARTIN MARIETTA CORP. 490
525 280	MARYMAC INDUSTRIES 491 MASON COMPUTERS 22
281	MAYNARD ELECTRONICS 160
282 283	MG NEILL 514 MG NEILL 514
284 502	MC NEILL 514 MC/N INC. 483
	MCGRAWHILLIBYTE BOOK CO.
	MCGRAW-HILL BOOK CO. 462
515	MCGRAW-HILL BOOK STORE 214 MEDISOFT 415
534 289	MEGA CO. 363, 564 MEGABYTE INDUSTRIES 550
290	MEMORY MERCHANT 199 MEMOTECH 145
521 292	METASOFT CORP. 380 METHOD SYSTEMS 558
293	MICRO ADE 548 MICRO AGE COMP.STORE 288
294 295	MICRO BUSN.WORLD 291
296	MICRO CONTROL SYS, 315 MICRO INK, INC. 483 MICRO LOGIC 554
297 298	MICRO LOGIC 554 MICRO MANAGEMENT SYS 427
115	MICRO MANAGEMENT SYS. 427 MICRO MARKETING 544
299	MICRO MART 584 MICRO MIDWEST 398
300 433	MICRO MINT 459 MICRO MINT 562 MICRO PRO, INT'L, 472, 473
301	MICRO PRO. INT'L, 472, 473 MICRO-SCI 108
523 304	MICRO-SCI 108 MICRO SOLUTIONS 584 MICRO WORKS, THE 120 MICRO XPRESS 550
147	MICRO XPRESS 550 MICROCOMP.BUSN.IND. 191
538	MICROCOMP.BUSN.IND. 280, 281
306 509	MICRODYNAMICS 562 MICROHOUSE 12, 13
374	MICROLOG 302 MICROMAIL 538
307 308 309	MICROPERIPH CORP, THE 483 MICROPERIPH CORP, THE 560
309	MICHUPRULESSURS UNLIU SM
310	MICROSOFT 117 MICROSOFT 337
517 311	MICROTECH EXPORTS 262 MICROTYPE 476 MICROWARE 560
229	MILLER MICROCOMP. SERV. 258 MK RESEARCH 548
312 273 313	MRS 542
314	MOORE BUSN.FORMS 484 MORROW DESIGNS 230, 231
316	MORROW DESIGNS 230, 231 MOUNTAIN VIEW PRESS 213 MOUSE SYSTEMS 15
318	MTI SYSTEMS CORP 254
320	MULLEN COMP.PROD. 279 MUSYS 96
322 323	NEC HOME ELECTRUSA 77 NEC HOME ELECTRUSA 70 NEC HOME ELECTRUSA 187 NEC INFORMATION SYS. 271
324	NEC HOME ELECTRUSA 167
326	NETRONICS 543 NETWORK CONSLING CORP. 162
327 328	NEW GENERATION SYS. 478 NK INC. 544
329	NORTH HILLS CORP. 558 NORTH HILLS CORP. 562
330 331	NORTH STAR COMPUTERS 111
332 333	NORTHWEST DIGITAL SYS. 367 NORTHWEST INSTRISYS. 89
334	NOVATION 206, 209 NUMERICAL CONTROLS 317 DASIS SYSTEMS 328, 329 OCTAGON COMP SYS 95
337	OASIS SYSTEMS 328, 329 OCTAGON COMP SYS 95
339 340	OMEGA MICHOWARE, INC. 138 OPEN SYSTEMS INC. 135
341	OPTIMAL TECHNOLOGY 496
342 343	OPTRONICS TECH 168 ORTHOCODE GROUP 382
344	ORYX SOFTWARE 397 OSBORNE/MCGRAW-HILL 169
345	OSM COMPUTER 23 OWENS ASSOC. 454
348	OSBORNEMCGRAW-HILL 169 OSM COMPUTER 23 OWENS ASSOC. 454 PACIFIC COMPUTERS 382 PACIFIC EXCHANGES 544, 548, 552, 556, 560, 564 PALOMAR COMPLEQUIP, 416, 417
353	552, 556, 560, 564 PALOMAR COMP.EQUIP. 418, 417
353 354 355	PAN AMERICAN ELEC.INC 514 PERSCI 542
356 357	PERSCI 552 PERCOM DATA 7
358	PERIPH. MARKETING INC. 44
369	PERSONAL SYS.TECHN. 215 PHASER 97
361	PICKLES & TROUT 164 PION INC. 284 PLUM HALL 471
511 383 385	POPCOM 378
•	POPCOM 378 PRACTICAL PERIPH, 36, 37 PRINCETON GRAPHIC SYS, 248 PRINTEK 183
307 453	PRINTER STORE, THE 128

Inquiry No. Pege No. PRIORITY ONE 578, 579
PRIORITY ONE 580, 581
PRIORITY ONE 582, 583
PROFIT SYSTEMS 113
PROGRAMMING INT'L. 340, 341
PROMETHEUS PRODUCTS 207
PROTECTO ENTERPR. 400, 401
PROXIMITY DEVICES COAP 150
PRYOR COMP. SUPPLIES 142
QANTEX DIV. 41
QUADRAM CORP. 57
QUADRAM CORP. 57
QUADRAM CORP. 68, 69
QUADRAM CORP. 91
QUADRAM CORP. 9360, 361
QUARK ENGINEERING 186
QUBIE DISTRIBUTING 321
QUCES 307 368 369 370 375 376 377 380 381 382 383 384 505 385 490 OUBIE DISTRIBUTING 321
QUICK-N-EASI PROD. INC. 479
RACET COMPUTES LTD. 184
RADIO SHACK CIV
RCA AMER.COMM. 236
RED BARON COMPPROD. 132, 133
REMOTE MEASUREMENT SYS. 244
RIXON 431
ROCKY MT.MICRO INC. 181
RTL PROGRAMMING AIDS 554
S C DIGITAL 261
SAW COMPUTER SUPPLY 556 387 388 389 390 252 392 394 395 396 397 398

Inquiry No. Page No. SCION CORP. 5
BCION CORP. 5
BCION CORP. 5
BCION CORP. 5
SCIONT SOLE SYSTEMS 347
SCREENWARE 544
SD SYSTEMS 109
SEARS ELECTRONICS INC, 560
SELENE ASSOC. 542
SEMI DISK SYSTEM 295
SENTINEL COMP.PROD. 56
SHERATON HOTELS
WORLDWIDE 375
SIERRA DATA SCIENCES 82, 63
SIGEN CORP. 479
SULDER 496
SNAVE SYSTEMS 554
SOFTWARE ARTS 439
SOFTWARE ARTS 439
SOFTWARE STORE, THE 505
SONICS MICRO SYS, 93
ST. MARTIN'S PRESS 386
STAR LOGIC 318
STAR BUCRONICS 31
STAR SOFTWARE 235
STARBUCK DATA CO. 288
STEMMOS LTD. 475
STM CORP 143
SUNSELT COMP. PROD. 548
SUNTRONICS 552
SUPERSOFT 105
SUPERSOFT 105 408 407 408 409 410 415 419 422 526 423

Inquiry No. Page No. SUPERSOFT 285
SYSTEMS STRATEGIES 20
TAB BOOKS 433
TALLGRASS TECH. 73
TARBELL ELECTR. 471
TATUM LABS 580
TAVA CORP 229
TAVA CORP 225
TAVO BUSINESS FORMS 558
TECMARINC. 83
TECHNIGRAPHIC DESIGNS 546
TELETON SYSTEMS 328
TELETEX COMMUNICATIONS 93
TELETEX COMMUNICATIONS 93
TELETEX COMMUNICATIONS 33
TELETICE SYSTEMS INC. 80, 81
TERMINAL DATA SYS. 582
TERMINALS TERRIFIC 34
TEXAS INSTRUMENTS 177
TEXAS INSTRUMENTS 296, 297
THOUGHTWARE INC. 141
THUNDERHAWK CORP. 178
TIMESHARING DEV. INC. 396
TINNEY, RBT. GRAPHICS 457
TINNEY, RBT. GRAPHICS 457
TOSHIBA AMERICA 445
TOTAL ACCESS 564
TRANSWAYE CORP. 125
TRILOG 450 437 438 439 371 442 445 446 447 448 449 450 458 457 520 450 TRANSWAVE CORP 125 TRILOG 450

inquiry No. Page No. TRILOG 451
TRISTAR DATA SYS. 422
TSK ELECTR.CORP. 241
TYCOMP COMPANY 550
U.S. MICRO SALES 572, 573
U.S. ROBOTICS 130
U.S. EXCHANGE 546
UNIVERSAL DATA SYS 39
VANDATA 114
VICTOR TECHNOLOGIES 383
VICTOR TECHNOLOGIES 218, 219
VIDEX 21 VIOEX 21
VISTA COMPUTER CO 108
VISUAL TECH,INC. 87
VLM COMPUTER ELECTR. 558
VOTRAX 301
VSC TECHNOLOGY 552 VSC TECHNOLOGY 552
WAREHOUSE SOFTWARE 184
WASHINGTON COMP.SERV. 442
WASHINGTON COMP.SERV. 458
WESTIGO INC. 205
WESTIGO INC. 205
WESTIGO INC. 205
WESTIGO INC. 205
WILD HARE COMP.SYS. 399
WINCHENDON GRP.,THE 556
WINTERHALTER & ASSOC. 228
WORDTECH SYSTEMS 550
WORLDWIDE COMP. 5UPP. 562
WYNDHAM GROUP 471
X COMP. 35
YANG ELECTRONIC 550
ZOBEX 33 *Correspond directly with company

NATIONAL ADVERTISING SALES REPRESENTATIVES:

428 427 428

S C DIGITAL 201 SAW COMPUTER SUPPLY 556 S-100 DIV. 696 CORP. 274 SAGE COMP.TECH. 247 SATURN SYSTEMS 85 SCIENTIFIC ENG. 552

ME, NH, VT, MA, RI, EASTERN CANADA Paul McPherson, Jr. [617] 262-1160 McGraw-Hill Publications 607 Boylston Street Boston, MA 02116

ATLANTIC

NJ (NORTH), NY, NYC, CT Eugene Duncan (212) 997-2096 McGraw-Hill Publications 1221 Ave of the Americas - 39th Floor New York, NY 10020

Dick McGurk (212) 997-3588 McGraw-Hill Publications 1221 Ave of the Americas - 39th Floor New York, NY 10020

PA (EAST), NJ (SOUTH), MD, VA, W. VA, DE, D.C. Daniel Ferro (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia, PA 19102

SOUTHEAST NC, SC, GA, FL, AL, TN,

Maggie McClelland (404) 252-0626 McGraw-Hill Publications 4170 Ashford Dunwoody Road - Suite 420 Atlanta, GA 30319

IL, MO, KS, IA, ND, SD, MN, WI, NB Jack Anderson (312) 751-3740 McGraw-Hill Publications Blair Building 645 N. Michigan Ave Chicago, IL 60611

GREAT LAKES, OHIO REGION MI. OH, PA (ALLEGHENY), KY, IN Dennis Relily (313) 352-9760 McGraw-Hill Publications 4000 Town Center - Suite 770 Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN UT, CO, WY, OK, TX, AR, MS, LA Alan Morris (214) 458-2400 McGraw-Hill Publications Prestonwood Tower - Suite 907 5151 Beltiline Dallas, TX 75240

SOUTH PACIFIC

Southern CA, AZ, NM, LAS VEGAS Page Goodrich [714] 357-6292 McGraw-Hill Publications 3301 Red Hill Ave Building #1, Suite 222 Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160 McGraw-Hill Publications 3200 Wilshire Blvd. Los Angeles, CA 90010

NORTH PACIFIC

HI, WA, OR, ID, MT, NORTHERN CALIF, NV (EXCEPT LAS VEGAS) W. CANADA David Jern (415) 362-4600 McGraw-Hill Publications 425 Battery St. San Francisco, CA 94111

BIII McAfee (415) 964-0624 McGraw-Hill Publications 1000 Elwell Court - Suite 225 Palo Alto, CA 94303

WEST COAST SURPLUS AND RETAIL **ACCOUNTS** Tom Harvey (805) 964-8577 3463 State St. - Sulte 256 Santa Barbara, CA 93105

European Advertising Sales Representatives:

Mrs. Maria Sarmiento Pedro Telxeira 8, Off. 320 Iberia Mart 1 Madrid 4, Spain 45 52 891

Mr. Andrew Karnig Andrew Karnig & Associates Kungsholmsgatan 10 112 27 Stockholm, Sweden 08 51 68 70

Mr. Ello Gonzaga McGraw-Hill Publishing Co. Via Baracchini 1 20123 Milan, Italy 86 90 617

Mrs. Gurit Gepner McGraw-Hill Publishing Co. 115 Yosephtal St. Bat Yam, Israel 866 561 321 39

Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 27C D-6000 Frankfurt/Main 1 West Germany 72 01 81


Mr. Hans Csoker Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria Mr. Michael Sales McGraw-Hill Publishing Co. 17 rue Georges Bizet F 75116 Paris France 770 33 42

Mr. Slmon Smith McGraw-Hill Publishing Co. 34 Dover St. London WIX 3RA England 01 493 1451

Far East/Pachlic Seavex Ltd. 05-49/50 Tanglin Shopping Center 19 Tanglin Rd. Singapore 1024 Republic of Singapore

Seavex, Ltd. Room 102, Yu Yuet Lai Bidg. 43-55 Wyndham St. Central Hong Kong

Nikkel/McGraw-Hill Publishing Co Nikkei Annex Bidg 2-1-2 Uchikanda Chlyoda-Ku Tokyo, Japan



All You Want in a Computer At a Price You'd Never Expect



Introducing the New TRS-80® Model 4 Personal Computer From Radio Shack

64K Model 4 With Two Disk Drives And RS-232C 199900

Cat No 26-1069

- High-Performance 4 MHz Z80A
- Runs Thousands of Model III TRSDOS** LDOS** and CP/M** Plus Applications
- 80-Column by 24-Line Video Display With Upper and Lower Case
- 64K RAM Is Expandable to 128K—Use it As a Super-Fast RAM-Based "Disk Drive"
- Advanced Job Control Language Allows Completely Unattended Operation
- Sound is Accessible From BASIC or JCL
- Includes Print Spooler (Disk or Memory)
- 70-Key Keyboard Includes Datapad, Plus CONTROL, CAPS and 3 Function Keys
- New Microsoft BASIC Includes CHAIN And COMMON for Larger Programs
- Communications Package Allows
 Model 4 to be Used As Host or Terminal
- Forms Control, Routing and Linking, and Filtering Using Advanced TRSDOS 6.0
- Reverse Video Highlights Corrections
- Options Include 640 x 240 Graphics, Hard Disk System and CP/M-Plus*

With its new advanced operating system and Microsoft* BASIC, Model 4 is already an amazing value. But consider these other built-in features: two 184K, 51/4" double-density disk drives, hi-res monitor, parallel printer and RS-232C interfaces. Don't pay more later to add these features to another personal computer. We include what most charge extra for!

See the fantastic new TRS-80 Model 4 at your nearby Radio Shack store, Computer Center or participating dealer—today.

Radio Shaek

The biggest name in little computers*
A DIVISION OF TANDY CORPORATION

Circle 390 on inquiry card.

Send me a free TRS-80 Computer Catalog today!

Mail To: Radio Shack, Dept. 83-A-164 300 One Tandy Center, Fort Worth, Texas 76102

ADDRESS

PHONE

CITY _____ STATE ____ ZIP

"Available soon! Retail pinces may vary at individual stores and dealers. LDOS is a trademark of Logical Systems inc. CP/M Plus is a registered trademark of Digital Research, Inc. Microsoft is a registered trademark of Microsoft inc.